



**Retrospective Power Curve
Igloo D0104
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0105
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0107
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0108
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.16 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0110
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0113
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0206
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0207
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0305
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0306
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0312
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0401
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0406
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0407
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0413
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0601
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0604
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0607
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0704
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0705
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH




Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH




**Retrospective Power Curve
Igloo D0711
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0712
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0801
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).


**Retrospective Power Curve
Igloo D0805
NRC License Termination
Seneca Army Depot Activity**

ALPHA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (16.3) will have a 0.30 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).

BETA PHOSWICH



Based on the number of measurements and the observed standard deviation, a survey unit with a median measurement equal to the background median plus the LBGR (256.5) will have a 1.0 probability that the survey unit will correctly fail (i.e., the null hypothesis that the difference between the survey unit median and the background median is less than the LBGR [i.e., the survey unit is indistinguishable from background] is rejected).