



american asphalt

PAVING CO
500 CHASE ROAD
SHAVERTOWN, PA 18708-9622

Area 570
Dallas: 696-1181
Scranton: 969-1181
Pittston: 654-1183

Wilkes-Barre Construction
Dallas: 696-3122

Fax: 696-3486

BERNARD C. BANKS, Jr.
CEO / President / Treasurer

March 14, 2005

Licensing Assistant Section
Nuclear Materials Safety Branch
US Nuclear Regulatory Commission Region I
475 Allendale Road
King of Prussia, Pa. 19406-1415

RECEIVED
MAR 24 11 30 AM
REGION I

To Whom It May Concern:

Please be advised that American Asphalt Paving Co. (License # 37-18495-02) will be changing its Radiation Safety Officer (RSO). 03031260

James Sterner was our RSO, however, he is no longer employed by American Asphalt.

Effective immediately, our new RSO will be David Lovette. David has successfully completed the RSO and Operator's Training Course as required by your agency. Please see attached certification.

If there is any further action required by American Asphalt, please do not hesitate to call.

Sincerely,




Bernard C. Banks, Jr.
President/CEO

BCB/dg
Enc.

134677
NMSS/RGNI MATERIALS-002

Q/C RESOURCE

Training Course Certification



This is to certify that

David Lovette

has successfully completed the RSO and Operator's course as required by the U.S. Nuclear Regulatory Commission and the Agreement States, in the Fundamentals of Safety and Gauge operation, for the use of Nuclear Moisture / Density equipment. This course meets the requirements in NUREG 1556 Vol 1, Appendix D. It covered:

Atomic Physics

Radiation Safety

Dose/Shielding Calculations

Accidents/Storage

49 CFR Transportation

Risk

ALARA

Measurement Theory

Operation

Field Applications

Calibration

Maintenance

January 27, 2005

Date of Training

7870

Certificate Number

Instructor - Philip C. Palilla

Manufacturer's Rep

NRC FORM 313 (8-1999) 10 CFR 30, 32, 33 34, 35, 36, 39 and 40	U. S. NUCLEAR REGULATORY COMMISSION	APPROVED BY OMB: NO. 3150-0120 EXPIRES: 08/31/2002 Estimated burden per response to comply with this mandatory information collection request: 7.4 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Records Management Branch (7-6 E6) U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 or by internet e-mail to bml1@nrc.gov and to the Desk Officer, Office of Information and Regulatory Affairs, NE08-10202 (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.
APPLICATION FOR MATERIAL LICENSE		
INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.		
APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH: DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS U.S. NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555-0001 ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS: IF YOU ARE LOCATED IN: CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO: LICENSING ASSISTANT SECTION NUCLEAR MATERIALS SAFETY BRANCH U.S. NUCLEAR REGULATORY COMMISSION, REGION I 475 ALLENDALE ROAD KING OF PRUSSIA, PA 19406-1415 ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO: SAM NUNN ATLANTA FEDERAL CENTER U.S. NUCLEAR REGULATORY COMMISSION, REGION II 61 FORSYTH STREET, S.W., SUITE 23785 ATLANTA, GEORGIA 30303-8931		
IF YOU ARE LOCATED IN: ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO: MATERIALS LICENSING SECTION U.S. NUCLEAR REGULATORY COMMISSION, REGION III 801 WARRENVILLE RD Lisle, IL 60532-4351 ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO: NUCLEAR MATERIALS LICENSING SECTION U.S. NUCLEAR REGULATORY COMMISSION, REGION IV 611 RYAN PLAZA DRIVE, SUITE 400 ARLINGTON, TX 76011-8064		
PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS		
1. THIS IS AN APPLICATION FOR (Check appropriate item) <input type="checkbox"/> A NEW LICENSE <input type="checkbox"/> B AMENDMENT TO LICENSE NUMBER <input checked="" type="checkbox"/> C RENEWAL OF LICENSE NUMBER <u>37-18495-02</u>	2. NAME AND MAILING ADDRESS OF APPLICANT (include Zip code) American Asphalt Paving Co. 500 Chase Road Shavertown, PA 18708	
3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED 500 Chase Road Shavertown, PA 18708		4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION David Lovette TELEPHONE NUMBER 570-696-1181
SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE		
5. RADIOACTIVE MATERIAL a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time	6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED	
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE	8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS	
9. FACILITIES AND EQUIPMENT	10. RADIATION SAFETY PROGRAM	
11. WASTE MANAGEMENT	12. LICENSEE FEES (See 10 CFR 170 and Section 170.31) FEE CATEGORY: _____ AMOUNT ENCLOSED \$ _____	
13. CERTIFICATION: (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT. THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF. WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948, 82 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.		
CERTIFYING OFFICER - TYPE/PRINTED NAME AND TITLE David Lovette, Technician		SIGNATURE: <i>David Lovette</i> DATE: <u>3-21-05</u>
FOR NRC USE ONLY		
TYPE OF FEE	FEE LOG	FEE CATEGORY
AMOUNT RECEIVED \$	CHECK NUMBER	COMMENTS
APPROVED BY		DATE

ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED USES

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
✓		Cesium-137	Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number: <u>Troxler 3401B</u> <u>Troxler 3411</u> <u>Troxler 3411B</u> <u>Troxler 4640</u> <u>Troxler 4640B</u> <u>Humboldt 5001</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate 100 millicuries total	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: <u>Measure</u> <u>moisture</u> <u>content &</u> <u>density of</u> <u>construction</u> <u>materials</u> <u>100 millicuries</u>	<input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
✓		Americium-241	Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number: <u>Troxler 3401B</u> <u>Troxler 3411</u> <u>Troxler 3411B</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate 500 millicuries total	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: <u>Measure</u> <u>moisture</u> <u>content &</u> <u>density of</u> <u>construction</u> <u>materials</u>	<input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)

APPENDIX B

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
	✓	Californium-252	Sealed source manufacturer or distributor and model number: _____ Device manufacturer or distributor and model number: _____	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: _____ _____ _____ _____ _____	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use)
	✓	Other Isotope (Specify):	Sealed source manufacturer or distributor and model number: _____ Device manufacturer or distributor and model number: _____	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: _____	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use)
Financial Assurance Required and Evidence of Financial Assurance Provided						

ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE – RADIATION SAFETY OFFICER	Before obtaining licensed materials, the proposed RSO will have successfully completed one of the training courses described in Criteria in the section entitled "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience – Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Name: <u>David Lovette</u> – Troxler Certified Technician			
8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS	Before using licensed materials, authorized users will have successfully completed one of the training course described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9. FACILITIES AND EQUIPMENT	No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program – Public Dose" and "Radiation Safety Program – Operating and Emergency Procedures."	Separate Item 9 Response Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM – AUDIT PROGRAM	The applicant is <i>not</i> required to, and should not, submit its audit program to NRC for review during the licensing phase.	Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM – TERMINATION OF ACTIVITIES	The applicant is <i>not</i> required to submit a response to the termination of activities section during the initial application. However, when the license expires when the licensee ceases operation, NRC Form 314 must be submitted.	Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM – SURVEY INSTRUMENTS	We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program – Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

APPENDIX B

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM – MATERIAL RECEIPT AND ACCOUNTABILITY	Physical inventories will be conducted at intervals not to exceed 6 months, to account for all sealed sources and devices received and possessed under the license.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM – OCCUPATIONAL DOSIMETRY	Either we will maintain, for inspection by NRC, documentation demonstrating that unmonitored individuals are not likely to receive a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20, or we will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM – PUBLIC DOSE	The applicant is <i>not</i> required to submit a response to the public dose section during the licensing phase. This matter will be examined during an inspection.	Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM – OPERATING AND EMERGENCY PROCEDURES	<p>We will implement and maintain the operating and emergency procedures in Appendix H of NUREG-1556, Vol. 1, Rev. 1, dated November 2001, and provide copies of these procedures to all gauge users and at each job site.</p> <p style="text-align: center;">OR</p> <p>Operating and emergency procedures will be developed, implemented, and maintained and will meet the criteria in the section entitled "Radiation Safety Program – Operating and Emergency Procedures" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM – LEAK TEST	Leak tests will be performed at intervals approved by NRC or an Agreement State and specified in the Sealed Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.	<input checked="" type="checkbox"/>	<input type="checkbox"/> The information in Appendix J supporting a request to perform leak testing and sample analysis is attached.

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM – MAINTENANCE	<i>Routine Cleaning and Lubrication</i> We will implement and maintain procedures for routine maintenance of our gauges according to each manufacturer's recommendations and instructions.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<i>Non-Routine Maintenance</i> We will send the gauge to the manufacturer or other person authorized by NRC or an Agreement State to perform non-routine maintenance or repair operations that require the removal of the source or source rod from the gauge.	<input checked="" type="checkbox"/>	<input type="checkbox"/> The information listed in Appendix G supporting a request to perform non-routine maintenance in-house is attached.
10. RADIATION SAFETY PROGRAM – TRANSPORTATION	The applicant is <i>not</i> required to submit its response to transportation during the licensing process. However, this issue will be reviewed during inspection.	Need Not Be Submitted With Application	
11. WASTE MANAGEMENT – GAUGE DISPOSAL AND TRANSFER	The applicant is <i>not</i> required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gauge transfer and disposal procedures in its radiation protection program.	Need Not Be Submitted With Application	

This is to acknowledge the receipt of your letter/application dated

3/14/2005, and to inform you that the initial processing which includes an administrative review has been performed.

☒ Renew 37-18495-02 There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

☐ Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 136677.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.

BETWEEN: : (FOR LFMS USE)
 : INFORMATION FROM LTS
 : -----
 :
 License Fee Management Branch, ARM : Program Code: 03121
 and : Status Code: 2
 Regional Licensing Sections : Fee Category: 3P
 : Exp. Date: 20050331
 : Fee Comments: _____
 : Decom Fin Assur Req'd: N
 :

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED

Applicant/Licensee: AMERICAN ASPHALT PAVING CO., INC.
Received Date: 20050324
Docket No: 3031260
Control No.: 136677
License No.: 37-18495-02
Action Type: Renewal

2. FEE ATTACHED

Amount: /
Check No.: _____

3. COMMENTS

Signed [Signature]
Date 3/30/2005

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /__/)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed _____
Date _____