Atlantic Richfield Company

Michael C. Mc Anulty Environmental Business Manager

ECEIVED

'05 MAR 17 P2:04

LPR6-166 6 Centerpointe Drive La Palma, California 90623 Phone: (714) 228-6709 Fax: (714) 228-6749 E-Mail: mcanumc@bp.com

March 16, 2005

Ms. Kathy Modes Nuclear Regulatory Commission, Region I 475 Allendale Road King of Prussia, Pennsylvania 19406-1415

RE: LICENSE #SNM-1993 CONDITION 12 REPORT SUBMITTAL

Dear Ms. Modes: 070 0 30 78

Enclosed please find the report entitled "Radioisotope Powered Cardiac Pacemaker Program Technical Memorandum Report XXXIV on the Status of the Clinical Studies of the Nuclear Pacemaker Model NU-5". This report satisfies Condition 12 of ARCO's Material License and supersedes our report dated January 30, 2004.

If you have any questions, or require any additional information, please call me at (714) 228-6709.

Sincerely,

Dichael C. Me Analtz

Michael C. Mc Anulty

Enclosure





RADIOISOTOPE POWERED CARDIAC PACEMAKER PROGRAM

TECHNICAL MEMORANDUM

REPORT XXXIV

ON THE STATUS OF THE CLINICAL STUDIES OF THE

NUCLEAR PACEMAKER MODEL NU-5

FROM THE

ARCO MEDICAL PRODUCTS COMPANY,

A SUBSIDARY OF ATLANTIC RICHFIELD

January 23, 2005

K. Paul Steinmeyer RRPT Radiation Safety Officer

Prepared By: Radiation Safety Associates, Inc. for Atlantic Richfield Company

TABLE OF CONTENTS

<u>SECTION</u>	TITLE
Ι	Program History
II	Purpose of the Technical Memorandum
III	Clinical Implant Status of the Nuclear Pacemakers
IV	Nuclear Pacemaker Accountability and Follow-Up
v	Clinical Performance Analysis
	TABLES
TABLE I	Implanted Pacemakers as of 23 January 2005
TABLE II	Explanted Pacemakers (10/15/80-1/23/05) and Attachment
	<u>ATTACHMENTS</u>
ATTACHMENT A	Research Protocol for Clinical Investigation of the Arco Nuclear NU-5 Pacemaker
ATTACHMENT B	Copy of ARCO Authorization to Ship/Relinquishment of Ownership form
ATTACHMENT C	Removal and Failure Rates for Nuclear Pacemakers
ATTACHMENT D	Pacemaker Related Explants

I. <u>PROGRAM HISTORY</u>

Arco Nuclear Model NU-5 pacemakers were implanted in humans from 1973 to 1978 as part of a clinical study to investigate their performance. The pacemaker power source is a sintered PU-238 oxide fuel pellet from which its decay flows through thermoelectric wires and is eventually converted to a DC voltage by normal thermocouple action. Extensive testing such as dog implantations, impact tests, crush tests, temperature and cremation tests, and capsule pressure considerations were completed to ensure pacemaker integrity in the unlikely event of an accident.

During the clinical study phase, reports were sent to the Nuclear Regulatory Commission with information as specified in both the "Research Protocol for clinical Investigation of the Arco Nuclear NU-5 Pacemaker" and attached "Contents of Sponsor's Periodic Report on Clinical Performance of Pacemaker" (Attachment A). The last full report during this study phase was submitted on October 15, 1980. After that, certain reporting requirements changed and semi-annual inventories were submitted to conform to the license. A copy of the latest inventory submittal is included as Attachment B.

In order to more fully update the Nuclear Regulatory Commission, per their verbal request, a report was submitted on January 15, 1988. This report, and all subsequent reports, will be submitted per Condition 12 of our material license and presents, in addition to the above:

- Implanted and explanted pacemaker tables with relevant information as specified in Attachment A, "Contents of Sponsors Periodic Report on Clinical Performance of Pacemakers" and presented in Tables I and II.
- Calculations of nuclear pacemaker failure rate and mode as required in Attachment A, Section IID, and included in Attachment C.
- A list of the pacemaker failure-related explants since the last reporting period and presented in Attachment D.

II. <u>PURPOSE OF THE TECHNICAL MEMORANDUM</u>

The purpose of this technical memorandum is to report upon and update the progress of the clinical study of the ARCO Medical Products NU-5 Model radioisotope powered cardiac pacemakers from January 24, 2004 to January 23, 2005 as specified in the "Contents of Sponsor's Periodic Report on Clinical Performance of Pacemakers." This is the thirty-eighth technical memorandum summarizing the clinical data to be submitted to the Materials Branch of the United States Nuclear Regulatory Commission, in compliance with license SNM-1993 that replaced #37-14916-01.

III. CLINICAL IMPLANT STATUS OF THE NUCLEAR PACEMAKERS

Tables I and II list nuclear pacemakers implanted and explanted, respectively. The pacemakers are listed in numerical order with the fixed rate units first, followed by the demand units.

Information listed on Tables I and II are the pacemaker identification and any follow-up information required in the "Contents of Sponsor's Periodic Report on clinical Performance of Pacemakers." Specifically, the follow-up information is listed in items A.1.J, and A.1.M through A.1.O. Items A.1.K and A.1.L are covered in the explanted pacemaker table. The information requested from items A.1.A to A.1.I is static and can easily be referenced from previous reports.

Information shown in Table II is also represented in the same format. Along with pacemaker identification are the implant service days and the reason for explantation corresponding to items B.1.J and B.1.K, respectively. Item B.1.K is depicted as a number, which must be referenced to the Table II Attachment. Items B.1.A to B.1.I are also static and can be easily referenced in Attachment B. Attachment D describes pacemakers explanted due to pacemaker failure.

IV. NUCLEAR PACEMAKER ACCOUNTABILITY AND FOLLOW-UP

Data from all investigators have been accounted for, except where patients have elected not to attend their semi-annual physician follow-up. The right hand column of Table I is entitled "Contact." A "yes" indicates a current physician/patient contact, "LTF" indicates the patient is lost-to-follow after numerous physician attempts to contact the patient, and "N/A" indicates the patient has left the United States permanently. A "-" in the "bracelet & ID present" column indicates no information was retrieved from physician follow-up correspondence, indicating the patients had the bracelets and wallet cards on their possession.

V. <u>CLINICAL PERFORMANCE ANALYSIS</u>

Five goals were outlined in Attachment A, Section II for program analysis, and listed as subsections "A" through "E." Subsection goals "A," "B," and "E" were completed by ARCO Biostatisticians on former reports. Thus, this and all subsequent reports will contain relevant information only on goals "C." and "D."

The pacemaker failure rate, as shown in Attachment C, has been calculated for the period from 10/15/80 to 01/23/05 and from program inception to date; columns "A" and "B" respectively. All calculations were based on data from 79 and 125 implants, due to one patient who left the United States resulting in no pacemaker service data. As can be seen in Attachment C, the pacemaker percent failure is 21.6% for the total program and 29.1% from 10/15/80 to 01/23/05. This yields an average monthly failure rate of 0.078 and 0.086 for the respective time periods.

Based on the data found in Attachments C and D, there is no evidence reported of any long-term adverse side affects or other unknown factors associated with the nuclear pacemakers. Additionally, there is no statistical evidence suggesting any deleterious failure rates or modes associated with the program.

TABLES

TABLE 1 IMPLANTED PACEMAKERS AS OF 1/23/05

PACEM	AKER ID		PACEMAKER SERVICE INFORMATION				SUPPLE	MENTAL	
Model #	Pacer #	Implant Date ⁺	Follow-Up Date	impiant Days	Total Months	Service Days ⁺	Service Months	Bracelet & ID Present	Contact
NU-5F	90	4/10/1973	1/18/2005	11606	381.8	8861	291.5	-	Yes
NU-5F	94	6/5/1973	2/7/2005	11570	380.6	8881	292.1	-	Yes
NU-5F	120	7/24/1973	10/7/1976	1171	38.5	0	0.0		N.A.*
NU-5D	529	3/13/1975	1/16/2002	9806	322.6	7763	255.4	-	No
NU-5D	539	10/24/1975	2/10/2005	10702	352.0	8884	292.2	-	Yes
NU-5D	544	12/9/1975	1/13/2005	10628	349.6	8856	291.3	-	Yes
NU-5D	562	11/19/1975	2/10/2005	10676	351.2	8884	292.2	-	Yes
NU-5D	585	1/23/1976	8/1/1986	3843	126.4	2116	69.6		LTF**
		Total:		70002	2302.7	36503	1200.8		

+IMPLANT DAYS WERE CALCULATED FROM THE DATE THE PACEMAKER WAS IMPLANTED, UNTIL END OF THE REPORTING PERIOD. ++SERVICE DAYS WERE CALCULATED FROM 10/15/80, UNTIL THE END OF THE REPORTING PERIOD.

*N.A.-LEFT USA PERMANENTLY

""LTF--"LOST TO FOLLOW"

TABLE 2 EXPLANTED PACEMAKERS AS OF 1/23/05

		Implant	Explant	Implant	Total	Service	Service	Explant
Model #	Pacer #	Date	Date Date	Days⁺	Months	Days ⁺⁺	Months	Code
NU-5F	70	4/10/1973	7/9/1990	6299	207.2	3554	116.9	13
NU-5F	74	5/12/1973	4/1/1989	5803	190.9	3090	101.6	36
NU-5F	80	2/19/1974	1/5/1991	6164	202.8	3734	122.8	03
NU-5F	83	4/10/1973	8/1/1986	4861	159.9	2116	69.6	03
NU-5F	85	4/9/1973	10/29/1991	6777	222.9	4031	132.6	02
NU-5F	86	4/10/1973	9/19/1991	6736	221.6	3991	131.3	11
NU-5F	97	6/5/1973	9/1/1988	5567	183.1	2878	94.7	21
NU-5F	100	4/9/1973	2/12/1987	5057	166.3	2311	76.0	19
NU-5F	103	4/9/1973	5/27/1998	9179	301.9	6433	211.6	13
NU-5F	107	4/10/1973	1/5/1987	5018	165.1	2273	74.8	03
NU-5F	115	7/6/1973	8/1/1989	5870	193.1	3212	105.7	03
NU-5F	126	6/12/1973	10/13/1998	9254	304.4	6572	216.2	2
NU-5F	128	6/12/1973	2/9/1988	5355	176.2	2673	87.9	03
NU-5F	131	6/13/1973	9/19/1993	7403	243.5	4722	155.3	03
NU-5F*	138	12/10/1973	12/17/1982	3294	108.4	793	26.1	36
NU-5F	140	6/13/1973	10/15/1981	3046	100.2	365	12.0	36
NU-5F	144	7/27/1973	10/2/1987	5180	170.4	2543	83.7	06
NU-5F*	145	9/14/1973	9/24/1981	2932	96.4	344	11.3	22**
NU-5F	149	8/7/1973	6/27/1997	8725	287.0	6099	200.6	22**
NU-5F	155	12/3/1973	10/24/1994	7630	251.0	5122	168.5	14
NU-5F	157	11/23/1973	5/22/1987	4928	162.1	2410	79.3	06
NU-5F	175	5/14/1974	8/1/1989	5558	182.8	3212	105.7	13
NU-5F	318	5/28/1974	6/28/1988	5145	169.2	2813	92.5	25
NU-5F	341	9/9/1974	3/17/1995	7494	246.5	5266	173.2	25
NU-5F	342	10/8/1974	9/16/1987	4726	155.5	2527	83.1	22**
NU-5F*	361	10/29/1974	12/21/1981	2610	85.9	432	14.2	36
NU-5F	363	10/10/1975	8/1/1989	5044	165.9	3212	105.7	21
NU-5D	408	7/5/1974	1/15/1982	2751	90.5	457	15.0	25
NU-5D	459	11/18/1975	11/22/2004	10597	348.6	8804	289.6	3
NU-5D	460	3/6/1975	4/13/1990	5517	181.5	3467	114.0	13
NU-5D	462	3/3/1975	1/25/1991	5807	191.0	3754	123.5	13
NU-5D	465	3/24/1975	7/28/1992	6336	208.4	4304	141.6	2
NU-5D*	467	6/4/1975	3/21/1980	1752	57.6	0	0.0	36
NU-5D	474	11/23/1973	9/30/1988	5425	178.5	2907	95.6	25
NU-5D	476	1/27/1975	11/29/1989	5420	178.3	3332	109.6	13
NU-5D	477	5/16/1975	11/19/1981	2379	78.3	400	13.2	36
NU-5D	481	10/1/1976	3/3/1999	8188	269.3	6713	220.8	3
NU-5F	483	3/4/1975	10/8/1982	2775	91.3	723	23.8	2
NU-5D	490	3/15/1975	8/18/2003	10383	341.5	8342	274.4	25
NU-5D	492	1/17/1975	5/15/1987	4501	148.1	2403	79.0	19
NU-5D*	496	2/7/1975	12/15/1981	2503	82.3	426	14.0	36
NU-5D	498	4/15/1975	5/8/1982	2580	84.9	570	18.8	3
NU-5F	499	9/13/1976	3/6/1998	7844	258.0	6351	208.9	3
NU-5D	501	4/17/1978	4/14/1987	3284	108.0	2372	78.0	36
NU-5D	504	4/20/1977	10/11/2000	8575	282.1	7301	240.2	36
NU-5D	506	5/19/1975	12/14/1999	8975	295.2	6999	230.2	2
NU-5D	508	3/14/1975	3/9/1981	2187	71.9	145	4.8	25
NU-5F	509	4/4/1975	6/12/1998	8470	278.6	6449	212.1	3
NU-5D	513	3/18/1975	10/10/1997	8242	271.1	6204	204.1	3

-

-

PACEMAKER SERVICE INFORMATION

TABLE 2 EXPLANTED PACEMAKERS AS OF 1/23/05

PACEMA	KER ID		PACEMAKER SERVICE INFORMATION					
Model #	Pacer #	Implant Date	Explant Date Date	Implant Days ⁺	Total Months	Service Days ⁺⁺	Service Months	Explant Code
NU-5D	515	7/16/1975	10/8/1988	4833	159.0	2915	95.9	6
NU-5D	519	5/22/1975	9/20/1988	4870	160.2	2897	95.3	6
NU-5D	523	11/13/1976	2/6/2002	9216	303.2	7784	256.1	36
NU-5D	524	2/12/1976	11/20/1994	6856	225.5	5149	169.4	3
NU-5D	525	5/30/1975	9/19/1995	7417	244.0	5452	179.3	2,5
NU-5D	527	5/14/1975	11/19/2004	10782	354.7	8801	289.5	1
NU-5D	528	6/17/1976	12/14/1981	2006	66.0	425	14.0	36
NU-5D	532	3/8/1976	8/31/1993	6385	210.0	4703	154.7	2
NU-5D*	535	8/29/1975	1/31/1984	3077	101.2	1203	39.6	22**
NU-5D	537	8/4/1976	6/4/1997	7609	250.3	6076	199.9	2
NU-5D	542	12/2/1975	4/20/1995	7079	232.9	5300	174.3	1
NU-5D*	545	2/5/1975	10/2/1982	2796	92.0	717	23.6	36
NU-5D	549	11/15/1975	6/12/1987	4227	139.0	2431	80.0	21
NU-5D*	571	8/29/1975	1/15/1982	2331	76.7	457	15.0	36
NU-5D	572	10/8/1975	1/7/1992	5935	195.2	4101	134.9	3
NU-5D	581	2/17/1976	12/5/1994	6866	225.9	5164	169.9	36
NU-5D	583	3/4/1976	12/1/1985	3559	117.1	1873	61.6	22**
NU-5D	587	6/3/1976	11/16/1988	4549	149.6	2954	97.2	39
NU-5D	592	8/4/1976	12/28/1988	4529	149.0	2996	98.6	21
NU-5D	611	7/7/1976	8/23/1996	7352	241.8	5791	190.5	3
NU-5D*	623	7/28/1976	1/6/1982	1988	65.4	448	14.7	36
NU-5D*	024	5/26/1976	12/16/1981	2030	66.8	427	14.0	36
		Totals:		396438	13040.7	247215.0	8132.1	

+IMPLANT DAYS WERE CALCULATED FROM THE DATE THE PACEMAKER WAS IMPLANTED, UNTIL THE DATE THE DEVICE WAS EXPLANT: ++SERVICE DAYS WERE CALCULATED FROM 10/15/80, UNTIL THE DATE THE DEVICE WAS EXPLANTED.

*EXPLANT DATA UNAVAILABLE. DATA SHOWS LAST PATIENT CONTACT REPORT RECEIVED.

** DETAILS REPORTED AS NON-PACEMAKER RELATED. PACEMAKER NOT RETURNED.

ATTACHMENT TO TABLE II

CODES USED FOR EXPLANTING DATA

- 01 Battery Depletion
- 02 Impending Pacemaker Wearout
- 03 Patient Death
- 04 Wound Dehiscence (Opening)
- 05 Infected Pocket (Pacemaker Bursa Infection)
- 06 Loss of Sensing Function, Pacer Not in Design Specifications
- 07 Competition
- 08 Electronics Failure
- 09 Lithium Battery Failure
- 10 Nuclear Battery Failure
- 11 Random Failure
- 12 Delaminated Capacitor
- 13 Lead Changed, Pace Removed
- 14 Patient Requires Faster Rate Pacer
- 15 Loss of Sensing, Patient or Lead Related, Pacer Normal on Return or Reimplanted
- 16 Electronics Damaged During Defibrillation
- 17 Pacemaker Erosion Reported
- Pacer Reported Not in Spec. at Implant, or After Implant, Unit Normal on Return
- 19 Loss of Capture, Non-Pacer Related
- 20 Feedthrough Failure (Advisory Group)
- 21 Pacemaker Rate Change, Pacer Out of Specification
- 22 Pacer Explanted, Problem Reported Without Details, Pacer Not Returned
- 23 Lead Could Not Be Removed From Pacer
- 24 Muscle Stimulation
- 25 Elective Replacement, Not Pacer Related, Pacer Normal

- 26 Lead Could Not Be Inserted Into Pacer, or Set Screw Could Not Be Tightened
- 27 Pacer Rate Increase/Decrease Reported, Pacer Normal Upon Return
- 28 Pacer Rate Changed, Pacer in Specification
- 29 Loss of Capture, Non-Pacer Related (Plug Missing, Fluid in Terminal)
- 30 Pacer Returned Because of Cracked Epoxy
- 31 Automatic Rate Equals Magnetic Rate, Physiological Reasons
- 32 Non-Pacer Related Oversensing
- 33 Set Screw Head Stripped
- 34 Pacer in Spec., Explanted Due to Apparent Pacer Inhibition
- 35 Automatic Rate Equals Magnetic Rate, Electronic Failure
- 36 Pacer Returned Without Details; Pacer in Specification
- 37 Pulse Width Variation Due to Psuedofusion; Pacer in Specification
- 38 Advisory Return, Pacer in Electrical Spec. Upon Request
- 39 Loss of Capture, Pacer Related
- 40 Advisory Unit Not in Specification Upon Return, Non-Feedthrough Related; Pacemaker Still Functioning
- 41 Connection Problem
- 42 EMI Filter Capacitor Shunt; Results in Low Output Amplitude

ATTACHMENT A Research Protocol for Clinical Investigation of the ARCO Nuclear NU-5 Pacemaker

RESEARCH PROTOCOL FOR CLINICAL INVESTIGATION OF THE ARCO NUCLEAR NU-5 PACE 19KER*

MARCH 25, 1974

- - m

*As of May 17, 1975, ARCO Nuclear Company became ARCO Medical Products Company.

:

ARCO Nuclear Company Subsidiary of Atlantic Richfield Company 7.0. BOX 5

I. Title of Study

Clinical Investigation of The ARCO Nuclear MU-5 Pacemaker.

II. Purpose

The purpose of this study is to clinically investigate the performance of the ARCO Nuclear NU-5 Radioisotope Powered Cardiac Pacetaker. This clinical investigation is based on sound biostatistical methods and has five major goals which are:

- A. Determine the random failure rate of the nuclear pacemaker and compare it to the conventional battery powered pacemaker. This determination will also include a characterization of "infant mortality" failure rates and modes.
- B. Determine the failure rate distributions and which distributions apply in the statistical treatment of the reliability data. Thi will include a determination of the accuracy of the Poisson assumptions.
- C. Confirmation that there are no long term adverse side effects or other unknown factors associated with nuclear pacemakers.
- Determine nuclear pacemaker longevity by characterizing the "wear out" failure rate and mode.
- E. Characterize the practicable aspects of the follow up, traceability and recovery of nuclear pacetakers.

III. Description of Pacemaker

The nuclear pacemaker to be implanted during the course of this stury is the APCO Nuclear Model NU-5. Complete technical data on the pacemaker including radiation levels, reliability tests and safety tests under conditions of normal use and conditions of credible accidents are on file with the U. S. Atomic Energy Commission. Due to the extensive amount of previous testing, the participating medical institutions are not required to perform radiation testing. Under this protocol, the Model NU-5 pacemaker contains a maximum of 0.45 grams of plutonium-233 (less than 8 curies). The resulting dose rate at the maximum point on the pacemaker surface is 5.64 millirads per hour and 0.37 millirads per hour at 5 centimeters from the surface along the maximum dose rate line. The Model NU-5 pacemaker is available in two types — fixed rate or demand (R-wave inhibited). Use of the magnet in this protocol applies only to the Model NU-5 demand type pacemaker.

I The ARCO Nuclear Statistical Basis For Clinical Investigation of Radioisotopic Pacemakers - August 10, 1973

IV. Patient Selection

Patients may be of either sex with a maximum age of 65 or minim age equal to the age of majority for the state of residence (special cases, however, may be considered on an individual basis by the appropriate licensing authority for older or younger patients) who:

- A. Marrant replacement of their existing pacetaker or the insertion of a new pacetaker due to chronic heart block or other cardiac mythm disturbances and
- B. Have demonstrated emotional maturity, stability, that they are reliable patients who have a record of stable residence in the community such that they are willing to cooperate in, and are likely to remain available for the long term follow-up required
- C. Have no medical condition which in the physician's best judgemen would limit life expectancy to less than 10 years.

Exclusions are the presence of a coexisting disease which may potentially limit life - e.g., potentially progressive heart disease, carebrovascular disease, diabetes with any end organ manifestation or of greater than 10 years' known duration, ranal disease, and neoplastic disease. Probability of lack of full cooperation, high mobility in the population, emotional disturbance, alcoholism, or other factors may also contraindicate participation.

V. Duration of Study

It is anticipated that implantations of nuclear pacemakers under this study will continue for about two years and that the minimum time to achieve goals A, B and E under Section II is two-three years. Longavity studies and long term side effects studies may require much more time, perhaps in excess of ten years, due to the potentially long life capability of the nuclear pacemaker and its design characteristics.

Informed consent shall be obtained from all patients for participation in the program and for the ultimate removal of the pacemaker after its expected useful life is exceeded, its failure or the death of the patient, whichever occurs first. The study will continue throughout this period with follow-up by the clinics and reporting to AROD Nuclear on implanted pacemakers.

VI. Control Grow

In order to accurately compare the nuclear pacemaker with conventional pacemakers sound biostatistical practices require use of control groups. Therefore, a series of comparable control patients with conventional pacemakers of the same type (i.e., demand or fixed rate, bipolar or unipolar) will be followed. The control patients will be treated and followed using the same procedure for patient selection, medical procedures, follow-up, and reporting. The control group will be at least as large as the nuclear pacemaker study group.

VII. Implantation Procedures and Lead Systems

Fundamentally, conventional techniques of pacemaker insertion are to be utilized, but with particular attention to insuring that the electrocies and leads utilized have an expected life comparable to that of the pacemaker (in excess of 10 years) and that they have appropriate pacing thresholds. Because of the 10 or more year goal, it is vital that extreme care be taken to use the best available leads and to insure the best possible lead placement and configuration within the body. Since this is an investigational program, and not routine clinical use, it is preferable that a limited number of lead systems be used in order to limit the number of variables in the total pacing system and thus develop more meaningful data on longevity and reliability. Table 1 specifies the preferred leads to be used. It should be noted that the NU-5 pacemaker is of the monopolar type.

In patients with an existing lead, the following shall be done as a minimum, prior to implantation.

- A. Appropriate chest films must be taken to assess the possibility of unduly sharp curves in leads.
- B. The type of existing electrode must be ascertained and if-it is not listed in Table I its use must be approved in advance by ARCO Nuclear. If doubt exists in the judgment of the responsil physician as to the reliability and/or compatibility of an existiv lead, it should be replaced by a new one listed in Table 1. For existing leads, appropriate adapters may be used to fit the pacemaker; these should be of the type listed in Table 1 or approved in advance by AFCO Nuclear.

The threshold for pacing shall be tested for all electrodes wheth old or new at the time of nuclear pacemaker implant prior to connecting the lead to the pacemaker. Only those leads may be utilized in which acceptable thresholds are demonstrated by these tests. Acceptable thresholds and test procedures are discussed elsewhere in this protocol.

It is important to note that certain information be obtained and recorded prior to and at the time of implantation. It is, therefore, necessary that the Accountability and Implant Data Form (a copy of which is Figure 1) be fully studied and understood prior to participating in this clinical study.

The NU-5 nuclear pacemaker is supplied sealed in gas permeable plastic couble bags. Sterilization procedures prior to shipping are

1773	DIT	
10		

Adapte	System	Type .	Model	Mfg.
None	Monopolar	Myocardial	323-451	
None	Monopolar	Encocardial	322-256	
None	Mcnopolar	Endocardial	322-620	SIU
None	Manapolar	Endocardial	322-251	8 I
None	Monccolar	Endocardial	322-261	322-26
. None	Moncpolar	Endocardial	322-281	
Cordis 33	Bipolar	Myccardial	5814	. [
Cordis 33	Bipolar	Endocardial	5819	DIN
Cordis 33]	Bipolar	Endocardial	6901	
Cordis 331	Menepolar	Endocardial	6907	E
Cordis 331	Moncpolar	Endocardial	6909	

Preferred Loads

NOTES:

- 1. To use a lead or adapter not listed, ARCO Nuclear approval is required.
- 2. For bipolar leads, use electrodes with lowest measured stimulation threshold of pair.
- 3. For the Cordis 322 series, leads 256 or 620 are preferred due to lower stimulation thresholds in general than leads 251, 261 or 281.

NUCLEAR POWERLD CANDIAG PACEMAKER

APPOLITIKATELY AND PALATE BALL DET (ADD

PATIENT IDENTIFICATION

۰.

	1ett (-0)
	Secul Security He
	Herpital Report No.
	Home And the
	Crev State Ire
	Area Crate and Telegrand MS.
	Business
	Care
	Are Cole and Teaman No
	Hane, allows, and bigmone of 1st provin no be contacted if prime particular
	City 5:319 2?? 2??
	Airs Cole ind leaving No
	Kelalahahap in Palane
	there, and the share of the second to be reached at balance contact of
	والرحان المرجع معالية المراجع المراجع المراجع فالمراجع والمرجع والمرجع والمرجع المرجع والمرجع والمرجع
	C-1v 5:000 2:00
	Ares Case and Ternitore Ke.
	Relaigning to fillent
	Prysiques tal and Herselat;
	Neve
	Normo
	Normo
	Nome
	Never
±1.(Nome
2 L (Noreo
1 L (Normo
1 L (Norme
±(Normo
± (Normo
±	Normo
÷. (Normo
÷1 (Normo
÷. (Normo
÷. (Normo
÷. (Norme
÷(Norme
÷	Normo

۰.

HEART LEAD

L'and an arriver

Taxat Mucroper of Linearus In

Mesel No.	· · · · · · · · · · · · · · · · · · ·
Ser	
Date of Impian	
Puternent:	Encoded, igns lets unmore
	(merred: manel
	(revea
	Human House and Inniana Dates !
	Hen Hang Arrangs
-	Enternet.

CLINICAL DATA

1000 3 Both Care		5~
Rat	Mergini	
Regist Resident & pris Resident		
Esisters of Anaystones		
End of Arthones		
Nevers Grue Thinking his Au		
Annisted Onenn		
Transferry Parmy the stands		ks
Anorthese was drong was	**	
And branners . And all a supremented	Le ano	
Contraction of assist only which	the second second	
here and any second	جميد يتع	
The participation Tra_	H	1.3.0 Long?
C.J. spranker an article of		er til Surgery
H		
Com-e		
Terty		
0.++		

المرجد منامر ويدل كالمرجد المحمولية وحمد محوط ومحمد ومراجع والمرجو المرجو والمرجو ومحرور مرجو المرجو والمرو

------I se urgent queriens and ur

. . ------ performed in caseous ethylene oxide. If the bag is found to be opened or accidentally ruptured, the nuclear pacemaker may be resterilized in ethylene oxide gas at temperatures not to exceed 50°C Following sterilization at least 72 hours should elapse prior to implantation to allow complete aeration. If a pacemaker is dropped it should not be implanted but, instead, returned to AICO Nuclear.

VIII. Threshold Specifications and Measurements

In order to determine if a particular lead can be used with the nuclear pacetaker, its stimulation threshold must be measured and found to be acceptable in addition to meeting all of the previously discussed requirements. The stimulation threshold must be measured at the time of nuclear pacetaker insertion but prior to connection to the pacetaker. It is important that both current and voltage stimulation thresholds be measured. It is also important that battery powered instruments be used in threshold measurements since the exposed lead represents a direct current path to the heart and even a minute amount of leakage current from power lines represents a potential fibrillation risk if entering the heart directly.

The stimulation threshold will be measured utilizing a battery operated pulse gamerator with adjustable amplitude and width. The calibrated accuracy should be at least + 10% and the pulse duration should be adjusted to be in the range of 0.70 to 1.00 milliseconds. The pulse generator rate should be in the range of 65 - 80 ppm. The negative terminal of the pulse generator is connected to the lead whose threshold is being measured and the positive terminal of the pulse generator is connected to the indifferent lead which is placed in contact with suboutaneous tissue. With the output amplitude of the pulse generator initially set at approximately zero, the amplitude is gradually increased until consistent capture occurs. The amplitude at which consistent capture occurs is recorded as the stimulation threshold. Both current threshold and voltage threshold values shall be measured and recorded. It is suggested that an EG recorder be used to observe consistent capture and that the cutput of the pulse generator set at threshold values be observed on an oscilloscope and recorded with a scope camera.

Only these electrodes may be utilized in which the measured threshold is no greater than 1.25 ma and 0.90 volts if newly implanted or 2.50 ma and 1.8 volts if chronically implanted (whether endocardial or myocardial).

IX. Accountability and Inclant Data Form

In order to insure adequate data for this study if is vital that the Accountability and Implant Data Form (Figure 1) be completed promptly after each implantation and distributed within seven days after implantation as follows:

Orange	-	Operating Room Copy
Green	-	Surgeon's Copy
Blue	-	Patient's Medical Record
White	-	ARCO Nuclear Copy (Pre-addressed and St

It should be noted that among other things the pulsing rate of pacemaker shall be measured and recorded on the Accountability and Implant Data Form inmediately upon implantation and 12 - 24 hours after implantation. The rates should be checked by a pulse interval measuring device accurate to ± 1 millisecond or ± 0.1 pulses per minute. It is recommended that the Accountability and Implant Data Form be reviewed in detail prior to participation in this clinical study to insure that all data requested is obtained and reported.

Examples of the type of information required are:

- A. Pacemaker model, type and serial number
- B. Date of implantation, surgical procedure and site of implantation
- C. Lead identification by type, model and serial numbers, newly implanted or pre-existing, date of implantation, vein used and location of electrode
- D. Threshold measurements and equipment used
- E. Stimulation rate of the pacemaker both with and without magnet (if applicable)
- F. Fistory of previous implants, removals of pacemakers or leads, and reasons for such removals.
- X. Follow-Up Data

At intervals of every three months during the first year and six months thereafter following nuclear pacemaker implantation each patient shall receive a follow-up examination and the resulting data shall be reported to ARCO Nuclear on the Follow-Up Data Form (a copy of which is Figure 2). Typical follow-up data includes:

- A. Identification of patient, pacemaker, hospital, physician
- B. Date of implantation and follow-up examination
- C. Performance of pacemaker including stimulation rate (with and without magnet, if applicable)
- D. Indication of any malfunction, modifications or replacements of pacemaker or lead system

Subsidiary of AtlanticRichfieldCompany

FOLLOW-UP DATA FORM

(To be used each time patient is contacted and/or examined including telephone transmission of ECG.)

PATIENT IDENTIFICATION SHEET

Patient Name			
Last	First		inst.
Patient Hospital Record No.			
Pacemaker Serial No.			
Date of Implantation			
Date of Follow-Up			
Name of Physician			
Address			
City	State	Zip	·
Area Code and Telephone No.			
Patient has I.D. Card: Yes	No		
Patient is wearing Bracelet or its Equivalent:	Yes	No'	
Contact maintained with patient: Yes	No		

PACEMAKER FUNCTION

Satisfactory		
Stimulation Rate: with Megnet	w/o Magnet	
Change from previous rate		-
Charge from initial rate		

MEDICAL EXAMINATION

Summary:	
Reposition: Pacamaker/Read/both Reason	
Explantation: Pacamaker/lead/both Reason	
Autopsy Results (if applicable)	
Cause of Death (if applicable) Title	
Date	

This form should be completed and returned to the manufacturer within 10 days of taking follow-up data.

For urgent questions and for assistance concerning this pacemaker, please call 412-645-6111.

(MANUFACTURER'S COPY)

Seal Here Alter Folding

FIGUR: 2

- E. Physician's opinion and comments on pacemaker and lead system
- F. Summary of medical examination
- G. Indicate whether patient is carrying ID card and wearing bracelet and whether contact with patient has been maintained since last follow-up

The follow-up data shall include pulse interval measurements (using a device with a + 1 millisecond or 0.1 ppm accuracy) and a recording of the electrocardiogram (with and without the magnet, if applicable). The Follow-Up Data form shall be completed and returned to ARCD Muclear within 10 days of each examination. In addition, the Follow-Up Data form shall be used everytime the patie is examined even if such examinations take place more often than the specified frequency including telephone transmissions of ECCs.

The impulse rate of the pacemaker will vary in a predictable manner due to radicactive decay of the fuel and consequent decrease in voltage from the energy source to the electronic circuit or due to slight improvement in the nuclear battery efficiency brought about by genering action and slight redistribution of thermal heat flow within the battery caused by vigorous patient physical activity which causes pulse rate to slightly increase after implant and then stabilize. If the measured pacemaker rate (either with or without the magnet) deviates from the initial rate recorded after implantatic by more than 5 pulses per minute, AFCO Nuclear shall be notified immediately. If the pulse fails to capture (during non-refractory phases of the cardiac cycle), ARCO Nuclear shall be notified immediately, and the investigators shall seek to pursue the etiology, looking both to potential failures external to the pacemaker and to the pacemaker.

XI. Explanation

Pacemakers will be removed if clinically indicated due to failure, malfunction, development of "excessive" competition between the pacemaker and normal conducted beats, the death of the patient, the anticipated exhaustion of the unit or if the pacemaker rate changes by more than 10 pulses per minute. Whenever possible - i.e., whenever the patient's welfare is not compromised - AROD Muclear will be consulted prior to the removal of a pacemaker. Any pacemaker or lead which is explanted or repositioned for any reason shall be reported in writing within 1 weak to ARCO Muclear. The report shall include reasons for action taken, date of action, and associated tests performed. The pacemaker and, if possible, the intact lead system shall be removed upon death and returned to ARCO Muclear for evaluation. If no autopsy is performed, the most probable cause of death shall be stated. Autopsy findings (if applicable) related to the pucemaker shall be reported and, if possible, the function of the pacemaker and lead system will be determined at autopsy.

All nuclear pacetakers that are explanted for any reason shall be returned to ARCO Nuclear as soon as possible in a shipping package supplied by ARCO Nuclear and in accordance with labeling and shipping instructions also supplied by ARCO Nuclear. At explantat the nuclear pacemaker rate shall be recorded (with and without the magnet, if applicable) and ARCO Nuclear shall be consulted, if possible, for editional tests to be performed.

XII. Notifications

APCO Muclear and the licensing agency shall be notified within 24 hours of the death of any nuclear pacemaker bearer, and any adverse reaction and/or malfunction involving a pacemaker system, including the leads. APCO Nuclear shall be notified within 10 days of loss of contact with a nuclear pacemaker bearer.

XIII. Records

Data and vital statistics pertaining to the nuclear pacetaker patients shall be maintained as individual files separately from routine hospital records. These records shall include:

- A. The blue copy of the Accountability and Implant Data Form
- B. Copies of all Follow-Up Data Form
- C. A fully executed copy of the document "Informed Consent For Surgical Implantation Of Padioisotope Powered Cardiac Pacemaker" (a copy of which is attached)
- D. Any additional information deemed important by the medical staff

XIV. Informai Consent

All patients shall sign the informed consent statement entitled "Informed Consent For Surgical Implantation Of Radioisotope Powered Cardiac Pacemaker" (a copy of which is attached). Using this document the patient, or his representative shall be informed and shall agree in writing to the following:

- A. That nuclear pacemakers are under investigation, there are alternative treatments and the patient is willing to participate in the investigation
- B. That after the patient's death, or if the useful life of the pacemaker is exceeded, or if it causes to function effectively
 - for the patient's medical needs, or if the patient requests to have the pacemaker removed, the nuclear pacemaker must be returned to ARCO Nuclear

- C. The patient will always carry the ID card and bracelet on his person, and to notify the hospital of any change in his addre or telephone number.
- D. The patient will notify, through the hospital, and ARCO Nucle the appropriate licensing authority prior to any travel outsi the United States.
- E. Acknowledgment that the patient has had the opportunity to as questions pertaining to the surgical procedures, nuclear pacemaker, follow-up procedures, and possible alternate metho of treatment.

Copies of the signed consent form shall be given to the patie to ARCD Nuclear and placed in the patient's medical file.

XV. Patient Identification

All nuclear pacemaker patients shall carry credentials identi: than as nuclear pacemaker patients. These credentials will include an identification bracelet of the Medical-Alert type and a wallet size identification card. On the bracelet will be engraved the putient's name, the words "Radicactive Pacemaker", the trefoil radi bol, the word "Plutonium", and the words "In emergency hospitali ion or death call collect (phone number of hospital)". A simile of the identification card is Figure 3 which contains the lient's name, the trafeil radiation symbol, the work "Radionuclid . Intement that the patient is the implantce of a Radicisctope Fowered Cardiac Pacemaker, manufacturer's name and phone number, pacemaker model number, arount and type of contained radionuclide, the words "In case of death from any cause or emergency or trauma involving pacemakers telephone collect (name and phone number of participating institution and doctor (s) in charge)", the words "Instruct phone operator call concerns Nuclear Pacemaker - Urgant!" and the words "Regulations require removal of pacer upon death."

Both the bracelet and identification card will be supplied to the participating institution by ARCO Nuclear following receipt of the Accountability and Implant Data Form. The institution will then give the bracelet and identification card to the patient and remind the patient to always carry them on his person. If the permanent bracelet and ID card are not available when the patient is discharge from the hospital, a temporary bracelet and ID card containing the same information shall be given to the patient until the permanent ones are supplied.

For each participating institution the telephone operators will be issued the following instructions:

- A. Any collect calls concerning nuclear pacemakers will be accepted
- B. The operator should obtain as much information from the caller as possible including:
 - 1. Caller's name and where to mach him
 - 2. Patient's name, and tion and where to reach him

URGENT INCELES ALGETE is the implantee of a Radioisotope Powered Cardiac Pacemaker Radionuclide is A Plutonium - 238 < 8 Curies Made by ARCO Nuclear Company Model Number is NU-5 SEE OTHER SIDE FOR EMERGENCY INSTRUCTIONS Reculations require removal of pacemaace upon death.

Medical Alert

(Continued from reverse side)

In case of death from any cause or emergency or trauma involving pacamakers telephone, collect, the:

> > 1000104

HOOCTOR

OR telephone, collect, the ARCO NuclearCompany

(412) 845-8111 Lannaur PL 15656

Instruct phone operator call concerns Nuclear Pacamaker - Urgenti Regulations require removal of pacemaker upon death.

- 3. If any physician is present, and if so, his name and where he can be reached.
- 4. Condition of pacemaker, if known (i.e., expelled or still implanted).
- 5. Information on patient's ID card, if available.
- C. Such calls represent potentially severe emergencies and the operator should immediately contact the institution's Radiation Safety Officer and responsible doctor while keeping the caller on the line and standing by.
- D. If the Fadiation Safety Officer or the responsible physician or designated alternate cannot be reached, contact Cardiac Care Unit physician on duty and advise of the situation and what information is available.
- XVI. Participating Institution Pequirements

During the investigational phase of nuclear pacamaker use, licenses are being issued only to medical institutions that can assure continuity of follow-up of patients with implanted pacamakers rather than to individual physicians. A license issued to a medical institution authorizes a specified implantation limit in terms of number of plutonium fueled pacamakers and requires the licensed institution to be responsible for the follow-up and recovery of the nuclear pacemakers implanted in patients under the license. The physicians designated as the responsible investigators by the medical institution should have substantial experience with pacemakers in the specialities of cardiology and thoracic surgery. The medical institution is expected to have an established program and appropriate facilities for the implantation and follow-up of cardiac pacemakers.

Each application from a medical institution should include:

- A. Identification of the institution as the applicant.
- B. Incorporation of this research protocol by reference with a commitment to follow it.
- C. For each physician on the study team, his name, specialty board certification, previous experience in the implantation and follow-up of implantable pacemakers including specific information on the duration and number of pacemakers implanted and/or followed, a breakdown of how many of the implants used myocardial leads and endocardial leads, and position of the physician with the applicant.

- D. A description of the applicant's present pacemaker implantation and follow-up program including size, duration and types of implantations.
- E. Description of the physical facilities and equipment available for implantation and follow-up. This should include specific test equipment required to carry out the tests discussed in the protocol.
- F. A description of the applicant's procedures for accountability and security against loss or theft of pacemakers before implant tion and after removal from patients.
- G. A description of the applicant's procedures to assure notification of appropriate individuals within the licensed medical institution upon receipt of a report or inquiry concerning a pacemaker bearer. Include written instruction given to telephon operators (as outlined in Section XV of this protocol).
- M. A procedure for periodically reviewing all implantation and follow-up records on nuclear pacetaker patients and follow-up as necessary to verify that loss of contact with the patient has not occurred.
- I. An exclusion from the institution administration of their long-term commitment and responsibility for the follow-up and recovery of nuclear pacenthers.

A standardized application form will be provided by ARCO Nuclear to qualified institutions that wish to apply to participate in this study. This form will facilitate rapid processing of such applications placing the above required information in a compact stardard format.

INFORCED CONSERVT FOR SURGICAL INPLANTATION OF RADIOISOTOPE POWERED CAPDING PAGE ANTR

I understand that for the treatment of my cardiac condition - a disturbance of normal cardiac conduction - a cardiac pacemaker is to be implanted in me. I also understand that the surgical procedure (may/will require the placement of a new electrode and lead into or onto the surfic of my heart and the implantation of a new cardiac pacemaker, and I understand that while the surgical procedure is not of unreasonable ris! the possibility of complications or even death exists. The procedure has been explained to me, in a manner that I could understand, and I have had the opportunity to ask any questions which I would like.

It is my understanding that a radioisotope powered cardiac pacemake which is now undergoing its initial clinical use in approximately 480 persons, while be utilized for the implantation. I have been told that the pacemaker design has been extensively tested over a period of several years. I have been told that on the basis of these experiments in animals and in the laboratory, units of this type are predicted to have a reliable life expectancy comparable to (and hopefully considerably in excess of) that of current standard cardiac pacemakers. However, I understand that it is impossible to be certain of the pacemaker's actual reliability, and no <u>quarantee</u> has been given to me concerning the results which may follow. I understand that the pacemaker does produce radiation, but I have been told by my attending physician that it is the medical judgment that this radiation presents a negligible hazard to me and the members of my household.

I understand that in consenting to the implantation of this pacenake: I am authorizing, as well, all standard operating procedures, including the administration of anesthetics which may be incident to the operation. For the purpose of advancing medical and scientific knowledge, I consent to the admittance of observers to the operating room.

Ultimately - after my death or earlier, if the useful life of the pacemaker is exceeded, if it ceases to function effectively for my medical needs, or if I request to have it removed - the pacemaker must be removed and returned to ARCO Nuclear Company or to its designee,

(Clinic). Accordingly, I agree to contact (Clinic) at regular intervals of no less than three months during the first year and every six months thereafter and whenever I change my residence. I will always carry the appropriate identification card on my person and will at all times wear the standard identification bracelet.

Notwithstanding my contacting the implanting clinic following the insertion of a cardiac pacemaker of any sort, I agree to remain in periodic contact with my personal physician. I will also instruct all members of my household and inform these who have extended contact with me that I have received a radioisotope powered cordiac pacer implant.

I understand that the radioisotope powered cardiac pacemaker is an experimental unit. In order to assess the effectiveness of the device, and to monitor my personal well-being, (Clinic) is interested in collecting data upon the device. Accordingly, I agree (Clinic) in person or to transmit by to visit telephone (with the aid of a device supplied to me and applied to the surface of my skin) my electrocardiogram and an indication of the functioning of the pacamaker. I agree to permit this monitoring to be performed at least once every three months for the first year and every six months thereafter. I further agree to provide information on my clinical condition as it pertains to the pacamaker at no less than six month intervals. Furthermore, I consent to disclosure by the clinic of any information acquired by the clinic in regard to the implantation of the radiciscope powered cardiac pacemakers; provided, however, in no event shall such disclosures include my identification without my specific written approval.

I understand and agree that I must notify _____(Cli prior to any travel cutside of the United States.

I have had the opportunity to ask any questions pertaining to the surgical procedure, the radioiscope powered cardiac pacemaker, and the mandatory follow-up procedure, and these questions have been answered to my satisfaction. The possible alternate methods of treatment, including the use of conventional chemical battery powered pacemakers, have been called to my attention, and I have been given an opportunity to ask any questions about these alternative methods.

With these facts in mind and with the intent of being legally bound, I release any right to claim that the implantation of a radioisotope powere cardiac pacamaker was not properly authorized, and I agree to the follow-up procedures and the ultimate return of the unit as detailed above. I agree to assume the risk of the implantation of a radioisotope powered pacer and release and discharge ARCO Nuclear, the implanting clinic and my physician from failures not caused by their fault or negligence.

Patient's signature or two	Б
persons authorized to consent for the fatient.	-

Relationships to the patient signing if other than the patient.

I certify that I have explained the above procedure:

CONTENTS OF SPONSOR'S PERIODIC REPORT ON CLINICAL PERFORMANCE OF PACEMAKERS (FOR NUCLEAR PACEMAKERS AND CONVENTIONAL PACEMAKER CONTROLS)

A. For pacemakers in satisfactory service:

- 1. Tabulate each implanted nuclear and control pacemaker ident: by serial or other assigned number. For each pacemaker incl the following:
 - a. Date of manufacture
 - b. Date of implant.
 - c. Indicate whether fixed rate or demand.
 - d. Age of patient (at implant)
 - e. Implanting institution (can be coded).
 - f. Type of leads (make and model).
 - 3. Indicate bi-polar or unipolar.
 - h. Indicate myocardial or endocardial.
 - i. Date of lead implant.
 - j. Duration (in days at time of report) of pacemaker servic
 - k. Indicate the nature and date of any additional related s relocations, or post implantation complications.
 - 1. Indicate whether any lead was replaced, repaired, or rel and data(s) thereof.__
 - m. Date of mose recent follow-up examination.
 - *B. Indicate whether patient was carrying I.D. card and wear I.D. bracelet.
 - Indicate whether effective contact was being maintained with patient.
- B. For pacemakers no longer satisfactorily pacing the patient:
 - 1. Tabulate each nuclear and control pacemaker identified by serior or other assigned number and include the following:
 - a. Date of manufacture
 - b. Date of implant.
 - c. Indicate whether fixed rate or demand.
 - d. Age of patient (at implant).
 - e. Implanting institution (can be coded).
 - f. Type the leads (make and model).
 - g. Indicate bi-polar or unipolar.
 - h. Indicate myocardial or endocardial.
 - i. Date of lead implant.
 - j. Duration (in days) of satisfactory pacemaker service before removal or replacement.
 - k. For each removed or replaced pacemaker or lead system, exp in detail the reasons therefore and date thereof.

*not applicable for control patients with conventional pacemakers.

.

k. In case of death of the patient give: date and cau death, autopsy findings related to the pacemaker, d mination at autopsy (if possible) of whether pacema and lead system were still operable, post-removal e tion by sponsor of pacemaker and lead operability, final disposition of pacemaker.

C. Accountability

;

- 1. Have all implanted nuclear pacenakers been accounted for reporting period? If not, explain in detail.
- 2. Has adequate follow-up contact with any patient been lost the reporting period? If yes, explain in detail.

ATTACHMENT B Copy of ARCO Authorization to Ship/Relinquishment of Ownership Form

Radiation Safety Associates, Inc.

ĥ

*

ATTACHMENT B Copy of ARCO Authorization to Ship/Relinquishment of Ownership Form

Radiation Safety Associates, Inc.

No pacemakers have been shipped to Los Alamos since the last report.

ATTACHMENT C Removal and Failure Rates for Nuclear Pacemakers

ATTACHMENT C

	A 10/15/80-01/23/05	B PROGRAM TOTAL
# Of Implants	79	125
# of Removals	71	117
# of Failures	23	27
Average Months of Service/Patient	132.1	122.7
Percent Removals	89.9%	93.6%
Percent Failures	29.1%	21.6%
Average Monthly Removal Rate	0.265	0.338
Average Monthly Failure Rate	0.086	0.078

REMOVAL AND FAILURE RATES FOR NUCLEAR PACEMAKERS

ATTACHMENT D Pacemaker-Related Explants

ATTACHMENT D

PACEMAKER RELATED EXPLANTS

Pacemaker explants between January 24, 2004 and January 23, 2005 were as follows:

- B-113, serial/model number 459-NU-5D. Depassed away on November 12, 2004 while confined to a nursing home. The funeral director recovered the pacemaker.
- B-211, serial/model number 527-NU-5D. And the pacemaker replaced with a newer model on November 19, 2004. That not had it checked in more than a year, and when finally came into the clinic the pacemaker was not working.

Explanted Pacemakers

Died 1 January 1087 Pacer #107 NULSE(A 102) Death not pacemaker
related but by renal failure and mitral valve disease
Evplanted 12 February 1007 Failure to conture broken wire Doger #100
NIL-SE(Δ_{-} (95) implanted 4/9/73
Died 5/14/87 Not pacemaker related Pacemaker #501-NU-5D(B-160)
Implanted $4/17/78$
Evaluated 5/22/87 Eviluate of contring with accessional non-control hosts and
Explained $5/22/87$. Famule of sensing with occasional non-sensed beats and spikes in T wave. Pasamakar #157 NIL SE(A 020). Implemented $11/22/72$
Spikes in 1-wave. Facemaker #157-100-5F(A-059). Implanted 11/25/75.
Explained 0/12/87. Decrease in pulse fale. Facemaker #349-NO-5D(B- 200) Implemented 11/15/75
Evplorted 5/15/87 Lood wire brook Becomeker #402 NUL 5D(P. 150)
Explained 5/15/67. Lead wife bleak. Facemaker #492-NO-5D(B-159).
Evaluated 2/0/28 Decemplear #128 NULSE(A, 060) Not recomplear related
Explained 2/9/88. Pacemaker #128-NU-SF(A-060). Not pacemaker related
& died of a myocardial infarction.
racemaker #515-NU-5F(B-004). Explained 0/22/88. Pacer operating
property but patient needed a dual chamber device.
Pacemaker #97-NU-5F(A-064). Explanted 9/1/88. Opon implantation,
to 66 meanstad Dr. Disherd Thursente symbol the recent opin drop
Even by the down of the second
Explanted 9/20/88, Pacemaker #519-NU-5(B-150). Pacemaker
Died 0/20/08 Cardiac areat Deservation #474 NUL 5D/D 124) implemented
Died, $9/30/88$. Cardiac arrest. Pacemaker #4/4-NO-5D(B-124), implanted
11/25/75. Europerted 11/16/88 December #587 NUL SD(D. 246) December feiture
Explanted 11/16/88. Pacemaker #58/-NU-5D(B-246). Pacemaker failure-
Tanure to capture.
Pacemaker #392-NU-5D (B-251). Explained on 12/26/88. Pacemaker was
down to a very low hpm.)
December our lented 10/08/88 due to concine failure Decer #515 NUL
50(D 154)
December #175 NUL SE(A, 067) was evaluated August 1080 due to lead
frooture
Pacameter returned 5/20/80 without any explant information Pacer #NU15
Facemaker returned $5/29/89$ without any explaint information. Taker #1003- $074(A, 042)$
Pacemaker #363-NULSE(A-048) Evaluated 8-01-89 Detient experienced a
decrease in pulse rate
Pacemaker #476-NUL-5(B-060) Explanted 11-29-89 Patient expired due to
causes unrelated to the pacemaker
Pacemaker #460-NU-5D(B-117) explanted 04-13-90 Pacer functioning
properly but a lead fracture prompted physician to implant a new pacer
Pacemaker #70-NI I-5F(A-027) explanted 07-09-90 due to lead fracture
Died approximately 1/05/91 Cardiac arrest Pacemaker #80-NU-5F(A-
084) implanted 2-19-74
084), implanted 2-19-74.

Radiation Safety Associates, Inc.

Pacer #462-NU-5D(AN-1-55), implanted 3/3/75, was explanted on
01/25/91 due to a lead fracture.
Pacemaker #86-NU-5F(A-088) explanted 9/19/91. Hospital reprted sudden
failure of pacemaker without additional detail.
Pacemaker #85-NU-5F(A-087) explanted 10/29/91. Pacemaker was
removed due to end of pacemaker life parameter.
Pacemaker #362-NU-5F(B-046) explanted 12/3/91. Hospital reported that
magnet reading started to decrease and pacemaker was running out of
power.
Pacemaker #572-NU-5D(B-201) explanted on 1/7/92. Pacemaker was
removed after patient died of congestive heart failure.
Pacemaker #083-NU-5(A-086) returned.
Pacemaker #138-NU-5(A-078) returned.
Pacemaker #140-NU-5(A-026) returned.
Pacemaker #361-NU-5(B-044) returned.
Pacemaker #408-NU-5(B-069) returned.
Pacemaker #467-NU-5(B-121) returned.
Pacemaker #477-NU-5(B-138) returned.
Pacemaker #496-NU-5(B-161) returned.
Pacemaker #508-NU-5(B-062) returned.
Pacemaker #528-NU-5(B-213) returned.
Pacemaker #545-NU-5(B-196) returned.
Pacemaker #571-NU-5(B-170) returned.
Pacemaker #623-NU-5(B-290) returned.
Pacemaker #624-NU-5(B-271) returned.
Pacemaker #513-NU-5D(B-142) returned.
Pacemaker #465-NU-5D(B-065) was explanted on 28 July 1992.
 Pacemaker had reached its end of use parameter.
Pacemaker #532-NU-5D(B-083) explanted on 8/31/93. Hospital reported
pacemaker was not operating properly. Pacemaker returned.
Pacemaker #131-NU-5F(A-100) explanted on 9/19/93. Cause of death was
renal failure, not related to pacemaker. Pacemaker returned.
Pacemaker #NU5-499 was returned on 6 March, 1998
Pacemaker #NU5-103 explanted on 5/27/98. The pacemaker was removed
because the lead was broken. Pacemaker returned.
Pacemaker #NU-509 explanted on 12 June, 1998. Cause of death was renal
failure, not related to pacemaker.
Died, 9/16/87. Not pacemaker related. Cardiac arrest. Pace #342-NU-5F
(B-016), implanted 10/8/74. Pacemaker not retrieved.
Explanted 10.2.87. Not sensing patient's own beats and firing on 1-waves,
causing ventricular lacnycardia. Pacemaker #144-NU-5F(A-091).
Died 9/01/90 Decemptor 115 NIL 5E(A 100) not retrieved from Elephyset
General Hospital Cause of death uncertain
Deneral Hospital. Cause of deall uncertain.
racemaker #143-INU-5(A-095) buried with patient.

Radiation Safety Associates, Inc.

FERSONAL INFORMATION WAS REMOVED BY NRC. NO COPY OF THIS INFORMATION WAS RETAINED BY THE NRC.

Pacemaker #535-NU-5(B-179) buried with patient.
Pacemaker #583-NU-5(B-240) not returned by funeral home
Pacemaker #581-NU-5D(B-237) explanted on 5 December 1994 No
reason was given for removal. Pacemaker returned.
Pacemaker #155-NU-5F(A-031) explanted on 24 October 1994 Pacemaker
was working fine but doctor recommended a different type. Pacemaker
returned
Pacemaker #341-NU-5F(B-002) explanted on 17 March 1995 for an
upgraded nacemaker.
Pacemaker #542-NU-5D(B189) explanted on 20 April 1995. Cause of
death uncertain.
Pacemaker #525-NU-5D (B-190) explanted on 19 September 1995 Surgeon
said pacemaker was failing and there was an infection in area of the
pacemaker. Pacemaker returned.
Pacemaker #611-NU-5D(B-269) explanted on 23 August 1996. Patient died
in her sleep and cause of death is unknown. Pacemaker returned.
Pacemaker #537-NU-5D(B-184) explanted on 4 June 1997. Cardiologist
said removal was for "end of life pacemaker."
Pacemaker # 126-NU-5F(A-028) was explanted from Explanation by Dr.
Jefferey Drood who indicated the unit was removed due to the end of the
pacemaker life parameter.
Pacemaker #NU-5D-481 was explanted from the second by
Langsford Funeral Home on 22 February 1999. The pacemaker was
removed due to section dying. The cause of death is unknown.
Pacemaker #506-NU-5D was explanted from
December 1999, as reported by the NJ Pacemaker and Defibrillator
Evaluation Center. The pacemaker was removed due to a fluctuation in the
 rate.
Pacemaker #504-NU-5D(B-174) explanted on 10/11/00. Pacemaker
explanted due to patient disease. Pacemaker working fine according to
Dr.'s office.
Pacemaker #523-NU-5D B-172 explanted on February 6, 2002 at New
Jersey Pacemaker and Defibrillator Center, Newark, NJ. Pacemaker
returned.
Pacemaker #498-NU-5D B-162. Patient died May 8, 2002, pacemaker
explanted on that date. Pacemaker returned.
Pacemaker #481-NU-5D, explanted October 8, 2002. Device reached
recommended replacement time. Pacemaker returned.
Pacemaker # 490-NU-5D B-157, explanted August 18, 2003. Device
reached recommended replacement time. Pacemaker returned.
Pacemaker # 459-NU-5D, B-113. passed away on November 12, 2004
while confined to a nursing nome. The funeral director recovered the
Pacemaker and returned it to AKCO.
Pracemaker # 527-INU-5D, B-211. Pracemaker was not functioning when it
was checked in November 2004. It was returned to AKCO.

Explanted Pacemakers Not Retrieved

	Died 8/01/89. Pacemaker 115-NU-5F(A-109) not retrieved from Elmhurst
	General Hospital. Cause of death uncertain.
	Pacemaker #145-NU-5(A-093) buried with patient.
	Pacemaker #535-NU-5(B-179) buried with patient.
	Pacemaker #583-NU-5(B-240) not returned by funeral home.
	Pacemaker #524-NU-5D(B-185) buried with patient. Cause of death
•	unknown. Died on 11/20/94
	Pacemaker #149-NU-5F(A-063) buried with patient. Cause of death
	unknown. Died on May 10, 1998.

New Jersey Pacemaker and Defibrillator Evaluation Center, Inc. 201 Lyons Avenue Newark, NJ 07112 (973) 926-7350 Fax (973) 923-7267 Contact: Patti Franco (8:30 – 4:30)

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
B-195		544-NU-5D	12/ 9/1975	1/13/05	Does monthly telephone tests. Everything OK.
A-092		90-NU-5F	4/10/73	1/18/05	Does monthly telephone tests. Everything OK.

Dr. Seymour Furman Pacemaker Center c/o Montefiore Hospital & Medical Center 11 E. 210th Street Bronx, NY 10467 (718) 920-4881 Fax (718) 920-8851 Contact: Carolyn Smith

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
		459-NU-5D	11/18/75	10/8/02	expired on 11/12/04.
B-113					—

St. Joseph Pacemaker Clinic St. Joseph Hospital 5665 Peachtree Dunwoodie Road NE Atlanta, GA 30342 ATTN: EKG Department (404) 851-7648 Fax: (404) 851-7592 Contact: Tracy Reshad

Now being followed by: Northside Hospital Pacemaker Clinic Atlanta, GA 404-851-8663 Dr. Michael Chorches 404-252-8377

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments	
		562-NU-5D	11/19/76	12/04	Explant is scheduled for March 2005.	
B-183						

Dr. A. V. Whittaker Heart Center of NE Ohio 7655 Market Street—Suite 2750 Youngstown, OH 44512 (330) 758-7703 Fax: (330) 758-4930 Contact: A Pacemaker nurse. (Debbie Ritchie)

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
B-211		527-NU-5D	5/14/75	11/04	Explanted 11/19/05. Unit was not working.

Dr. Max Pazos 747 Ponce de Leon Blvd. Suite 305 Coral Gables, FL 33134 (305) 665-3129 Fax: (305) 447 0876

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
B-182		539-NU-5D	10/24/75	8/10/04	All is well.

Raytel Cardiac Services 7 Waterside Crossing Windsor, CT 06095 (860) 298-6100 Contact: Patient Care Center Ext. 440

Treatment now provided by Richard Thurer, M.D. University of Miami R-14 PO Box 01690 Miami, FL 33101 305-585-5271

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
	7	94-NU-5F	6/5/73	6/28/04	Patient ID# F010855
A-403					Pacer function appears normal.

PERSONAL INFORMATION WAS REMOVED BY NRC. NO COPY OF THIS INFORMATION WAS RETAINED BY THE NRC.

Heartland Cardiology 3243 East Murdock Suite 500 Wichita, KS 67208 (Ginger) (316) 686-5300 Fax: (316) 686-5358

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
B-214		529-NU-5D	3/13/76	August 2000	

RSA contacted the doctor's office in January 2003 and was told that the provide the number of the second se

June 17, 2003. This office's last visit with the was approximately 1998. Some time after that the province of the doctor that the possible problems associated with an unmonitored pacemaker, and suggested periodic telephone checks of the device. There is no record in the medical file of the problems responding to this letter. A letter has been written from RSA to the medical office for insertion into the doctor, we will be notified. A new phone number was obtained for the doctor of the doctor. There is no mand for the doctor for the doctor with the doctor, we will be notified. A new phone number was obtained for the doctor.

January 20, 2004. January 20, 2004. January 20, 2004. January 20, 2004.

January 21, 2005. The has not contacted the doctor since the last semi-annual report.

PERSONAL INFORMATION WAS REMOVED BY NRC. NO COPY OF THIS INFORMATION WAS RETAINED BY THE NRC.

Radiation Safety Associates, Inc.

ŧ

Dr. Janet Staples 401 West Beverly Blvd. Montebello, CA 90640 (213) 728-0321

Patient	Home Address	Serial/Model #	Implant Date	Last Checked	Comments
B-245		585-NU-5D	1/23/76		Lost to follow 8/1/86.
A-074		120-NU-5F			Moved to Belgium in 1982

January 20, 2004: Dr. Staples no longer has any information on the second or on the These individuals should be moved to the "Lost To Follow" category.

PERSONAL INFORMATION WAS REMOVED BY NRC. NO COPY OF THIS INFORMATION WAS RETAINED BY THE NRC.

.

This is to acknowledge the receipt of your letter/application dated

<u>3114</u> 2005, and to inform you that the initial processing which includes an administrative review has been performed.
NO+1+1+1+0+0 SNM-1993
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.
Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 136768. When calling to inquire about this action, please refer to this control number. You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (RI) (6-96) Sincerely, Licensing Assistance Team Leader

	: (FOR LFMS USE)
	: INFORMATION FROM LTS
BETWEEN:	:
	:
License Fee Management Branch, ARM	: Program Code: 22150
and	: Status Code: 0
Regional Licensing Sections	: Fee Category: 1D
	: Exp. Date: 20120930
	: Fee Comments: STORAGE ONLY EFF 6/3/92
	: Decom Fin Assur Reqd: N

LICENSE FEE TRANSMITTAL

- A. REGION
- 1. APPLICATION ATTACHED
- Applicant/Licensee:ARCO ENVIRONMENTAL REMEDIATION, LLCReceived Date:20050317Docket No:7003078Control No.:136768License No.:SNM-1993Action Type:Notifications
- 2. FEE ATTACHED Amount: Check No.:
- 3. COMMENTS

Signed Date 111200

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /__/)

1. Fee Category and Amount: ______

2. Correct Fee Paid. Application may be processed for:

- Amendment _____ Renewal _____ License _____
- 3. OTHER

Signed _____

Date ______