

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9263	4	71-9263	USA/9263/B(U)-96	1	OF 3

## 2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.

## 3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- |   |   |
|---|---|
| <p>a. ISSUED TO (<i>Name and Address</i>)</p> <p>Source Production and<br/>Equipment Company, Inc.<br/>113 Teal Street<br/>St. Rose, LA 70087</p> | <p>b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION</p> <p>Source Production and Equipment Company, Inc.<br/>Application dated April 22, 1999,<br/>as supplemented.</p> |
|---|---|

## 4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

## 5.

## (a) Packaging

(1) Model No.: SPEC-150

(2) Description

A welded titanium encased, uranium shielded, radiographic exposure device. Primary components consist of an outer titanium shell, internal supports, depleted uranium shield, and a titanium, titanium alloy or zircalloy S-tube. The contents are securely positioned in the S-tube by a source cable lock assembly and source safety plug assembly. The unit resembles a rectangular box approximately 5.4 inches wide, 5.6 inches high and 14.5 inches long. The maximum weight of the package is 53 pounds.

(3) Drawings

The packaging is constructed and assembled in accordance with Source Production and Equipment Company, Inc. Drawing Nos. 15B000, Rev. 6; 15B001-3, Rev. 2; 15B002A, Rev. 5; 15B008, Rev. 4; 15B625, Rev. 1; 19B005, Rev. 0; 19B006, Rev. 0; and 190909, Rev. 0.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9263	4	71-9263	USA/9263/B(U)-96	2	OF 3

## (b) Contents

## (1) Type and form of material

Iridium-192 as sealed sources which meet the requirements of special form radioactive material.

## (2) Maximum quantity of material per package

150 curies (output)

Output curies are determined in accordance with American National Standard N432-1980, "Radiological Safety for the Design and Construction of Apparatus for Gamma Radiography".

6. The source shall be secured in the shielded position of the packaging by the source assembly lock, lock cap and safety plug assembly. The safety plug assembly, lock cap and source assembly used must be fabricated of materials capable of resisting a 1475 EF fire environment for one-half hour and maintaining their positioning function. The locking ball of the source assembly must engage the locking device. The flexible cable of the source assembly and safety plug assembly must be of sufficient length and diameter to provide positive positioning of the source in the shielded position.

7. The nameplates shall be fabricated of materials capable of resisting the fire test of 10 CFR Part 71 and maintaining their legibility.

Packagings may be marked with Package Identification Number USA/9263/B(U)-85 until April 30, 2006, and must be marked with Package Identification Number USA/9263/B(U)-96 after April 30, 2006.

8. In addition to the requirements of Subpart G of 10 CFR Part 71:

(a) The package shall be prepared for shipment and operated in accordance with the Operating Procedures in Section 7, of the application, as supplemented, and

(b) Each packaging must meet the Acceptance Tests and Maintenance Program in Section 8, of the application, as supplemented.

9. The packaging authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.

10. Expiration date: June 30, 2010.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9263	4	71-9263	USA/9263/B(U)-96	3	OF 3

REFERENCES

Source Production and Equipment Company, Inc., application dated April 22, 1999.

Supplements dated: May 6, 1999; March 22, June 6, and June 19, 2000; March 28, 2005.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/

Robert Lewis, Chief  
Spent Fuel Licensing Section  
Spent Fuel Project Office  
Office of Nuclear Material Safety  
and Safeguards

Date: 26 April, 2005

