

U.S. NUCLEAR REGULATORY COMMISSION		Conversation Date: 5-3-05	
<b>TELEPHONE CONVERSATION RECORD</b>		Time:	
Mail Control No.: 136500	License No.: 45-01589-01	Docket No.: 030-03308	
Licensee/Applicant Participant(s): Dana Hare, RSO	Organization: Valley Health System	Telephone No.: 540-536-8912	
Person(s) Calling: T. Weidner			
Subject: License amendment			
<p>Summary:</p> <p>In order to complete the amendment the license needed to updated. The following information was/will be provided:</p> <ol style="list-style-type: none"> <li>1. Possession limit for 35.300 - Mr. Hare stated that 1000 millicuries would be adequate.</li> <li>2. The current license lists U-233 for shielding in a linear accelerator. A reveiw of the docket file revealed that a typo was made on Amendment #84. Therefore, the license will be corrected to read Depleted Uranium.</li> <li>3. Amendment No. 85 listed a Cs-137 sealed source (300 microcuries) and Tc-99m (100 millicures) for calibration of instruments. These items have been removed form the license because they are covered under 10 CFR 35.65.</li> <li>4. Novoste possession limit - According to Mr. Hare the hospital never took possession of the Novoste system. He will fax a letter stating this.</li> <li>5. GliaSite possession limit - Mr. Hare stated that 8 curies would be an adequate amount.</li> <li>6. The current license did not list Dana Hare, AMP for calibration of the GliaSite system. This has been corrected on the license.</li> </ol>			
Action Required/Taken:			
Prepared By: T. Weidner		Date:	