

Mr. Thompson,

Please leave the PI's the same as on the current license (associated with the specific isotopes), would you like me to specify that on the first page of the response and re-fax that page to you?

WSN

I have reviewed your response and need one minor point of clarification. Should the list of PI's be left the same as is on the current license or are you requesting that all PI's now get full authorization for all materials listed on the license?

>>> William Nelligan <wnelligan@wesleyan.edu> 04/28/05 03:01PM >>>

Mr. Thompson,

After rereading your email I see you requested our comments by fax, I have just faxed you 13 pages (6 response, 6 maps, 1 cover letter) to (610)337-5269. Please let me know if you do not receive or if you need a copy dropped in fedex.

I look forward to your response

Regards

WSN

William S. Nelligan
Wesleyan University
Associate Director
Environmental Health & Safety
860-685-2771 Office
860-685-3101 Fax

William S. Nelligan
Wesleyan University
Associate Director
Environmental Health & Safety
860-685-2771 Office
860-685-3101 Fax

Mail Envelope Properties

(4278C1F6.556 : 7 : 38230)

Subject: Re: License Renewal Responses
Creation Date: Wed, May 4, 2005 8:36 AM
From: William Nelligan <wnelligan@wesleyan.edu>

Created By: wnelligan@wesleyan.edu

Recipients

nrc.gov

kp1_po.KP_DO

TKT (Thomas Thompson)

wesleyan.edu

jtopshe CC

mbromberg CC

dalbert CC

Post Office

kp1_po.KP_DO

Route

nrc.gov

wesleyan.edu

Files	Size	Date & Time
MESSAGE	1111	Wednesday, May 4, 2005 8:36 AM
TEXT.htm	1409	
Mime.822	4084	

Options

Expiration Date:	None
Priority:	Standard
Reply Requested:	No
Return Notification:	None

Concealed Subject:	No
Security:	Standard