

U.S. Department of Transportation

Federal Highway Administration Research, Development, and Technology

Turner-Fairbank Highway Research Center 6300 Georgetown Pike McLean, Virginia 22101-2296

May 19, 2005

U.S. Nuclear Regulatory Commission Region 1 475 Arlendale Road King of Prussia, PA 19406-1415 ATTN: Kathy Doice Modes

RE: License No. 45-23090-01 Docket No. 03028770 Control No. 136643 P-3

MS-16

SUBJECT: U.S. Department of Transportation, Response to Request for Additional Information for the review of our Application for Amendment to License

Dear Ms. Modes:

In reply to your letter of April 18, 2005 requesting additional information for the review of our Application for Amendment to License document, please see the three attachments.

To clarify the request in our March 3, 2005 letter we would like to name Mr. Dennis Sixbey as the new RSO. Also please note that the new Certifying Officer is Dr. Steve Chase, Acting Director for the Office of Infrastructure R&D.

Lastly, we wish to revoke License Condition 15 of our existing license. Commercial gauges will be shipped to the manufacturer for non-routine maintenance and repair.

If you have any questions concerning this reply, Mr. Dennis Sixbey, our current RSO, can be reached by phone at 202-493-3078 or E-mail at dennis.sixbey@fhwa.dot.gov.

Sincerely yours,

Dr. Steve Chase

Acting Director, Office of Infrastructure

Research and Development

Attachments (3)
NRC Form 313
NUREG-1556, Volume 1, Revision 1, Appendix B
TFHRC Inventory of Commercial Gauges and Radioisotope Sources

APPROVED BY OMB: NO. 3150-0120 U.S. NUCLEAR REGULATORY COMMISSION EXPIRES: 10/31/2005 NRC FORM 313 Estimated burden per response to comply with this mandatory collection request; 7 hours. Submittal of the application is necessary to determine that the applicant is (4.2004)10 CFR 30, 32, 33, Indires. Submittal of the application is necessary to determine that the applicant is qualified and that adequate pronodures exist to protect the public health and safety. Send comments regarding burden estimate to the Records and FOIA/Privary Survivus Branch (T-6 F62). U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer. Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120). Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not useplay a currently valid OMB control number, the NRC may not conduct or sponeor, and a person is not required to respond to, the 34, 35, 36, 39, and 40 APPLICATION FOR MATERIAL LICENSE information collection. INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW. APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH: IF YOU ARE LOCATED IN: DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS U.S. NUCLEAR REGULATORY COMMISSION ILLINGIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND **APPLICATIONS TO** WASHINGTON, DC 20555-0001 MATERIALS LICENSING BRANCH U.S. NUCLEAR REGULATORY COMMISSION REGION III 2443 WARRENVILLE ROAD, SUITE 210 ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS: LISLE, IL 80532-4352 IF YOU ARE LOCATED IN: ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA ABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY MAINE, MARYLAND, MASSACHUSETTS, MISSISSIPPL NEW HAMPSHIRE NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAK, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO: WEST VIRGINIA, SEND APPLICATIONS TO: NUCLEAR MATERIALS LICENSING BRANCH U.S. NUCLEAR RECULATORY COMMISSION, REGION IV 611 RYAN PLAZA DRIVE, SUITE 400 LICENSING ASSISTANCE TEAM DIVISION OF NUCLEAR MATERIALS SAFETY U.S. NUCLEAR REGULATORY COMMISSION, REGION I 02028770 475 ALLENGALE ROAD ARLINGTON, TX 76011-4005 KING OF PRUSSIA, PA 19406-1415 PERSONS LOCATED IN AGREEMENT STATER SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS. 2 NAME AND MAILING ADDRESS OF APPLICANT (INClude 219 code)
DEFAATMENT OF TRANSPERTATION TH 3 IS AN APPLICATION FOR (Chook appropriate Ram) A. NEW LICENSE FEORRAL HIGHWAY APMINISTRATION OFFICE OF INFRASTRUCTURE RED (HRPI-11) B AMENDMENT TO LICENSE NUMBER 45-23090-01 6300 GEORGETOWN PIKE MILEAN, VA ZZIOI-ZZAG C RENEWAL OF LICENSE NUMBER S ADDREES WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED 5 TO A E D AND PRINCIPALLY USED AT TURNER 4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION DENNIS G. SIXBEY FAIRBANK HICHWAY RESEARCH CENTER, 6300 LEONAETOWN PIKE, M.LEAN, UA 22101-2296. ALSO USED AT UNSPECIFIED JOB SITES THROUGHOUT THE U.S. (IN STATES SUBJECT TELEPHONE NUMBER (ZOZ) 493-307B TO NAC'S RELULATORY AUTHORITY GALINAGAEE AE MY (202)493-3086 (fax) STATES
SUBMITTEMS 5 THROUGH 11 ON 0-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION CUIDE 5. RADIOACTIVE MATERIAL 6. PURPOSE(S) FOR WHICH LICENSED MATER AL WILL BE USED. Element and mass number, b, chemical and/or physical form; and c, inalizimum arrount which will be possessed at any one time. 7 INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR 8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS. TRAINING EXPERIENCE 10. RADIATION SAFETY PROGRAM 9 FACILITIES AND EQUIPMENT 12 LICENSE FEES (See 10 CFR 170 and Section 170 31) 1 WASTE MANAGEMENT FEE CATEGORY ENCLOSED 13 CERTIFICATION (Much be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON REHALF OF THE APPLICANT, NAMED IN ITEM 2. CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH THE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 39, 34, 35, 36, 39, AND 40, AND THAT ALL INFORMATION CONTANED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELICE WARNING 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1848 62 STAT 748 MAKES IT A CRIMINAL OFFENSE TO MAKE ATVILL FULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISCICTION .

SIGNATURE ()

FOR NRC USE ONLY

DATE

CHECK NUMBER

lux

NRC FORM 313 (4-2004)

YPE OF FEE

APPROVED BY

CERTIFYING OFFICER - TYPEDIPRINTED NAME AND TITLE

FFF LOG

DR. STEVE CHASE ACTING PIRECTOR, OFFICE

FEE CATEGORY

AMOUNT RECEIVED

5

PRINTED ON RECYCLED PAPER

05

ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED USES

FHWA

Yes	No	Radioisotope	Mamufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
X		Cesium-137	Sealed source manufacturer or distributor and model number: SEE ATTACHMENT Device manufacturer or distributor and model number: SEE ATTACHMENS	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes Specific description of the gauge use:	☐ Not applicable ☐ Uses are: (Submit safety analysis supporting safe use)
		Americium: 241	Sealed source manufacturer or distributor and model number: SEE ATTACHMENT Device manufacturer or distributor and model number: SEE ATTACHMENT	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes P Specific description of the gauge use:	Not applicable Uses are: (Submit safety analysis supporting safe use)

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
X		Californium- 252	Sealed source manufacturer or distributor and model number: SEE ATT AC HME NT Device manufacturer or distributor and model number: SEE ATT ACHMENT	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes (S) Specific description of the gauge use:	Not applicable Uses are: (Submit safety analysis supporting safe use)
***		Other Isotope (Specify): CobALT- 60	Sealed source manufacturer or distributor and model number: SEE ATTACHMENT Device manufacturer or distributor and model number: N/A	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes 18/ Specific description of the gauge use:	☐ Not applicable ☐ Uscs are: (Submit safety analysis supporting safe usc)
	X	Financial Assurance Required and Evidence of Financial Assurance Provided				

ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE - RADIATION SAFETY OFFICER Name: Denn's Sixbey	Before obtaining licensed materials, the proposed RSO will have successfully completed one of the training courses. described in Criteria in the section entitled "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience – Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.		
8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS	Before using licensed materials, authorized users will have successfully completed one of the training course described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1. Rev 1, dated November 2001.	œ	מ
9. FACILITIES AND EQUIPMENT	No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program - Public; Dose" and "Radiation Safety Program - Operating and Emergency Procedures."	Separate Item 9 Response Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM – AUDIT PROGRAM	The applicant is not required to, and should not, submit its audit program to NRC for review during the licensing phase.	· •	ot Be Submitted oplication
10. RADIATION SAFETY PROGRAM – TERMINATION OF ACTIVITIES	The applicant is not required to submit a response to the termination of activities section fluring the initial application. However, when the license expires when the licensee ceases operation, NRC Form 314 must be submitted.		at Be Submitted oplication
10. RADIATION SAFETY PROGRAM – SURVEY INSTRUMENTS	We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program - Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	G'	

The state of the transfer of the second section of the second of the second of the second second second of the second sec

	Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10.	RADIATION SAFETY PROGRAM – MATERIAL RECEIPT AND ACCOUNTABILITY	Physical inventories will be conducted at intervals not to exceed 6 months, to account for all sealed sources and devices received and possessed under the license.	હ	
10.	RADIATION SAFETY PROGRAM - OCCUPATIONAL DOSIMETRY	Either we will maintain, for inspection by NRC, documentation demonstrating that unmonitored individuals are not likely to receive a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20, or we will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.	G	O
10.	RADIATION SAFETY PROGRAM - PURLIC DOSE	The applicant is not required to submit a response to the public dose section during the licensing phase. This matter will be examined during an inspection.		of Be Submitted oplication
10.	RADIATION SAFETY PROGRAM - OPERATING AND EMERGENCY PROCEDURES	We will implement and maintain the operating and emergency procedures in Appendix H of NUREG-1556, Vot. 1, Rev. 1. dated November 2001, and provide copies of these procedures to all gauge users and at each job site.	S	O
		OR Operating and emergency procedures will be developed, implemented, and maintained and will meet the criteria in the section entitled "Radiation Safety Program – Operating and Emergency Procedures" in NUREG-1556. Vol. 1, Rev. 1, dated November 2001.	0	
	RADIATION SAFETY PROGRAM - LEAK TEST	Leak tests will be performed at intervals approved by NRC or an Agreement Sate and specified in the Scaled Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.		The information in Appendix J supporting a request to perform leak testing and sample analysis is attached.

The control of the co

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM – MAINTENANCE	Routine Cleaning and Lubrication We will implement and maintain procedures for routine maintenance of our gauges according to each manufacturer's recommendations and instructions.		٥
	Non-Routine Maintenance We will send the gauge to the manufacturer or other person authorized by NRC or an Agreement State to perform non-routine maintenance or repair operations that require the removal of the source or source rod from the gauge.		The information listed in Appendix G supporting a request to perform non-routine maintenance in-house is attached.
10.RADIATION SAFETY PROGRAM – TRANSPORTATION	The applicant is not required to submit its response to transportation during the licensing process. However, this issue will be reviewed during inspection.	Need Not Be Submitted With Application	
11. WASTE MANAGEMENT – GAUGE DISPOSAL AND TRANSFER	The applicant is not required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gange transfer and disposal procedures in its radiation protection program.	Need Not Be Submitted With Application	

INVENTORY of COMMERCIAL DEVICES and RADIOISOTOPE SOURCES

Source	Quantity (millicuries)	Source Disposition (Serial No., Mfg date)	Gauge Description (Serial No.)	Future Actions
²⁴¹ Am	14	By itself (none)	Orig. Cem. Cont. Gauge	Dispose, NIST 8/2006
¹³⁷ Cs	0.56	By itself (none, May 73)	Orig. Cem. Cont. Gauge	Dispose, NIST 8/2006
²⁴¹ Am	14	By itself (none, 8/20/74)	MLI Gauge #1	Dispose, NIST 8/2006
²⁴¹ Am	14	By itself (none, 8/20/74)	MLI Gauge #2	Dispose, NIST 8/2006
²⁴¹ Am + Be	300	By itself (none, 1972)	Water Content Gauge	Dispose, NIST 8/2006
¹³⁷ Cs	10	In commercial device (none, 3/4/82)	CPN DMD (#MX 2044351)	
¹³⁷ Cs	500	By itself (no information)	Consolidation Monitoring Device	Dispose, NIST 8/2006
²²⁶ Ra	4	In commerciai device (none)	Seaman DOR-1000 (#1026)	
²⁴¹ Am + Be	100	In commercial device (#55 8909)	Troxler 3241-C (#1645)	
¹³⁷ Cs	8	In commercial device (#75 1569)	Troxler 4640-B (#1083)	
¹³⁷ Cs	5	In commercial device (#52 5353)	Troxler 2376 (#298)	
²⁴¹ Am + Be ¹³⁷ Cs	40 8	In commercial device (#CAA-169) In commercial device (#CC-1127)	Troxler 3401 (#4114) Troxler 3401 (#4114)	
¹³⁷ Cs ²⁴¹ Am + Be	10 50	In commercial device (none, 3-15-90) In commercial device (none, 4-7-90)	CPN 501DR Depthprobe (#D70069 CPN 501DR Depthprobe (#D70069	
¹³⁷ Cs ²⁴¹ Am + Be	8 40	In commercial device (#75 1795) In commercial device (#47 15916)	Troxler 3440 (#20438) Troxler 3440 (#20438)	
²⁴¹ Am ²⁵² Cf	10 0.06	In commercial device (#98-9254) In commercial device (#7694)	Troxler 4430 (#15) Troxler 4430 (#15)	

INVENTORY of COMMERCIAL DEVICES and RADIOISOTOPE SOURCES

Source	Quantity (millicuries)	Source Disposition (Serial No., Mfg date)	Gauge Description (Serial No.)	Pending Disposal
²⁴¹ Am ²⁵² Cf	10 0.06	In commercial device (#98-9247) In commercial device (#7677)	Troxler 4430 (#20) Troxler 4430 (#20)	
¹³⁷ Cs	8	In commercial device (#75 1577)	Troxler 4640-B (#1088)	
²⁴¹ Am + Be	100	In commercial device (#55 7792)	Troxler 3241-C (#595)	
¹³⁷ Cs ²⁴¹ Am + Be	8 40	In commercial device (#50 3957) In commercial device (#47 10594)	Troxler 3440 (#15115) Troxler 3440 (#15115)	
²⁵² Cf	5.4	By itself (none, 11/27/96)	Radiography Lab (#FTC-CF-872)	Dispose, NIST 8/2006
^{€0} Co	0.0005	By itself (NIST SRM 4203D-74, Jan 95)	Radiography Lab (#SRM4203D-74)	Dispose, NIST 8/2006
¹³⁷ Cs ⁶⁰ Co	0.000007 0.00019	By itself (none) By itself (none)	Radiography Lab (#SRM4215E-83) Radiography Lab (#SRM4215E-83) (Both sources in one encapsulation	Dispose, NIST 8/2006