

RECEIVED  
REGION 1

2005 JUN 27 PM 1:32

Haley & Aldrich, Inc.  
465 Medford St.  
Suite 2200  
Boston, MA 02129-1400  
Tel: 617.886.7400  
Fax: 617.886.7600  
HaleyAldrich.com

**HALEY &  
ALDRICH**

24 June 2005  
File No. 00610-210

Licensing Assistant Section  
Nuclear Materials Safety Branch  
U.S. Nuclear Regulatory Commission Region 1  
475 Allendale Road  
King of Prussia, Pennsylvania 19406-1415

Attention: Licensing Assistant Section

**OFFICES**

Cleveland  
*Ohio*

Dayton  
*Ohio*

Detroit  
*Michigan*

Hartford  
*Connecticut*

Kansas City  
*Kansas*

Los Angeles  
*California*

Manchester  
*New Hampshire*

Parsippany  
*New Jersey*

Portland  
*Maine*

Rochester  
*New York*

San Diego  
*California*

Santa Barbara  
*California*

Tucson  
*Arizona*

Washington  
*District of Columbia*

Subject: Radioactive Materials License Renewal  
Haley & Aldrich, Inc.  
License No. 20-20825-02 03034373

Ladies and Gentlemen:

Enclosed is an application for a renewal of the Haley & Aldrich, Inc. Radioactive Materials License for portable gauges. Our license number is 20-20825-02.

There are no changes to our current license that you have not been notified about earlier.

Could you please provide us with two official copies of our renewed license, one for each of our offices.

We would like to notify you that we have transferred the ownership of four nuclear density gauges. The gauges were transferred to Q/C Resource of Newtown, Connecticut. Details of the transfer are attached.

137309  
NMSS/RGNI MATERIALS-002


Licensing Assistant Section  
Nuclear Materials Safety Branch  
U.S. Nuclear Regulatory Commission Region 1  
24 June 2005  
Page 2

In addition we would like to notify you of our intention of revising our dosimetry badge policy in our Boston office, so that badges are exchanged on a quarterly basis. We use Landauer Luxel+ OSL dosimeter badges which are currently exchanged monthly. The maximum annual dose equivalent received by an employee during 2004 was 146 mREM. The average monthly dose equivalent received by our employees was 12 mREM. The maximum received by a single employee during a one month period in 2004 was 144 mREM. Our office in McLean, Virginia already exchanges badges on a quarterly basis.

If you have any questions, please contact me by telephone at 617.666.4458 or by e-mail at [m Dobday@haleyaldrich.com](mailto:m Dobday@haleyaldrich.com).

Thank you.

Sincerely yours,  
HALEY & ALDRICH, INC.



Mark P. Dobday, P.G.  
Radiation Safety Officer

**Attachments:**

Application for Material License  
NUREG-1556 Appendix B  
Haley & Aldrich Gauge Transfer Records

M:\Rad Safety\NRC\NRC License Renewal 2005\NRC Renewal Cover Letter 06-05.doc

(8-2000)  
10 CFR 30, 32, 33,  
34, 35, 36, 39, and 40

Estimated burden per response to comply with this mandatory collection request: 7.4 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-6 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to bja1@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0000), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

# APPLICATION FOR MATERIAL LICENSE

**INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.**

**APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:**

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY  
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS  
U.S. NUCLEAR REGULATORY COMMISSION  
WASHINGTON, DC 20555-0001

**ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:**

**IF YOU ARE LOCATED IN:**

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION  
NUCLEAR MATERIALS SAFETY BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

SAM NUNN ATLANTA FEDERAL CENTER  
U. S. NUCLEAR REGULATORY COMMISSION, REGION II  
61 FORSYTH STREET, S.W., SUITE 23706  
ATLANTA, GEORGIA 30303-8931

**IF YOU ARE LOCATED IN:**

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

MATERIALS LICENSING BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION III  
801 WARRENVILLE RD.  
LISLE, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION  
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV  
611 RYAN PLAZA DRIVE, SUITE 400  
ARLINGTON, TX 76011-3084

03034373  
X

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

**1. THIS IS AN APPLICATION FOR (Check appropriate item)**

- A. NEW LICENSE
- B. AMENDMENT TO LICENSE NUMBER \_\_\_\_\_
- C. RENEWAL OF LICENSE NUMBER 20-20825-02

**2. NAME AND MAILING ADDRESS OF APPLICANT (include ZIP code)**

Haley & Aldrich, Inc.  
465 Medford St., Suite 2200  
Boston, MA 02129-1400

**3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED**

Haley & Aldrich, Inc.  
56 Roland St.      Haley & Aldrich, Inc.  
Boston, MA 02129-1400      7921 Jones Branch Drive  
McLean, VA 22102-3306

**4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION**

Mark Dobday

TELEPHONE NUMBER  
617-666-4458

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

**5. RADIOACTIVE MATERIAL**

a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.

**6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.**

**7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.**

**8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.**

**9. FACILITIES AND EQUIPMENT.**

**10. RADIATION SAFETY PROGRAM.**

**11. WASTE MANAGEMENT.**

**12. LICENSE FEES (See 10 CFR 170 and Section 170.31)**

FEE CATEGORY N/A      AMOUNT ENCLOSED \$ 0

**13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON**

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 38, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 26, 1949 82 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE  
William W. Beck      Senior Vice President

SIGNATURE  
*William W. Beck*

DATE  
6/21/05

**FOR NRC USE ONLY**

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		

APPROVED BY \_\_\_\_\_ DATE \_\_\_\_\_

137309

**ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED USES**

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
X		Cesium-137	Sealed source manufacturer or distributor and model number: <hr/> Device manufacturer or distributor and model number: Troxler 3440 <hr/> Humboldt 5001 EZ	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: Measuring physical properties of soils: soil density and moisture content	<input checked="" type="checkbox"/> Not applicable <hr/> <input type="checkbox"/> Uses are: <hr/> (Submit safety analysis supporting safe use)
X		Americium-241	Sealed source manufacturer or distributor and model number: <hr/> Device manufacturer or distributor and model number: Troxler 3440 <hr/> Humboldt 5001 EZ	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: Measuring physical properties of soils: soil density and moisture content	<input checked="" type="checkbox"/> Not applicable <hr/> <input type="checkbox"/> Uses are: <hr/> (Submit safety analysis supporting safe use)

APPENDIX B

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Use As Listed on SSD Certificate	Specify Other Uses Not Listed on SSD Certificate
	X	Californium-252	Sealed source manufacturer or distributor and model number: _____  Device manufacturer or distributor and model number: _____	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/>  Specific description of the gauge use: _____ _____ _____ _____ _____	<input type="checkbox"/> Not applicable _____ <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use)
	X	Other Isotope (Specify):	Sealed source manufacturer or distributor and model number: _____  Device manufacturer or distributor and model number: _____	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/>  Specific description of the gauge use: _____	<input type="checkbox"/> Not applicable _____ <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use)
<i>Financial Assurance Required and Evidence of Financial Assurance Provided</i>						

## ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
<b>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE – RADIATION SAFETY OFFICER</b> Boston, MA: Mark Dobday McLean, VA: Nancy Straub Name: _____	Before obtaining licensed materials, the proposed RSO will have successfully completed one of the training courses described in Criteria in the section entitled "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience – Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS</b>	Before using licensed materials, authorized users will have successfully completed one of the training course described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>9. FACILITIES AND EQUIPMENT</b>	No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program – Public Dose" and "Radiation Safety Program – Operating and Emergency Procedures."	<b>Separate Item 9 Response</b> <b>Need Not Be Submitted With Application</b>	
<b>10. RADIATION SAFETY PROGRAM – AUDIT PROGRAM</b>	The applicant is <i>not</i> required to, and should not, submit its audit program to NRC for review during the licensing phase.	<b>Need Not Be Submitted With Application</b>	
<b>10. RADIATION SAFETY PROGRAM – TERMINATION OF ACTIVITIES</b>	The applicant is <i>not</i> required to submit a response to the termination of activities section during the initial application. However, when the license expires when the licensee ceases operation, NRC Form 314 must be submitted.	<b>Need Not Be Submitted With Application</b>	
<b>10. RADIATION SAFETY PROGRAM – SURVEY INSTRUMENTS</b>	We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program – Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>





Q/C [REDACTED]  
**RESOURCE**

Phone 800-996-8880  
Fax 203-426-6722

Tuesday, June 14, 2005

Greg Martin  
Haley and Aldrich  
465 Medford Street  
Boston, MA 02129

Dear Greg:

For your records, the following gauges were sold / transferred to InstroTek NE for the sum of \$8000.00 on 5/18/05.

Troxler Electronics Model 3440, Serial #'s 16788, 18515, 26519, and 24342.

Sincerely,



Philip C. Pailia  
InstroTek NE

Haley & Aldrich, Inc.  
465 Medford St.  
Suite 2200  
Boston, MA 02129-1400  
Tel: 617.886.7400  
Fax: 617.886.7600  
HaleyAldrich.com



6 May 2005  
File No. 00600-210

**RADIOACTIVE MATERIAL TRANSFER SHEET**

"[list manufacturer]": GAUGE MODEL 3440 #2

SERIAL NUMBER: 018515

SOURCE SERIAL NUMBERS: 50-8067 / 4713971

Survey reading of gauge (in mrem/hr at 1 meter): 1.1 Less than 5

Leak Test Date: 04/06/05

**TRANSFERRING THE DEVICE FROM:**

Company: **HALEY & ALDRICH, INC.**  
Address: **465 Medford St., Suite 2200  
Boston, MA 02129-1400**

Company Representative: **Mark P. Dobday**

Signature:

Radioactive Materials License Number: **MA DOH 20-8251; NRC 20-20825-02**  
Expiration Date: **31 July 2005**

**TRANSFERRING THE DEVICE TO:**

Company: INSTRUTEK - N.E.  
Address: 78 South Main Street  
Newtown CT 06470

Radioactive Materials License Number: 06-30610-01  
Expiration Date: FEBRUARY 28, 2011

DATE OF TRANSFER: 17 May 2005

Company Representative: Phil Palilla \* Signature:

- OFFICES**
- Cleveland Ohio
  - Dayton Ohio
  - Detroit Michigan
  - Hartford Connecticut
  - Kansas City Kansas
  - Los Angeles California
  - Manchester New Hampshire
  - Passaic New Jersey
  - Purdum Maine
  - Providence Rhode Island
  - Rochester New York
  - San Diego California
  - Santa Barbara California
  - Tucson Arizona
  - Washington DC
  - Denver Colorado

C:\Documents and Settings\jia\Local Settings\Temporary Internet Files\OLK25\Transfer Sheet.doc

Note: Make sure the company accepting the device has that specific device listed on their License; examples: Troxler 4650, Humboldt 5001, etc.

Hailey & Aldrich, Inc.  
465 Medford St.  
Suite 2200  
Boston, MA 02129-1400

Tel: 517.886.7400  
Fax: 617.386.7600  
HaileyAldrich.com

**HALEY &  
ALDRICH**

6 May 2005  
File No. 00600-210

**RADIOACTIVE MATERIAL TRANSFER SHEET**

"[list manufacturer]": GAUGE MODEL *Troxler 3440™ 4*

SERIAL NUMBER: *024342*

SOURCE SERIAL NUMBERS: *75-6367/4 7-20440*

Survey reading of gauge (in mrem/hr at 1 meter): *0.2* Less than 5

Leak Test Date: *04/07/2005*

**TRANSFERRING THE DEVICE FROM:**

Company: **HALEY & ALDRICH, INC.**  
Address: **465 Medford St., Suite 2200  
Boston, MA 02129-1400**  
Company Representative: **Mark P. Dobday**

*Mark P. Dobday*  
*[Signature]*  
Signature: *[Signature]*

Radioactive Materials License Number: **MA DOH 20-8251; NRC 20-20825-02**  
Expiration Date: **31 July 2005**

**TRANSFERRING THE DEVICE TO:**

Company: *INSTROTEK - N.E.*  
Address: *75 South Main Street  
Newtown CT 06470*  
Radioactive Materials License Number: *06-30610-01*  
Expiration Date: *FEBRUARY, 28, 2011*

DATE OF TRANSFER: *17 May 2005*

Company Representative: *Phil Palilla* \* Signature: *[Signature]*

C:\Documents and Settings\gin\Local Settings\Temporary Internet Files\OLK25\Transfer Sheet.doc

- OFFICES**
- Cleveland Ohio
  - Dayton Ohio
  - Detroit Michigan
  - Hartford Connecticut
  - Kansas City Kansas
  - Los Angeles California
  - Manchester New Hampshire
  - Parsippany New Jersey
  - Portland Maine
  - Providence Rhode Island
  - Rochester New York
  - San Diego California
  - Santa Barbara California
  - Tucson Arizona
  - Washington District of Columbia

**Note:** Make sure the company accepting the device has that specific device listed on their License; examples: Troxler 4650, Humboldt 5001, etc.

Haley & Aldrich, Inc.  
465 Medford St.  
Suite 2200  
Boston, MA 02129-1400

Tel: 617.886.7400  
Fax: 617.886.7600  
HaleyAldrich.com

**HALEY &  
ALDRICH**

6 May 2005  
File No. 00600-210

**RADIOACTIVE MATERIAL TRANSFER SHEET**

"(List manufacturer)": GAUGE MODEL Troxler 3446 #5

SERIAL NUMBER: 16788

SOURCE SERIAL NUMBERS: 750 4761 / 47-12212

Survey reading of gauge (in mrem/hr at 1 meter): 0.16 Less than 5

Leak Test Date: 01/31/2005

**TRANSFERRING THE DEVICE FROM:**

Company: HALEY & ALDRICH, INC.  
Address: 465 Medford St., Suite 2200  
Boston, MA 02129-1400

Company Representative: Mark P. Dobday

*Mark P. Dobday*  
*Phil Paila*  
Signature: *Phil Paila*

Radioactive Materials License Number: MA DOH 20-8251; NRC 20-20825-02  
Expiration Date: 31 July 2005

**TRANSFERRING THE DEVICE TO:**

Company: INSTROTEK - N.E.  
Address: 78 South Main Street  
Newtown, CT 06470

Radioactive Materials License Number: 06-30610-01  
Expiration Date: FEBRUARY 28, 2011

DATE OF TRANSFER: 17 May 2005

Company Representative: Phil Paila

*Phil Paila*  
Signature: *Phil Paila*

C:\Documents and Settings\jim\Local Settings\Temporary Internet Files\OLICS\Transfer Sheet.doc

- OFFICES
- Cleveland Ohio
- Dallas Texas
- Detroit Michigan
- Hartford Connecticut
- Kansas City Kansas
- Los Angeles California
- Manchester New Hampshire
- Parsippany New Jersey
- Portland Maine
- Providence Rhode Island
- Rochester New York
- San Diego California
- Santa Barbara California
- Tucson Arizona
- Washington District of Columbia

Note: Make sure the company accepting the device has that specific device listed on their License; examples: Troxler 4650, Humboldt 5001, etc.

Haley & Aldrich, Inc.  
405 Medford St.  
Suite 2200  
Boston, MA 02129-1400  
Tel: 617.886.7400  
Fax: 617.886.7600  
HaleyAldrich.com

*ATTN. Gary M.*

**HALEY & ALDRICH**

6 May 2005  
File No. 00600-210

**RADIOACTIVE MATERIAL TRANSFER SHEET**

"(list manufacturer)": GAUGE MODEL *Troxler 3440 #6*

SERIAL NUMBER: *26519*

SOURCE SERIAL NUMBERS: *759635 / 47-22965*

Survey reading of gauge (in mrem/hr at 1 meter): *0.14* Less than 5

Leak Test Date: *01/31/2005*

**TRANSFERRING THE DEVICE FROM:**

Company: **HALEY & ALDRICH, INC.**  
Address: 465 Medford St., Suite 2200  
Boston, MA 02129-1400

Company Representative: **Mark P. Dobday**

*Mark P. Dobday*  
*[Signature]*  
Signature: *[Signature]*

Radioactive Materials License Number: **MA DOH 20-8251; NRC 20-20825-02**  
Expiration Date: **31 July 2005**

**TRANSFERRING THE DEVICE TO:**

Company: *INSTROTEK - N.E.*  
Address: *78 South Main Street  
Newtown CT 06470*

Radioactive Materials License Number: *06-30610-01*  
Expiration Date: *FEBRUARY 07, 2011*

DATE OF TRANSFER: *17 May 2005*

Company Representative: *Phil Palilla* \* Signature: *[Signature]*

On-Demand and Single Copy Local Storage Temporary Internet File (OLK25) Transfer Sheet.doc

- OFFICES**
- Cleveland Ohio
- Dayton Ohio
- Detroit Michigan
- Hartford Connecticut
- Kansas City Kansas
- Los Angeles California
- Manchester New Hampshire
- Parsippany New Jersey
- Portland Maine
- Providence Rhode Island
- Rochester New York
- San Diego California
- Santa Barbara California
- Tucson Arizona
- Washington District of Columbia

Note: Make sure the company accepting the device has that specific device listed on their License; examples: Troxler 4650, Humboldt 5001, etc.

This is to acknowledge the receipt of your letter/application dated

6/24/2005, and to inform you that the initial processing which includes an administrative review has been performed.

Renew 20-20825-02 There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

---

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 137309.  
When calling to inquire about this action, please refer to this control number.  
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (RI)  
(6-96)

Sincerely,  
Licensing Assistance Team Leader

(FOR LFMS USE)  
INFORMATION FROM LTS

BETWEEN:

License Fee Management Branch, ARM  
and  
Regional Licensing Sections

: Program Code: 03121  
: Status Code: 0  
: Fee Category: 3P  
: Exp. Date: 20050731  
: Fee Comments: \_\_\_\_\_  
: Decom Fin Assur Req'd: N  
: ::::::::::::::::::::::::::::::::::::::

LICENSE FEE TRANSMITTAL

A. REGION

I

1. APPLICATION ATTACHED

Applicant/Licensee: HALEY & ALDRICH, INC.  
Received Date: 20050627  
Docket No: 3034373  
Control No.: 137309  
License No.: 20-20825-02  
Action Type: Renewal

2. FEE ATTACHED

Amount:           /            
Check No.:           /          

3. COMMENTS

Signed           *Rebecca J. Ford*            
Date           7/7/2005          

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /\_/)

1. Fee Category and Amount: \_\_\_\_\_

2. Correct Fee Paid. Application may be processed for:

Amendment \_\_\_\_\_  
Renewal \_\_\_\_\_  
License \_\_\_\_\_

3. OTHER \_\_\_\_\_  
\_\_\_\_\_

Signed \_\_\_\_\_  
Date \_\_\_\_\_