

PROPOSED EXAMINATION SUBMITTAL

LETTER AND CHECKLISTS

FOR THE MONTICELLO INITIAL EXAMINATION - MAY 2005

Monticello Proposed Operating Test and Written Examination

Contains the following:

ES-301-3	Operating Test Quality Checklist
ES-301-4	Simulator Scenario Quality Checklist
ES-301-6	Competencies Checklist
ES-401-6	Written Examination Quality Checklist
ES-401-9	Written Examination Review Worksheet

The following were provided on magnetic media:

Three (3) RO administrative job performance measures
One (1) RO&SRO administrative job performance measures
Four (4) SRO administrative job performance measures
Ten (10) RO&SRO operating job performance measures
One (1) RO operating job performance measures
Four (4) dynamic simulator scenario guides (ES-D-1 & ES-D-2 equivalent for each scenario)
Written examination (100 questions are independently marked as RO or SRO)
Written examination question comments. Form ES-401-9 used to document facility comments.
Operating Test Comments
Changes made to the exam during validation of the exam.



March 1, 2005

L-MT-05-021
10 CFR Part 55.40

Regional Administrator, Region III
US Nuclear Regulatory Commission
2443 Warrenville Road, Suite 210
Lisle, Illinois 60532-4352
Attention: Dell McNeil

Monticello Nuclear Generating Plant
Docket 50-263
License No. DPR-22

Written Examination For The Initial Licensing Examination To Be Conducted The Weeks of May 2, 2005 and May 9, 2005

Reference 1: NUREG 1021, Operator Licensing Examination Standards for Power Reactors, Revision 9

In accordance with the requirements of 10 CFR 55.40(b)(4), a power reactor facility licensee must receive NRC approval of their proposed written examination and operating tests. Further, 10CFR55.40(a) requires that examinations meet the requirements of Reference 1. Therefore, enclosed for your review are the proposed examination materials for the initial license examinations for our operator license applicants.

In accordance with 10CFR 55.49, "Integrity of Examinations and Tests" and Reference 1, Section ES-201, Attachment 1, "Examination Security and Integrity Guidelines," the Nuclear Management Company, LLC requests that the enclosed materials be withheld from public disclosure until after the examinations are complete, and further that the enclosed materials only be viewed by the NRC examiner, Mr. Dell McNeil.

The proposed examination materials were prepared per the guidelines of Reference 1, sections ES-301 and ES-401. The proposed examination materials have been prepared by the Monticello facility for six (6) Reactor Operator license candidates, one (1) Senior Reactor Operator (SRO) – Upgrade license candidate and five (5) SRO - Instant license candidates.

Enclosed are the following items for your review:

- Book 1 - RO/SRO written exams, ES-401-6, Written Examination Quality Checklist
- Book 2 - RO/SRO written exam key and references
- Book 3 - Written exam reference materials provided to candidates
- Book 4 - Job Performance Measures, ES-301-3, Operating Test Quality Checklist
- Book 5 - Scenarios, ES-301-4, Simulator Scenario Quality Checklist, and ES-301-6, Competencies Checklist
- Book 6 - MNGP Technical Specifications (candidate reference)


This letter makes no new commitments and no revisions to existing commitments.



Thomas J. Palmisano
Site Vice President, Monticello Nuclear Generating Plant
Nuclear Management Company, LLC

Enclosures

cc: Administrator, Region III, USNRC (w/o attachments)
Project Manager, Monticello, USNRC (w/o attachments)
Resident Inspector, Monticello, USNRC (w/o attachments)


Facility	Monticello Nuclear Generating Plant	Date of Exam	5/2/05	Operating Test Number:	W90115
1. General Criteria		Initial			
		a	b*	c#	
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g. 10 CFR 55.45, operational importance, safety function distribution.)	J	Km	jm	
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	J	Km	jm	
c.	The operating test shall not duplicate items from the applicants' audit test(s). (see Section D.1.a)	J	Km	jm	
d.	Overlap with the written examination and between different parts of the operating test is within acceptable limits.	J	Km	jm	
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	J	Km	jm	
2. Walk-Through Criteria		--	--	--	
a.	Each JPM includes the following, as applicable. <ul style="list-style-type: none"> • initial conditions • initiating cues • references and tools, including associated procedures • reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time-critical by the facility licensee • operationally important specific performance criteria and nomenclature. <ul style="list-style-type: none"> - detailed expected actions with exact criteria and nomenclature - system response and other examiner cues - statements describing important observations to be made by the applicant - criteria for successful completion of the task - identification of critical steps and their associated performance standards - restrictions on the sequence of steps, if applicable. 	J	Km	jm	
b.	Ensure that any changes from the previously approved systems and administrative walk-through outlines (Forms ES-301-1 and 2) have not caused the test to deviate from any of the acceptance criteria (e.g. item distribution, bank use, repetition from the last 2 NRC examinations) specific on those forms and Form ES-201-2.	J	Km	jm	
3. Simulator Criteria		--	--	--	
The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.		J	Km	jm	
	Printed Name/Signature	Date			
a. Author	J. Ruth 	2/28/05			
b. Facility Reviewer (*)	Kurt Markling Kurt Markling	2/28/05			
c. NRC Chief Examiner (#)	Den R. McNeil Dee R. Markling	3/29/05			
d. NRC Supervisor	Lironen, Peterson James J. Miller	4/29/05			
Note:	* The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.				


Facility MNGP Date of Exam 5/2/05 Scenario Numbers: 1 / 2 / 3 / 4 Operating Test Number: W90115					
QUALITATIVE ATTRIBUTES		Initial			
		a	b*	c*	
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.	J	Km	DM	
2.	The scenarios consist mostly of related events.	J	Km	DM	
3.	Each event description consists of <ul style="list-style-type: none"> The point in the scenario when it is to be initiated The malfunction(s) that are entered to initiated the event The symptoms/cues that will be visible to the crew The expected operator actions (by shift position) The event termination point (if applicable) 	J	Km	DM	
4.	No more than one non-mechanistic failure (e.g. pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.	J	Km	DM	
5.	The events are valid with regard to physics and thermodynamics.	J	Km	DM	
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.	J	Km	DM	
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.	N/A	N/A	N/A	
8.	The simulator modeling is not altered.	J	Km	DM	
9.	The scenarios have been validated. Pursuant to 10 CFR 44.45(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.	J	Km	DM	
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.	J	Km	DM	
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).	J	Km	DM	
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).	J	Km	DM	
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.	J	Km	DM	
Target Quantitative Attributes (Per Scenario; See Section D.5.d)		Actual Attributes			
1.	Total malfunctions (5-8)	7 / 5 / 5 / 6	J	Km	DM
2.	Malfunctions after EOP entry (1-2)	2 / 1 / 1 / 2	J	Km	DM
3.	Abnormal events (2-4)	3 / 4 / 4 / 4	J	Km	DM
4.	Major transients (1-2)	2 / 2 / 1 / 1	J	Km	DM
5.	EOPs entered/requiring substantive actions (1-2)	2 / 2 / 1 / 2	J	Km	DM
6.	EOP contingencies requiring substantive actions (1-2)	1 / 1 / 1 / 1	J	Km	DM
7.	Critical tasks (2-3)	3 / 3 / 3 / 2	J	Km	DM

Facility Monticello Nuclear Generating Plant Date of Exam 5/2/05 Operating Test Number: W90115																	
Competencies	APPLICANTS																
	OATC RO/SRO- I/SRO-U				BOP RO/SRO- I/SRO-U				RO/SRO I/SRO-U				RO/SRO- I/SRO-U				
	SCENARIO				SCENARIO				SCENARIO				SCENARIO				
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	
Interpret/Diagnose Event and Conditions	2,3, 5,6	2,3, 5	1,3, 5,6, 7	1,2, 3,6, 7	3,4, 5,6	1,3, 4,5	2,5, 6,7	3,4, 5,6, 7	2,3, 5,6	1,3, 5,6	1,3, 5,6, 7	1,2, 3,6, 7	2,3, 5,6	1,3, 5,6	1,3, 5,6, 7	1,2, 3,6, 7	
Comply With and Use Procedures (1)	All	All	All	All	All	All	All	All	All	All	All	All	All	All	All	All	
Operate Control Boards (2)	2,5, 6	2,3, 5,6	1,3, 5,6, 7	1,2, 3,6, 7	1,3, 4,5, 6	1,3, 4,5	2,5, 6,7	3,4, 5,6, 7	2,5, 6	1,3, 5,6	1,3, 5,6, 7	1,2, 3,6, 7	N/A	N/A	N/A	N/A	
Communicate and Interact	All	All	All	All	All	All	All	All	All	All	All	All	All	All	All	All	
Demonstrate Supervisory Ability (3)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	All	All	All	All	All	All	All	All	
Comply With and Use Tech Specs (3)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,3	1,3	1,4	3,5	2,3	1,3	1,4	3,5	
Notes: (1) Includes Technical Specification compliance for an RO. (2) Operation for an SRO-U. (3) Only applicable to SROs.																	

Instructors:

Circle the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author: J. Ruth 

NRC Reviewer: 

Facility	Monticello Nuclear Generating Plant		Date of Exam	5/2/05	Exam Level:	RO/SRO		
Item Description					Initial			
					a	b	c*	
1.	Questions and answers are technically accurate and applicable to the facility.			J	Km	sm		
2.	a.	NRC K/As are referenced for all questions.		J	Km	sm		
	b.	Facility learning objectives are referenced as available.		J	Km	sm		
3.	SRO questions are appropriate in accordance with Section D.2.d of ES-401			J	Km	sm		
4.	If more than four RO and two SRO questions are repeated from the last two NRC licensing exams, the facility licensee's sampling process was random and systematic.							
5.	Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed. <input type="checkbox"/> the audit exam was completed before the license exam was started <input type="checkbox"/> the examinations were developed independently <input checked="" type="checkbox"/> the licensee certifies that there is no duplication <input type="checkbox"/> other (explain)			J	Km	sm		
6.	Bank use meets limits (no more than 75 percent) from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO/SRO-only question distribution(s) at right.	Bank	Modified	New	J	Km	sm	
		26/8	13/12	61/80				
7.	Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO/SRO question distribution(s) at right.	Memory		C/A	J	Km	sm	
		44/32		56/68				
8.	References/handouts provided do not give away answers or aid in the elimination of distractors.			J	Km	sm		
9.	Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviation are justified.			J	Km	sm		
10.	Question psychometric quality and format meet the guidelines in ES Appendix B.			J	Km	sm		
11.	The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.			J	Km	sm		
		Printed Name/Signature				Date		
a. Author	J. Ruth				2/28/05			
b. Facility Reviewer (*)	Kent Markling				2/28/05			
c. NRC Chief Examiner (#)	Debbie McNeil				3/22/05			
d. NRC Regional Supervisor	Therese Peterson				4/29/05			
Note:	* The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.							