



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

July 15, 2005

Docket No. 03034820

License No. 29-30472-01

Gina Miranda-Diaz
President
Bergenline Imaging Center
d.b.a. Bergenline X-Ray Diagnostic Center
402 43rd Street
Union City, NJ 07087

SUBJECT: INSPECTION 03034820/2005001, BERGENLINE IMAGING CENTER

Dear Ms. Miranda-Diaz:

This letter forwards NRC Form 591, "Safety Inspection," indicating that no items of non-compliance were found during the above described inspection of your licensed activities. Please retain the form in your files. No acknowledgment of this letter is required. However, should you have any questions, we shall be pleased to discuss them with you.

Current NRC regulations and the General Policy and Procedure for NRC Enforcement Actions are available at the NRC web site at <http://www.nrc.gov/materials/miau/mat-toolkits.html> and <http://www.nrc.gov/what-we-do/regulatory/enforcement> or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Your cooperation with us is appreciated.

Sincerely,

Original signed by David B. Everhart

David B. Everhart
Health Physicist
Commercial and R&D Branch
Division of Nuclear Materials Safety

Enclosure:
NRC Form 591

cc:
Stephen Toder, M.D., Radiation Safety Officer

DOCUMENT NAME: E:\Filenet\ML052030522.wpd

SISP Review Complete: (DBE)

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>
NAME	DEverhart/DBE						
DATE	07/15/05						

OFFICIAL RECORD COPY