



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
611 RYAN PLAZA DRIVE, SUITE 400  
ARLINGTON, TEXAS 76011-4005**

August 4, 2005

Materials Testing & Inspection, Inc.  
ATTN: George DuPont  
Radiation Safety Officer  
7446 W. Lemhi Street  
Boise, Idaho 83709

SUBJECT: NRC INSPECTION REPORT 030-33699/2005-001(Form 591M)

Dear Mr. DuPont:

This letter refers to the safety inspection conducted on June 24, 2005, at your field office located in Idaho Falls, Idaho. The inspection was an examination of activities conducted as they relate to safety and compliance with the Commission's rules and regulations. Within these areas, the inspection consisted of selective examination of procedures and representative records. A telephonic exit briefing was conducted with you on June 29, 2005.

Within the scope of the inspection, no violations or deviations were identified: therefore, no response to this letter is required.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/Adams.html>.

If you have any questions concerning this inspection, please contact me at (817) 860-8130.

Sincerely,

**/RA/**  
Robert A. Brown  
Senior Health Physicist  
Nuclear Materials Inspection Branch

Docket No.: 030-33699  
License No.: 11-27504-01  
cc:  
Idaho Radiation Control Program Director

bcc (via e-mail distrib):

LWert

MRShaffer

RABrown

RBrown

KEGardin

NMIB

RIV Materials Docket File (5<sup>th</sup> Floor)

SISP Review Completed: LD

ADAMS: : Yes **9**No Initials: ld

☒ Publicly Available   ☐ Non-Publicly Available   ☐ Sensitive   ☒ Non-Sensitive

DOCUMENT NAME: s:\dnms\!nmib\brown\53369901.wpd   final r:\\_dnms

RIV:DNMS:NMIB	C:NMIB
RABrown	
/RA/	
08/04/05	

OFFICIAL RECORD COPY

T=Telephone

E=E-mail

F=Fax