Materials License	Termination/Retirement Form
-------------------	-----------------------------

LICENSE #(s): 29-30578-01 ADDRESS: <u>Hose Digel Civel Lue</u> <u>UD Priver Pd</u> Belmar <u>UT 07715</u> <u>DOCKET #(s): 030357/0</u> EXPIRATION DATE: <u>7.31.2010</u> DATE OF CONTACT: <u>6.13.2005</u> CONTACTED BY: <u>Bryon Breese</u> THLE: <u>Asst. Privelt Myr</u> TELEPHONE: <u>732.290.</u> 3663			
LICENSE TERMINATED:			
LICENSE TRANSFERRED;			
LICENSE TRANSFERRED TO: Name:			
Telephone:			
BASIS FOR TERMINATION AND/OR RETIREMENT:			
No Loncer passence RAM			
TERMINATION DOCUMENTATION			
1. License termination meets Type I criteria: Y_N_			
Licensee used sealed sources only and the most recent leak test demonstrates that they did not leak while in the licensee's possession			
Licensee used radioactive material with $T_{1/2} \le 60$ days and it has decayed to less than the activity in 10 CFR Part 20 Appendix C			
2. License termination meets Type II criteria: Y_N_			
Licensee possessed and used only sealed sources but cannot demonstrate that the sources did not leak while in the licensee's possession			
Licensee possessed unscaled radioactive material with $T_{1/2} \le 60$ days but the maximum activity authorized under the license has not decayed to less than the quantity specified in 10 CFR Part 20, Appendix C			
Licensee possessed unsealed radioactive material with $T_{1/2} > 60$ days but ≤ 120 days.			
Licensee possessed ¹⁴ C or ³ H but the total activity(s) and use authorized under the license warrants decommissioning under Type II (describe rationale above)			

Rev. 0, December 1996

NUREG/BR-0241

	3. License termination meets Type III criteria:	Y_N_	
	Decommissioning qualifies for a categorical exclusion under 10 CFR 51.22 (c) and		
، بر ۲۰ پر بر بر بر بر	Licensee will decommission its facility in accordance with the NRC's crituse.	eria for unrestricted	
	4. License termination meets Type IV criteria:	Y_N_	
	Decommissioning does not qualify for a categorical exclusion under 10 (CFR 51.22 (c)	
	Licensee will decommission its facility such that residual radioactive mat excess of NRC's criteria for unrestricted use.	terial may remain in	
	5. Termination survey required:	Y_N_	
	Termination survey submitted by licensee		
	Termination survey satisfies NRC survey requirements	. ,	
	6. Form 314 or equivalent submitted:	Y_N_	
	Staff verified disposition of sealed sources: or unsealed radioactive material by: letter from Form 314 recipient call to Form 314 recipient		
	 Licensee transfer records discussed in 10 CFR Parts 30.35, 30.36, 30.51; 40.36, 40.42, 40.61; or 70.25, 70.38, 70.51 	Y _N_	
	To USNRC To individual assuming responsibility for the license, with a copy of the	cover letter to NRC	
	8. NRC closeout inspection required:	Y_N_	
1	Closeout inspection performed: on: Inspector:		
	9. Closeout survey performed: on: by:	Y_N_	
	Licensing assistant completing form: Date:	·	
	License reviewer or Modes Date: 8.	1.2005	
	Branch Chief: Date:		
	NUREG/BR-0241 F-2 H	Rev. 0, December 199	