

UNITED STATES NUCLEAR REGULATORY COMMISSION REGION IV 611 RYAN PLAZA DRIVE, SUITE 400 ARLINGTON, TEXAS 76011-4005

August 8, f2005

Mr. Jack Coffey Senior Vice President of Quality and Regulatory Cardinal Health Nuclear Pharmacy Services 7000 Cardinal Place Dublin, OH 43017

SUBJECT: NRC INSPECTION REPORT 030-33224/05-008 (FORM 591M Part 1)

Dear Mr. Coffey:

This letter and the enclosed NRC Form 591M refer to the inspection conducted on July 11, 2005, at the Cardinal Health facility located in Duluth, Minnesota. The inspection results were discussed with Mr. Paul Gotti of your staff during a final telephonic exit briefing conducted on August 3, 2005.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, independent measurements, and observation of activities in progress.

Within the scope of this inspection no violations or deviations were identified; therefore, no response to this letter or the enclosed NRC Form 591M is required.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <u>http://www.nrc.gov/reading-rm/adams.html</u>.

Should you have any questions concerning this inspection or the enclosed report, please contact the undersigned at (817) 860-8151.

Sincerely,

/RA/

Janine F. Katanic, Ph.D. Nuclear Materials Inspection Branch

Docket No.: 030-33224 License No.: 04-26507-01MD (TERMINATED)

Enclosure: As stated

cc w/enclosure: Minnesota Radiation Control Program Director Ohio Radiation Control Program Director Cardinal Health

bcc w/enclosure (via ADAMS e-mail distribution): LDWert CLCain MRShaffer JEWhitten JLMontgomery JFKatanic JRMadera, DNMS, RIII KEGardin NMIB File RIV Materials Docket Files - 5th Floor

SISP Review Completed: JFK

ADAMS: <u>Yes</u> <u>9</u>No Initials: <u>JFK</u>

: Publicly Available 9 Non-Publicly Available 9 Sen

9Sensitive : Non-Sensitive

DOCUMENT NAME: s:\dnms\!nmib\katanic	final r:_dnms	
RIV:DNMS:NMIB	C:NMIB	
JFKatanic	MRShaffer	
/RA/	/RA/	
08/03/05	08/05/05	
OFFICIAL RECORD COPY	T=Telephone	E=E-mail F=Fax

NRC FORM 591M PART 1				U.S. NUCLEAR REGULATO			
(10-2003) 10 CFR 2.201							
SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION							
I. LICENSEE/LOCATION INSPECTED: Cardinal Health 6464 Canoga Avenue Woodland Hills, CA. 91367 Location: Duluth, Minnesota REPORT 2005-008		 NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region IV 611 Ryan Plaza Drive, Suite 400 Arlington, TX 76011 					
3. DOCKET NUMBER(S)	005-008	4. LICENSEE NUMBER(S)		5. DATE(S) OF INSPECTION			
030-33224		04-26507-01MD (TERMINATED)		July 11-August 3, 2005			
LICENSEE:							
LOENSEE: The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows: X 1. Based on the inspection findings, no violations were identified. 2. Previous violation(s) closed. 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, NUREG-1600, to exercise discretion, were satisfied.							
Licensee's Statement of Corrective Actions for Item 4, above. I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested. Title Printed Name Signature Date LICENSEE'S REPRESENTATIVE Date							
NRC INSPECTOR G	eorge Parker		/RA/ Jani	ne F. Katanic for	08/08/05		
NRC FORM 591M PART 1 (10-2003)							