

INDEX

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

| <u>SECTION</u> | <u>PAGE</u> |
|---------------------------------------|--|
| <u>3/4.8 ELECTRICAL POWER SYSTEMS</u> | |
| 3/4.8.1 | A.C. SOURCES |
| | Operating.....3/4 8-1 |
| | DELETED.....3/4 8-9 |
| | Shutdown3/4 8-10 |
| 3/4.8.2 | D.C. SOURCES |
| | Operating.....3/4 8-11 |
| TABLE 4.8-2a | BATTERY SURVEILLANCE REQUIREMENTS 3/4 8-13 |
| TABLE 4.8-2b | BATTERY CHARGER CAPACITY 3/4 8-14 |
| | Shutdown3/4 8-15 |
| 3/4.8.3 | ONSITE POWER DISTRIBUTION |
| | Operating.....3/4 8-16 |
| | Shutdown3/4 8-18 |
| 3/4.8.4 | ELECTRICAL EQUIPMENT PROTECTIVE DEVICES |
| | DELETED.....3/4 8-19 |
| | DELETED.....3/4 8-21 |
| | DELETED.....3/4 8-22 |
| <u>3/4.9 REFUELING OPERATIONS</u> | |
| 3/4.9.1 | BORON CONCENTRATION.....3/4 9-1 |
| 3/4.9.2 | INSTRUMENTATION.....3/4 9-2 |
| 3/4.9.3 | DECAY TIME3/4 9-3 |
| 3/4.9.4 | CONTAINMENT BUILDING PENETRATIONS.....3/4 9-4 |
| 3/4.9.5 | DELETED3/4 9-5 |

INDEX

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

| <u>SECTION</u> | <u>PAGE</u> |
|---------------------------------------|--|
| 3/4.9.6 | DELETED 3/4 9-6 |
| 3/4.9.7 | DELETED 3/4 9-7 |
| 3/4.9.8 | RESIDUAL HEAT REMOVAL AND COOLANT CIRCULATION |
| | High Water Level 3/4 9-8 |
| | Low Water Level..... 3/4 9-9 |
| 3/4.9.9 | DELETED 3/4 9-10 |
| 3/4.9.10 | WATER LEVEL - REACTOR VESSEL..... 3/4 9-11 |
| 3/4.9.11 | WATER LEVEL - STORAGE POOL 3/4 9-12 |
| 3/4.9.12 | DELETED 3/4 9-13 |
| 3/4.9.13 | SPENT FUEL POOL - REACTIVITY 3/4 9-16 |
| 3/4.9.14 | SPENT FUEL POOL - STORAGE PATTERN..... 3/4 9-17 |
| FIGURE 3.9-1 | MINIMUM FUEL ASSEMBLY BURNUP VERSUS NOMINAL INITIAL ENRICHMENT FOR REGION 1 4-OUT-OF-4 STORAGE CONFIGURATION.....3/4 9-18 |
| FIGURE 3.9-2 | REGION 1 3-OUT-OF-4 STORAGE FUEL ASSEMBLY LOADING SCHEMATIC 3/4 9-19 |
| FIGURE 3.9-3 | MINIMUM FUEL ASSEMBLY BURNUP VERSUS NOMINAL INITIAL ENRICHMENT FOR REGION 2 STORAGE CONFIGURATION..... 3/4 9-20 |
| FIGURE 3.9-4 | MINIMUM FUEL ASSEMBLY BURNUP AND DECAY TIME VERSUS NOMINAL INITIAL ENRICHMENT FOR REGION 3 STORAGE CONFIGURATION..... 3/4 9-21 |
| <u>3/4.10 SPECIAL TEST EXCEPTIONS</u> | |
| 3/4.10.1 | SHUTDOWN MARGIN 3/4 10-1 |
| 3/4.10.2 | GROUP HEIGHT, INSERTION, AND POWER DISTRIBUTION LIMITS 3/4 10-2 |
| 3/4.10.3 | PHYSICS TESTS 3/4 10-4 |
| 3/4.10.4 | REACTOR COOLANT LOOPS 3/4 10-5 |
| 3/4.10.5 | DELETED |
| <u>3/4.11 DELETED</u> | |
| 3/4.11.1 | DELETED |
| 3/4.11.2 | DELETED |
| 3/4.11.3 | DELETED |

INDEX

BASES

| <u>SECTION</u> | <u>PAGE</u> |
|--|-------------|
| 3/4.7.11 DELETED | B 3/4 7-25 |
| 3/4.7.12 DELETED | |
| 3/4.7.13 DELETED | |
| 3/4.7.14 AREA TEMPERATURE MONITORING | B 3/4 7-25 |
| <u>3/4.8 ELECTRICAL POWER SYSTEMS</u> | |
| 3/4.8.1, 3/4.8.2, and 3/4.8.3 A.C. SOURCES, D.C. SOURCES, AND ONSITE POWER DISTRIBUTION | B 3/4 8-1 |
| 3/4.8.4 DELETED | B 3/4 8-3 |
| <u>3/4.9 REFUELING OPERATIONS</u> | |
| 3/4.9.1 BORON CONCENTRATION | B 3/4 9-1 |
| 3/4.9.2 INSTRUMENTATION | B 3/4 9-1 |
| 3/4.9.3 DECAY TIME | B 3/4 9-1 |
| 3/4.9.4 CONTAINMENT BUILDING PENETRATIONS | B 3/4 9-1 |
| 3/4.9.5 DELETED | B 3/4 9-1 |
| 3/4.9.6 DELETED | B 3/4 9-2 |
| 3/4.9.7 DELETED | B 3/4 9-2 |
| 3/4.9.8 RESIDUAL HEAT REMOVAL AND COOLANT CIRCULATION | B 3/4 9-2 |
| 3/4.9.9 DELETED | B 3/4 9-7 |
| 3/4.9.10 and 3/4.9.11 WATER LEVEL - REACTOR VESSEL AND STORAGE POOL | B 3/4 9-8 |
| 3/4.9.12 DELETED | B 3/4 9-8 |
| 3/4.9.13 SPENT FUEL POOL - REACTIVITY | B 3/4 9-8 |
| 3/4.9.14 SPENT FUEL POOL - STORAGE PATTERN | B 3/4 9-8 |
| <u>3/4.10 SPECIAL TEST EXCEPTIONS</u> | |
| 3/4.10.1 SHUTDOWN MARGIN | B 3/4 10-1 |
| 3/4.10.2 GROUP HEIGHT, INSERTION, AND POWER DISTRIBUTION LIMITS | B 3/4 10-1 |
| 3/4.10.3 PHYSICS TESTS | B 3/4 10-1 |
| 3/4.10.4 REACTOR COOLANT LOOPS | B 3/4 10-1 |
| 3/4.10.5 DELETED | B 3/4 10-1 |

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK