

<b>U.S. NUCLEAR REGULATORY COMMISSION</b>	Date: 8/29/2005
<b>TELEPHONE CONVERSATION RECORD</b>	Time: 14:00
Mail Control 137217 or Report No(s).	License No(s). 45-23046-01 Docket No(s). 03020211
Name of Licensee:	Virginia Cardiology, Inc.
Name of Participant(s):	Frank Demeis, Nuclear Medicine Technologist Steven Courtemanche, Health Physicist/NRC
Telephone No.	703-641-0500 610-337-5075
Subject: <small>(NOTE: This will be used as the Documents Title in ADAMS)</small>	Need for a corrected copy to the license.
Summary:	Mr. Demeis called to ask about the mailing address on the license. Robert F. Cunnion, M.D., President brought him the license amendment that was recently issued and remarked that the mailing address had not been updated and wanted Mr. Demeis to look into it. I called the license up on my computer and confirmed that the mailing address on the license had not been updated. I stated that I remembered calling the licensee about the issue but only changed the mailing address on the letter and not the license. I informed Mr. Demeis that I would prepare a corrected copy of the license containing the correct mailing address.
Action Required:	Place in ADAMS/Issue Corrected Copy
Document Availability:	<input checked="" type="checkbox"/> Publicly Available <input type="checkbox"/> Non-Publicly Available
<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> Non-Sensitive Copyright <input type="checkbox"/> Sensitive <input type="checkbox"/> Sensitive Copyright
<input type="checkbox"/> Immediate Release	<input checked="" type="checkbox"/> Normal Release <input type="checkbox"/> Delay Release Date
Prepared & SISP Review Completed By:	<b>/ RA /</b> Steven R. Courtemanche      Date: 08/29/2005