NRC FORM 374	U.S. NUCLEAR REGULATO	ORY COMMISSION	PAGE 1 OF 5 PAGES Amendment No. 52
Pursuant to the Atomic Energy Act of 1954, a of Federal Regulations, Chapter I, Parts 30 heretofore made by the licensee, a license is source, and special nuclear material designateliver or transfer such material to persons aushall be deemed to contain the conditions sapplicable rules, regulations, and orders of the below.	, 31, 32, 33, 34, 35, 36, 3 hereby issued authorizing ated below; to use such m athorized to receive it in acc pecified in Section 183 of	leorganization Act of 197 89, 40, and 70, and in re g the licensee to receive, laterial for the purpose(s cordance with the regulat the Atomic Energy Act of	liance on statements and representations acquire, possess, and transfer byproduct,) and at the place(s) designated below; to ions of the applicable Part(s). This license of 1954, as amended, and is subject to all
Licensee		In accordance with	the application dated
		November 12, 200	
1. Alcoa, Inc.			7-07653-02 is amended in
ALCOA Technical Center	SCLEAR A	its entirety to read	as follows:
2. 100 Technical Drive	10°	4. Expiration date Ma	rch 31, 2015
Alcoa Center, Pennsylvania 150	9	5. Docket No. 030	§172
S	ı	Reference No.	D .
<u> </u>			
Byproduct, source, and/or special nuclear material A. Cesium 137	Chamical and/or p		possess at any one time under this license
4			Marganian Ad
B. Nickel 63 C. Hydrogen 3	Packa d Mode of Perkin-Elme 01 19 detector	i 8713-60520 ir Michal 630- cells in AID Model	foil and 150 millicuries total Not to exceed 200 millicuries per foil and 2 curies total
			•
D. Promethium 147	D. Sealed source Model PHC.C1	s (Ameršham D)	 Not to exceed 500 millicuries per source or 1500 millicuries total
E. Strontium 90	E. Sealed source Model S-18)	s (Accuray E	. Not to exceed 300 millicuries per source and 900 millicuries total
F. Thallium 204	F. Sealed Source Products, Inc. and Helmut Fis C07.XX.XX se	Model TCB-i scher Models	. Not to exceed 150 microcuries per source and 500 microcuries total
Duplicate	Dupl	licate	Duplicate

NRC FORM 374A	U.S. NUCLEAR REGUL	ATORY COMMISSION	L	PAGE	2	of	5	PAGES
Duplic	rate •	Duplica	License Number 9 7-07653-02	Dur	ناد	ca	ıte	
SU	ate ATERIALS LICENSE PPLEMENTARY SHEET	Dapnea	Docket or Reference Nur 030-06172	mber 1	4 4			
			Amendment No. 5	52				

9. Authorized use:

- A. For use in Accuray Corporation (ABB Process Automation) devices which have been evaluated and approved for licensing purposes and authorized for distribution under a license issued by the U.S. Nuclear Regulatory Commission or an Agreement State.
- B. and C. For use in gas chromatographs for sample analysis.
- D. For use in FAG Bearing Corporation Series FH-46 gauge source holder series 9850 to measure material density.
- E. For possession and use in Accuracy Corporation Model U-6 beta thickness gauge.
- F. For use in Fischerscope Beta Model 2045 gauge for measuring material thickness.

CONDITIONS

- 10. Licensed material may be used only at the licensee's facilities located at ALGOA Technical Center, 100 Technical Drive, Algoa Center, Pennsylvania, and ALGOA Research Laboratory, New Kensington, Pennsylvania.
- 11. A. Licensed material shall be used by, or under the supervision of individuals who have received the training described in letter and February 2, 2005, and have been designated, in writing, by the Radiation Safety Officer.
 - B. The Radiation Safety Officer for this license is Nohan E. Peace.
- 12. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
 - D. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of

NRC FORM 374A	U.S. NUCLEAR REGUL	ATORY COMMISSION		PAGE	3	of	5	PAGES
	C ■ RIALS LICENSE EMENTARY SHEET	Duplica	License Number P7-07653-02 Docket or Reference No 030-06172	Dur	ilc	ca	ıt∈	<u> </u>

radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.

Amendment No. 52

- F. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other bersons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- 13. Sealed sources or detector calls containing licensed material shall not be opened or sources removed from source holders by the licensee.
- 14. The licensee shall condict a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.
- 15. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Niclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State
- 16. Each gauge shall be tested for the proper operation of the on-off mechanism and indicator, if any, at no longer than six-month intervals of a such longer intervals as specified by the manufacturer and approved by the Commission or an Agreement State in a legistration certificate referred to in 10 CFR 32.210.
- 17. Installation, initial radiation surveys, relocation, differentially from service of devices containing sealed sources shall be performed by Jim Szalanski or by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. Maintenance and repair of such devices and installation, replacement, and disposal of sealed sources shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- 18. Prior to initial use and after installation, relocation, dismantling, alignment, or any other activity involving the source or removal of the shielding, the licensee shall assure that a radiological survey is performed to determine radiation levels in accessible areas around, above, and below the device with the shutter open. This survey shall be performed only by persons authorized to perform such services by the Commission or an Agreement State.

Duplicate - Duplicate - Duplicate

NRC FORM 374A	U.S. NUCLEAR REGUL	ATORY COMMISSION		PAGE	4	of	5	PAGES
Duplica	te ■ ERIALS LICENSE	Duplica	License Number 87- 07653-02	Dur	ناد	ca	te	
	ERIALS LICENSE LEMENTARY SHEET	Dapnea	Docket or Reference Nur 030-06172	mber	<i>-</i>			
			Amendment No. 5	52				<u> </u>


- 19. The licensee shall operate each device containing licensed material within the manufacturer's specified temperature and environmental limits such that the shielding and shutter mechanism of the source holder are not compromised.
- 20. The licensee shall assure that the shutter mechanism of each device is locked in the closed position during periods when a portion of an individual's body may be subject to the direct radiation beam. The licensee shall review and modify as appropriate its "lock-out" procedures whenever a new device is obtained to incorporate the device manufacturer's recommendations.
- 21. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material,"
- 22. The licensee may initially fount a gauge if permitted by the certificate of registration issued by the U.S. Nuclear Regulators Commission or an Agreement State and under the following conditions:
 - A. The gauge must be mounted in accordance with written instructions provided by the manufacturer;
 - B. The gauge must be mounted in a ocation compatible with the "Conditions of Normal Use" and "Limitations and/or Other Considerations of Use up the contificate of registration issued by the U.S. Nuclear Regulatory Congression or an Agreement State.
 - C. The on-off mechanism (shutter sustable locked in the off position, if applicable, or the source must be otherwise fully shielded;
 - D. The gauge must be received in good condition (i.e., package was not damaged); and
 - E. The gauge must not require any modification to fittin the proposed location.

Mounting does not include electrical connection, activation or operation of the gauge. The source must remain fully shielded and the gauge may not be used until it is installed and made operational by a person specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such operations.

Duplicate - Duplicate - Duplicate

NRC FORM 374A	U.S. NUCLEAR REGUI	LATORY COMMISSION		PAGE	5	of	5	PAGES
Duplicate MATER SUPPLE	P ■ RIALS LICENSE EMENTARY SHEET	Duplica	License Number P7-07653-02 Docket or Reference Nu 030-06172	Dur	oli	ca	te	
			Amendment No. 5	52				

23. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.



By

For the U.S. Nuclear Regulatory Commission

Date	February 22, 2005
Date	

Original signed by Judith A. Joustra

Judith A. Joustra Security and Industrial Branch Division of Nuclear Materials Safety

Duplicate

Duplicate Duplicate