



FRAMATOME ANP

An AREVA and Siemens Company

FRAMATOME ANP, Inc.

September 1, 2005

CFH:05:030

Attn: Document Control Desk
Director, Office of Nuclear Materials Safety and Safeguards
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Subject: Amendment Request to Use of ICRP 68 for ALI and DAC Values

References: 1) SNM License 1168, Docket No. 70-1201
2) NRC Staff Requirements Memorandum, To Request Commission Approval to Grant Exemptions from Portions of 10 CFR Part 20, dated April 21, 1999 (SECY-99-077)

Enclosure: Change pages to Chapter 1 of license application

Dear Mr. Gleaves:

Framatome-ANP, Inc. hereby requests an amendment to Chapter 1 of its license application to authorize use of annual limits of intake (ALIs) and derived air concentrations (DACs) based upon dose coefficients published in the International Committee on Radiological Protection (ICRP) publication number 68, entitled *Dose Coefficients for Intake of Radionuclides by Workers* (ICRP 68, Volume 24, No. 4, 1994).

The proposed exemption request to 10 CFR 20, Appendix B as contained herein is consistent with directives described in the Reference 2. In addition, this proposed licensing action is administrative and procedural in nature and commensurate with criteria allowing a categorical exclusion, as specified in 10 CFR 51.22 (c)(11).

Framatome ANP considers this request to be administrative in nature in that:

- There is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite.
- There is no significant increase in individual or cumulative occupational radiation exposure.
- There is no construction activity or impact involved with the request.
- There is no significant increase in the potential for or consequences from radiological accidents.

Nmss01

Should this request be accepted, the adoption of the revised methodology will be applied to 2005 inhalation dose.

Enclosed, to accomplish this change are six copies of the change pages for the revised license application, Chapter 1.

Should you have any questions regarding this submittal, please call me at (434)-832-5276.

Sincerely,

A handwritten signature in black ink, appearing to read "Charlie Holman", with a long, sweeping horizontal flourish extending to the right.

Charlie F. Holman
Manager, Environmental,
Health, Safety and Licensing.
Framatome ANP, Inc.

Enclosure I

Change Pages

Page	Section	Description
1-7 – 1-8	1.5 (f)	Added paragraph describing authorization to use ICRP 68 dose coefficients

c) Free-Release Limits

Framatome ANP, Inc. is authorized to release equipment and material for unrestricted use in accordance with "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for By-Product, Source or Special Nuclear Material", USNRC, August 1987.

d) Possession at Reactor Sites

Framatome ANP, Inc. may possess unirradiated fuel assemblies at nuclear reactor facilities anywhere within the United States, for the purpose of loading them into shipping packages, and delivery to an authorized carrier for transport in accordance with the regulations. Operations incident to such loading shall be subject to the control of a Framatome ANP representative, approved by the manager of the regulatory affairs function, who shall assure that the completed transport package complies with all requirements of the regulations.

For such operations, Framatome ANP shall be exempted from conditions of Title 10, Code of Federal Regulations, Part 70.24; 'CRITICALITY ACCIDENT REQUIREMENTS' provided:

- As finished fuel assemblies are removed from their storage facilities, they shall be constrained in an arrangement that is no more reactive than that which they will assume in the shipping package.
- The total number of fuel assemblies in process at any one time shall not exceed the maximum authorized contents of the package being loaded.
- If two fuel assemblies are in movement at the same time, a 12 inch minimum edge to edge separation shall be maintained between them; and, only one fuel assembly at a time shall be loaded into the shipping package.
- Loaded packages will be stored in the approved shipping array, pending delivery to a carrier.

e) Exemption from Prior Commitments

All commitments made to NRC Staff prior to the approval date of this license application shall no longer be binding upon Framatome ANP, following approval of this license application unless re-imposed as license conditions.

f) Authorization to Use ICRP-68

DAC and ALI values based on the dose coefficients from ICRP Publication No. 68 for 5 μ m AMAD values can be used in lieu of the values in 10 CFR 20, Appendix B in accordance with internal procedures.

1.6 Site Description

The following are brief summaries of certain physical attributes of this facility.

a) Site Geography

The facility is located in the State of Virginia in Campbell County as shown in Figure 1-3. The location of the facility with respect to the City of Lynchburg is shown in Figure 1-4.

The facility is located on an approximately 70 acre site in Campbell County approximately 4 miles from the Lynchburg city limits. The site is adjacent to the BWX Technologies NNFD and Nuclear Technology Center plant sites. The physical layout of the site is as shown in Figure 1-1. The relationship between the facility and the BWX Technologies NNFD and Nuclear Technology Center plant sites is illustrated in Figure 1-2.

The site is adjacent to state route 726. There are no interstate highways nearby.

The nearest body of water is the James River. The facility site lies on a river bend bounded on three sides by the James River and on the southeastern side by Mt. Athos.

b) Demographics

Census data from the U.S. Census Bureau for the 2000 census indicates that the population for Campbell County was 51,078. Population for the city of Lynchburg was 65,269.

Because of the terrain, most of the population within a 5 mile radius of the facility resides over 3 miles from the site. There are no significant clusters of population within a 2 mile radius of the facility. The closest inhabitants occupy residences, which are located about one-half mile to the ENE.

Approximately two-thirds of the population within 5 miles of the plant reside between the 3 and 5 mile radii in the WSW to WNW directions. This includes the eastern portions of the City of Lynchburg and the community of Madison Heights.

Within a 3 mile radius of the plant, there are only a few public facilities or business activities that attract large numbers. The neighboring Archer Creek Plant of the Lynchburg Foundry and the NNFD and Nuclear Technology Center of BWX Technologies are the only other major industries in the immediate vicinity. Approximately 3,000 workers are employed at these facilities. The Central Virginia Credit Union is located immediately next to the facility, at the intersection of Route 726 and the entrance to BWX Technologies.

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 – GENERAL INFORMATION

c) Free-Release Limits

Framatome ANP, Inc. is authorized to release equipment and material for unrestricted use in accordance with "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for By-Product, Source or Special Nuclear Material", USNRC, August 1987.

d) Possession at Reactor Sites

Framatome ANP, Inc. may possess unirradiated fuel assemblies at nuclear reactor facilities anywhere within the United States, for the purpose of loading them into shipping packages, and delivery to an authorized carrier for transport in accordance with the regulations. Operations incident to such loading shall be subject to the control of a Framatome ANP representative, approved by the manager of the regulatory affairs function, who shall assure that the completed transport package complies with all requirements of the regulations.

For such operations, Framatome ANP shall be exempted from conditions of Title 10, Code of Federal Regulations, Part 70.24; "CRITICALITY ACCIDENT REQUIREMENTS" provided:

- As finished fuel assemblies are removed from their storage facilities, they shall be constrained in an arrangement that is no more reactive than that which they will assume in the shipping package.
- The total number of fuel assemblies in process at any one time shall not exceed the maximum authorized contents of the package being loaded.
- If two fuel assemblies are in movement at the same time, a 12 inch minimum edge to edge separation shall be maintained between them; and, only one fuel assembly at a time shall be loaded into the shipping package.
- Loaded packages will be stored in the approved shipping array, pending delivery to a carrier.

e) Exemption from Prior Commitments

All commitments made to NRC Staff prior to the approval date of this license application shall no longer be binding upon Framatome ANP, following approval of this license application unless re-imposed as license conditions.

f) Authorization to Use ICRP-68

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 – GENERAL INFORMATION

DAC and ALI values based on the dose coefficients from ICRP Publication No. 68 for 5 μ m AMAD values can be used in lieu of the values in 10 CFR 20, Appendix B in accordance with internal procedures.

1.6 Site Description

The following are brief summaries of certain physical attributes of this facility.

a) Site Geography

The facility is located in the State of Virginia in Campbell County as shown in Figure 1-3. The location of the facility with respect to the City of Lynchburg is shown in Figure 1-4.

The facility is located on an approximately 70 acre site in Campbell County approximately 4 miles from the Lynchburg city limits. The site is adjacent to the BWX Technologies NNFD and Nuclear Technology Center plant sites. The physical layout of the site is as shown in Figure 1-1. The relationship between the facility and the BWX Technologies NNFD and Nuclear Technology Center plant sites is illustrated in Figure 1-2.

The site is adjacent to state route 726. There are no interstate highways nearby.

The nearest body of water is the James River. The facility site lies on a river bend bounded on three sides by the James River and on the southeastern side by Mt. Athos.

b) Demographics

Census data from the U.S. Census Bureau for the 2000 census indicates that the population for Campbell County was 51,078. Population for the city of Lynchburg was 65,269.

Because of the terrain, most of the population within a 5 mile radius of the facility resides over 3 miles from the site. There are no significant clusters of population within a 2 mile radius of the facility. The closest inhabitants occupy residences, which are located about one-half mile to the ENE.

Approximately two-thirds of the population within 5 miles of the plant reside between the 3 and 5 mile radii in the WSW to WNW directions. This includes the eastern portions of the City of Lynchburg and the community of Madison Heights.

Within a 3 mile radius of the plant, there are only a few public facilities or business activities that attract large numbers. The neighboring Archer Creek Plant of the Lynchburg Foundry and the NNFD and Nuclear Technology Center of BWX Technologies are the only other major industries in the immediate vicinity. Approximately 3,000 workers are employed at these facilities. The Central Virginia Credit Union is located immediately next to the facility, at the intersection of Route 726 and the entrance to BWX Technologies.

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 - GENERAL INFORMATION

c) Free-Release Limits

Framatome ANP, Inc. is authorized to release equipment and material for unrestricted use in accordance with "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for By-Product, Source or Special Nuclear Material", USNRC, August 1987.

d) Possession at Reactor Sites

Framatome ANP, Inc. may possess unirradiated fuel assemblies at nuclear reactor facilities anywhere within the United States, for the purpose of loading them into shipping packages, and delivery to an authorized carrier for transport in accordance with the regulations. Operations incident to such loading shall be subject to the control of a Framatome ANP representative, approved by the manager of the regulatory affairs function, who shall assure that the completed transport package complies with all requirements of the regulations.

For such operations, Framatome ANP shall be exempted from conditions of Title 10, Code of Federal Regulations, Part 70.24; 'CRITICALITY ACCIDENT REQUIREMENTS' provided:

- As finished fuel assemblies are removed from their storage facilities, they shall be constrained in an arrangement that is no more reactive than that which they will assume in the shipping package.
- The total number of fuel assemblies in process at any one time shall not exceed the maximum authorized contents of the package being loaded.
- If two fuel assemblies are in movement at the same time, a 12 inch minimum edge to edge separation shall be maintained between them; and, only one fuel assembly at a time shall be loaded into the shipping package.
- Loaded packages will be stored in the approved shipping array, pending delivery to a carrier.

e) Exemption from Prior Commitments

All commitments made to NRC Staff prior to the approval date of this license application shall no longer be binding upon Framatome ANP, following approval of this license application unless re-imposed as license conditions.

f) Authorization to Use ICRP-68

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 - GENERAL INFORMATION

DAC and ALI values based on the dose coefficients from ICRP Publication No. 68 for 5 μ m AMAD values can be used in lieu of the values in 10 CFR 20, Appendix B in accordance with internal procedures.

1.6 Site Description

The following are brief summaries of certain physical attributes of this facility.

a) Site Geography

The facility is located in the State of Virginia in Campbell County as shown in Figure 1-3. The location of the facility with respect to the City of Lynchburg is shown in Figure 1-4.

The facility is located on an approximately 70 acre site in Campbell County approximately 4 miles from the Lynchburg city limits. The site is adjacent to the BWX Technologies NNFD and Nuclear Technology Center plant sites. The physical layout of the site is as shown in Figure 1-1. The relationship between the facility and the BWX Technologies NNFD and Nuclear Technology Center plant sites is illustrated in Figure 1-2.

The site is adjacent to state route 726. There are no interstate highways nearby.

The nearest body of water is the James River. The facility site lies on a river bend bounded on three sides by the James River and on the southeastern side by Mt. Athos.

b) Demographics

Census data from the U.S. Census Bureau for the 2000 census indicates that the population for Campbell County was 51,078. Population for the city of Lynchburg was 65,269.

Because of the terrain, most of the population within a 5 mile radius of the facility resides over 3 miles from the site. There are no significant clusters of population within a 2 mile radius of the facility. The closest inhabitants occupy residences, which are located about one-half mile to the ENE.

Approximately two-thirds of the population within 5 miles of the plant reside between the 3 and 5 mile radii in the WSW to WNW directions. This includes the eastern portions of the City of Lynchburg and the community of Madison Heights.

Within a 3 mile radius of the plant, there are only a few public facilities or business activities that attract large numbers. The neighboring Archer Creek Plant of the Lynchburg Foundry and the NNFD and Nuclear Technology Center of BWX Technologies are the only other major industries in the immediate vicinity. Approximately 3,000 workers are employed at these facilities. The Central Virginia Credit Union is located immediately next to the facility, at the intersection of Route 726 and the entrance to BWX Technologies.

c) Free-Release Limits

Framatome ANP, Inc. is authorized to release equipment and material for unrestricted use in accordance with "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for By-Product, Source or Special Nuclear Material", USNRC, August 1987.

d) Possession at Reactor Sites

Framatome ANP, Inc. may possess unirradiated fuel assemblies at nuclear reactor facilities anywhere within the United States, for the purpose of loading them into shipping packages, and delivery to an authorized carrier for transport in accordance with the regulations. Operations incident to such loading shall be subject to the control of a Framatome ANP representative, approved by the manager of the regulatory affairs function, who shall assure that the completed transport package complies with all requirements of the regulations.

For such operations, Framatome ANP shall be exempted from conditions of Title 10, Code of Federal Regulations, Part 70.24; 'CRITICALITY ACCIDENT REQUIREMENTS' provided:

- As finished fuel assemblies are removed from their storage facilities, they shall be constrained in an arrangement that is no more reactive than that which they will assume in the shipping package.
- The total number of fuel assemblies in process at any one time shall not exceed the maximum authorized contents of the package being loaded.
- If two fuel assemblies are in movement at the same time, a 12 inch minimum edge to edge separation shall be maintained between them; and, only one fuel assembly at a time shall be loaded into the shipping package.
- Loaded packages will be stored in the approved shipping array, pending delivery to a carrier.

e) Exemption from Prior Commitments

All commitments made to NRC Staff prior to the approval date of this license application shall no longer be binding upon Framatome ANP, following approval of this license application unless re-imposed as license conditions.

f) Authorization to Use ICRP-68

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 – GENERAL INFORMATION

DAC and ALI values based on the dose coefficients from ICRP Publication No. 68 for 5 μ m AMAD values can be used in lieu of the values in 10 CFR 20, Appendix B in accordance with internal procedures.

1.6 Site Description

The following are brief summaries of certain physical attributes of this facility.

a) Site Geography

The facility is located in the State of Virginia in Campbell County as shown in Figure 1-3. The location of the facility with respect to the City of Lynchburg is shown in Figure 1-4.

The facility is located on an approximately 70 acre site in Campbell County approximately 4 miles from the Lynchburg city limits. The site is adjacent to the BWX Technologies NNFD and Nuclear Technology Center plant sites. The physical layout of the site is as shown in Figure 1-1. The relationship between the facility and the BWX Technologies NNFD and Nuclear Technology Center plant sites is illustrated in Figure 1-2.

The site is adjacent to state route 726. There are no interstate highways nearby.

The nearest body of water is the James River. The facility site lies on a river bend bounded on three sides by the James River and on the southeastern side by Mt. Athos.

b) Demographics

Census data from the U.S. Census Bureau for the 2000 census indicates that the population for Campbell County was 51,078. Population for the city of Lynchburg was 65,269.

Because of the terrain, most of the population within a 5 mile radius of the facility resides over 3 miles from the site. There are no significant clusters of population within a 2 mile radius of the facility. The closest inhabitants occupy residences, which are located about one-half mile to the ENE.

Approximately two-thirds of the population within 5 miles of the plant reside between the 3 and 5 mile radii in the WSW to WNW directions. This includes the eastern portions of the City of Lynchburg and the community of Madison Heights.

Within a 3 mile radius of the plant, there are only a few public facilities or business activities that attract large numbers. The neighboring Archer Creek Plant of the Lynchburg Foundry and the NNFD and Nuclear Technology Center of BWX Technologies are the only other major industries in the immediate vicinity. Approximately 3,000 workers are employed at these facilities. The Central Virginia Credit Union is located immediately next to the facility, at the intersection of Route 726 and the entrance to BWX Technologies.

c) Free-Release Limits

Framatome ANP, Inc. is authorized to release equipment and material for unrestricted use in accordance with "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for By-Product, Source or Special Nuclear Material", USNRC, August 1987.

d) Possession at Reactor Sites

Framatome ANP, Inc. may possess unirradiated fuel assemblies at nuclear reactor facilities anywhere within the United States, for the purpose of loading them into shipping packages, and delivery to an authorized carrier for transport in accordance with the regulations. Operations incident to such loading shall be subject to the control of a Framatome ANP representative, approved by the manager of the regulatory affairs function, who shall assure that the completed transport package complies with all requirements of the regulations.

For such operations, Framatome ANP shall be exempted from conditions of Title 10, Code of Federal Regulations, Part 70.24; 'CRITICALITY ACCIDENT REQUIREMENTS' provided:

- As finished fuel assemblies are removed from their storage facilities, they shall be constrained in an arrangement that is no more reactive than that which they will assume in the shipping package.
- The total number of fuel assemblies in process at any one time shall not exceed the maximum authorized contents of the package being loaded.
- If two fuel assemblies are in movement at the same time, a 12 inch minimum edge to edge separation shall be maintained between them; and, only one fuel assembly at a time shall be loaded into the shipping package.
- Loaded packages will be stored in the approved shipping array, pending delivery to a carrier.

e) Exemption from Prior Commitments

All commitments made to NRC Staff prior to the approval date of this license application shall no longer be binding upon Framatome ANP, following approval of this license application unless re-imposed as license conditions.

f) Authorization to Use ICRP-68

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 - GENERAL INFORMATION

DAC and ALI values based on the dose coefficients from ICRP Publication No. 68 for 5 μ m AMAD values can be used in lieu of the values in 10 CFR 20, Appendix B in accordance with internal procedures.

1.6 Site Description

The following are brief summaries of certain physical attributes of this facility.

a) Site Geography

The facility is located in the State of Virginia in Campbell County as shown in Figure 1-3. The location of the facility with respect to the City of Lynchburg is shown in Figure 1-4.

The facility is located on an approximately 70 acre site in Campbell County approximately 4 miles from the Lynchburg city limits. The site is adjacent to the BWX Technologies NNFD and Nuclear Technology Center plant sites. The physical layout of the site is as shown in Figure 1-1. The relationship between the facility and the BWX Technologies NNFD and Nuclear Technology Center plant sites is illustrated in Figure 1-2.

The site is adjacent to state route 726. There are no interstate highways nearby.

The nearest body of water is the James River. The facility site lies on a river bend bounded on three sides by the James River and on the southeastern side by Mt. Athos.

b) Demographics

Census data from the U.S. Census Bureau for the 2000 census indicates that the population for Campbell County was 51,078. Population for the city of Lynchburg was 65,269.

Because of the terrain, most of the population within a 5 mile radius of the facility resides over 3 miles from the site. There are no significant clusters of population within a 2 mile radius of the facility. The closest inhabitants occupy residences, which are located about one-half mile to the ENE.

Approximately two-thirds of the population within 5 miles of the plant reside between the 3 and 5 mile radii in the WSW to WNW directions. This includes the eastern portions of the City of Lynchburg and the community of Madison Heights.

Within a 3 mile radius of the plant, there are only a few public facilities or business activities that attract large numbers. The neighboring Archer Creek Plant of the Lynchburg Foundry and the NNFD and Nuclear Technology Center of BWX Technologies are the only other major industries in the immediate vicinity. Approximately 3,000 workers are employed at these facilities. The Central Virginia Credit Union is located immediately next to the facility, at the intersection of Route 726 and the entrance to BWX Technologies.

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 – GENERAL INFORMATION

c) Free-Release Limits

Framatome ANP, Inc. is authorized to release equipment and material for unrestricted use in accordance with "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for By-Product, Source or Special Nuclear Material", USNRC, August 1987.

d) Possession at Reactor Sites

Framatome ANP, Inc. may possess unirradiated fuel assemblies at nuclear reactor facilities anywhere within the United States, for the purpose of loading them into shipping packages, and delivery to an authorized carrier for transport in accordance with the regulations. Operations incident to such loading shall be subject to the control of a Framatome ANP representative, approved by the manager of the regulatory affairs function, who shall assure that the completed transport package complies with all requirements of the regulations.

For such operations, Framatome ANP shall be exempted from conditions of Title 10, Code of Federal Regulations, Part 70.24; 'CRITICALITY ACCIDENT REQUIREMENTS" provided:

- As finished fuel assemblies are removed from their storage facilities, they shall be constrained in an arrangement that is no more reactive than that which they will assume in the shipping package.
- The total number of fuel assemblies in process at any one time shall not exceed the maximum authorized contents of the package being loaded.
- If two fuel assemblies are in movement at the same time, a 12 inch minimum edge to edge separation shall be maintained between them; and, only one fuel assembly at a time shall be loaded into the shipping package.
- Loaded packages will be stored in the approved shipping array, pending delivery to a carrier.

e) Exemption from Prior Commitments

All commitments made to NRC Staff prior to the approval date of this license application shall no longer be binding upon Framatome ANP, following approval of this license application unless re-imposed as license conditions.

f) Authorization to Use ICRP-68

FRAMATOME ANP, INC. - MT. ATHOS ROAD FACILITY
USNRC LICENSE SNM-1168, DOCKET 70-1201
CHAPTER 1 – GENERAL INFORMATION

DAC and ALI values based on the dose coefficients from ICRP Publication No. 68 for 5 μ m AMAD values can be used in lieu of the values in 10 CFR 20, Appendix B in accordance with internal procedures.

1.6 Site Description

The following are brief summaries of certain physical attributes of this facility.

a) Site Geography

The facility is located in the State of Virginia in Campbell County as shown in Figure 1-3. The location of the facility with respect to the City of Lynchburg is shown in Figure 1-4.

The facility is located on an approximately 70 acre site in Campbell County approximately 4 miles from the Lynchburg city limits. The site is adjacent to the BWX Technologies NNFD and Nuclear Technology Center plant sites. The physical layout of the site is as shown in Figure 1-1. The relationship between the facility and the BWX Technologies NNFD and Nuclear Technology Center plant sites is illustrated in Figure 1-2.

The site is adjacent to state route 726. There are no interstate highways nearby.

The nearest body of water is the James River. The facility site lies on a river bend bounded on three sides by the James River and on the southeastern side by Mt. Athos.

b) Demographics

Census data from the U.S. Census Bureau for the 2000 census indicates that the population for Campbell County was 51,078. Population for the city of Lynchburg was 65,269.

Because of the terrain, most of the population within a 5 mile radius of the facility resides over 3 miles from the site. There are no significant clusters of population within a 2 mile radius of the facility. The closest inhabitants occupy residences, which are located about one-half mile to the ENE.

Approximately two-thirds of the population within 5 miles of the plant reside between the 3 and 5 mile radii in the WSW to WNW directions. This includes the eastern portions of the City of Lynchburg and the community of Madison Heights.

Within a 3 mile radius of the plant, there are only a few public facilities or business activities that attract large numbers. The neighboring Archer Creek Plant of the Lynchburg Foundry and the NNFD and Nuclear Technology Center of BWX Technologies are the only other major industries in the immediate vicinity. Approximately 3,000 workers are employed at these facilities. The Central Virginia Credit Union is located immediately next to the facility, at the intersection of Route 726 and the entrance to BWX Technologies.