

October 28, 2005

LICENSEE: Florida Power and Light Company

FACILITY: Turkey Point Plant, Units 3 and 4

SUBJECT: SUMMARY OF OCTOBER 19, 2005, PUBLIC MEETING WITH FLORIDA POWER AND LIGHT COMPANY REGARDING PROPOSED AMENDMENT FOR SPENT FUEL POOL BORAFLEX REMEDY (TAC NOS. MC8424 AND MC8425)

On October 19, 2005, the U.S. Nuclear Regulatory Commission (NRC) staff met with representatives of the Florida Power and Light Company (FPL the licensee) at NRC Headquarters in Rockville, Maryland. The purpose of the meeting was to discuss a proposed license amendment to use a combination of soluble boron, fuel element location restrictions and Metamic inserts in fuel racks, as a remedy for degradation of boraflex in the Turkey Point spent fuel pools. The licensee was assisted in the presentation by Holtec, the manufacturer of the Metamic inserts. The meeting was open to the public as stated in the meeting notice dated October 5, 2005 (ML052770278). There were no members of the public present. Enclosure 1 is a list of attendees. Enclosure 2 is a copy of the FPL view graphs presented during the meeting. Enclosure 3 is a copy of a draft partial amendment request that FPL prepared to illustrate the proposed scope and format for the submittal.

The licensee reviewed its plans and proposed schedule for submitting and obtaining approval of the amendment. The design and use of the Metamic inserts, the controls to be used for fuel element location, criticality, thermal-hydraulics, structural and seismic effects were discussed.

The NRC staff asked questions to obtain clarification of the design, fabrication and utilization of the Metamic inserts and controls to be used for fuel storage location. The staff also provided feedback on the format and content of the draft submittal. No regulatory decisions were made.

The licensee indicated that the amendment request would be submitted in early 2006 and requested approval within 1 year. The staff indicated that the proposed schedule was reasonable and achievable depending on the technical quality of the submittal.

Please direct any inquiries regarding this meeting to me at (301) 415-3974 or btm3@nrc.org.

/RA/

Brendan T. Moroney, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-250 and 50-251

Enclosures: As stated

cc w/encls: See next page

**ATTENDANCE LIST
NUCLEAR REGULATORY COMMISSION STAFF MEETING
WITH FLORIDA POWER AND LIGHT COMPANY
AT NRC HEADQUARTERS
OCTOBER 19, 2005**

NRC

J. Nakoski
M. Marshall
B. Moroney
A. Hiser
L. Lois
C. Lauron
K. Parczewski
B. Grimmel
Y. Diaz
K. Jabbour

FPL

C. O'Farrill
G. Adams
P. Czaya
Y. Kao
P. Sharp

Holtec

S. Anton

LICENSEE: Florida Power and Light Company
FACILITY: Turkey Point Plant, Units 3 and 4

SUBJECT: SUMMARY OF OCTOBER 19, 2005, PUBLIC MEETING WITH FLORIDA POWER AND LIGHT COMPANY REGARDING PROPOSED AMENDMENT FOR SPENT FUEL POOL BORAFLEX REMEDY (TAC NOS. MC8424 AND MC8425)

On October 19, 2005, the U.S. Nuclear Regulatory Commission (NRC) staff met with representatives of the Florida Power and Light Company (FPL the licensee) at NRC Headquarters in Rockville, Maryland. The purpose of the meeting was to discuss a proposed license amendment to use a combination of soluble boron, fuel element location restrictions and Metamic inserts in fuel racks, as a remedy for degradation of boraflex in the Turkey Point spent fuel pools. The licensee was assisted in the presentation by Holtec, the manufacturer of the Metamic inserts. The meeting was open to the public as stated in the meeting notice dated October 5, 2005 (ML052770278). There were no members of the public present. Enclosure 1 is a list of attendees. Enclosure 2 is a copy of the FPL view graphs presented during the meeting. Enclosure 3 is a copy of a draft partial amendment request that FPL prepared to illustrate the proposed scope and format for the submittal.

The licensee reviewed its plans and proposed schedule for submitting and obtaining approval of the amendment. The design and use of the Metamic inserts, the controls to be used for fuel element location, criticality, thermal-hydraulics, structural and seismic effects were discussed.

The NRC staff asked questions to obtain clarification of the design, fabrication and utilization of the Metamic inserts and controls to be used for fuel storage location. The staff also provided feedback on the format and content of the draft submittal. No regulatory decisions were made.

The licensee indicated that the amendment request would be submitted in early 2006 and requested approval within 1 year. The staff indicated that the proposed schedule was reasonable and achievable depending on the technical quality of the submittal.

Please direct any inquiries regarding this meeting to me at (301) 415-3974 or btm3@nrc.org.

/RA/

Brendan T. Moroney, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-250 and 50-251

Enclosures: 1. List of attendees
2. Licensee handouts
3. Draft amendment request

cc w/encls: See next page

Distribution:
See next page

ADAMS Accession No.: ML052930039
Package No.: ML052930043

Enclosure 2: ML052930317
Enclosure 3: ML052930384 NRC-001

OFFICE	PDII-2\PM	PDII-2\LA	PDII-2\SC
NAME	BMoroney	BClayton	MMarshall
DATE	10/26/05	10/26/05	10/28/05

OFFICIAL RECORD COPY

SUBJECT: SUMMARY OF OCTOBER 19, 2005, PUBLIC MEETING WITH FLORIDA
POWER AND LIGHT COMPANY REGARDING PROPOSED AMENDMENT
FOR SPENT FUEL POOL BORAFLEX REMEDY (TAC NOS. MC8424 AND
MC8425)

Date: October 28, 2005

Distribution:

PUBLIC
PDII-2 R/F
RidsNrrPMBMoroney
RidsOgcRp
RidsAcrsAcnwMailCenter
RidsNrrDLpm
RidsNrrDlpmLpdii
RidsNrrDlpmLpdii2
RidsNrrLABClayton (Hard Copy)
RJasinski
JNakoski
AHiser
LLois
CLauron
KParczewski
BGrimmel
YDiaz
KJabbour
BWetzel
RidsRgn2MailCenter (JMunday, BDesai)

Florida Power and Light Company

cc:

Mr. J. A. Stall
Senior Vice President, Nuclear and
Chief Nuclear Officer
Florida Power and Light Company
P.O. Box 14000
Juno Beach, Florida 33408-0420

M. S. Ross, Managing Attorney
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Marjan Mashhadi, Senior Attorney
Florida Power & Light Company
801 Pennsylvania Avenue, NW.
Suite 220
Washington, DC 20004

Terry O. Jones
Site Vice President
Turkey Point Nuclear Plant
Florida Power and Light Company
9760 SW. 344th Street
Florida City, FL 33035

County Manager
Miami-Dade County
111 Northwest 1 Street, 29th Floor
Miami, Florida 33128

Senior Resident Inspector
Turkey Point Nuclear Plant
U.S. Nuclear Regulatory Commission
9762 SW. 344th Street
Florida City, Florida 33035

Mr. William A. Passetti, Chief
Department of Health
Bureau of Radiation Control
2020 Capital Circle, SE, Bin #C21
Tallahassee, Florida 32399-1741

TURKEY POINT PLANT

Mr. Craig Fugate, Director
Division of Emergency Preparedness
Department of Community Affairs
2740 Centerview Drive
Tallahassee, Florida 32399-2100

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Michael O. Pearce
Plant General Manager
Turkey Point Nuclear Plant
Florida Power and Light Company
9760 SW. 344th Street
Florida City, FL 33035

Walter Parker
Licensing Manager
Turkey Point Nuclear Plant
9760 SW. 344th Street
Florida City, FL 33035

Mark Warner, Vice President
Nuclear Operations Support
Florida Power and Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Mr. Rajiv S. Kundalkar
Vice President - Nuclear Engineering
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420