



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

OCT 18 2005

John Lorenz
Radiation Safety Officer
Minnesota Department of Health
Public Health Laboratory
121 East Seventh Place
Suite 230
St. Paul, MN 55164-0975


Dear Mr. Lorenz:

It has come to our attention that Amendment No. 37 to NRC License No. 22-04589-01 contained an error. Subitem 7.V. now reads any chemical/physical form for nickel-63 as requested in amendment No. 36 renewing your NRC license. Enclosed is a corrected copy of your NRC license reflecting this correction.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

We apologize for any inconvenience this may have caused you.

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 22-04589-01
Docket No. 030-05000

Enclosure: Corrected copy of Amendment No. 37