



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

OCT 31 2005

John H. Holmen, M.D.
Radiation Safety Officer
St. Joseph's Medical Center
Dept. Of Nuclear Medicine
523 North Third Street
Brainerd, MN 56401

Dear Dr. Holmen:

Enclosed is Amendment No. 34 to your NRC Material License No. 22-16966-01 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note the following concerning your request. Your request did not include Dr. Winchester for authorization of 10 CFR 35.300 and 35.400 material. During my telephone conversation with Philip Silgen of your staff on October 19, 2005, I was informed that Dr. Winchester no longer works at your facility, therefore, his name has been removed from your NRC license. Also, Drs. Benson, Doyscher, Holmen and Posch were not included in your original request dated August 29, 2005, therefore, their authorization for 35.300 (thyroid carcinoma therapy as described in letter dated July 30, 1996, limited to less than or equal to 33 millicuries of iodine-131 per administration) remains unchanged. Please be aware that Drs. Spears, Nisi and Sperduto are not listed on NRC License No. 22-12614-01 as suggested in your letter dated August 29, 2005. However, they were found on License No. 22-00015-02 and were authorized for 35.300 and 35.400. Finally, your license does not authorize use of byproduct material that requires an Authorized Medical Physicist to be listed on your NRC license. Therefore, Mr. Silgen was not added to your NRC license.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

J. H. Holmen, M.D.

2

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 22-16966-01
Docket No. 030-11966

Enclosure: Amendment No. 34