679928

WSRC-TR-93-425
Revision 1

APPROVED for Release for Unlimited (Release to Public)

Keywords: Waste Management
Liquid Wastes
Radioactive Waste Mgmt.
Waste Storage

Retention: Permanent

Waste Transfers and Miscellaneous Additions (U)

January 21, 1994

Patent Status
This internal management report is being transmitted without DOE patent clearance, and no further dissemination or publication shall be made of the report without prior approval of the DOE patent counsel.

Westinghouse Savannah River Company
P. O. Box 616
Aiken, SC 29802

Prepared by the U. S. Department of Energy under Contract DE-AC09-88SR18035

679928

OSR 14-357# [Rev 3-30-93]
Stores: 26-12801

Westinghouse Savannah River Company
Document Approval Sheet

Document No. WSRC-TR-93-425 REV. 1

UC/C Number

Title: WASTE TRANSFERS AND MISCELLANEOUS ~~RECEIPTS~~ Additions (u)

Primary Author/Contact (Must be WSRC)	Location	Phone No.	Position
W.S. CAVIN	773-A/C-133	5-5290	JENIOR ENGINEER

Organization Code	Organization (No Abbreviations)
L2640	CHEMICAL AND HYDROGEN TECHNOLOGY SECTION

Other Authors: A.T. CRUMM

Keywords: WASTE MANAGEMENT, RADIOACTIVE WASTE MGMT., LIQUID WASTES, WASTE STORAGE

Retention Period: PERMANENT

Type of Record: ☒ Lifetime ☐ Nonpermanent

Intended Usage: ☒ Report ☐ Conference/Mtg/Presentation ☐ Software ☐ Other

Document Type: ☐ Abstract ☐ Paper ☐ Technical

No. of Copies

Deadline

Reports

☐ Quarterly ☐ Topical
☐ Semiannual ☐ Phase I
☐ Annual ☐ Phase II
☐ Final ☐ Other

Report Dates _____ thru _____

Conference/Meeting/Presentation

☐ Published Proceedings ☐ Other

Meeting/Journal Title (No Abbreviations)

Meeting Address (City, State, Country)

Meeting Date(s) _____ (m/d/y) thru _____ (m/d/y)

Sponsor

I understand that for the information in this paper to be given external disbribution, approvals by both WSRC and, as appropriate, DOE-SR are required. Distribution (verbally or published) must be in accordance with policies set forth in WSRC management requirements and procedures (MRP 3.25) and in DOE-SR orders, and the content of the external distribution must be limited to that actually approved.

Author's Signature: [signature] Date: 1/27/94

Approvals by Author's Organization

Derivative Classifier	Classification	Topic	Distribution
PAUL D. D'ENTREMONT	U		☒ Unlimited ☐ Limited (Explain below.)

Explanations

Manager's Name	Manager's Signature	Date
FRANK GRAHAM	[signature]	2/1/94

Classification Information (To be completed by Classification Reviewer)

Classification (Check one for each)

Overall	☐ S	☐ C	☐ UCNI	☑ U
Abstract	☐ S	☐ C	☐ UCNI	☐ U
Title	☐ S	☐ C	☐ UCNI	☑ U
Cover Letter	☐ S	☐ C	☐ UCNI	☑ U

Classification Guide Topics: Not OSTI Reportable Records Only

WSRC Classification Officer's Name	WSRC Classification Officer's Signature	Date
R L Collins	[signature]	2/3/94

Publications Use Only

Date Received	Date Assigned
Publications Manager	Editor

679928

January 24, 1994

To: A. L. Blancett, 773-A
S. D. Fink, 773-A
F. R. Graham, 773-A
Jean Sellers (2), 703-43A
R. A. Scaggs, 703-H
T. C. Temple, 703-H
HLWE Files, 703-H (file code 1.2.1)
M. C. Chandler, 703-H
J. S. Clemmons, 703-H
P. D. d'Entremont, 703-H
V. G. Dickert, 703-H
G. K. Georgeton, 703-H
J. E. Marra, 703-H
T. M. Monahon, 703-H

From: W. S. Cavin, 773-A

WSRC-TR-93-425 Revision 1

Corrections have been made in the appendix to the Report entitled *Waste Transfers and Miscellaneous Additions*. The body of the revised report contains a section (Changes in Revision 1) which lists the changes which have been made since Revision 0. Please destroy your copy of Revision 0 and replace it with Revision 1.

679928

Chemical Process Technology Department
Chemical Technology Section

WSRC-TR-93-425
Revision: 1

Keywords:
Waste Management
Liquid Wastes
Radioactive Waste Mgmt.
Waste Storage

Waste Transfers and Miscellaneous Additions (U)

By W. S. Cavin and A. T Crumm

Issued: January 21, 1994

Retention:
Permanent

Classification: U
Paul D. d'Entremont 1/25/94
Authorized Derivative Classifier

Walter S. Cavin
W. S. Cavin, Author

Date: 1/25/94

J. S. Clemmons
J. S. Clemmons, Technical Reviewer

Date: 1/25/94

Introduction and Summary

A compilation of historical data related to waste transfers within and miscellaneous additions to various underground waste storage tanks was done by A. T. Crumm (co-op student) and described in a departmental report[1]. This report serves as the formal documentation of this previously completed work.

Waste transfer and addition information was taken from Works Technical[2] and Waste Management[3] monthly reports for the November 1954 through April 1993 time period. The data contained in this report will be combined with waste composition and fresh waste receipt information to construct predictive models for waste tank composition.

Discussion

Appendix A contains a hard copy of a spreadsheet which contains information related to the movement of separation process wastes within the underground waste storage tanks. In the spreadsheet, the first column is the Report Date, and is a direct reference to the monthly report from which the data were extracted (e.g. Mar-67 data are from the March 1967 Works Technical Monthly Report; DPSP-67-1-3). The data recorded in subsequent columns include: Actual Date, Receipt Tank, Sending Tank, Volume from Sending, Volume to Receipt, Sludge %, Type Waste, and Description/Comments. For intertank transfers and miscellaneous additions, Actual Date is the ending date of the transfer . For continuous transfers (e.g. evaporator feed), Actual Date is the end date of the report period. Receipt Tank identifies the tank or facility receiving the waste, and Sending Tank identifies the tank or facility from which the waste is transferred. Volume from Sending is the volume of waste transferred out based on actual volume loss in the sending tank or facility. Volume to Receipt is the actual volume received and is equal to sending volume plus any additions (e.g. jet dilution). Sludge % is the estimated percentage of the sludge in the sending tank which was moved to another tank during a sludge slurry (SLSLURRY) transfer. Type Waste is a descriptor of the type of waste, and the labels used are defined in Table I.

Table I. Type Waste Descriptors

Descriptor	Definition	Descriptor	Definition
CONC	Evaporator Concentrate	HHWSN	High Heat Waste Supernate
CONCSN	Concentrated Supernate Recycled to Evap. Feed Tank	LHWCONC	Concentrated Low Heat Waste
CRC	Cesium Removal Column	LHWCONCSN	Remaining Supernate from Concentrated Low Heat Waste
DILCONC	Concentrated Supernate Diluted	LHWSN	Low Heat Waste Supernate
DILWASTE	Dilute Waste	MISCADD/TRAN	Miscellaneous Additions and Transfers
DISSALT	Dissolved Salt or Salt Slurry		
DISSALTSN	Dissolved Salt Supernate	MIXSNATE	Mixed Supernate
EVAPCONC	Bottoms Stream from Evaporator	NONCANYWAST	Waste from Other Sources
EVAPFEED	Feed Stream to Evaporator	OVERSPEC	Overheads/CRC Effluent Recycled to Feed
FRHHW	Fresh High Heat Waste		
FRHHWSN	Fresh High Heat Waste Supernate	RBOF-RRF	RBOF/RRF Stream
FRLHW	Fresh Low Heat Waste	RBOFW	RBOF Waste
FRLHWSN	Fresh Low Heat Waste Supernate	SALTRW	Salt Removal Waste
HHWCONC	Concentrated High Heat Waste	SLSLURRY	Sludge Slurry Transfer
HHWCONCSN	Remaining Supernate from Concentrated High Heat Waste	SLUDGERW	Sludge Removal Waste
		SLUDGEWW	Sludge Wash Waste
		SNATE	Supernate

The percentage of the sludge in the sending tank which was moved to another tank during a sludge slurry (SLSLURRY) transfer (data in the Sludge % column) was estimated using data from the Works

Technical[2] and Waste Management[3] monthly reports. In most instances, the estimated sludge content of slurry transfers was given directly in the reports. With this data, calculation of the Slurry % was simply a matter of calculating the percentages based on the amount of sludge originally in the sending tank (also given in the monthly reports). When slurry content estimates were not given directly in the monthly reports, engineering estimates were made based on the data which was available.

The remaining data in Appendix A was taken directly from the applicable monthly report except for a few instances in which the data was in error. In most of these cases (mistaken decimal places, tank transfers reversed, etc.) the error was obvious and was entered correctly into the spreadsheet. The only instance which required assumed data to be used was during the 4/84-5/84 period. These two monthly reports had one data table which was exactly the same for both months. This situation was handled by assuming that the actual data for the month with the replicated table would have been close to the incorrect (repeated) data which was shown. Therefore, the data from the replicated table was used for both months, even though one of the tables was obviously in error.

Changes in Revision 1

The following corrections have been included in Revision 1. All other data is identical to that which was published in Revision 0

Page #	Row Description	Change
A-69	Nov-80, MISCADD/TRAN, Flush Water	Volume to Receipt from 8000 to 3000
A-83	Jan-83, Tank 33 to 26 tranfer	Type Waste from CONCSN to DISSALT
A-121	Jun-88, Tank 40 to 43 transfer	Sending tank from 0 to 40

References

1. A. T. Crumm, "Tank History Project: History of the High Level Liquid Waste Tanks at SRS (U)", WER-HLE-921383, December 17, 1992.

2. Works Technical Monthly Reports, DPSP-54-1-11-S through DPSP-80-1-12 [secret] (all monthly volumes between November 1954 and December 1980)

3. Waste Management Monthly Reports, DPSP-81-21-1 through WSRC-RP-93-78-4 [U] (all monthly volumes between January 1981 and April 1993; the reports were numbered DPSP-81-21-1 through DPSP-84-21-12 and WSRC-RP-89-78-1 through WSRC-RP-93-78-4, the reports from 1985-1988 did not have a document number, but were stored as "WMT Monthly Data Report")

Appendix A

Tank Transfers and Additions

WASTE TRANSFERS AND ADDITIONS								
Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-57	4/20/57	10		0	19000	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Apr-57	4/20/57	12		0	14800	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Apr-57	4/20/57	3		0	24000	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Apr-57	4/20/57	12	10	48600	48600	0	HHWSN	
Jul-57	7/20/57	10		0	900	0	MISCADD/TRAN	5 wt% Caustic (NaOH)
Jul-57	7/20/57	10		0	760	0	MISCADD/TRAN	ReRun Waste
Sep-57	9/20/57	3		0	12700	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Sep-57	9/20/57	10		0	14000	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Sep-57	9/20/57	12		0	19600	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Sep-57	9/20/57	14		0	3500	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Sep-57	9/20/57	12	10	33000	33000	0	HHWSN	
Dec-57	12/18/57	9		0	11100	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Jan-58	1/20/58	9		0	2710	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Jan-58	1/20/58	9		0	2710	0	MISCADD/TRAN	H20
Jun-58	1/20/58	12	10	2710	2710	0	HHWSN	
Aug-58	8/7/58	14	9	26040	26040	0	HHWSN	
Nov-58	8/23/58	12	10	13500	13500	0	HHWSN	
Mar-59	3/20/59	5		0	984	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Apr-59	4/6/59	12	10	10500	10500	0	HHWSN	
Jun-59	5/27/59	16		0	3500	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Jul-59	7/20/59	18		0	14160	0	MISCADD/TRAN	H2O Heel
Jan-60	1/20/60	3		0	6000	0	MISCADD/TRAN	H2O
Mar-60	3/4/60	18	7	640000	640000	0	LHWSN	
Mar-60	3/20/60	20	18	63720	63720	0	LHWSN	
Mar-60	3/20/60	14		0	8000	0	MISCADD/TRAN	H2O for Leak Check
Apr-60	3/25/60	14		0	8000	0	MISCADD/TRAN	50 wt% Caustic (NaOH)
Apr-60	4/20/60	7	8	670000	670000	0	LHWSN	
Apr-60	4/20/60	242-1F	18	435000	435000	0	EVAPFEED	
Apr-60	4/20/60	20	242-1F	146000	146000	0	EVAPCONC	
May-60	5/20/60		3	11653	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-60	5/20/60	242-1F	18	347000	347000	0	EVAPFEED	
May-60	5/20/60	20	242-1F	127000	127000	0	EVAPCONC	
Jun-60	6/20/60		3	5420	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jun-60	6/20/60	242-1F	18	432000	432000	0	EVAPFEED	
Jun-60	6/20/60	20	242-1F	137000	137000	0	EVAPCONC	
Jul-60	7/20/60	242-1F	18	122900	122900	0	EVAPFEED	
Jul-60	7/20/60	20	242-1F	43900	43900	0	EVAPCONC	
Aug-60	8/20/60	242-1F	18	252200	252200	0	EVAPFEED	
Aug-60	8/20/60	20	242-1F	84900	84900	0	EVAPCONC	
Sep-60	9/20/60	14	16	70000	70000	0	MISCADD/TRAN	Annulus Waste
Sep-60	9/20/60	242-1F	18	288160	288160	0	EVAPFEED	
Sep-60	9/20/60	20	242-1F	91077	91077	0	EVAPCONC	
Oct-60	10/12/60	15	16	350000	350000	0	SNATE	
Oct-60	10/20/60	7		0	10000	0	MISCADD/TRAN	7 wt% Oxalic Acid and FS
Oct-60	10/20/60	14	16	185000	185000	0	MISCADD/TRAN	Tk 16 annulus Waste
Oct-60	10/20/60	242-1F	18	192800	192800	0	EVAPFEED	
Oct-60	10/20/60	20	242-1F	52000	52000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-60	11/20/60	242-1F	18	266200	266200	0	EVAPFEED	
Nov-60	11/20/60	20	242-1F	51330	51330	0	EVAPCONC	
Dec-60	12/20/60	7		0	12000	0	NONCANYWASTE	100 Area Heat Exch. Flushes
Dec-60	12/20/60	242-1F	18	187200	187200	0	EVAPFEED	
Dec-60	12/20/60	20	242-1F	28300	28300	0	EVAPCONC	
Jan-61	1/20/61	242-1F	18	100900	100900	0	EVAPFEED	
Jan-61	1/20/61	20	242-1F	9700	9700	0	EVAPCONC	
Feb-61	2/20/61	242-1F	18	115000	115000	0	EVAPFEED	
Feb-61	2/20/61	20	242-1F	13100	13100	0	EVAPCONC	
Mar-61	3/20/61	242-1F	18	199300	199300	0	EVAPFEED	
Mar-61	3/20/61	20	242-1F	20300	20300	0	EVAPCONC	
Apr-61	4/20/61		8	47700	0	0	MISCADD/TRAN	RT Calib./Repl.or Inv.change
Apr-61	4/20/61	5	8	20000	20000	0	HHWSN	
Apr-61	4/20/61	242-1F	18	168400	168400	0	EVAPFEED	
Apr-61	4/20/61	20	242-1F	11500	11500	0	EVAPCONC	
May-61	5/1/61	18	7	86600	86600	0	LHWSN	
May-61	5/3/61	17		0	127400	0	MISCADD/TRAN	H20 Heel
May-61	5/20/61	242-1F	18	274800	274800	0	EVAPFEED	
May-61	5/20/61	20	242-1F	43400	43400	0	EVAPCONC	
Jun-61	6/9/61	19	17	218770	218770	0	FRLHW	Cascade of Waste
Jun-61	6/9/61	19		0	129210	0	MISCADD/TRAN	H20 Heel
Jun-61	6/20/61	9		0	3500	0	MISCADD/TRAN	Annulus Waste from leakage
Jun-61	6/20/61	242-1F	18	243560	243560	0	EVAPFEED	
Jun-61	6/20/61	20	242-1F	37170	37170	0	EVAPCONC	
Jul-61	7/20/61	19	17	320000	320000	0	FRLHW	Cascade of Waste
Jul-61	7/20/61	242-1F	18	289500	289500	0	EVAPFEED	
Jul-61	7/20/61	20	242-1F	47000	47000	0	EVAPCONC	
Aug-61	8/20/61	20		0	7000	0	MISCADD/TRAN	Evaporator Flush Water
Aug-61	8/20/61	18	7	347000	347000	0	SNATE	
Aug-61	8/20/61	15		0	0	0	MISCADD/TRAN	4000 lb Unneut. 1AW Soln
Aug-61	8/20/61	15		0	0	0	MISCADD/TRAN	2500 lbs 50 wt% NaOH
Aug-61	8/20/61	15	221-H	31500	31500	0	MISCADD/TRAN	Flush H2O and Decon
Aug-61	8/20/61	13	221-H	1750	1750	0	MISCADD/TRAN	Flush H2O and Decon
Aug-61	8/20/61	242-1F	18	209000	209000	0	EVAPFEED	
Aug-61	8/20/61	20	242-1F	40000	40000	0	EVAPCONC	
Sep-61	9/20/61	19	17	69500	69500	0	FRLHW	Cascade of Waste
Sep-61	9/20/61	18	7	290000	290000	0	LHWSN	
Sep-61	9/20/61	20		0	14160	0	MISCADD/TRAN	RT Calib./Repl.t or Inv. change
Sep-61	9/20/61	242-1F	18	330000	330000	0	EVAPFEED	
Sep-61	9/20/61	20	242-1F	71000	71000	0	EVAPCONC	
Oct-61	10/20/61	7	1	665000	665000	0	HHWSN	
Oct-61	10/20/61	21	13	490000	490000	0	LHWSN	
Oct-61	10/20/61	18	7	125000	125000	0	MIXSNATE	
Oct-61	10/20/61	18	20	4000	4000	0	MISCADD/TRAN	Evap. Conc. disc. to fd tk
Oct-61	10/20/61	242-1F	18	194000	194000	0	EVAPFEED	
Oct-61	10/20/61	20	242-1F	35600	35600	0	EVAPCONC	
Nov-61	11/20/61	19	17	51300	51300	0	FRLHW	Cascade of Waste
Nov-61	11/20/61	18	7	136000	136000	0	LHWSN	
Nov-61	11/20/61	7		0	3000	0	NONCANYWASTE	100 Area Heat Exch. Flushes

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Nov-61	11/20/61	242-1F	18	333900	333900	0	EVAPFEED		
Nov-61	11/20/61	20	242-1F	72600	72600	0	EVAPCONC		
Dec-61	12/20/61	19	17	26170	26170	0	FRLHW	Cascade of Waste	
Dec-61	12/20/61	13	11	718000	718000	0	LHWSN		
Dec-61	12/20/61	21	13	791000	791000	0	MIXSNATE		
Dec-61	12/20/61	18	7	92000	92000	0	HHWSN		
Dec-61	12/20/61	18	19	511000	511000	0	DILWASTE		
Dec-61	12/20/61	242-1F	18	197000	197000	0	EVAPFEED		
Dec-61	12/20/61	20	242-1F	61500	61500	0	EVAPCONC		
Jan-62	1/20/62	242-1F	18	92000	92000	0	EVAPFEED		
Jan-62	1/20/62	20	242-1F	33000	33000	0	EVAPCONC		
Feb-62	2/17/62	18	7	184000	192500	0	MIXSNATE		
Feb-62	2/20/62	242-1F	18	101000	101000	0	EVAPFEED		
Feb-62	2/20/62	19	242-1F	29000	29000	0	EVAPCONC		
Mar-62	2/20/62	242-1F	18	265000	265000	0	EVAPFEED		
Mar-62	2/20/62	19	242-1F	72000	72000	0	EVAPCONC		
Apr-62	3/28/62	18	7	287000	275000	0	MIXSNATE		
Apr-62	4/20/62	242-1F	18	343000	343000	0	EVAPFEED		
Apr-62	4/20/62	19	242-1F	81500	81500	0	EVAPCONC		
May-62	5/7/62	7		0	2000	0	NONCANYWASTE	Heat Exchanger Flush	
May-62	5/14/62	18	7	640000	610000	0	MIXSNATE		
May-62	5/20/62	242-1F	18	365000	365000	0	EVAPFEED		
May-62	5/20/62	19	242-1F	93800	93800	0	EVAPCONC		
Jun-62	6/20/62	242-1F	18	382000	382000	0	EVAPFEED		
Jun-62	6/20/62	19	242-1F	105000	105000	0	EVAPCONC		
Jul-62	7/15/62	18	7	359000	377000	0	MIXSNATE		
Jul-62	7/17/62	13	11	88000	88000	0	LHWSN		
Jul-62	7/20/62	242-1F	18	262000	262000	0	EVAPFEED		
Jul-62	7/20/62	19	242-1F	72000	72000	0	EVAPCONC		
Aug-62	8/10/62	18	19	74200	81200	0	DILWASTE		
Aug-62	8/20/62		11	4065	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Aug-62	8/20/62	242-1F	18	330000	330000	0	EVAPFEED		
Aug-62	8/20/62	19	242-1F	112000	112000	0	EVAPCONC		
Sep-62	8/20/62	18	7	54400	54400	0	SNATE		
Sep-62	8/20/62	18	17	153000	153000	0	SNATE		
Sep-62	8/20/62	18	17	177000	177000	0	SNATE		
Sep-62	9/20/62	242-1F	18	316500	316500	0	EVAPFEED		
Sep-62	9/20/62	19	242-1F	243900	243900	0	EVAPCONC		
Oct-62	10/3/62	18	17	177000	177000	0	MIXSNATE		
Oct-62	10/20/62	242-1F	18	352000	352000	0	EVAPFEED		
Oct-62	10/20/62	19	242-1F	117000	117000	0	EVAPCONC		
Nov-62	10/21/62	7	1	128200	128200	0	LHWSN		
Nov-62	10/22/62	18	7	134700	134700	0	MIXSNATE		
Nov-62	10/23/62	7	1	108350	108350	0	LHWSN		
Nov-62	10/25/62	18	7	166900	166900	0	MIXSNATE		
Nov-62	11/18/62	18	7	84500	84500	0	MIXSNATE		
Nov-62	11/20/62	242-1F	18	346300	346300	0	EVAPFEED		
Nov-62	11/20/62	19	242-1F	106200	106200	0	EVAPCONC		
Dec-62	12/20/62	18	19	70800	70800	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-62	12/20/62	18	17	180500	180500	0	MIXSNATE	
Dec-62	12/20/62	242-1F	18	295000	295000	0	EVAPFEED	
Dec-62	12/20/62	19	242-1F	90400	90400	0	EVAPCONC	
Jan-63	1/20/63	18	17	550000	550000	0	MIXSNATE	
Jan-63	1/20/63	7		0	9700	0	NONCANYWASTE	Heat Exch. Flush 105C
Jan-63	1/20/63	242-1F	18	350400	350400	0	EVAPFEED	
Jan-63	1/20/63	19	242-1F	116800	116800	0	EVAPCONC	
Feb-63	2/10/63	18	7	218000	255000	0	MIXSNATE	
Feb-63	2/20/63	7		0	14200	0	NONCANYWASTE	Heat Exch. Flush 105C
Feb-63	2/20/63	7		0	11300	0	MISCADD/TRAN	Encasement Drainage -H20
Feb-63	2/20/63	242-1F	18	324000	324000	0	EVAPFEED	
Feb-63	2/20/63	19	242-1F	89000	89000	0	EVAPCONC	
Mar-63	3/20/63	7		0	9600	0	NONCANYWASTE	Heat Exch. Flush 105C
Mar-63	3/20/63	242-1F	18	250600	250600	0	EVAPFEED	
Mar-63	3/20/63	19	242-1F	65500	65500	0	EVAPCONC	
Apr-63	4/3/63	7	1	63200	63200	0	HHWSN	
Apr-63	4/20/63	18	7	324000	346000	0	MIXSNATE	
Apr-63	4/20/63	242-1F	18	109700	109700	0	EVAPFEED	
Apr-63	4/20/63	242-1H	21	233600	233600	0	EVAPFEED	
Apr-63	4/20/63	19	242-1F	25700	25700	0	EVAPCONC	
Apr-63	4/20/63	24	242-1H	92000	92000	0	EVAPCONC	
May-63	5/20/63	18	7	291000	309000	0	MIXSNATE	
May-63	5/20/63	21	244-245H	79000	79000	0	NONCANYWASTE	1st RBOF-RRF Waste Trans.
May-63	5/20/63	242-1F	18	241000	241000	0	EVAPFEED	
May-63	5/20/63	242-1H	21	444000	444000	0	EVAPFEED	
May-63	5/20/63	19	242-1F	59500	59500	0	EVAPCONC	
May-63	5/20/63	24	242-1H	169000	169000	0	EVAPCONC	
Jun-63	6/20/63	242-1F	18	63400	63400	0	EVAPFEED	
Jun-63	6/20/63	242-1H	21	3626000	3626000	0	EVAPFEED	
Jun-63	6/20/63	19	242-1F	19500	19500	0	EVAPCONC	
Jun-63	6/20/63	24	242-1H	129900	129900	0	EVAPCONC	
Jul-63	7/20/63	7	221-F	20000	20000	0	MISCADD/TRAN	Canyon Decon Waste
Jul-63	7/20/63	7		0	2300	0	NONCANYWASTE	Heat Exchanger Flush 105C
Jul-63	7/20/63	7		0	2300	0	NONCANYWASTE	Heat Exchanger Flush 105C
Jul-63	7/20/63	242-1F	18	82000	82000	0	EVAPFEED	
Jul-63	7/20/63	242-1H	21	150000	150000	0	EVAPFEED	
Jul-63	7/20/63	19	242-1F	30900	30900	0	EVAPCONC	
Jul-63	7/20/63	24	242-1H	51300	51300	0	EVAPCONC	
Aug-63	8/20/63	18	7	548000	548000	0	LHWSN	
Aug-63	8/20/63	21	13	371000	371000	0	LHWSN	
Aug-63	8/20/63	13	12	629000	629000	0	SNATE	
Aug-63	8/20/63	242-1F	18	182000	182000	0	EVAPFEED	
Aug-63	8/20/63	242-1H	21	296000	296000	0	EVAPFEED	
Aug-63	8/20/63	19	242-1F	52000	52000	0	EVAPCONC	
Aug-63	8/20/63	24	242-1H	70000	70000	0	EVAPCONC	
Sep-63	9/20/63	7	221-F	21000	21000	0	MISCADD/TRAN	Neutralized Acid
Sep-63	9/20/63	7	221-F	14500	14500	0	MISCADD/TRAN	Dilute Waste
Sep-63	9/20/63	242-1F	18	263000	263000	0	EVAPFEED	
Sep-63	9/20/63	242-1H	21	183000	183000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Sep-63	9/20/63	19	242-1F	113000	113000	0	EVAPCONC		
Sep-63	9/20/63	24	242-1H	71500	71500	0	EVAPCONC		
Oct-63	10/20/63	18	7	246000	288000	0	LHWSN		
Oct-63	10/20/63	242-1F	18	299000	299000	0	EVAPFEED		
Oct-63	10/20/63	19	242-1F	85400	85400	0	EVAPCONC		
Nov-63	11/20/63	7		0	4700	0	NONCANYWASTE	Heat Exchanger Flush 105C	
Nov-63	11/20/63	242-1F	18	311000	311000	0	EVAPFEED		
Nov-63	11/20/63	19	242-1F	77000	77000	0	EVAPCONC		
Dec-63	12/20/63	7		0	2500	0	NONCANYWASTE	Heat Exchanger Flush 105C	
Dec-63	12/20/63	18		0	450	0	MISCADD/TRAN	Rain H20	
Dec-63	12/20/63	18	7	117000	136000	0	LHWSN		
Dec-63	12/20/63	242-1F	18	342000	342000	0	EVAPFEED		
Dec-63	12/20/63	19	242-1F	74300	74300	0	EVAPCONC		
Jan-64	12/22/63	18	7	117000	117000	0	LHWSN		
Jan-64	1/17/64	18	19	972400	972400	0	CONCSN		
Jan-64	1/20/64	21	244-245H	25842	25842	0	NONCANYWASTE	RBOF-RRF	
Jan-64	1/20/64	242-1F	18	100000	100000	0	EVAPFEED		
Jan-64	1/20/64	19	242-1F	51300	51300	0	EVAPCONC		
Feb-64	2/6/64	18	19	259000	259000	0	CONCSN		
Feb-64	2/20/64	21	244-245H	105138	105138	0	NONCANYWASTE	RBOF-RRF	
Feb-64	2/20/64	7		0	3600	0	NONCANYWASTE	Heat Exchanger Flush	
Feb-64	2/20/64	18		0	5000	0	MISCADD/TRAN	Catch tank leakage	
Feb-64	2/20/64	242-1F	18	430000	430000	0	EVAPFEED		
Feb-64	2/20/64	19	242-1F	238000	238000	0	EVAPCONC		
Mar-64	3/20/64	21	244-245H	497000	497000	0	NONCANYWASTE	RBOF-RRF	
Mar-64	3/20/64	7		0	3600	0	NONCANYWASTE	Heat Exchanger Flush	
Mar-64	3/20/64	242-1F	18	484000	484000	0	EVAPFEED		
Mar-64	3/20/64	19	242-1F	284000	284000	0	EVAPCONC		
Apr-64	4/20/64	18	7	565000	610200	0	FRLHW		
Apr-64	4/20/64	23		0	77880	0	MISCADD/TRAN	H2O Heel	
Apr-64	4/20/64	242-1F	18	294000	294000	0	EVAPFEED		
Apr-64	4/20/64	242-1H	21	150000	150000	0	EVAPFEED		
Apr-64	4/20/64	19	242-1F	121000	121000	0	EVAPCONC		
Apr-64	4/20/64	24	242-1H	20400	20400	0	EVAPCONC		
May-64	5/20/64	23	244-245H	63720	63720	0	NONCANYWASTE	RBOF-RRF	
May-64	5/20/64	7		0	11400	0	NONCANYWASTE	Heat Exchanger Flush	
May-64	5/20/64	242-1F	18	456000	456000	0	EVAPFEED		
May-64	5/20/64	242-1H	21	206000	206000	0	EVAPFEED		
May-64	5/20/64	17	242-1F	138000	138000	0	EVAPCONC		
May-64	5/20/64	24	242-1H	12400	12400	0	EVAPCONC		
Jun-64	5/29/64	18	7	320000	320000	0	FRLHW		
Jun-64	6/20/64	23	244-245H	277536	277536	0	NONCANYWASTE	RBOF-RRF	
Jun-64	6/20/64	21	13	550000	570000	0	MIXSNATE		
Jun-64	6/20/64	13	15	330000	338000	0	SNATE		
Jun-64	6/20/64	21	13	550000	560000	0	MIXSNATE		
Jun-64	6/20/64	13	15	627000	641000	0	SNATE		
Jun-64	6/20/64	242-1F	18	372000	372000	0	EVAPFEED		
Jun-64	6/20/64	242-1H	21	81000	81000	0	EVAPFEED		
Jun-64	6/20/64	17	242-1F	108000	108000	0	EVAPCONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-64	6/20/64	24	242-1H	5600	5600	0	EVAPCONC		
Jun-64	6/24/64	18	7	150000	150000	0	FRLHW		
Jul-64	7/14/64	18	7	107000	107000	0	LHWSN		
Jul-64	7/20/64	23	244-245H	13806	13806	0	NONCANYWASTE	RBOF-RRF	
Jul-64	7/20/64	242-1F	18	290000	290000	0	EVAPFEED		
Jul-64	7/20/64	17	242-1F	94000	94000	0	EVAPCONC		
Aug-64	8/4/64	18	20	920000	920000	0	CONCSN		
Aug-64	8/20/64	242-1F	18	416000	416000	0	EVAPFEED		
Aug-64	8/20/64	17	242-1F	92000	92000	0	EVAPCONC		
Aug-64	8/20/64	19	242-1F	155000	155000	0	EVAPCONC		
Sep-64	9/20/64	21	244-245H	112200	112200	0	NONCANYWASTE	RBOF-RRF	
Sep-64	9/20/64	21	13	112000	112000	0	LHWSN		
Sep-64	9/20/64	242-1F	18	91000	91000	0	EVAPFEED		
Sep-64	9/20/64	19	242-1F	62000	62000	0	EVAPCONC		
Oct-64	10/20/64	18	7	215000	215000	0	LHWSN		
Oct-64	10/20/64	7	2	320000	320000	0	HHWSN		
Oct-64	10/20/64	23	244-245H	63700	63700	0	NONCANYWASTE	RBOF-RRF	
Oct-64	10/20/64	242-1F	18	436000	436000	0	EVAPFEED		
Oct-64	10/20/64	19	242-1F	242000	242000	0	EVAPCONC		
Nov-64	11/20/64	13		0	330	0	MISCADD/TRAN	232H Neut. acid cleaning soln	
Nov-64	11/20/64	18	7	450000	450000	0	MIXSNATE		
Nov-64	11/20/64	23	244-245H	82100	82100	0	NONCANYWASTE	RBOF-RRF	
Nov-64	11/20/64	242-1F	18	447700	447700	0	EVAPFEED		
Nov-64	11/20/64	19	242-1F	221000	221000	0	EVAPCONC		
Dec-64	12/20/64	23	244-245H	19800	19800	0	NONCANYWASTE	RBOF-RRF	
Dec-64	12/20/64	7		0	14500	0	NONCANYWASTE	Heat Exchanger Flush	
Dec-64	12/20/64	7	2	245000	245000	0	HHWSN		
Dec-64	12/20/64	18	7	390000	390000	0	MIXSNATE		
Dec-64	12/20/64	242-1F	18	433000	433000	0	EVAPFEED		
Dec-64	12/20/64	20	242-1F	100800	100800	0	EVAPCONC		
Dec-64	12/20/64	19	242-1F	99200	99200	0	EVAPCONC		
Jan-65	1/6/65	7	2	83500	83500	0	HHWSN		
Jan-65	1/8/65	18	7	240000	240000	0	MIXSNATE		
Jan-65	1/20/65	7		0	2100	0	NONCANYWASTE	Al Oxide sludge - 100L Mod. tk	
Jan-65	1/20/65	242-1F	18	406000	406000	0	EVAPFEED		
Jan-65	1/20/65	20	242-1F	198000	198000	0	EVAPCONC		
Feb-65	2/19/65	18	17	965000	965000	0	CONCSN		
Feb-65	2/20/65	7		0	18600	0	NONCANYWASTE	Heat Exchanger Flush	
Feb-65	2/20/65	23	244-245H	40000	40000	0	NONCANYWASTE	RBOF-RRF	
Feb-65	2/20/65	242-1F	18	375000	375000	0	EVAPFEED		
Feb-65	2/20/65	20	242-1F	181000	181000	0	EVAPCONC		
Mar-65	3/17/65	18	7	290000	290000	0	MIXSNATE		
Mar-65	3/20/65	23	244-245H	63700	63700	0	NONCANYWASTE	RBOF-RRF	
Mar-65	3/20/65	7		0	8600	0	NONCANYWASTE	Heat Exchanger Flush	
Mar-65	3/20/65	242-1F	18	390000	390000	0	EVAPFEED		
Mar-65	3/20/65	20	242-1F	286000	286000	0	EVAPCONC		
Apr-65	4/5/65	15		0	3500	0	MISCADD/TRAN	ground H2O	
Apr-65	4/20/65	23	244-245H	21950	21950	0	NONCANYWASTE	RBOF-RRF	
Apr-65	4/20/65	242-1F	18	256000	256000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-65	4/20/65	20	242-1F	166000	166000	0	EVAPCONC		
May-65	5/10/65	18	7	286000	286000	0	MIXSNATE		
May-65	5/20/65	7		0	9250	0	NONCANYWASTE	Heat Exchanger Flush	
May-65	5/20/65	7		0	2850	0	MISCADD/TRAN	TURCO 4512A Phos. Acid	
May-65	5/20/65	6		0	7600	0	MISCADD/TRAN	Waste Header #3F Flush	
May-65	5/20/65	242-1F	18	208000	208000	0	EVAPFEED		
May-65	5/20/65	242-1H	23	80000	80000	0	EVAPFEED		
May-65	5/20/65	17	242-1F	55360	55360	0	EVAPCONC		
May-65	5/20/65	20	242-1F	56640	56640	0	EVAPCONC		
May-65	5/20/65	24	242-1H	1700	1700	0	EVAPCONC		
Jun-65	6/9/65	18	19	420480	438000	0	CONCSN		
Jun-65	6/15/65	22	21	1099000	1135000	0	HHWSN		
Jun-65	6/15/65	21	13	939000	991000	0	HHWSN		
Jun-65	6/20/65	7		0	10200	0	NONCANYWASTE	Heat Exchanger Flush	
Jun-65	6/20/65	242-1F	18	320000	320000	0	EVAPFEED		
Jun-65	6/20/65	242-1H	23	324000	324000	0	EVAPFEED		
Jun-65	6/20/65	17	242-1F	138000	138000	0	EVAPCONC		
Jun-65	6/20/65	24	242-1H	8100	8100	0	EVAPCONC		
Jun-65	6/30/65	13	11	620000	640000	0	SNATE		
Jul-65	7/20/65	23	244-245H	16284	16284	0	NONCANYWASTE	RBOF-RRF	
Jul-65	7/20/65	7		0	16800	0	NONCANYWASTE	Heat Exch. Flush	
Jul-65	7/20/65	18	7	168000	168000	0	MIXSNATE		
Jul-65	7/20/65	242-1F	18	430000	430000	0	EVAPFEED		
Jul-65	7/20/65	242-1H	21	461000	461000	0	EVAPFEED		
Jul-65	7/20/65	17	242-1F	256000	256000	0	EVAPCONC		
Jul-65	7/20/65	24	242-1H	229000	229000	0	EVAPCONC		
Aug-65	8/20/65	23	244-245H	46000	46000	0	NONCANYWASTE	RBOF-RRF	
Aug-65	8/20/65	7		0	17200	0	NONCANYWASTE	Heat Exch. Flush	
Aug-65	8/20/65	242-1F	18	205000	205000	0	EVAPFEED		
Aug-65	8/20/65	242-1H	21	475000	475000	0	EVAPFEED		
Aug-65	8/20/65	17	242-1F	115000	115000	0	EVAPCONC		
Aug-65	8/20/65	24	242-1H	177000	177000	0	EVAPCONC		
Sep-65	9/14/65	21	22	1160000	1160000	0	SNATE		
Sep-65	9/20/65	23	244-245H	99100	99100	0	NONCANYWASTE	RBOF-RRF	
Sep-65	9/20/65	7		0	16900	0	NONCANYWASTE	Heat Exch.Flush	
Sep-65	9/20/65	242-1H	21	290000	290000	0	EVAPFEED		
Sep-65	9/20/65	24	242-1H	102000	102000	0	EVAPCONC		
Oct-65	10/20/65	23	244-245H	42400	42400	0	NONCANYWASTE	RBOF-RRF	
Oct-65	10/20/65	23	242-1H	11400	11400	0	OVERSPEC		
Oct-65	10/20/65	242-1H	21	462000	462000	0	EVAPFEED		
Oct-65	10/20/65	24	242-1H	129000	129000	0	EVAPCONC		
Nov-65	11/2/65	21	22	97000	97000	0	HHWSN		
Nov-65	11/20/65	21	242-1H	12800	12800	0	OVERSPEC		
Nov-65	11/20/65	242-1H	23	84300	84300	0	EVAPFEED		
Nov-65	11/20/65	23	244-245H	74700	74700	0	NONCANYWASTE	RBOF-RRF	
Nov-65	11/20/65	242-1H	21	241700	241700	0	EVAPFEED		
Nov-65	11/20/65	22	242-1H	53000	53000	0	EVAPCONC		
Nov-65	11/20/65	24	242-1H	17000	17000	0	EVAPCONC		
Dec-65	12/9/65	13	9	540000	540000	0	HHWSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-65	12/20/65	7		0	16400	0	NONCANYWASTE	Heat Exch. Flush
Dec-65	12/20/65	23	242-1H	3100	3100	0	OVERSPEC	
Dec-65	12/20/65	21	242-1H	5500	5500	0	OVERSPEC	
Dec-65	12/20/65	23	244-245H	186000	186000	0	NONCANYWASTE	RBOF-RRF
Dec-65	12/20/65	242-1H	21	360000	360000	0	EVAPFEED	
Dec-65	12/20/65	24	242-1H	122000	122000	0	EVAPCONC	
Dec-65	12/21/65	21	13	1060000	1060000	0	SNATE	
Jan-66	1/12/66	18	7	397000	407100	0	MIXSNATE	
Jan-66	1/20/66	7		0	17500	0	NONCANYWASTE	Heat Exch. Flush
Jan-66	1/20/66	242-1H	21	500000	500000	0	EVAPFEED	
Jan-66	1/20/66	22	242-1H	179000	179000	0	EVAPCONC	
Jan-66	1/28/66	23	244-245H	162000	162000	0	NONCANYWASTE	RBOF-RRF
Feb-66	2/3/66		24	14160	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-66	2/8/66	18	7	44715	50900	0	MIXSNATE	
Feb-66	2/20/66	13	15	438000	452000	0	HHWSN	
Feb-66	2/20/66	7		0	5200	0	NONCANYWASTE	Heat Exch. Flush
Feb-66	2/20/66	7	2	277870	277870	90	SLSLURRY	Sludge Slurry Transfer
Feb-66	2/20/66	2		0	237000	0	MISCADD/TRAN	H20 - slurry H20
Feb-66	2/20/66	23	244-245H	84000	84000	0	NONCANYWASTE	RBOF-RRF
Feb-66	2/20/66	21	242-1H	5500	5500	0	OVERSPEC	
Feb-66	2/20/66	242-1H	21	397000	397000	0	EVAPFEED	
Feb-66	2/20/66	22	242-1H	147000	147000	0	EVAPCONC	
Mar-66	3/15/66	21	13	762000	762000	0	HHWSN	
Mar-66	3/20/66	7		0	10400	0	NONCANYWASTE	Heat Exch. Flush
Mar-66	3/20/66	21	242-1H	26000	26000	0	OVERSPEC	
Mar-66	3/20/66	242-1H	21	387000	387000	0	EVAPFEED	
Mar-66	3/20/66	22	242-1H	136000	136000	0	EVAPCONC	
Apr-66	4/20/66	7		0	18100	0	NONCANYWASTE	Heat Exch. Flush
Apr-66	4/20/66	23	244-245H	117500	117500	0	NONCANYWASTE	RBOF-RRF
Apr-66	4/20/66	21	242-1H	11600	11600	0	OVERSPEC	
Apr-66	4/20/66	242-1F	18	48600	48600	0	EVAPFEED	
Apr-66	4/20/66	242-1H	21	294000	294000	0	EVAPFEED	
Apr-66	4/20/66	17	242-1F	19400	19400	0	EVAPCONC	
Apr-66	4/20/66	22	242-1H	113000	113000	0	EVAPCONC	
Apr-66	4/21/66	13	15	463800	465000	0	HHWSN	
May-66	5/20/66	23	244-245H	140000	140000	0	NONCANYWASTE	RBOF-RRF
May-66	5/20/66	13		0	5050	0	MISCADD/TRAN	Ground H2O
May-66	5/20/66	7		0	31900	0	NONCANYWASTE	Heat Exch. Flush
May-66	5/20/66	21	242-1H	40000	40000	0	OVERSPEC	
May-66	5/20/66	23	242-1H	1500	1500	0	OVERSPEC	
May-66	5/20/66	242-1F	18	280000	280000	0	EVAPFEED	
May-66	5/20/66	242-1H	23	270000	270000	0	EVAPFEED	
May-66	5/20/66	17	242-1F	84200	84200	0	EVAPCONC	
May-66	5/20/66	22	242-1H	53000	53000	0	EVAPCONC	
Jun-66	6/20/66	18	7	480000	480000	0	MIXSNATE	Slurry water + LHWSN
Jun-66	6/20/66	21	13	630000	630000	0	HHWSN	
Jun-66	6/20/66	23	244-245H	415000	415000	0	NONCANYWASTE	RBOF-RRF
Jun-66	6/20/66	CRC	23	146000	146000	0	RBOF-RRF	RBOF-RRF
Jun-66	6/20/66	18	242-1F	2250	2250	0	OVERSPEC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jun-66	6/20/66	21	242-1H	30000	30000	0	OVERSPEC	
Jun-66	6/20/66	242-1H	23	48000	48000	0	EVAPFEED	
Jun-66	6/20/66	7		0	12200	0	NONCANYWASTE	Heat Exch. Flush
Jun-66	6/20/66	242-1F	18	299000	299000	0	EVAPFEED	
Jun-66	6/20/66	242-1H	21	275000	275000	0	EVAPFEED	
Jun-66	6/20/66	17	242-1F	75000	75000	0	EVAPCONC	
Jun-66	6/20/66	22	242-1H	145000	145000	0	EVAPCONC	
Jul-66	7/20/66	7		0	11200	0	NONCANYWASTE	Heat Exch. Flush
Jul-66	7/20/66	23	244-245H	127000	127000	0	NONCANYWASTE	RBOF-RRF
Jul-66	7/20/66	CRC	23	152000	152000	0	RBOF-RRF	RBOF-RRF
Jul-66	7/20/66	21	242-1H	5500	5500	0	OVERSPEC	
Jul-66	7/20/66	18	242-1F	40200	40200	0	OVERSPEC	
Jul-66	7/20/66	21	242-1H	50000	50000	0	OVERSPEC	
Jul-66	7/20/66	242-1F	18	237000	237000	0	EVAPFEED	
Jul-66	7/20/66	242-1H	21	466000	466000	0	EVAPFEED	
Jul-66	7/20/66	17	242-1F	54000	54000	0	EVAPCONC	
Jul-66	7/20/66	22	242-1H	162000	162000	0	EVAPCONC	
Aug-66	7/19/66	9		0	240000	0	MISCADD/TRAN	H20 - slurry H20
Aug-66	7/21/66	13	9	376000	376000	90	SLSLURRY	Sludge Slurry Trans.
Aug-66	8/20/66	18	19	380000	380000	0	CONCSN	
Aug-66	8/20/66	9		0	10000	0	MISCADD/TRAN	Decon H2O
Aug-66	8/20/66	P Eva	23	177000	177000	0	RBOF-RRF	RBOF-RRF
Aug-66	8/20/66	CRC	23	244000	244000	0	RBOF-RRF	RBOF-RRF
Aug-66	8/20/66	23	244-245H	10000	97000	0	NONCANYWASTE	RBOF-RRF
Aug-66	8/20/66	18	242-1F	240000	4000	0	OVERSPEC	
Aug-66	8/20/66	21	242-1H	25000	25000	0	OVERSPEC	
Aug-66	8/20/66	242-1F	18	333000	333000	0	EVAPFEED	
Aug-66	8/20/66	242-1H	21	314000	314000	0	EVAPFEED	
Aug-66	8/20/66	17	242-1F	101000	101000	0	EVAPCONC	
Aug-66	8/20/66	22	242-1H	100500	100500	0	EVAPCONC	
Sep-66	9/7/66	18	7	103000	103000	0	LHWSN	
Sep-66	9/20/66	CRC	23	260000	260000	0	RBOF-RRF	RBOF-RRF
Sep-66	9/20/66	23	244-245H	145000	145000	0	NONCANYWASTE	RBOF-RRF
Sep-66	9/20/66	7		0	4700	0	NONCANYWASTE	Heat Exch. Flush
Sep-66	9/20/66	18	20	600000	600000	0	CONCSN	
Sep-66	9/20/66	21	13	318000	318000	0	MIXSNATE	
Sep-66	9/20/66	2		0	1500	0	MISCADD/TRAN	Cooling Coil Leak
Sep-66	9/20/66	6	221-F	1500	1500	0	MISCADD/TRAN	Canyon Process solvent
Sep-66	9/20/66	21	242-1H	15000	15000	0	OVERSPEC	
Sep-66	9/20/66	242-1F	18	427000	427000	0	EVAPFEED	
Sep-66	9/20/66	242-1H	21	240000	240000	0	EVAPFEED	
Sep-66	9/20/66	19	242-1F	105000	105000	0	EVAPCONC	
Sep-66	9/20/66	17	242-1F	130000	130000	0	EVAPCONC	
Sep-66	9/20/66	22	242-1H	83000	83000	0	EVAPCONC	
Oct-66	10/18/66	21	24	805000	828000	0	CONCSN	
Oct-66	10/20/66	18	7	172000	172000	0	LHWSN	
Oct-66	10/20/66	18		0	4400	0	MISCADD/TRAN	H2O Header Backflush
Oct-66	10/20/66	CRC	23	461000	461000	0	RBOF-RRF	RBOF-RRF
Oct-66	10/20/66	23	244-245H	159000	159000	0	NONCANYWASTE	RBOF-RRF

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Oct-66	10/20/66	242-1F	18	471000	471000	0	EVAPFEED		
Oct-66	10/20/66	19	242-1F	287000	287000	0	EVAPCONC		
Nov-66	10/28/66	7	5	295000	295000	0	HHWSN		
Nov-66	11/20/66	21	242-1H	5500	5500	0	OVERSPEC		
Nov-66	11/20/66	23	244-245H	47800	47800	0	NONCANYWASTE	RBOF-RRF	
Nov-66	11/20/66	242-1F	18	270000	270000	0	EVAPFEED		
Nov-66	11/20/66	242-1H	21	369000	369000	0	EVAPFEED		
Nov-66	11/20/66	19	242-1F	130000	130000	0	EVAPCONC		
Nov-66	11/20/66	24	242-1H	196000	196000	0	EVAPCONC		
Dec-66	12/5/66	13	12	594000	594000	0	HHWSN		
Dec-66	12/20/66	18	7	218000	218000	0	HHWSN		
Dec-66	12/20/66	7	5	343000	343000	0	HHWSN		
Dec-66	12/20/66	21	242-1H	17000	17000	0	OVERSPEC		
Dec-66	12/20/66	242-1H	21	320000	320000	0	EVAPFEED		
Dec-66	12/20/66	24	242-1H	148000	148000	0	EVAPCONC		
Jan-67	1/17/67	7		0	9000	0	MISCADD/TRAN	Rain H2O	
Jan-67	1/18/67	21	13	709000	709000	0	HHWSN		
Jan-67	1/20/67	18	7	41600	41600	0	HHWSN		
Jan-67	1/20/67	7		0	13300	0	NONCANYWASTE	Heat Exch. Flush	
Jan-67	1/20/67	23	244-245H	50520	50520	0	NONCANYWASTE	RBOF-RRF	
Jan-67	1/20/67	242-1H	21	387000	387000	0	EVAPFEED		
Jan-67	1/20/67	24	242-1H	160000	160000	0	EVAPCONC		
Feb-67	1/25/67	13	10	620000	628000	0	MIXSNATE		
Feb-67	1/26/67	10		5420	5420	0	MISCADD/TRAN	Pipe flush water	
Feb-67	1/30/67	10		232000	232000	0	MISCADD/TRAN	H2O- sludge slurry water	
Feb-67	1/31/67	21	13	441000	441000	0	MIXSNATE		
Feb-67	2/1/67	13	10	285400	287000	99	SLSLURRY	Sldg. Slurry	
Feb-67	2/20/67	CRC	23	169000	169000	0	RBOF-RRF	RBOF-RRF	
Feb-67	2/20/67	23	CRC	48000	48000	0	NONCANYWASTE	RBOF-RRF	
Feb-67	2/20/67	21	CRC	2000	2000	0	NONCANYWASTE	RBOF-RRF	
Feb-67	2/20/67	23	244-245H	100905	100905	0	NONCANYWASTE	RBOF-RRF	
Feb-67	2/20/67	242-1F	18	317000	317000	0	EVAPFEED		
Feb-67	2/20/67	242-1H	21	398000	398000	0	EVAPFEED		
Feb-67	2/20/67	19	242-1F	157000	157000	0	EVAPCONC		
Feb-67	2/20/67	24	242-1H	162000	162000	0	EVAPCONC		
Mar-67	3/20/67	CRC	23	153000	153000	0	RBOR-RRF		
Mar-67	3/20/67	18	7	552200	552200	0	HHWSN		
Mar-67	3/20/67	7		0	5400	0	MISCADD/TRAN	Ground H2O	
Mar-67	3/20/67	23	244-245H	145000	145000	0	NONCANYWASTE	RBOF-RRF	
Mar-67	3/20/67	242-1F	18	215040	215040	0	EVAPFEED		
Mar-67	3/20/67	242-1H	21	205300	205300	0	EVAPFEED		
Mar-67	3/20/67	19	242-1F	113000	113000	0	EVAPCONC		
Mar-67	3/20/67	24	242-1H	84400	84400	0	EVAPCONC		
Mar-67	3/20/67	21	242-1H	5700	5700	0	OVERSPEC		
Apr-67	4/20/67	9		0	1600	0	MISCADD/TRAN	1M HNO3 + 50wt% NaOH	
Apr-67	4/20/67	CRC	23	196000	196000	0	RBOF-RRF	RBOF-RRF	
Apr-67	4/20/67	2	242-1F	16000	16000	0	OVERSPEC		
Apr-67	4/20/67	23	244-245H	152000	152000	0	NONCANYWASTE	RBOF-RRF	
Apr-67	4/20/67	242-1F	18	266000	266000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-67	4/20/67	19	242-1F	124000	124000	0	EVAPCONC		
May-67	5/20/67	23	244-245H	144486	144486	0	NONCANYWASTE	RBOF-RRF	
May-67	5/20/67	CRC	23	22000	22000	0	RBOF-RRF	RBOF-RRF	
May-67	5/20/67	18	242-1F	3000	3000	0	OVERSPEC		
May-67	5/20/67	242-1F	18	164000	164000	0	EVAPFEED		
May-67	5/20/67	242-1H	21	190500	190500	0	EVAPFEED		
May-67	5/20/67	19	242-1F	104000	104000	0	EVAPCONC		
May-67	5/20/67	18	242-1F	3000	3000	0	OVERSPEC		
May-67	5/20/67	24	242-1H	95900	95900	0	EVAPCONC		
Jun-67	6/14/67	21	24	288000	296000	0	CONCSN		
Jun-67	6/19/67	18	7	256000	256000	0	MIXSNATE		
Jun-67	6/20/67	CRC	23	224000	224000	0	RBOF-RRF	RBOF-RRF	
Jun-67	6/20/67	9		0	26600	0	MISCADD/TRAN	Decon Waste - H2O	
Jun-67	6/20/67	5	242-1F	4500	4500	0	OVERSPEC		
Jun-67	6/20/67	23	244-245H	146536	146536	0	NONCANYWASTE	RBOF-RRF	
Jun-67	6/20/67	242-1F	5	252000	252000	0	EVAPFEED		
Jun-67	6/20/67	242-1H	21	107000	107000	0	EVAPFEED		
Jun-67	6/20/67	2	242-1F	74000	74000	0	EVAPCONC		
Jun-67	6/20/67	24	242-1H	52000	52000	0	EVAPCONC		
Jul-67	6/30/67	21	13	642000	642000	0	SNATE		
Jul-67	7/3/67	7	2	56000	56000	0	MIXSNATE		
Jul-67	7/13/67	13	11	553000	553000	0	HHWSN		
Jul-67	7/15/67	18	7	108000	108000	0	MIXSNATE		
Jul-67	7/20/67	23	244-245H	157372	157372	0	NONCANYWASTE	RBOF-RRF	
Jul-67	7/20/67	9		0	18000	0	MISCADD/TRAN	Decon Waste - H2O	
Jul-67	7/20/67	CRC	23	50000	50000	0	RBOF-RRF	RBOF-RRF	
Jul-67	7/20/67	21	242-1H	19900	19900	0	OVERSPEC		
Jul-67	7/20/67	242-1F	18	310000	310000	0	EVAPFEED		
Jul-67	7/20/67	242-1H	21	466000	466000	0	EVAPFEED		
Jul-67	7/20/67	19	242-1F	102000	102000	0	EVAPCONC		
Jul-67	7/20/67	24	242-1H	253000	253000	0	EVAPCONC		
Jul-67	7/21/92	18	20	433000	433000	0	HHWSN		
Aug-67	7/27/67	21	13	290000	290000	0	SNATE		
Aug-67	8/2/67	7	3	359000	359000	0	HHWSN		
Aug-67	8/6/67	18	7	402000	406000	0	HHWSN		
Aug-67	8/10/67	7	2	88000	88000	0	CONCSN		
Aug-67	8/17/67	7	3	21700	21700	0	HHWSN		
Aug-67	8/20/67	21	242-1H	4000	4000	0	OVERSPEC		
Aug-67	8/20/67	CRC	23	288000	288000	0	RBOF-RRF	RBOF-RRF	
Aug-67	8/20/67	23	244-245H	210000	210000	0	NONCANYWASTE	RBOF-RRF	
Aug-67	8/20/67	8		0	2710	0	MISCADD/TRAN	Reel Tape Adj. - New Tape	
Aug-67	8/20/67	242-1F	18	378000	378000	0	EVAPFEED		
Aug-67	8/20/67	242-1H	21	97000	97000	0	EVAPFEED		
Aug-67	8/20/67	2	242-1F	272000	272000	0	EVAPCONC		
Aug-67	8/20/67	24	242-1H	63000	63000	0	EVAPCONC		
Sep-67	8/24/67	18	7	356000	356000	0	MIXSNATE		
Sep-67	9/15/67	7	2	112000	112000	0	CONCSN		
Sep-67	9/20/67	CRC	23	313000	313000	0	RBOF-RRF	RBOF-RRF	
Sep-67	9/20/67	21	242-1H	4000	4000	0	OVERSPEC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Sep-67	9/20/67	23	244-245H	153000	153000	0	NONCANYWASTE	RBOF-RRF	
Sep-67	9/20/67	242-1F	18	161000	161000	0	EVAPFEED		
Sep-67	9/20/67	242-1H	21	139000	139000	0	EVAPFEED		
Sep-67	9/20/67	2	242-1F	140000	140000	0	EVAPCONC		
Sep-67	9/20/67	24	242-1H	64500	64500	0	EVAPCONC		
Sep-67	9/21/67	10	9	233000	233000	0	CONCSN		
Oct-67	9/26/67	18	7	171000	171000	0	MIXSNATE		
Oct-67	10/2/67	7	2	705000	705000	0	CONCSN		
Oct-67	10/20/67	23	244-245H	159000	159000	0	NONCANYWASTE	RBOF-RRF	
Oct-67	10/20/67	21	242-1H	6000	6000	0	OVERSPEC		
Oct-67	10/20/67	CRC	23	171000	171000	0	RBOF-RRF	RBOF-RRF	
Oct-67	10/20/67	23	244-245H	159	159	0	NONCANYWASTE	RBOF-RRF	
Oct-67	10/20/67	242-1F	18	164000	164000	0	EVAPFEED		
Oct-67	10/20/67	242-1H	21	232000	232000	0	EVAPFEED		
Oct-67	10/20/67	2	242-1F	92500	92500	0	EVAPCONC		
Oct-67	10/20/67	24	242-1H	107000	107000	0	EVAPCONC		
Nov-67	10/31/67	10	9	149000	149000	0	CONCSN		
Nov-67	11/3/67	21	13	265000	265000	0	HHWSN		
Nov-67	11/8/67	21	13	291000	291000	0	HHWSN		
Nov-67	11/8/67	7	2	220000	220000	0	CONCSN		
Nov-67	11/12/67	13	15	27300	27300	0	HHWSN		
Nov-67	11/20/67	CRC	23	37000	37000	0	RBOF-RRF	RBOF-RRF	
Nov-67	11/20/67	23	244-245H	112000	112000	0	NONCANYWASTE	RBOF-RRF	
Nov-67	11/20/67	21	242-1H	15000	15000	0	OVERSPEC		
Nov-67	11/20/67	242-1F	18	226000	226000	0	EVAPFEED		
Nov-67	11/20/67	242-1H	21	423000	423000	0	EVAPFEED		
Nov-67	11/20/67	2	242-1F	91000	91000	0	EVAPCONC		
Nov-67	11/20/67	24	242-1H	155000	155000	0	EVAPCONC		
Dec-67	11/21/67	21	13	43000	43000	0	HHWSN		
Dec-67	12/1/67	13	9	137000	142000	0	CONCSN		
Dec-67	12/13/67	13	10	537000	537000	0	CONCSN		
Dec-67	12/17/67	21	13	496000	496000	0	MIXSNATE		
Dec-67	12/20/67	23	244-245H	52000	52000	0	NONCANYWASTE	RBOF-RRF	
Dec-67	12/20/67	CRC	23	114000	114000	0	RBOF-RRF	RBOF-RRF	
Dec-67	12/20/67	21	242-1H	14000	14000	0	OVERSPEC		
Dec-67	12/20/67	242-1F	18	140000	140000	0	EVAPFEED		
Dec-67	12/20/67	242-1H	21	439000	439000	0	EVAPFEED		
Dec-67	12/20/67	2	242-1F	68900	68900	0	EVAPCONC		
Dec-67	12/20/67	24	242-1H	184000	184000	0	EVAPCONC		
Jan-68	1/6/68	13	9	158000	159000	0	CONCSN		
Jan-68	1/20/68	23	244-245H	118828	118828	0	NONCANYWASTE	RBOF-RRF	
Jan-68	1/20/68	18	242-1F	18000	18000	0	OVERSPEC		
Jan-68	1/20/68	21	242-1H	7000	7000	0	OVERSPEC		
Jan-68	1/20/68	CRC	23	196000	196000	0	RBOF-RRF	RBOF-RRF	
Jan-68	1/20/68	242-1F	18	139000	139000	0	EVAPFEED		
Jan-68	1/20/68	242-1H	21	187000	187000	0	EVAPFEED		
Jan-68	1/20/68	2	242-1F	63800	63800	0	EVAPCONC		
Jan-68	1/20/68	9	242-1H	86000	86000	0	EVAPCONC		
Feb-68	2/20/68	23	244-245H	137000	137000	0	NONCANYWASTE	RBOF-RRF	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Feb-68	2/20/68	CRC	23	23000	23000	0	RBOF-RRF	RBOF-RRF	
Feb-68	2/20/68	18	7	476000	493000	0	MIXSNATE		
Feb-68	2/20/68	18	242-1F	800	800	0	OVERSPEC		
Feb-68	2/20/68	21	242-1H	19000	19000	0	OVERSPEC		
Feb-68	2/20/68	23	242-1H	3000	3000	0	OVERSPEC		
Feb-68	2/20/68	5	SRL	17200	17200	0	NONCANYWASTE	SRL Waste - High Cl	
Feb-68	2/20/68	18	242-1F	26200	26200	0	MISCADD/TRAN	Flush H2O	
Feb-68	2/20/68	242-1F	18	281600	281600	0	EVAPFEED		
Feb-68	2/20/68	242-1H	21	343000	343000	0	EVAPFEED		
Feb-68	2/20/68	2	242-1F	142000	142000	0	EVAPCONC		
Feb-68	2/20/68	10	242-1H	168000	168000	0	EVAPCONC		
Mar-68	2/28/68	21	13	370300	373000	0	CONCSN		
Mar-68	3/7/68	13	10	137000	141000	0	CONCSN		
Mar-68	3/14/68	7	2	373000	373000	0	CONCSN		
Mar-68	3/15/68	18	7	57000	57000	0	MIXSNATE		
Mar-68	3/20/68	5	SRL	21000	21000	0	NONCANYWASTE	SRL Waste - High Chloride	
Mar-68	3/20/68	23	244-245H	164000	164000	0	NONCANYWASTE	RBOF-RRF	
Mar-68	3/20/68	CRC	23	84000	84000	0	RBOF-RRF	RBOF-RRF	
Mar-68	3/20/68	7	2	40000	40000	0	CONCSN		
Mar-68	3/20/68	18	242-1F	4000	4000	0	OVERSPEC		
Mar-68	3/20/68	21	242-1H	17000	17000	0	OVERSPEC		
Mar-68	3/20/68	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds	
Mar-68	3/20/68	242-1F	18	375000	375000	0	EVAPFEED		
Mar-68	3/20/68	242-1H	21	298000	298000	0	EVAPFEED		
Mar-68	3/20/68	2	242-1F	173000	173000	0	EVAPCONC		
Mar-68	3/20/68	10	242-1H	152000	152000	0	EVAPCONC		
Mar-68	3/21/68	13	15	477000	477000	0	HHWSN		
Apr-68	3/25/68	21	13	477000	477000	0	MIXSNATE		
Apr-68	3/28/68	13	15	291000	291000	0	HHWSN		
Apr-68	4/6/68	18	7	480000	485000	0	MIXSNATE		
Apr-68	4/9/68	21	13	354000	354000	0	HHWSN		
Apr-68	4/17/68	9	10	156000	156000	0	CONC	2-Stage Evap Conc Receipt	
Apr-68	4/20/68	5	SRL	16800	16800	0	NONCANYWASTE	SRL Waste - High Chloride	
Apr-68	4/20/68	23	244-245H	165000	165000	0	NONCANYWASTE	RBOF-RRF	
Apr-68	4/20/68	CRC	23	101000	101000	0	RBOF-RRF	RBOF-RRF	
Apr-68	4/20/68	18	242-1F	10000	10000	0	OVERSPEC		
Apr-68	4/20/68	21	242-1H	15500	15500	0	OVERSPEC		
Apr-68	4/20/68	23	242-1H	5700	5700	0	OVERSPEC	Off spec. overhds.	
Apr-68	4/20/68	12		0	14092	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Apr-68	4/20/68	242-1F	18	419000	419000	0	EVAPFEED		
Apr-68	4/20/68	242-1H	21	490000	490000	0	EVAPFEED		
Apr-68	4/20/68	2	242-1F	214000	214000	0	EVAPCONC		
Apr-68	4/20/68	10	242-1H	210000	210000	0	EVAPCONC		
May-68	4/24/68	9	10	130000	130000	0	CONC	2-Stage Evap Conc Receipt	
May-68	5/8/68	21	13	69000	69000	0	MIXSNATE		
May-68	5/11/68	18	7	71000	71000	0	MIXSNATE		
May-68	5/14/68	7	2	320000	320000	0	CONCSN		
May-68	5/18/68	18	7	330000	330000	0	MIXSNATE		
May-68	5/20/68	24		0	14160	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
May-68	5/20/68	5	SRL	8100	8100	0	NONCANYWASTE		
May-68	5/20/68	CRC	23	79000	79000	0	RBOF-RRF	RBOF-RRF	
May-68	5/20/68	23	244-245H	176000	176000	0	NONCANYWASTE	RBOF-RRF	
May-68	5/20/68	23	242-1H	11000	11000	0	OVERSPEC	Off spec. overhds.	
May-68	5/20/68	18	242-1F	2400	2400	0	OVERSPEC		
May-68	5/20/68	21	242-1H	19000	19000	0	OVERSPEC		
May-68	5/20/68	242-1F	18	395000	395000	0	EVAPFEED		
May-68	5/20/68	242-1H	21	532000	532000	0	EVAPFEED		
May-68	5/20/68	2	242-1F	197000	197000	0	EVAPCONC		
May-68	5/20/68	10	242-1H	259000	259000	0	EVAPCONC		
Jun-68	6/21/68	13	9	362000	362000	0	CONCSN		
Jun-68	5/31/68	18	7	14000	14000	0	LHWSN		
Jun-68	6/3/68	3		0	322000	0	MISCADD/TRAN	Slur. H2O; Tk3 to Tk7 Trans.	
Jun-68	6/5/68	7	3	390000	390000	92	SLSLURRY	Sludge Slurry	
Jun-68	6/8/68	18	17	330000	330000	0	SNATE		
Jun-68	6/20/68	18	7	335000	335000	0	DILWASTE		
Jun-68	6/20/68	5	SRL	11500	11500	0	NONCANYWASTE	SRL Waste - High Chloride	
Jun-68	6/20/68	23	244-245H	127000	127000	0	NONCANYWASTE	RBOF-RRF	
Jun-68	6/20/68	CRC	23	49000	49000	0	RBOF-RRF	RBOF-RRF	
Jun-68	6/20/68	18	242-1F	22000	22000	0	OVERSPEC		
Jun-68	6/20/68	21	242-1H	3000	3000	0	OVERSPEC		
Jun-68	6/20/68	23	242-1H	173000	173000	0	OVERSPEC	Off spec. overhds.	
Jun-68	6/20/68	18	2	18500	18500	0	CONCSN		
Jun-68	6/20/68	242-1F	18	555000	555000	0	EVAPFEED		
Jun-68	6/20/68	242-1H	21	451000	451000	0	EVAPFEED		
Jun-68	6/20/68	3	242-1F	80758	80758	0	EVAPCONC		
Jun-68	6/20/68	2	242-1F	213484	213484	0	EVAPCONC		
Jun-68	6/20/68	10	242-1H	197000	197000	0	EVAPCONC		
Jul-68	6/24/68	21	13	368000	379000	0	MIXSNATE		
Jul-68	6/25/68	7	2	233253	235000	0	CONCSN		
Jul-68	7/4/68	9	10	225000	234000	0	CONCSN		
Jul-68	7/10/68	21	24	152000	157000	0	CONCSN		
Jul-68	7/17/68	13	14	6600	6900000	0	SNATE		
Jul-68	7/17/68	16	14	14400	14700	0	SNATE		
Jul-68	7/19/68	18	7	304268	307000	0	MIXSNATE		
Jul-68	7/19/68	13	16	15700	16200	0	SNATE		
Jul-68	7/20/68	5	SRL	11000	11000	0	NONCANYWASTE		
Jul-68	7/20/68	CRC	23	285000	285000	0	RBOF-RRF		
Jul-68	7/20/68	23	244-245H	119000	119000	0	NONCANYWASTE		
Jul-68	7/20/68	18	242-1F	4500	4500	0	OVERSPEC		
Jul-68	7/20/68	21	242-1H	15000	15000	0	OVERSPEC		
Jul-68	7/20/68	242-1F	18	363000	363000	0	EVAPFEED		
Jul-68	7/20/68	242-1H	21	304000	304000	0	EVAPFEED		
Jul-68	7/20/68	2	242-1F	105982	105982	0	EVAPCONC		
Jul-68	7/20/68	3	242-1F	97018	97018	0	EVAPCONC		
Jul-68	7/20/68	10	242-1H	163000	163000	0	EVAPCONC		
Aug-68	7/23/68	7	8	118000	118000	0	HHWSN		
Aug-68	7/25/68	7	3	128000	128000	0	CONCSN		
Aug-68	7/26/68	13	14	334000	334000	0	SNATE		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Aug-68	8/1/68	13	9	206000	206000	0	CONCSN		
Aug-68	8/4/68	21	13	660000	660000	0	MIXSNATE		
Aug-68	8/5/68	18	7	292000	292000	0	MIXSNATE		
Aug-68	8/9/68	13	14	530000	530000	0	SNATE		
Aug-68	8/9/68	9	10	112000	112000	0	CONC		
Aug-68	8/15/68	7	8	259000	259000	0	HHWSN		
Aug-68	8/15/68	21	13	320000	320000	0	MIXSNATE		
Aug-68	8/18/68	18	7	300500	300500	0	MIXSNATE		
Aug-68	8/20/68	5	SRL	16000	16000	0	NONCANYWASTE	SRL Waste - High Chloride	
Aug-68	8/20/68	23	244-245H	125000	125000	0	NONCANYWASTE	RBOF-RRF	
Aug-68	8/20/68	CRC	23	237000	237000	0	RBOF-RRF	RBOF-RRF	
Aug-68	8/20/68	18	242-1F	2600	2600	0	OVERSPEC		
Aug-68	8/20/68	21	242-1H	16000	16000	0	OVERSPEC		
Aug-68	8/20/68	23	242-1H	13000	13000	0	OVERSPEC	Off spec. overhds.	
Aug-68	8/20/68	242-1F	18	347000	347000	0	EVAPFEED		
Aug-68	8/20/68	242-1H	21	462000	462000	0	EVAPFEED		
Aug-68	8/20/68	2	242-1F	115900	115900	0	EVAPCONC		
Aug-68	8/20/68	3	242-1F	46100	46100	0	EVAPCONC		
Aug-68	8/20/68	10	242-1H	238000	238000	0	EVAPCONC		
Sep-68	8/21/68	7	8	231000	235000	0	HHWSN		
Sep-68	8/23/68	9	10	207000	215000	0	CONC		
Sep-68	8/26/68	18	7	246000	253000	0	MIXSNATE		
Sep-68	8/30/68	21	13	234000	241000	0	MIXSNATE		
Sep-68	9/5/68	7	3	125000	129000	0	CONCSN		
Sep-68	9/5/68	13	16	257000	264000	0	MIXSNATE		
Sep-68	9/12/68	21	13	173000	178000	0	MIXSNATE		
Sep-68	9/20/68	13	9	110000	117000	0	CONCSN		
Sep-68	9/20/68	5	SRL	4100	4100	0	NONCANYWASTE	SRL Waste - High Chloride	
Sep-68	9/20/68	8	SRL	17900	17900	0	NONCANYWASTE	SRL Waste - High Chloride	
Sep-68	9/20/68	23	244-245H	136000	136000	0	NONCANYWASTE	RBOF-RRF	
Sep-68	9/20/68	CRC	23	162000	162000	0	RBOF-RRF	RBOF-RRF	
Sep-68	9/20/68	18	242-1F	14000	14000	0	OVERSPEC		
Sep-68	9/20/68	21	242-1H	43000	43000	0	OVERSPEC		
Sep-68	9/20/68	23	242-1H	12000	12000	0	OVERSPEC	Off spec. overhds.	
Sep-68	9/20/68	242-1F	18	342000	342000	0	EVAPFEED		
Sep-68	9/20/68	242-1H	21	466000	466000	0	EVAPFEED		
Sep-68	9/20/68	2	242-1F	81300	81300	0	EVAPCONC		
Sep-68	9/20/68	3	242-1F	84700	84700	0	EVAPCONC		
Sep-68	9/20/68	10	242-1H	234000	234000	0	EVAPCONC		
Oct-68	9/27/68	9	10	135000	142000	0	CONC		
Oct-68	10/2/68	21	13	266000	277000	0	MIXSNATE		
Oct-68	10/11/68	13	9	299000	313000	0	CONCSN		
Oct-68	10/18/68	9	10	157000	165000	0	CONC		
Oct-68	10/20/68	8	SRL	20200	20200	0	NONCANYWASTE	SRL Waste - High Chloride	
Oct-68	10/20/68	23	244-245H	96000	96000	0	NONCANYWASTE	RBOF-RRF	
Oct-68	10/20/68	CRC	23	162000	162000	0	RBOF-RRF	RBOF-RRF	
Oct-68	10/20/68	21	242-1H	22000	22000	0	OVERSPEC		
Oct-68	10/20/68	18	242-1F	1600	1600	0	OVERSPEC		
Oct-68	10/20/68	23	242-1H	16000	16000	0	OVERSPEC	Off spec. overhds.	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Oct-68	10/20/68	242-1F	18	163000	163000	0	EVAPFEED		
Oct-68	10/20/68	242-1H	21	469000	469000	0	EVAPFEED		
Oct-68	10/20/68	3	242-1F	76800	76800	0	EVAPCONC		
Oct-68	10/20/68	10	242-1H	194000	194000	0	EVAPCONC		
Nov-68	11/1/68	21	13	435000	452000	0	CONCSN		
Nov-68	11/6/68	13	9	134000	138000	0	CONCSN		
Nov-68	11/8/68	9	10	108000	115000	0	CONC		
Nov-68	11/13/68	21	13	167000	175000	0	CONCSN		
Nov-68	11/14/68	9	10	131000	137000	0	CONC		
Nov-68	11/20/68	8	SRL	19500	19500	0	NONCANYWASTE	SRL Waste - High Chloride	
Nov-68	11/20/68	CRC	23	198000	198000	0	RBOF-RRF	RBOF-RRF	
Nov-68	11/20/68	23	244-245H	116000	116000	0	NONCANYWASTE	RBOF-RRF	
Nov-68	11/20/68	18	242-1F	6000	6000	0	OVERSPEC		
Nov-68	11/20/68	21	242-1H	11000	11000	0	OVERSPEC		
Nov-68	11/20/68	23	242-1H	4000	4000	0	OVERSPEC	Off spec. overhds.	
Nov-68	11/20/68	242-1F	18	321000	321000	0	EVAPFEED		
Nov-68	11/20/68	242-1H	21	499000	499000	0	EVAPFEED		
Nov-68	11/20/68	3	242-1F	117000	117000	0	EVAPCONC		
Nov-68	11/20/68	10	242-1H	203000	203000	0	EVAPCONC		
Dec-68	12/20/68	8	SRL	17600	17600	0	NONCANYWASTE	SRL Waste- High Chloride	
Dec-68	12/20/68	CRC	23	187000	187000	0	RBOF-RRF	RBOF-RRF	
Dec-68	12/20/68	23	244-245H	133000	133000	0	NONCANYWASTE	RBOF-RRF	
Dec-68	12/20/68	18	242-1F	10000	10000	0	OVERSPEC		
Dec-68	12/20/68	21	242-1H	27000	27000	0	OVERSPEC		
Dec-68	12/20/68	23	242-1H	7000	7000	0	OVERSPEC	Off spec. overhds.	
Dec-68	12/14/68	18	19	540000	555000	0	CONCSN		
Dec-68	11/22/68	13	9	236000	244000	0	CONCSN		
Dec-68	11/27/68	21	13	220000	227000	0	CONCSN		
Dec-68	12/20/68	9	10	131000	138000	0	CONC	2-Stage Evap Conc Receipt	
Dec-68	12/20/68	9	10	80300	84800	0	CONC	2-Stage Evap Conc Receipt	
Dec-68	12/6/68	13	9	94700	98700	0	CONCSN		
Dec-68	12/6/68	21	13	190000	195000	0	CONCSN		
Dec-68	12/20/68	9	10	84000	92000	0	CONC	2-Stage Evap Conc Receipt	
Dec-68	12/12/68	13	14	452000	452000	85	SLSLURRY	Sludge Slurry	
Dec-68	12/20/68	14		0	377000	0	MISCADD/TRAN	Slur. H20; Tk14 to Tk13 Trans.	
Dec-68	12/20/68	242-1F	18	287000	287000	0	EVAPFEED		
Dec-68	12/20/68	242-1H	21	483000	483000	0	EVAPFEED		
Dec-68	12/20/68	3	242-1F	119000	119000	0	EVAPCONC		
Dec-68	12/20/68	10	242-1H	241000	241000	0	EVAPCONC		
Jan-69	12/20/68	7	2	149000	154000	0	CONCSN		
Jan-69	1/3/69	13	9	177000	185000	0	CONCSN		
Jan-69	1/8/69	9	10	138000	144000	0	CONC	2-Stage Evap Conc Receipt	
Jan-69	1/15/69	18	7	355000	372000	0	CONCSN		
Jan-69	1/16/69	13	9	88000	90000	0	SNATE		
Jan-69	1/17/69	21	13	340000	357000	0	EVAPFEED		
Jan-69	1/20/69	8	SRL	0	12200	0	NONCANYWASTE		
Jan-69	1/20/69	CRC	23	0	124000	0	RBOF-RRF		
Jan-69	1/20/69	23	244-245H	0	106000	0	NONCANYWASTE		
Jan-69	1/20/69	18	242-1F	0	0	0	OVERSPEC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jan-69	1/20/69	21	242-1H	0	15000	0	OVERSPEC		
Jan-69	1/20/69	2	242-1F	130000	130000	0	EVAPCONC		
Jan-69	1/20/69	7	3	355800	371000	0	CONCSN		
Jan-69	1/20/69	242-1F	18	434000	434000	0	EVAPFEED		
Jan-69	1/20/69	242-1H	21	627000	627000	0	EVAPFEED		
Jan-69	1/20/69	3	242-1F	117000	117000	0	EVAPCONC		
Jan-69	1/20/69	10	242-1H	326000	326000	0	EVAPCONC		
Jan-69	1/21/69	9	10	189000	196000	0	CONC	2-Stage Evap Conc Receipt	
Jan-69	12/30/69	21	13	362000	380000	0	SLUDGERW		
Feb-69	2/3/69	13	9	184000	192000	0	SNATE		
Feb-69	2/5/69	21	13	223000	235000	0	EVAPFEED		
Feb-69	2/7/69	9	10	171000	182000	0	CONC	2-Stage Evap Conc Receipt	
Feb-69	2/8/69	18	7	372000	390000	0	CONCSN		
Feb-69	2/12/69	7	1	318000	326000	0	HHWSN		
Feb-69	2/15/69	7	2	104000	108000	0	CONCSN		
Feb-69	2/17/69	14	12	58000	62000	0	HHWSN		
Feb-69	2/17/69	14	12	3000	3000	0	SNATE	Sldge x-fered w/ s-nate	
Feb-69	2/20/69	8	SRL	0	23800	0	NONCANYWASTE		
Feb-69	2/20/69	23	244-245H	0	181000	0	NONCANYWASTE		
Feb-69	2/20/69	CRC	23	0	15000	0	RBOF-RRF		
Feb-69	2/20/69	18	242-1F	0	1000	0	OVERSPEC		
Feb-69	2/20/69	21	242-1H	0	4000	0	OVERSPEC		
Feb-69	2/20/69	13	12	154000	160000	0	SNATE	left only a sludge heel	
Feb-69	2/20/69	242-1F	18	493000	493000	0	EVAPFEED		
Feb-69	2/20/69	242-1H	21	336000	336000	0	EVAPFEED		
Feb-69	2/20/69	3	242-1F	333000	333000	0	EVAPCONC		
Feb-69	2/20/69	10	242-1H	144000	144000	0	EVAPCONC		
Mar-69	2/21/69	21	13	194000	203000	0	HHW		
Mar-69	2/23/69	13	12	321000	333000	0	HHW		
Mar-69	2/24/69	18	7	319000	330000	0	HHW		
Mar-69	2/27/69	13	9	159000	166000	0	CONCSN		
Mar-69	3/2/69	7	3	288000	302500	0	CONCSN		
Mar-69	3/13/69	21	13	238000	246000	0	CONCSN		
Mar-69	3/19/69	18	7	95000	99000	0	CONCSN		
Mar-69	3/20/69	8	SRL	29000	29000	0	NONCANYWASTE		
Mar-69	3/20/69	CRC	23	141000	141000	0	RBOF-RRF		
Mar-69	3/20/69	23	244-245H	156000	156000	0	NONCANYWASTE		
Mar-69	3/20/69	18	242-1F	10000	10000	0	OVERSPEC		
Mar-69	3/20/69	21	242-1H	15000	15000	0	OVERSPEC		
Mar-69	3/20/69	23	242-1H	6000	6000	0	OVERSPEC	Off spec. overhds.	
Mar-69	3/20/69	19	17	94800	94800	0	FRLHW	Cascade of Waste	
Mar-69	3/20/69	9	10	153000	164000	0	CONC	2-Stage Evap Conc Receipt	
Mar-69	3/20/69	242-1F	18	412000	412000	0	EVAPFEED		
Mar-69	3/20/69	242-1H	21	399000	399000	0	EVAPFEED		
Mar-69	3/20/69	2	242-1F	121400	121400	0	EVAPCONC		
Mar-69	3/20/69	3	242-1F	168600	168600	0	EVAPCONC		
Mar-69	3/20/69	10	242-1H	137000	137000	0	EVAPCONC		
Apr-69	3/25/69	7	2	85400	89000	0	CONCSN		
Apr-69	4/2/69	21	13	303000	313000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-69	4/9/69	13	9	142000	150000	0	CONCSN	
Apr-69	4/14/69	18	7	423000	444000	0	MIXSNATE	
Apr-69	4/16/69	7	3	235000	244000	0	CONCSN	
Apr-69	4/16/69	9	10	132000	142000	0	CONCSN	
Apr-69	4/20/69	8	SRL	26600	26600	0	NONCANYWASTE	
Apr-69	4/20/69	CRC	23	56000	56000	0	RBOF-RRF	
Apr-69	4/20/69	23	244-245H	106000	106000	0	NONCANYWASTE	
Apr-69	4/20/69	18	242-1F	9000	9000	0	OVERSPEC	
Apr-69	4/20/69	21	242-1H	10000	10000	0	OVERSPEC	
Apr-69	4/20/69	23	242-1H	89000	89000	0	OVERSPEC	Off spec. overhds.
Apr-69	4/20/69	2	242-1F	74700	74700	0	EVAPCONC	
Apr-69	4/20/69	19	17	90000	90000	0	FRLHW	Cascade of Waste
Apr-69	4/20/69	242-1F	18	325000	325000	0	EVAPFEED	
Apr-69	4/20/69	242-1H	21	477000	477000	0	EVAPFEED	
Apr-69	4/20/69	3	242-1F	111300	111300	0	EVAPCONC	
Apr-69	4/20/69	10	242-1H	191000	191000	0	EVAPCONC	
Apr-69	4/21/69	18	7	259000	274000	0	EVAPFEED	
May-69	4/24/69	2	1	336000	344000	0	HHWSN	
May-69	4/24/69	21	13	254000	264000	0	SNATE	
May-69	4/30/69	7	2	76400	80000	0	CONCSN	
May-69	4/30/69	13	9	110000	118000	0	CONCSN	
May-69	5/2/69	9	10	92000	102000	0	CONC	2-Stage Evap Conc Receipt
May-69	5/4/69	18	7	391000	404500	0	CONCSN	
May-69	5/6/69	13	14	80000	82000	0	HHWSN	
May-69	5/9/69	18	7	59600	61800	0	CONCSN	
May-69	5/15/69	7	3	136200	144000	0	CONCSN	
May-69	5/15/69	21	13	326000	340000	0	CONCSN	
May-69	5/15/69	13	9	70000	74000	0	CONCSN	
May-69	5/18/69	18	7	104500	111600	0	CONCSN	
May-69	5/19/69	1		0	243600	0	MISCADD/TRAN	Slurry H2O;Tk1 to Tk7 Trans.
May-69	5/20/69	8	SRL	42300	42300	0	NONCANYWASTE	
May-69	5/20/69	CRC	23	50000	50000	0	RBOF-RRF	
May-69	5/20/69	23	244-245H	81000	81000	0	NONCANYWASTE	
May-69	5/20/69	18	242-1F	1800	1800	0	OVERSPEC	
May-69	5/20/69	21	242-1H	29000	29000	0	OVERSPEC	
May-69	5/20/69	23	242-1H	11000	11000	0	OVERSPEC	Off spec. overhds.
May-69	5/20/69	19	17	99000	99000	0	FRLHW	Cascade of Waste
May-69	5/20/69	7	1	330400	330400	77	SLSLURRY	Sludge Slurry Transfer
May-69	5/20/69	9	10	50000	60000	0	CONC	2-Stage Evap Conc Receipt
May-69	5/20/69	242-1F	18	417000	417000	0	EVAPFEED	
May-69	5/20/69	242-1H	21	495000	495000	0	EVAPFEED	
May-69	5/20/69	2	242-1F	60000	60000	0	EVAPCONC	
May-69	5/20/69	3	242-1F	220000	220000	0	EVAPCONC	
May-69	5/20/69	10	242-1H	194000	194000	0	EVAPCONC	
Jun-69	5/21/69	13	9	75000	79000	0	CONCSN	
Jun-69	5/27/69	9	10	83000	91000	0	CONC	2-Stage Evap Conc Receipt
Jun-69	5/28/69	13	9	8000	9000	0	CONCSN	
Jun-69	6/3/69	13	9	60000	63000	0	CONCSN	
Jun-69	6/4/69	9	10	55000	60000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jun-69	6/5/69	21	13	341000	355000	0	CONCSN	
Jun-69	6/6/69	1	18	20400	51400	0	MISCADD/TRAN	S-mate for Sludge Softening
Jun-69	6/10/69	13	9	60000	66000	0	CONCSN	
Jun-69	6/11/69	18	7	216000	223000	0	MISCADD/TRAN	
Jun-69	6/11/69	9	10	64000	68000	0	CONCSN	
Jun-69	6/15/69	7	3	203000	210000	0	CONCSN	
Jun-69	6/17/69	13	9	66000	70000	0	CONCSN	
Jun-69	6/18/69	9	10	61000	65000	0	CONCSN	
Jun-69	6/19/69	7	3	23200	24400	0	CONCSN	
Jun-69	6/20/69	8	SRL	46200	46200	0	NONCANYWASTE	
Jun-69	6/20/69	CRC	23	88000	88000	0	RBOF-RRF	
Jun-69	6/20/69	23	244-245H	77000	77000	0	NONCANYWASTE	
Jun-69	6/20/69	18	242-1F	4000	4000	0	OVERSPEC	
Jun-69	6/20/69	21	242-1H	29000	29000	0	OVERSPEC	
Jun-69	6/20/69	23	242-1H	36000	36000	0	OVERSPEC	Off spec. overhds.
Jun-69	6/20/69	19	17	58500	58500	0	FRLHW	Cascade of Waste
Jun-69	6/20/69	8		0	12200	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jun-69	6/20/69	1		0	124500	0	MISCADD/TRAN	Sludge Slurry H2O
Jun-69	6/20/69	20		0	10600	0	MISCADD/TRAN	Condensation Water
Jun-69	6/20/69	242-1F	18	317000	317000	0	EVAPFEED	
Jun-69	6/20/69	242-1H	21	529000	529000	0	EVAPFEED	
Jun-69	6/20/69	2	242-1F	23800	23800	0	EVAPCONC	
Jun-69	6/20/69	3	242-1F	189200	189200	0	EVAPCONC	
Jun-69	6/20/69	10	242-1H	260000	260000	0	EVAPCONC	
Jul-69	6/24/69	14	9	62000	65000	0	CONCSN	
Jul-69	6/25/69	9	10	58000	62000	0	CONCSN	
Jul-69	6/25/69	21	13	196000	203000	0	CONCSN	
Jul-69	6/28/69	13	9	46000	49000	0	CONCSN	
Jul-69	7/1/69	9	10	44000	48000	0	CONCSN	
Jul-69	7/8/69	13	9	48000	52000	0	CONCSN	
Jul-69	7/9/69	18	7	197000	206000	0	CONCSN	Some sludge removal water
Jul-69	7/10/69	9	10	45000	48000	0	CONCSN	
Jul-69	7/13/69	7	3	184000	192000	0	CONCSN	
Jul-69	7/15/69	13	9	36000	39000	0	CONCSN	
Jul-69	7/16/69	9	10	33000	36000	0	CONCSN	
Jul-69	7/20/69	8	SRL	33900	33900	0	NONCANYWASTE	
Jul-69	7/20/69	CRC	23	142000	142000	0	RBOF-RRF	
Jul-69	7/20/69	23	244-245H	55000	55000	0	NONCANYWASTE	
Jul-69	7/20/69	18	242-1F	7000	7000	0	OVERSPEC	
Jul-69	7/20/69	21	242-1H	16000	16000	0	OVERSPEC	
Jul-69	7/20/69	23	242-1H	6000	6000	0	OVERSPEC	Off spec. overhds.
Jul-69	7/20/69	19	17	86100	86100	0	FRLHW	Cascade of Waste
Jul-69	7/20/69	20		0	7100	0	MISCADD/TRAN	Condensation Water
Jul-69	7/20/69	18	7	136000	143000	0	CONCSN	Some sludge removal water
Jul-69	7/20/69	242-1F	18	389000	389000	0	EVAPFEED	
Jul-69	7/20/69	242-1H	21	509000	509000	0	EVAPFEED	
Jul-69	7/20/69	3	242-1F	225000	225000	0	EVAPCONC	
Jul-69	7/20/69	10	242-1H	269000	269000	0	EVAPCONC	
Aug-69	7/23/69	18	7	208500	219500	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-69	7/25/69	13	16	329000	339000	0	HHW	HHW + LHW
Aug-69	8/1/69	7	1	40500	40500	0	DILCONC	
Aug-69	8/1/69	21	13	383000	396000	0	HHW	HHW + Fresh LHW
Aug-69	8/4/69	13	9	33000	35000	0	CONCSN	
Aug-69	8/5/69	9	10	29000	31000	0	CONCSN	
Aug-69	8/7/69	7	1	198000	198000	0	MISCADD/TRAN	Slurry water from tk 1 to tk 7
Aug-69	8/7/69	21	13	241000	250000	0	CONCSN	
Aug-69	8/11/69	13	9	30000	32000	0	CONCSN	
Aug-69	8/12/69	9	10	25000	27000	0	CONCSN	
Aug-69	8/13/69	13	9	27000	29000	0	CONCSN	
Aug-69	8/14/69	7	3	125500	131500	0	CONCSN	
Aug-69	8/14/69	9	10	22000	24000	0	CONCSN	
Aug-69	8/16/69	18	7	107000	110500	0	CONCSN	Plus slurry water
Aug-69	8/18/69	13	9	22000	24000	0	CONCSN	
Aug-69	8/18/69	9	10	28000	32000	0	CONCSN	
Aug-69	8/19/69	7	2	44700	51700	0	CONCSN	Plus slurry water
Aug-69	8/20/69	8	SRL	29400	29400	0	NONCANYWASTE	
Aug-69	8/20/69	CRC	23	159000	159000	0	RBOF-RRF	
Aug-69	8/20/69	23	244-245H	55000	55000	0	NONCANYWASTE	
Aug-69	8/20/69	18	242-1F	7000	7000	0	OVERSPEC	
Aug-69	8/20/69	21	242-1H	8000	8000	0	OVERSPEC	
Aug-69	8/20/69	23	242-1H	9000	9000	0	OVERSPEC	Off spec. overhds.
Aug-69	8/20/69	19	17	89000	89000	0	FRLHW	Cascade of Waste
Aug-69	8/20/69	1		0	198000	0	MISCADD/TRAN	Slurry Water
Aug-69	8/20/69	18	19	103600	106300	0	LHW	
Aug-69	8/20/69	13	16	166000	174000	0	HHW	HHW + LHW
Aug-69	8/20/69	13	9	12000	14000	0	CONCSN	
Aug-69	8/20/69	242-1F	18	330000	330000	0	EVAPFEED	
Aug-69	8/20/69	242-1H	21	602000	602000	0	EVAPFEED	
Aug-69	8/20/69	3	242-1F	202000	202000	0	EVAPCONC	
Aug-69	8/20/69	10	242-1H	359000	359000	0	EVAPCONC	
Sep-69	8/21/69	13	9	26000	28000	0	CONCSN	
Sep-69	8/22/69	21	13	166000	173000	0	MIXSNATE	
Sep-69	8/22/69	9	10	41000	44000	0	CONCSN	
Sep-69	8/22/69	16	11	47000	49000	0	HHWSN	
Sep-69	8/26/69	13	9	37000	40000	0	CONCSN	
Sep-69	8/26/69	9	10	15000	16000	0	CONCSN	
Sep-69	8/27/69	16	11	39000	40000	0	HHWSN	
Sep-69	8/28/69	21	13	142000	147000	0	MIXSNATE	
Sep-69	8/28/69	13	9	15000	16000	0	CONCSN	
Sep-69	8/29/69	9	10	13000	14000	0	CONCSN	
Sep-69	8/29/69	16	11	43000	44000	0	HHWSN	
Sep-69	9/2/69	18	7	146000	151000	0	CONCSN	Plus slurry water
Sep-69	9/2/69	13	9	10000	11000	0	CONCSN	
Sep-69	9/3/69	9	10	12000	13000	0	CONCSN	
Sep-69	9/3/69	16	11	43000	44000	0	HHWSN	
Sep-69	9/4/69	16	11	39000	40000	0	HHWSN	
Sep-69	9/5/69	11	10	76000	79000	0	CONCSN	
Sep-69	9/5/69	16	11	12000	13000	0	HHWSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-69	9/5/69	13	11	25000	26000	0	CONCSN	
Sep-69	9/8/69	13	11	26000	28000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/9/69	21	13	154000	159000	0	MIXSNATE	
Sep-69	9/9/69	16	11	33000	35000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/10/69	11	10	107000	117000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/10/69	16	11	28000	30000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/11/69	16	11	32000	34000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/12/69	16	11	31000	32000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/16/69	13	11	133000	139000	0	CONCSN	HHW SNATE+CONC SNATE
Sep-69	9/16/69	21	13	139000	145000	0	CONCSN	
Sep-69	9/20/69	8	SRL	28600	28600	0	NONCANYWASTE	
Sep-69	9/20/69	CRC	23	24000	24000	0	RBOF-RRF	
Sep-69	9/20/69	23	244-245H	98000	98000	0	NONCANYWASTE	
Sep-69	9/20/69	18	242-1F	13000	13000	0	OVERSPEC	
Sep-69	9/20/69	21	242-1H	3000	3000	0	OVERSPEC	
Sep-69	9/20/69	23	242-1H	9000	9000	0	OVERSPEC	Off spec. overhds.
Sep-69	9/20/69	19	17	78400	78400	0	FRLHW	Cascade of Waste
Sep-69	9/20/69	20		0	7100	0	MISCADD/TRAN	Condensation Water
Sep-69	9/20/69	242-1F	18	446000	446000	0	EVAPFEED	
Sep-69	9/20/69	242-1H	21	503000	503000	0	EVAPFEED	
Sep-69	9/20/69	1	242-1F	122000	122000	0	EVAPCONC	
Sep-69	9/20/69	2	242-1F	54200	54200	0	EVAPCONC	
Sep-69	9/20/69	3	242-1F	65500	65500	0	EVAPCONC	
Sep-69	9/20/69	10	242-1H	249000	249000	0	EVAPCONC	
Oct-69	9/21/69	7	3	171000	177500	0	CONCSN	
Oct-69	9/22/69	18	19	105000	107700	0	LHW	
Oct-69	9/22/69	13	15	66000	68000	0	HHWSN	
Oct-69	9/24/69	11	10	108000	117000	0	CONCSN	
Oct-69	9/24/69	16	13	71000	71000	0	HHWSN	
Oct-69	9/24/69	11	16	30000	33000	0	HHWSN	
Oct-69	9/25/69	13	15	77000	79000	0	HHWSN	
Oct-69	9/29/69	16	13	30000	30000	0	HHWSN	
Oct-69	9/29/69	11	16	11000	12000	0	HHWSN	
Oct-69	9/30/69	11	10	57000	62000	0	CONCSN	
Oct-69	9/30/69	16	13	66000	66000	0	HHWSN	
Oct-69	9/30/69	11	16	24000	26000	0	HHWSN	
Oct-69	10/5/69	13	11	365000	382000	0	HHWSN	
Oct-69	10/5/69	21	13	316000	329000	0	HHWSN	
Oct-69	10/6/69	16	11	40000	42000	0	HHWSN	
Oct-69	10/7/69	16	11	19000	19000	0	HHWSN	
Oct-69	10/10/69	21	13	101000	105000	0	HHWSN	
Oct-69	10/20/69	8	SRL	29100	29100	0	NONCANYWASTE	
Oct-69	10/20/69	CRC	23	149000	149000	0	RBOF-RRF	
Oct-69	10/20/69	23	244-245H	5000	5000	0	NONCANYWASTE	
Oct-69	10/20/69	18	242-1F	6000	6000	0	OVERSPEC	
Oct-69	10/20/69	21	242-1H	18000	18000	0	OVERSPEC	
Oct-69	10/20/69	23	242-1H	7000	7000	0	OVERSPEC	Off spec. overhds.
Oct-69	10/20/69	19	17	53000	53000	0	FRLHW	Cascade of Waste
Oct-69	10/20/69	11		0	854000	0	MISCADD/TRAN	Slurry Water

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Oct-69	10/20/69	13	11	1028000	1028000	76	SLSLURRY	Sludge Slurry Transfer	
Oct-69	10/20/69	14	13	658000	684000	0	SNATE	Sludge Slurry Supernate	
Oct-69	10/20/69	242-1F	18	158000	158000	0	EVAPFEED		
Oct-69	10/20/69	242-1H	21	581000	581000	0	EVAPFEED		
Oct-69	10/20/69	1	242-1F	38700	38700	0	EVAPCONC		
Oct-69	10/20/69	3	242-1F	48300	48300	0	EVAPCONC		
Oct-69	10/20/69	10	242-1H	344000	344000	0	EVAPCONC		
Nov-69	10/24/69	21	13	90400	94400	0	HHWSN		
Nov-69	10/24/69	13	9	7100	8000	0	CONCSN		
Nov-69	10/27/69	9	10	7200	6600	0	CONCSN		
Nov-69	10/28/69	13	9	8600	9000	0	CONCSN		
Nov-69	10/29/69	9	10	8400	8800	0	CONCSN		
Nov-69	10/30/69	18	7	225000	236000	0	CONCSN		
Nov-69	10/30/69	13	9	8800	9800	0	CONCSN		
Nov-69	10/31/69	9	10	7200	7600	0	CONCSN		
Nov-69	11/2/69	7	1	142000	148000	0	CONCSN		
Nov-69	11/3/69	13	9	8100	8700	0	CONCSN		
Nov-69	11/4/69	9	10	7000	7600	0	CONCSN		
Nov-69	11/5/69	13	9	7600	7900	0	CONCSN		
Nov-69	11/6/69	9	10	7000	7200	0	CONCSN		
Nov-69	11/8/69	11	13	209000	216000	0	MISCADD/TRAN		
Nov-69	11/10/69	18	19	49500	50700	0	LHW		
Nov-69	11/12/69	13	14	305000	314000	0	MISCADD/TRAN	Sludge Slurry water	
Nov-69	11/13/69	21	13	161000	166400	0	MISCADD/TRAN	Sludge Removal water	
Nov-69	11/15/69	18	7	279000	293000	0	CONCSN		
Nov-69	11/18/69	13	14	175000	184000	0	MISCADD/TRAN	Sludge Slurry water	
Nov-69	11/19/69	11	10	277000	294000	0	CONCSN		
Nov-69	11/20/69	8	SRL	32600	32600	0	NONCANYWASTE		
Nov-69	11/20/69	CRC	23	27000	27000	0	RBOF-RRF		
Nov-69	11/20/69	23	244-245H	123000	123000	0	NONCANYWASTE		
Nov-69	11/20/69	18	242-1F	2000	2000	0	OVERSPEC		
Nov-69	11/20/69	21	242-1H	219000	219000	0	OVERSPEC		
Nov-69	11/20/69	23	242-1H	4000	4000	0	OVERSPEC	Off spec. overhds.	
Nov-69	11/20/69	19	17	49000	49000	0	FRLHW	Cascade of Waste	
Nov-69	11/20/69	242-1F	18	376000	376000	0	EVAPFEED		
Nov-69	11/20/69	242-1H	21	460000	460000	0	EVAPFEED		
Nov-69	11/20/69	1	242-1F	41300	41300	0	EVAPCONC		
Nov-69	11/20/69	3	242-1F	132700	132700	0	EVAPCONC		
Nov-69	11/20/69	10	242-1H	320000	320000	0	EVAPCONC		
Nov-69	11/21/69	21	13	102000	106000	0	HHWSN		
Dec-69	12/3/69	21	13	189000	195000	0	MIXSNATE		
Dec-69	12/5/69	13	15	270000	275000	0	HHWSN		
Dec-69	12/6/69	1	6	395000	395000	0	HHWSN		
Dec-69	12/9/69	14	13	220000	226000	0	MIXSNATE		
Dec-69	12/12/69	18	7	396000	412000	0	HHWSN		
Dec-69	12/12/69	18	19	43000	44000	0	LHWSN		
Dec-69	12/14/69	7	6	274000	271000	0	HHWSN		
Dec-69	12/14/69	13	15	373000	380000	0	HHWSN		
Dec-69	12/16/69	21	13	133000	137000	0	MIXSNATE		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-69	12/17/69	13	15	72000	74000	0	HHWSN		
Dec-69	12/20/69	8	SRL	27000	27000	0	NONCANYWASTE		
Dec-69	12/20/69	CRC	23	1000	1000	0	RBOF-RRF		
Dec-69	12/20/69	23	244-245H	144000	144000	0	NONCANYWASTE		
Dec-69	12/20/69	18	242-1F	1000	1000	0	OVERSPEC		
Dec-69	12/20/69	21	242-1H	40000	40000	0	OVERSPEC		
Dec-69	12/20/69	23	242-1H	20000	20000	0	OVERSPEC	Off spec. overhds	
Dec-69	12/20/69	19	17	66000	66000	0	FRLHW	Cascade of Waste	
Dec-69	12/20/69	20		0	10000	0	MISCADD/TRAN	Condensation Water	
Dec-69	12/20/69	11	10	41000	50000	0	CONCSN		
Dec-69	12/20/69	242-1F	18	530000	530000	0	EVAPFEED		
Dec-69	12/20/69	242-1H	21	453000	453000	0	EVAPFEED		
Dec-69	12/20/69	1	242-1F	276000	276000	0	EVAPCONC		
Dec-69	12/20/69	10	242-1H	215000	215000	0	EVAPCONC		
Jan-70	12/25/69	18	7	217000	225000	0	HHWSN		
Jan-70	12/25/69	11	10	95400	108400	0	CONCSN		
Jan-70	12/27/69	7	3	128000	131000	0	CONCSN		
Jan-70	1/2/70	18	19	42500	44000	0	LHWSN		
Jan-70	1/2/70	21	11	230300	237000	0	CONCSN		
Jan-70	1/5/70	11	10	59100	67700	0	CONCSN		
Jan-70	1/8/70	18	7	142000	147500	0	CONCSN		
Jan-70	1/9/70	7	1	49000	51000	0	CONCSN		
Jan-70	1/12/70	18	7	60000	62500	0	CONCSN		
Jan-70	1/14/70	11	10	28100	32500	0	CONCSN		
Jan-70	1/17/70	7	1	305000	317000	0	CONCSN		
Jan-70	1/18/70	18	7	62000	64000	0	CONCSN		
Jan-70	1/18/70	11	10	46200	54200	0	CONCSN		
Jan-70	1/19/70	7	1	14500	15000	0	CONCSN		
Jan-70	1/20/70	6	SRL	19800	19800	0	NONCANYWASTE		
Jan-70	1/20/70	CRC	23	45000	45000	0	RBOF-RRF		
Jan-70	1/20/70	23	244-245H	74000	74000	0	NONCANYWASTE		
Jan-70	1/20/70	18	242-1F	5000	5000	0	OVERSPEC		
Jan-70	1/20/70	21	242-1H	42000	42000	0	OVERSPEC		
Jan-70	1/20/70	23	242-1H	107000	107000	0	OVERSPEC	Off spec. overhds.	
Jan-70	1/20/70	19	17	56600	56600	0	FRLHW	Cascade of Waste	
Jan-70	1/20/70		5	12700	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-70	1/20/70	242-1H	23	83000	83000	0	EVAPFEED		
Jan-70	1/20/70	11	10	29700	33900	0	CONCSN		
Jan-70	1/20/70	242-1F	18	454000	454000	0	EVAPFEED		
Jan-70	1/20/70	242-1H	21	274000	274000	0	EVAPFEED		
Jan-70	1/20/70	1	242-1F	127800	127800	0	EVAPCONC		
Jan-70	1/20/70	3	242-1F	117200	117200	0	EVAPCONC		
Jan-70	1/20/70	10	242-1H	169000	169000	0	EVAPCONC		
Feb-70	1/23/70	11	10	32900	39300	0	CONCSN		
Feb-70	1/23/70	21	13	50300	52300	0	MIXSNATE		
Feb-70	1/26/70	18	19	56300	57500	0	LHWSN		
Feb-70	2/3/70	21	13	158500	164500	0	MIXSNATE		
Feb-70	2/6/70	14	10	110300	116800	0	CONCSN		
Feb-70	2/12/70	18	19	65000	66600	0	LHWSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-70	2/13/70	15	12	178000	183000	0	HHWSN	
Feb-70	2/18/70	15	12	314000	323000	0	HHWSN	
Feb-70	2/20/70	6	SRL	37400	37400	0	NONCANYWASTE	
Feb-70	2/20/70	CRC	23	160900	160900	0	RBOF-RRF	
Feb-70	2/20/70	23	244-245H	149500	149500	0	NONCANYWASTE	
Feb-70	2/20/70	18	242-1F	2400	2400	0	OVERSPEC	
Feb-70	2/20/70	21	242-1H	9100	9100	0	OVERSPEC	
Feb-70	2/20/70	23	242-1H	2100	2100	0	OVERSPEC	Off spec. overhds.
Feb-70	2/20/70	19	17	90000	90000	0	FRLHW	Cascade of Waste
Feb-70	2/20/70	20		0	12400	0	MISCADD/TRAN	Cond. Water from CTS
Feb-70	2/20/70	22		0	4500	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-70	2/20/70	24		0	4500	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-70	2/20/70	242-1F	18	383000	383000	0	EVAPFEED	
Feb-70	2/20/70	242-1H	21	486000	486000	0	EVAPFEED	
Feb-70	2/20/70	1	242-1F	206800	206800	0	EVAPCONC	
Feb-70	2/20/70	10	242-1H	195000	195000	0	EVAPCONC	
Mar-70	2/26/70	21	13	369000	382000	0	MIXSNATE	
Mar-70	2/27/70	14	10	175000	184000	0	CONCSN	
Mar-70	2/28/70	18	7	129500	135000	0	CONCSN	
Mar-70	3/6/70	7	3	107000	114000	0	CONCSN	
Mar-70	3/6/70	18	19	71000	73000	0	LHWSN	
Mar-70	3/20/70	6	SRL	28000	28000	0	NONCANYWASTE	
Mar-70	3/20/70	23	244-245H	146000	146000	0	NONCANYWASTE	
Mar-70	3/20/70	CRC	23	144000	144000	0	RBOF-RRF	
Mar-70	3/20/70	18	242-1F	1000	1000	0	OVERSPEC	
Mar-70	3/20/70	21	242-1H	6000	6000	0	OVERSPEC	
Mar-70	3/20/70	23	242-1H	4000	4000	0	OVERSPEC	Off spec. overhds.
Mar-70	3/20/70	19	17	79000	79000	0	FRLHW	Cascade of Waste
Mar-70	3/20/70	20		0	10000	0	MISCADD/TRAN	Cond. Water from CTS
Mar-70	3/20/70	242-1F	18	327000	327000	0	EVAPFEED	
Mar-70	3/20/70	242-1H	21	414000	414000	0	EVAPFEED	
Mar-70	3/20/70	1	242-1F	172000	172000	0	EVAPCONC	
Mar-70	3/20/70	10	242-1H	152000	152000	0	EVAPCONC	
Apr-70	3/31/70	18	19	65000	66500	0	LHWSN	
Apr-70	4/6/70	18	7	363000	381000	0	CONCSN	
Apr-70	4/8/70	21	13	168500	173100	0	MIXSNATE	
Apr-70	4/9/70	14	10	169200	181200	0	CONCSN	
Apr-70	4/10/70	7	1	352000	364000	0	CONCSN	
Apr-70	4/17/70	13	14	36000	38500	0	CONCSN	
Apr-70	4/20/70	6	SRL	24000	24000	0	NONCANYWASTE	
Apr-70	4/20/70	23	244-245H	147000	147000	0	NONCANYWASTE	
Apr-70	4/20/70	CRC	23	224000	224000	0	RBOF-RRF	
Apr-70	4/20/70	19	17	79000	79000	0	FRLHW	Cascade of Waste
Apr-70	4/20/70	20		0	5000	0	MISCADD/TRAN	Cond. Water from CTS
Apr-70	4/20/70	24		0	3000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Apr-70	4/20/70	7		0	13000	0	MISCADD/TRAN	H20
Apr-70	4/20/70	21	242-1H	13000	13000	0	OVERSPEC	
Apr-70	4/20/70	23	242-1H	10000	10000	0	OVERSPEC	Off spec. overhds.
Apr-70	4/20/70	242-1F	18	383000	383000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-70	4/20/70	242-1H	21	380000	380000	0	EVAPFEED	
Apr-70	4/20/70	3	242-1F	109000	109000	0	EVAPCONC	
Apr-70	4/20/70	1	242-1F	86000	86000	0	EVAPCONC	
Apr-70	4/20/70	10	242-1H	127000	127000	0	EVAPCONC	
May-70	4/23/70	18	19	73400	75000	0	LHWSN	
May-70	4/26/70	13	16	476000	485000	0	MIXSNATE	
May-70	5/1/70	21	13	603000	622000	0	MIXSNATE	
May-70	5/6/70	16	13	3500	3700	0	MIXSNATE	
May-70	5/7/70	16	10	52000	55000	0	CONCSN	
May-70	5/8/70	13	16	127000	130000	0	CONCSN	
May-70	5/13/70	21	13	176000	184000	0	CONCSN	
May-70	5/15/70	13	15	158000	160000	0	HHWSN	
May-70	5/20/70	6	SRL	20000	20000	0	NONCANYWASTE	
May-70	5/20/70	23	244-245H	111000	111000	0	NONCANYWASTE	
May-70	5/20/70	CRC	23	103000	103000	0	RBOF-RRF	
May-70	5/20/70	19	17	45400	45400	0	FRLHW	Cascade of Waste
May-70	5/20/70	20		0	8000	0	MISCADD/TRAN	Cond. Water from CTS
May-70	5/20/70	7		0	2700	0	NONCANYWASTE	100 Area Sand Filter Flush
May-70	5/20/70	21	242-1H	7000	7000	0	OVERSPEC	
May-70	5/20/70	23	242-1H	12000	12000	0	OVERSPEC	Off spec. overhds.
May-70	5/20/70	242-1F	18	364000	364000	0	EVAPFEED	
May-70	5/20/70	242-1H	21	515000	515000	0	EVAPFEED	
May-70	5/20/70	1	242-1F	195000	195000	0	EVAPCONC	
May-70	5/20/70	10	242-1H	189000	189000	0	EVAPCONC	
May-70	5/21/70	16	10	84000	90000	0	CONCSN	
May-70	5/21/70	16	13	170000	176000	0	HHWSN	
Jun-70	5/21/70	13	15	21000	22100	0	HHWSN	
Jun-70	5/24/70	18	7	340600	359200	0	CONCSN	
Jun-70	5/26/70	7	3	123000	127200	0	CONCSN	
Jun-70	5/28/70	16	10	149000	156900	0	CONCSN	
Jun-70	5/28/70	16	13	47200	51600	0	MIXSNATE	
Jun-70	6/5/70	18	7	49000	51200	0	CONCSN	
Jun-70	6/7/70	18	17	43600	44600	0	LHWSN	
Jun-70	6/10/70	7	1	59700	62000	0	CONCSN	
Jun-70	6/15/70	7	1	293000	303200	0	CONCSN	
Jun-70	6/17/70	16	10	59800	63000	0	CONCSN	
Jun-70	6/18/70	18	7	55200	58000	0	CONCSN	
Jun-70	6/20/70	6	SRL	21100	21100	0	NONCANYWASTE	
Jun-70	6/20/70	23	244-245H	136000	136000	0	NONCANYWASTE	
Jun-70	6/20/70	CRC	23	124000	124000	0	RBOF-RRF	
Jun-70	6/20/70	19	17	42800	42800	0	FRLHW	Cascade of Waste
Jun-70	6/20/70	20		0	5300	0	MISCADD/TRAN	Cond. Water from CTS
Jun-70	6/20/70	18	242-1F	700	700	0	OVERSPEC	
Jun-70	6/20/70	21	242-1H	7000	7000	0	OVERSPEC	
Jun-70	6/20/70	23	242-1H	28000	28000	0	OVERSPEC	Off spec. overhds.
Jun-70	6/20/70	242-1F	18	433000	433000	0	EVAPFEED	
Jun-70	6/20/70	242-1H	21	480000	480000	0	EVAPFEED	
Jun-70	6/20/70	1	242-1F	252000	252000	0	EVAPCONC	
Jun-70	6/20/70	10	242-1H	187000	187000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jun-70	6/21/70	13	14	386800	392000	0	CONCSN	
Jul-70	6/25/70	21	13	431000	439000	0	CONCSN	
Jul-70	7/2/70	16	10	106000	116000	0	CONCSN	
Jul-70	7/7/70	16	10	38000	40000	0	CONCSN	
Jul-70	7/9/70	18	7	19000	20000	0	CONCSN	
Jul-70	7/20/70	6	SRL	6200	6200	0	NONCANYWASTE	
Jul-70	7/20/70	21	244-245H	288000	288000	0	NONCANYWASTE	
Jul-70	7/20/70	CRC	23	46000	46000	0	RBOF-RRF	
Jul-70	7/20/70	19	17	53000	53000	0	FRLHW	Cascade of Waste
Jul-70	7/20/70	20		0	5300	0	MISCADD/TRAN	Cond. Water from CTS
Jul-70	7/20/70	21		0	103000	0	MISCADD/TRAN	RT Calib./Repl. or inv. change
Jul-70	7/20/70	21	242-1H	1000000	1000000	0	OVERSPEC	
Jul-70	7/20/70	23	242-1H	5000	5000	0	OVERSPEC	Off spec. overhds.
Jul-70	7/20/70	7		0	10800	0	NONCANYWASTE	100 Area Sand filter Flushes
Jul-70	7/20/70	4		0	17400	0	MISCADD/TRAN	CTS Flushes
Jul-70	7/20/70	242-1F	18	474000	474000	0	EVAPFEED	
Jul-70	7/20/70	242-1H	21	461000	461000	0	EVAPFEED	
Jul-70	7/20/70	1	242-1F	167000	167000	0	EVAPCONC	
Jul-70	7/20/70	20	242-1F	113000	113000	0	EVAPCONC	
Jul-70	7/20/70	10	242-1H	125000	125000	0	EVAPCONC	
Aug-70	7/22/70	18	17	53400	55500	0	LHWSN	
Aug-70	7/28/70	18	19	594000	618000	0	LHWSN	
Aug-70	7/30/70	16	10	56000	58000	0	CONCSN	
Aug-70	7/31/70	18	17	347500	356200	0	LHWSN	
Aug-70	8/20/70	6	SRL	15000	15000	0	NONCANYWASTE	
Aug-70	8/20/70	21	244-245H	141000	141000	0	NONCANYWASTE	
Aug-70	8/20/70	19	17	52000	52000	0	FRLHW	Cascade of Waste
Aug-70	8/20/70	18	242-1F	4000	4000	0	OVERSPEC	
Aug-70	8/20/70	21	242-1H	2000	2000	0	OVERSPEC	
Aug-70	8/20/70	23	242-1H	9000	9000	0	OVERSPEC	Off spec. overhds.
Aug-70	8/20/70	7		0	7600	0	NONCANYWASTE	100 Area Sand filter Flushes
Aug-70	8/20/70	242-1F	18	401000	401000	0	EVAPFEED	
Aug-70	8/20/70	242-1H	21	416000	416000	0	EVAPFEED	
Aug-70	8/20/70	19	242-1F	140000	140000	0	EVAPCONC	
Aug-70	8/20/70	20	242-1F	64000	64000	0	EVAPCONC	
Aug-70	8/20/70	10	242-1H	86000	86000	0	EVAPCONC	
Aug-70	8/21/70	13	11	379000	386000	0	CONCSN	
Sep-70	8/31/70	21	13	22200	23000	0	MIXSNATE	
Sep-70	9/7/70	21	13	488600	505600	0	MIXSNATE	
Sep-70	9/9/70	13	15	50000	52500	0	HHWSN	
Sep-70	9/10/70	14	13	55700	58200	0	MIXSNATE	
Sep-70	9/11/70	14	10	147400	153600	0	CONCSN	
Sep-70	9/15/70	13	11	111000	115000	0	CONCSN	
Sep-70	9/17/70	18	17	96500	99000	0	LHWSN	
Sep-70	9/20/70	6	SRL	7600	7600	0	NONCANYWASTE	
Sep-70	9/20/70	23	244-245H	61000	61000	0	NONCANYWASTE	
Sep-70	9/20/70	21	244-245H	73000	73000	0	NONCANYWASTE	
Sep-70	9/20/70	CRC	23	73000	73000	0	RBOF-RRF	
Sep-70	9/20/70	19	17	52000	52000	0	FRLHW	Cascade of Waste

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-70	9/20/70	18	242-1F	5300	5300	0	OVERSPEC	
Sep-70	9/20/70	21	242-1H	18000	18000	0	OVERSPEC	
Sep-70	9/20/70	23	242-1H	9000	9000	0	OVERSPEC	Off spec. overhds.
Sep-70	9/20/70	7		0	5000	0	NONCANYWASTE	100 Area Sand filter Flushes
Sep-70	9/20/70	242-1F	18	437000	437000	0	EVAPFEED	
Sep-70	9/20/70	242-1H	21	347000	347000	0	EVAPFEED	
Sep-70	9/20/70	19	242-1F	149000	149000	0	EVAPCONC	
Sep-70	9/20/70	10	242-1H	98000	98000	0	EVAPCONC	
Oct-70	9/24/70	13	11	139000	142000	0	DILCONC	
Oct-70	10/2/70	21	13	167000	173000	0	DILCONC	
Oct-70	10/6/70	21	13	112000	115000	0	DILCONC	
Oct-70	10/7/70	13	15	50500	52500	0	HHWSN	
Oct-70	10/8/70	14	13	79000	82000	0	HHWSN	
Oct-70	10/9/70	14	10	129000	135000	0	CONCSN	
Oct-70	10/14/70	13	15	35000	38000	0	HHWSN	
Oct-70	10/16/70	18	19	449000	465000	0	CONCSN	
Oct-70	10/18/70	13	15	180000	186000	0	HHWSN	
Oct-70	10/20/70	6	SRL	15000	15000	0	NONCANYWASTE	
Oct-70	10/20/70	23	244-245H	62000	62000	0	NONCANYWASTE	
Oct-70	10/20/70	21	244-245H	113000	113000	0	NONCANYWASTE	
Oct-70	10/20/70	CRC	23	40000	40000	0	RBOF-RRF	
Oct-70	10/20/70	19	17	75000	75000	0	FRLHW	Cascade of Waste
Oct-70	10/20/70	7		0	3000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-70	10/20/70	18	242-1F	3000	3000	0	OVERSPEC	
Oct-70	10/20/70	23	242-1H	11000	11000	0	OVERSPEC	Off spec. overhds.
Oct-70	10/20/70	24		0	8000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-70	10/20/70	14	10	13000	15000	0	CONCSN	
Oct-70	10/20/70	242-1F	18	451000	451000	0	EVAPFEED	
Oct-70	10/20/70	242-1H	21	509000	509000	0	EVAPFEED	
Oct-70	10/20/70	19	242-1F	187000	187000	0	EVAPCONC	
Oct-70	10/20/70	10	242-1H	242000	242000	0	EVAPCONC	
Nov-70	10/23/70	15	10	133000	138200	0	CONCSN	
Nov-70	11/6/70	18	17	137000	140000	0	FRLHWSN	
Nov-70	11/13/70	15	10	94000	97000	0	CONCSN	
Nov-70	11/20/70	23	244-245H	120000	120000	0	NONCANYWASTE	
Nov-70	11/20/70	21	244-245H	229000	229000	0	NONCANYWASTE	
Nov-70	11/20/70	CRC	23	134000	134000	0	RBOF-RRF	
Nov-70	11/20/70	19	17	79000	79000	0	OVERSPEC	Cascade of Waste
Nov-70	11/20/70	7		0	3000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Nov-70	11/20/70	18	242-1F	2000	2000	0	OVERSPEC	
Nov-70	11/20/70	23	242-1H	9000	9000	0	OVERSPEC	Off spec. overhds.
Nov-70	11/20/70	24		0	7000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Nov-70	11/20/70	12		0	4000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Nov-70	11/20/70	10		0	5000	0	MISCADD/TRAN	Acid Flush of Evaporator
Nov-70	11/20/70	242-1F	18	466000	466000	0	EVAPFEED	
Nov-70	11/20/70	242-1H	21	260000	260000	0	EVAPFEED	
Nov-70	11/20/70	19	242-1F	268000	268000	0	EVAPCONC	
Nov-70	11/20/70	10	242-1H	118000	118000	0	EVAPCONC	
Dec-70	11/25/70	18	17	31100	31900	0	FRLHW	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-70	11/29/70	18	17	14200	14400	0	FRLHW	
Dec-70	11/30/70	18	17	71500	73800	0	FRLHW	
Dec-70	12/2/70	15	10	73000	76000	0	CONCSN	
Dec-70	12/3/70	18	19	58400	61100	0	CONCSN	
Dec-70	12/6/70	10	21	69000	83000	0	RBOF-RRF	RBOF Waste
Dec-70	12/7/70	18	17	37400	38400	0	FRLHWSN	
Dec-70	12/9/70	15	10	133000	137000	0	DISSALT	
Dec-70	12/20/70	21	244-245H	411000	411000	0	NONCANYWASTE	
Dec-70	12/20/70	CRC	23	73000	73000	0	RBOF-RRF	
Dec-70	12/20/70	19	17	173700	173700	0	FRLHW	Cascade of Waste
Dec-70	12/20/70	18	242-1F	800	800	0	OVERSPEC	
Dec-70	12/20/70	23	242-1H	16000	16000	0	OVERSPEC	Off spec. overhds.
Dec-70	12/20/70	242-1F	18	379600	379600	0	EVAPFEED	
Dec-70	12/20/70	242-1H	21	309000	309000	0	EVAPFEED	
Dec-70	12/20/70	19	242-1F	194700	194700	0	EVAPCONC	
Dec-70	12/20/70	10	242-1H	81000	81000	0	EVAPCONC	
Jan-71	12/30/70	18	17	78000	81000	0	LHWSN	
Jan-71	1/8/71	18	20	434000	447000	0	HHWCONCSN	
Jan-71	1/16/71	7	3	97000	100000	0	HHWCONCSN	
Jan-71	1/20/71	20		0	7000	0	MISCADD/TRAN	Cond. Water from CTS
Jan-71	1/20/71	21	244-245H	366000	366000	0	NONCANYWASTE	
Jan-71	1/20/71	CRC	23	2000	2000	0	RBOF-RRF	
Jan-71	1/20/71	18	242-1F	3000	3000	0	OVERSPEC	
Jan-71	1/20/71	23	242-1H	24000	24000	0	OVERSPEC	Off spec. overhds.
Jan-71	1/20/71	18	7	459000	486000	0	HHWCONCSN	
Jan-71	1/20/71	242-1F	18	410000	410000	0	EVAPFEED	
Jan-71	1/20/71	242-1H	21	356000	356000	0	EVAPFEED	
Jan-71	1/20/71	3	242-1F	90000	90000	0	EVAPCONC	
Jan-71	1/20/71	19	242-1F	139000	139000	0	EVAPCONC	
Jan-71	1/20/71	10	242-1H	36000	36000	0	EVAPCONC	
Feb-71	1/21/71	18	7	66000	69000	0	CONCSN	
Feb-71	1/29/71	7	1	251000	268000	0	CONCSN	
Feb-71	2/11/71	18	7	83000	87000	0	CONCSN	
Feb-71	2/19/71	7	4	421000	433000	0	HHWSN	
Feb-71	2/20/71	20		0	9000	0	MISCADD/TRAN	Cond. Water from CTS
Feb-71	2/20/71	21	244-245H	285000	285000	0	NONCANYWASTE	
Feb-71	2/20/71	23	244-245H	128000	128000	0	NONCANYWASTE	
Feb-71	2/20/71		4	2700	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-71	2/20/71	7		0	9500	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-71	2/20/71	CRC	23	21000	21000	0	RBOF-RRF	
Feb-71	2/20/71	18	242-1F	23000	23000	0	OVERSPEC	
Feb-71	2/20/71	21	242-1H	14000	14000	0	OVERSPEC	
Feb-71	2/20/71	23	242-1H	2000	2000	0	OVERSPEC	Off spec. overhds.
Feb-71	2/20/71	18	7	332000	343000	0	MIXSNATE	HHWSN + CONCSN
Feb-71	2/20/71	242-1F	18	557000	557000	0	EVAPFEED	
Feb-71	2/20/71	242-1H	21	343000	343000	0	EVAPFEED	
Feb-71	2/20/71	3	242-1F	74000	74000	0	EVAPCONC	
Feb-71	2/20/71	1	242-1F	254000	254000	0	EVAPCONC	
Feb-71	2/20/71	10	242-1H	26000	26000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Mar-71	2/24/71	18	7	293000	308000	0	HHWSN	
Mar-71	3/13/71	7	1	194000	202000	0	CONCSN	
Mar-71	3/20/71	20		0	6000	0	MISCADD/TRAN	Cond. Water from CTS
Mar-71	3/20/71	21	244-245H	212000	212000	0	NONCANYWASTE	
Mar-71	3/20/71	23	244-245H	54000	54000	0	NONCANYWASTE	
Mar-71	3/20/71	CRC	23	91000	91000	0	RBOF-RRF	
Mar-71	3/20/71	18	242-1F	5000	5000	0	OVERSPEC	
Mar-71	3/20/71	21	242-1H	12000	12000	0	OVERSPEC	
Mar-71	3/20/71	23	242-1H	20000	20000	0	OVERSPEC	Off spec. overhds.
Mar-71	3/20/71	12		0	5000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Mar-71	3/20/71	242-1F	18	478000	478000	0	EVAPFEED	
Mar-71	3/20/71	242-1H	21	263000	263000	0	EVAPFEED	
Mar-71	3/20/71	4	242-1F	287000	287000	0	EVAPCONC	
Mar-71	3/20/71	1	242-1F	22000	22000	0	EVAPCONC	
Mar-71	3/20/71	10	242-1H	13000	13000	0	EVAPCONC	
Apr-71	4/7/71	10	21	64000	73000	0	DILWASTE	Dil. RBOF-RRF
Apr-71	4/8/71	15	10	30000	31000	0	DILCONC	
Apr-71	4/11/71	21	13	608000	626000	0	MIXSNATE	LHW + Mixed Concentrate
Apr-71	4/16/71	13	15	456000	462000	0	DILCONC	
Apr-71	4/20/71	20		0	7100	0	MISCADD/TRAN	Cond. Water from CTS
Apr-71	4/20/71	21	244-245H	8000	8000	0	NONCANYWASTE	
Apr-71	4/20/71	23	244-245H	327000	327000	0	NONCANYWASTE	
Apr-71	4/20/71	CRC	23	56000	56000	0	RBOF-RRF	
Apr-71	4/20/71	18	242-1F	4800	4800	0	OVERSPEC	
Apr-71	4/20/71	21	242-1H	17000	17000	0	OVERSPEC	
Apr-71	4/20/71	23	242-1H	10000	10000	0	OVERSPEC	Off spec. overhds.
Apr-71	4/20/71	7		0	1400	0	NONCANYWASTE	100 Area Sludge
Apr-71	4/20/71	242-1F	18	465000	465000	0	EVAPFEED	
Apr-71	4/20/71	242-1H	21	367000	367000	0	EVAPFEED	
Apr-71	4/20/71	1	242-1F	120000	120000	0	EVAPCONC	
Apr-71	4/20/71	4	242-1F	126000	126000	0	EVAPCONC	
Apr-71	4/20/71	10	242-1H	53000	53000	0	EVAPCONC	
May-71	4/22/71	15	10	192000	200000	0	CONCSN	
May-71	4/30/71	18	17	54000	55000	0	LHWSN	
May-71	5/5/71	21	13	348000	357000	0	MIXSNATE	
May-71	5/7/71	18	17	187000	192000	0	LHWSN	
May-71	5/9/71	13	15	377000	390000	0	DILCONC	
May-71	5/19/71	21	13	101000	104000	0	MIXSNATE	
May-71	5/20/71	21	244-245H	99000	99000	0	NONCANYWASTE	
May-71	5/20/71	23	244-245H	86000	86000	0	NONCANYWASTE	
May-71	5/20/71	CRC	23	84000	84000	0	RBOF-RRF	
May-71	5/20/71	18	242-1F	8800	8800	0	OVERSPEC	
May-71	5/20/71	21	242-1H	15000	15000	0	OVERSPEC	
May-71	5/20/71	23	242-1H	6000	6000	0	OVERSPEC	Off spec. overhds.
May-71	5/20/71		22	2000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-71	5/20/71	18	19	209000	217000	0	LHWCONC	
May-71	5/20/71	242-1F	18	293000	293000	0	EVAPFEED	
May-71	5/20/71	242-1H	21	405000	405000	0	EVAPFEED	
May-71	5/20/71	20	242-1F	66000	66000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
May-71	5/20/71	4	242-1F	47000	47000	0	EVAPCONC		
May-71	5/20/71	10	242-1H	129000	129000	0	EVAPCONC		
Jun-71	5/23/71	18	19	239000	249000	0	LHWCONC		
Jun-71	5/25/71	21	13	86000	90000	0	MIXSNATE		
Jun-71	5/28/71	13	10	86000	91000	0	CONCSN		
Jun-71	6/4/71	7	1	142000	146000	0	HHWCONC		
Jun-71	6/12/71	21	13	109000	113000	0	MIXSNATE		
Jun-71	6/15/71	21	13	100000	102000	0	MIXSNATE		
Jun-71	6/16/71	18	17	51000	53000	0	FRLHW		
Jun-71	6/18/71	13	10	104000	111000	0	CONCSN		
Jun-71	6/20/71	21	244-245H	15000	15000	0	NONCANYWASTE		
Jun-71	6/20/71	23	244-245H	88000	88000	0	NONCANYWASTE		
Jun-71	6/20/71	CRC	23	69000	69000	0	RBOF-RRF		
Jun-71	6/20/71	21	242-1H	10000	10000	0	OVERSPEC		
Jun-71	6/20/71	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds.	
Jun-71	6/20/71	242-1F	18	501000	501000	0	EVAPFEED		
Jun-71	6/20/71	242-1H	21	387000	387000	0	EVAPFEED		
Jun-71	6/20/71	20	242-1F	350000	350000	0	EVAPCONC		
Jun-71	6/20/71	10	242-1H	135000	135000	0	EVAPCONC		
Jul-71	6/23/71	18	17	21000	22000	0	FRLHW		
Jul-71	6/30/71	18	7	351000	368000	0	CONCSN		
Jul-71	7/1/71	21	13	191000	196000	0	MIXSNATE		
Jul-71	7/2/71	7	5	279000	286000	0	MIXSNATE	Cm Waste + High Heat Waste	
Jul-71	7/4/71	13	10	126000	132000	0	CONCSN		
Jul-71	7/6/71	18	7	290000	303000	0	MIXSNATE	Cm Waste + High Heat Waste	
Jul-71	7/9/71	7	5	371000	381000	0	MIXSNATE	Cm Waste + High Heat Waste	
Jul-71	7/13/71	18	7	439000	455000	0	MIXSNATE	Cm Waste + High Heat Waste	
Jul-71	7/19/71	7	4	619000	638000	0	CONCSN		
Jul-71	7/20/71	21	244-245H	25000	25000	0	NONCANYWASTE		
Jul-71	7/20/71	23	244-245H	145000	145000	0	NONCANYWASTE		
Jul-71	7/20/71	CRC	23	75000	75000	0	RBOF-RRF		
Jul-71	7/20/71	21	242-1H	7000	7000	0	OVERSPEC		
Jul-71	7/20/71	23	242-1H	1000	1000	0	OVERSPEC	Off spec. overhds.	
Jul-71	7/20/71	7		0	17600	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jul-71	7/20/71	24		0	1000	0	MISCADD/TRAN	CRC Flush Water	
Jul-71	7/20/71	5	7	324000	337000	0	CONCSN		
Jul-71	7/20/71	242-1F	18	257000	257000	0	EVAPFEED		
Jul-71	7/20/71	242-1H	21	396000	396000	0	EVAPFEED		
Jul-71	7/20/71	1	242-1F	126000	126000	0	EVAPCONC		
Jul-71	7/20/71	20	242-1F	31000	31000	0	EVAPCONC		
Jul-71	7/20/71	10	242-1H	181000	181000	0	EVAPCONC		
Aug-71	7/22/71	21	13	247000	252000	0	MIXSNATE		
Aug-71	7/25/71	5	7	310000	331000	0	CONC		
Aug-71	7/29/71	7	8	412000	420000	0	MIXSNATE	Cm Waste + High Heat Waste	
Aug-71	8/1/71	4	7	168000	184000	0	MIXSNATE	Cm Waste + High Heat Waste	
Aug-71	8/20/71	23	244-245H	91000	91000	0	NONCANYWASTE		
Aug-71	8/20/71	CRC	23	108000	108000	0	RBOF-RRF		
Aug-71	8/20/71	18	242-1F	5000	5000	0	OVERSPEC		
Aug-71	8/20/71	20		0	2700	0	MISCADD/TRAN	Cond. H2O from CTS System	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-71	8/20/71		8	18400	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Aug-71	8/20/71	19		0	1800	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Aug-71	8/20/71	242-1F	18	272000	272000	0	EVAPFEED	
Aug-71	8/20/71	4	242-1F	87000	87000	0	EVAPCONC	
Sep-71	9/6/71	18	7	287000	298000	0	MIXSNATE	Cm Waste + High Heat Waste
Sep-71	9/10/71	21	13	289000	295000	0	MIXSNATE	
Sep-71	9/11/71	7	8	206000	207000	0	MIXSNATE	Cm Waste + High Heat Waste
Sep-71	9/15/71	13	10	78000	81000	0	CONCSN	
Sep-71	9/20/71	21	244-245H	9000	9000	0	NONCANYWASTE	
Sep-71	9/20/71	23	244-245H	78000	78000	0	NONCANYWASTE	
Sep-71	9/20/71	CRC	23	137000	137000	0	RBOF-RRF	
Sep-71	9/20/71	18	242-1F	5000	5000	0	OVERSPEC	
Sep-71	9/20/71	21	242-1H	24000	24000	0	OVERSPEC	
Sep-71	9/20/71	23	242-1H	16000	16000	0	OVERSPEC	Off spec. overhds.
Sep-71	9/20/71	32	29	21000	21000	0	CONC	Start-up Heel for Tank 32
Sep-71	9/20/71		5	6000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-71	9/20/71	8		0	5000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-71	9/20/71	19		0	7000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-71	9/20/71	20		0	3000	0	MISCADD/TRAN	Cond. H2O from CTS System
Sep-71	9/20/71	242-1F	18	310000	310000	0	EVAPFEED	
Sep-71	9/20/71	242-1H	21	533000	533000	0	EVAPFEED	
Sep-71	9/20/71	4	242-1F	100000	100000	0	EVAPCONC	
Sep-71	9/20/71	29	242-1H	299000	299000	0	EVAPCONC	
Oct-71	10/15/71	21	13	202000	206000	0	LHWSN	
Oct-71	10/20/71	21	244-245H	5000	5000	0	NONCANYWASTE	
Oct-71	10/20/71	23	244-245H	77000	77000	0	NONCANYWASTE	
Oct-71	10/20/71	CRC	23	132000	132000	0	RBOF-RRF	
Oct-71	10/20/71	18	242-1F	5000	5000	0	OVERSPEC	
Oct-71	10/20/71	21	242-1H	9000	9000	0	OVERSPEC	
Oct-71	10/20/71	23	242-1H	10000	10000	0	OVERSPEC	Off spec. overhds.
Oct-71	10/20/71	20		0	4400	0	MISCADD/TRAN	Cond. H2O from CTS System
Oct-71	10/20/71	19		0	3200	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-71	10/20/71	13	10	58000	61000	0	CONC	
Oct-71	10/20/71	242-1F	18	251000	251000	0	EVAPFEED	
Oct-71	10/20/71	242-1H	21	485000	485000	0	EVAPFEED	
Oct-71	10/20/71	4	242-1F	63000	63000	0	EVAPCONC	
Oct-71	10/20/71	29	242-1H	225000	225000	0	EVAPCONC	
Oct-71	10/20/71	10	242-1H	22000	22000	0	EVAPCONC	
Nov-71	10/29/71	21	13	91000	94000	0	LHWSN	
Nov-71	11/14/71	22	23	37000	39000	0	RBOF-RRF	ROBF-RRF Waste
Nov-71	11/15/71	21	22	87000	87000	0	DISSALT	
Nov-71	11/17/71	21	22	85000	87000	0	DISSALT	
Nov-71	11/18/71	21	22	85000	87000	0	DISSALT	
Nov-71	11/18/71	21	22	30000	31000	0	DISSALT	
Nov-71	11/20/71	21	244-245H	13000	13000	0	NONCANYWASTE	
Nov-71	11/20/71	23	244-245H	103000	103000	0	NONCANYWASTE	
Nov-71	11/20/71	CRC	23	128000	128000	0	RBOF-RRF	
Nov-71	11/20/71	18	242-1F	4000	4000	0	OVERSPEC	
Nov-71	11/20/71	21	242-1H	6000	6000	0	OVERSPEC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-71	11/20/71	23	242-1H	10000	10000	0	OVERSPEC	
Nov-71	11/20/71	22	23	34000	37000	0	RBOF-RRF	ROBF-RRF Waste.
Nov-71	11/20/71	242-1F	18	249000	249000	0	EVAPFEED	
Nov-71	11/20/71	242-1H	21	570000	570000	0	EVAPFEED	
Nov-71	11/20/71	4	242-1F	54000	54000	0	EVAPCONC	
Nov-71	11/20/71	29	242-1H	304000	304000	0	EVAPCONC	
Nov-71	11/21/71	21	22	78000	80000	0	DISSALT	
Dec-71	11/23/71	21	22	87000	89000	0	DISSALT	
Dec-71	11/24/71	21	22	83000	85000	0	DISSALT	
Dec-71	12/1/71	18	7	61000	63000	0	MIXSNATE	Cm Waste + High Heat Waste
Dec-71	12/1/71	21	22	85000	87000	0	DISSALT	
Dec-71	12/2/71	18	7	59900	62000	0	MIXSNATE	Cm Waste + High Heat Waste
Dec-71	12/3/71	18	7	25500	26500	0	MIXSNATE	Cm Waste + High Heat Waste
Dec-71	12/3/71	21	22	163000	167000	0	DISSALT	
Dec-71	12/8/71	21	22	74000	76000	0	DISSALT	
Dec-71	12/9/71	21	22	96000	98000	0	DISSALT	
Dec-71	12/11/71	18	7	43900	45400	0	MIXSNATE	Cm Waste + High Heat Waste
Dec-71	12/13/71	22	23	47000	49000	0	RBOF-RRF	
Dec-71	12/15/71	7	1	142000	146000	0	CONCSN	
Dec-71	12/20/71	23	244-245H	81000	81000	0	NONCANYWASTE	
Dec-71	12/20/71	CRC	23	134000	134000	0	RBOF-RRF	
Dec-71	12/20/71	21	242-1H	6000	6000	0	OVERSPEC	
Dec-71	12/20/71	23	242-1H	4000	4000	0	OVERSPEC	Off spec. overhds.
Dec-71	12/20/71	20		0	4400	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-71	12/20/71	19		0	11000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-71	12/20/71	2		0	1400	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-71	12/20/71	3		0	1400	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-71	12/20/71	1		0	1300	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-71	12/20/71		7	1300	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-71	12/20/71	242-1F	18	289000	289000	0	EVAPFEED	
Dec-71	12/20/71	242-1H	21	535000	535000	0	EVAPFEED	
Dec-71	12/20/71	4	242-1F	138000	138000	0	EVAPCONC	
Dec-71	12/20/71	29	242-1H	394000	394000	0	EVAPCONC	
Jan-72	12/29/71	21	29	20000	21000	0	CONCSN	
Jan-72	1/1/72	21	29	57000	60000	0	CONCSN	
Jan-72	1/5/72	13	10	116000	122000	0	CONCSN	
Jan-72	1/8/72	18	17	29000	30000	0	FRLHW	
Jan-72	1/9/72	21	29	625000	648000	0	CONCSN	
Jan-72	1/11/72	18	17	35000	36000	0	FRLHW	
Jan-72	1/14/72	18	20	105000	108000	0	LHWCONCSN	
Jan-72	1/18/72	18	20	376000	401000	0	LHWCONCSN	
Jan-72	1/20/72	19	17	95000	95000	0	FRLHW	Accidental Cascade of LHW
Jan-72	1/20/72	21	244-245H	5000	5000	0	NONCANYWASTE	
Jan-72	1/20/72	23	244-245H	118000	118000	0	NONCANYWASTE	
Jan-72	1/20/72	CRC	23	152000	152000	0	RBOF-RRF	
Jan-72	1/20/72	21	242-1H	9000	9000	0	OVERSPEC	
Jan-72	1/20/72	23	242-1H	2000	2000	0	OVERSPEC	Off spec. overhds.
Jan-72	1/20/72	1	242-1F	61000	61000	0	EVAPCONC	
Jan-72	1/20/72	20		0	3000	0	MISCADD/TRAN	Cond.H2O from CTS System

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jan-72	1/20/72	10		0	1000	0	MISCADD/TRAN	Cooling Coil Leak
Jan-72	1/20/72	20		0	15000	0	MISCADD/TRAN	Lift Jet Flush Water
Jan-72	1/20/72		5	1000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jan-72	1/20/72	32		0	3000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jan-72	1/20/72	18	17	266000	272000	0	FRLHW	
Jan-72	1/20/72	242-1F	18	338000	338000	0	EVAPFEED	
Jan-72	1/20/72	242-1H	21	297000	297000	0	EVAPFEED	
Jan-72	1/20/72	20	242-1F	93000	93000	0	EVAPCONC	
Jan-72	1/20/72	10	242-1H	162000	162000	0	EVAPCONC	
Jan-72	1/20/72	4	242-1F	142000	203000	0	EVAPCONC	
Jan-72	1/20/72	29	242-1H	240000	240000	0	EVAPCONC	
Feb-72	1/21/72	18	17	117000	120000	0	FRLHW	
Feb-72	1/26/72	18	19	91000	94000	0	FRLHW	Accidental Cascade Waste
Feb-72	2/12/72	13	10	111000	116000	0	CONCSN	
Feb-72	2/18/72	21	13	309000	319000	0	MIXSNATE	
Feb-72	2/20/72	23	244-245H	93000	93000	0	NONCANYWASTE	
Feb-72	2/20/72	CRC	23	129000	129000	0	RBOF-RRF	
Feb-72	2/20/72	21	242-1H	5000	5000	0	OVERSPEC	
Feb-72	2/20/72	23	242-1H	1000	1000	0	OVERSPEC	Off spec. overhds.
Feb-72	2/20/72	10	29	90000	90000	0	EDT	
Feb-72	2/20/72	1		0	1100	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-72	2/20/72	3		0	1400	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-72	2/20/72	7		0	3000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Feb-72	2/20/72	19		0	7000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Feb-72	2/20/72		8	27000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-72	2/20/72	242-1F	18	554000	554000	0	EVAPFEED	
Feb-72	2/20/72	242-1H	21	489000	489000	0	EVAPFEED	
Feb-72	2/20/72	20	242-1F	360000	360000	0	EVAPCONC	
Feb-72	2/20/72	29	242-1H	319000	319000	0	EVAPCONC	
Feb-72	2/20/72	10	242-1H	90000	90000	0	EVAPCONC	
Mar-72	3/12/72	13	16	308000	318000	0	DILCONC	
Mar-72	3/18/72	18	17	140000	144000	0	FRLHW	
Mar-72	3/18/72	21	13	600000	617000	0	MIXSNATE	
Mar-72	3/20/72	23	244-245H	129000	129000	0	NONCANYWASTE	
Mar-72	3/20/72	CRC	23	102000	102000	0	RBOF-RRF	
Mar-72	3/20/72	21	242-1H	4000	4000	0	OVERSPEC	
Mar-72	3/20/72	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds.
Mar-72	3/20/72	7		0	4000	0	MISCADD/TRAN	
Mar-72	3/20/72	18		0	8000	0	MISCADD/TRAN	
Mar-72	3/20/72	1		0	1000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Mar-72	3/20/72	2		0	1000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Mar-72	3/20/72	3		0	4000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Mar-72	3/20/72	242-1F	18	357000	357000	0	EVAPFEED	
Mar-72	3/20/72	242-1H	21	512000	512000	0	EVAPFEED	
Mar-72	3/20/72	19	242-1F	60000	60000	0	EVAPCONC	
Mar-72	3/20/72	10	242-1H	136000	136000	0	EVAPCONC	
Mar-72	3/20/72	20	242-1F	127000	127000	0	EVAPCONC	
Mar-72	3/20/72	29	242-1H	250000	250000	0	EVAPCONC	
Mar-72	3/26/72	13	10	72000	76000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-72	3/21/72	13	10	58000	61000	0	CONCSN		
Apr-72	3/22/72	13	16	457000	471000	0	DILCONC		
Apr-72	3/24/72	21	13	120000	123000	0	MIXSNATE		
Apr-72	3/29/72	13	10	61000	64000	0	CONCSN		
Apr-72	4/1/72	18	20	141000	148000	0	CONCSN		
Apr-72	4/5/72	18	20	91000	100000	0	CONCSN		
Apr-72	4/5/72	13	10	44000	46000	0	CONCSN		
Apr-72	4/6/72	21	13	184000	189000	0	MIXSNATE		
Apr-72	4/6/72	21	29	80000	82000	0	CONCSN		
Apr-72	4/10/72	18	20	229000	239000	0	CONCSN		
Apr-72	4/12/72	13	10	56000	58000	0	CONCSN		
Apr-72	4/14/72	13	10	6000	7000	0	CONCSN		
Apr-72	4/20/72	23	244-245H	108000	108000	0	NONCANYWASTE		
Apr-72	4/20/72	CRC	23	89000	89000	0	RBOF-RRF		
Apr-72	4/20/72	21	242-1H	3000	3000	0	OVERSPEC		
Apr-72	4/20/72	23	242-1H	1000	1000	0	OVERSPEC	Off spec. overhds.	
Apr-72	4/20/72	2		0	1000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Apr-72	4/20/72	7		0	1000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Apr-72	4/20/72	20		0	13000	0	MISCADD/TRAN	Jet Fish During 20 to 18 Trans.	
Apr-72	4/20/72	242-1F	18	421000	421000	0	EVAPFEED		
Apr-72	4/20/72	242-1H	21	499000	499000	0	EVAPFEED		
Apr-72	4/20/72	29	242-1H	88000	88000	0	EVAPCONC		
Apr-72	4/20/72	31	242-1H	2000	2000	0	EVAPCONC		
Apr-72	4/20/72	19	242-1F	264000	264000	0	EVAPCONC		
Apr-72	4/20/72	10	242-1H	210000	210000	0	EVAPCONC		
May-72	4/25/72	13	10	47000	49000	0	CONCSN		
May-72	4/28/72	21	13	261000	267000	0	MIXSNATE		
May-72	4/28/72	13	11	6000	6000	0	HHWSN		
May-72	5/5/72	18	17	132000	135000	0	FRLHW		
May-72	5/19/72	18	17	49000	51000	0	LHW		
May-72	5/20/72	23	244-245H	148000	148000	0	NONCANYWASTE		
May-72	5/20/72	CRC	23	94000	94000	0	RBOF-RRF		
May-72	5/20/72	21	242-1H	6000	6000	0	OVERSPEC		
May-72	5/20/72	23	242-1H	2000	2000	0	OVERSPEC	Off spec. overhds.	
May-72	5/20/72	7	1	38000	40000	0	CONCSN		
May-72	5/20/72	242-1F	18	361000	361000	0	EVAPFEED		
May-72	5/20/72	242-1H	21	495000	495000	0	EVAPFEED		
May-72	5/20/72	10	242-1H	4000	4000	0	EVAPCONC		
May-72	5/20/72	20	242-1F	83000	83000	0	EVAPCONC		
May-72	5/20/72	29	242-1H	32000	32000	0	EVAPCONC		
May-72	5/20/72	19	242-1F	128000	128000	0	EVAPCONC		
May-72	5/20/72	31	242-1H	306000	306000	0	EVAPCONC		
Jun-72	5/31/72	21	22	39000	40000	0	DISSALT		
Jun-72	6/2/72	21	13	125000	128000	0	MIXSNATE		
Jun-72	6/5/72	22	23	42000	44000	0	RBOF-RRF		
Jun-72	6/5/72	21	22	44000	46000	0	DISSALT		
Jun-72	6/7/72	18	7	8000	56000	0	CONCSN		
Jun-72	6/11/72	18	7	65000	71000	0	CONCSN		
Jun-72	6/14/72	18	7	126000	140000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-72	6/16/72	21	13	132000	135000	0	MIXSNATE		
Jun-72	6/20/72	23	244-245H	129000	129000	0	NONCANYWASTE		
Jun-72	6/20/72	CRC	23	83000	83000	0	RBOF-RRF		
Jun-72	6/20/72	21	242-1H	16000	16000	0	OVERSPEC		
Jun-72	6/20/72	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds.	
Jun-72	6/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2o from CTS System	
Jun-72	6/20/72	11		0	4000	0	MISCADD/TRAN	Transfer line Flush	
Jun-72	6/20/72	16		0	4000	0	MISCADD/TRAN	RT Calib./Repl. or inv.change	
Jun-72	6/20/72	9		0	8000	0	MISCADD/TRAN	RT Calib./Repl. or inv.change	
Jun-72	6/20/72	7	4	614000	639000	0	CONCSN		
Jun-72	6/20/72	18	7	553000	576000	0	CONCSN		
Jun-72	6/20/72	242-1F	18	135000	135000	0	EVAPFEED		
Jun-72	6/20/72	242-1H	21	534000	534000	0	EVAPFEED		
Jun-72	6/20/72	1	242-1F	44000	44000	0	EVAPCONC		
Jun-72	6/20/72	29	242-1H	21000	21000	0	EVAPCONC		
Jun-72	6/20/72	20	242-1F	39000	39000	0	EVAPCONC		
Jun-72	6/20/72	31	242-1H	305000	305000	0	EVAPCONC		
Jul-72	6/21/72	18	7	84000	89000	0	DILCONC		
Jul-72	6/22/72	21	13	73000	75000	0	LHWSN		
Jul-72	6/24/72	7	6	171000	174000	0	HHWSN		
Jul-72	6/29/72	4	7	179000	194000	0	HHWSN		
Jul-72	6/29/72	22	23	41000	43000	0	RBOF-RRF		
Jul-72	7/4/72	21	29	635000	651000	0	CONCSN		
Jul-72	7/15/72	7	5	434000	443000	0	DILCONC		
Jul-72	7/17/72	21	29	329000	336000	0	CONCSN		
Jul-72	7/18/72	18	7	216000	225000	0	DILCONC		
Jul-72	7/20/72	23	244-245H	131000	131000	0	NONCANYWASTE		
Jul-72	7/20/72	CRC	23	111000	111000	0	RBOF-RRF		
Jul-72	7/20/72	18	242-1F	2000	2000	0	OVERSPEC		
Jul-72	7/20/72	21	242-1H	16000	16000	0	OVERSPEC		
Jul-72	7/20/72	23	242-1H	9000	9000	0	OVERSPEC	Off spec. overhds.	
Jul-72	7/20/72	20		0	9000	0	MISCADD/TRAN	Cond. H2O from CTS System	
Jul-72	7/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2O from CTS System	
Jul-72	7/20/72	4		0	7000	0	MISCADD/TRAN	IAL PT Flush Water	
Jul-72	7/20/72	7		0	6000	0	MISCADD/TRAN	Catch Tank Water	
Jul-72	7/20/72	18		0	1000	0	MISCADD/TRAN	CTS PT flush Water	
Jul-72	7/20/72	18	7	179000	186000	0	DILCONC		
Jul-72	7/20/72	242-1F	18	437000	437000	0	EVAPFEED		
Jul-72	7/20/72	242-1H	21	521000	521000	0	EVAPFEED		
Jul-72	7/20/72	1	242-1F	65000	65000	0	EVAPCONC		
Jul-72	7/20/72	4	242-1F	243000	243000	0	EVAPCONC		
Jul-72	7/20/72	31	242-1H	414000	414000	0	EVAPCONC		
Aug-72	7/21/72	18	7	50000	52000	0	DILCONC		
Aug-72	7/23/72	7	5	232000	236000	0	DILCONC		
Aug-72	7/25/72	7	1	92000	96000	0	CONCSN		
Aug-72	7/27/72	18	7	331000	343000	0	DILCONC		
Aug-72	8/2/72	21	22	98000	102000	0	DISSALT		
Aug-72	8/3/72	22	23	32000	34000	0	RBOF-RRF		
Aug-72	8/3/72	21	22	22000	24000	0	DISSALT		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Aug-72	8/6/72	22	23	38000	39000	0	RBOF-RRF		
Aug-72	8/7/72	7	4	484000	497000	0	DILCONC		
Aug-72	8/7/72	5	7	299000	306000	0	DILCONC		
Aug-72	8/7/72	21	22	34000	35000	0	DISSALT		
Aug-72	8/9/72	7	4	111000	117000	0	DILCONC		
Aug-72	8/9/72	22	23	10000	11000	0	RBOF-RRF		
Aug-72	8/11/72	7	1	41000	43000	0	CONCSN		
Aug-72	8/12/72	5	7	335000	350000	0	DILCONC		
Aug-72	8/14/72	7	6	182000	184000	0	HHWSN		
Aug-72	8/14/72	7	5	9500	9800	0	DILCONC		
Aug-72	8/16/72	4	7	172000	191000	0	MIXSNATE		
Aug-72	8/16/72	21	22	34000	35000	0	DISSALT		
Aug-72	8/19/72	22	23	42000	44000	0	RBOF-RRF		
Aug-72	8/20/72	23	244-245H	169000	169000	0	NONCANYWASTE		
Aug-72	8/20/72	21	244-245H	17000	17000	0	NONCANYWASTE		
Aug-72	8/20/72	CRC	23	120000	120000	0	RBOF-RRF		
Aug-72	8/20/72	23	242-1H	12000	12000	0	OVERSPEC	Off spec. overhds.	
Aug-72	8/20/72	20		0	7000	0	MISCADD/TRAN	Cónd. H2O from CTS System	
Aug-72	8/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2O from CTS System	
Aug-72	8/20/72	22		0	7000	0	MISCADD/TRAN	Tank 22 Lift Jet Flush water	
Aug-72	8/20/72	242-1F	18	374000	374000	0	EVAPFEED		
Aug-72	8/20/72	242-1H	21	506000	506000	0	EVAPFEED		
Aug-72	8/20/72	1	242-1F	113000	113000	0	EVAPCONC		
Aug-72	8/20/72	31	242-1H	9000	9000	0	EVAPCONC		
Aug-72	8/20/72	4	242-1F	154000	154000	0	EVAPCONC		
Aug-72	8/20/72	29	242-1H	376000	376000	0	EVAPCONC		
Sep-72	8/25/72	21	13	172000	175000	0	MIXSNATE		
Sep-72	9/18/72	21	22	42000	44000	0	DISSALT		
Sep-72	9/20/72	23	244-245H	168000	168000	0	NONCANYWASTE		
Sep-72	9/20/72	21	244-245H	6000	6000	0	NONCANYWASTE		
Sep-72	9/20/72	CRC	23	162000	162000	0	RBOF-RRF		
Sep-72	9/20/72	23	242-1H	8000	8000	0	OVERSPEC	Off spec. overhds.	
Sep-72	9/20/72	20		0	7000	0	MISCADD/TRAN	Cond. H2O from CTS System	
Sep-72	9/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2O from CTS System	
Sep-72	9/20/72	242-1F	18	21000	21000	0	EVAPFEED		
Sep-72	9/20/72	242-1H	21	291000	291000	0	EVAPFEED		
Sep-72	9/20/72	4	242-1F	15000	15000	0	EVAPCONC		
Sep-72	9/20/72	29	242-1H	177000	177000	0	EVAPCONC		
Sep-72	9/21/72	22	23	43000	46000	0	RBOF-RRF		
Sep-72	9/21/72	21	13	48000	50000	0	MIXSNATE		
Oct-72	9/28/72	21	31	105000	108000	0	CONCSN		
Oct-72	10/1/72	4	18	373000	376000	0	HHWSN		
Oct-72	10/2/72	13	11	112000	115000	0	HHWSN		
Oct-72	10/3/72	7	4	385000	393000	0	HHWSN		
Oct-72	10/5/72	4	18	292000	302000	0	HHWSN		
Oct-72	10/5/72	21	13	112000	115000	0	HHWSN		
Oct-72	10/7/72	21	31	133000	139000	0	CONCSN		
Oct-72	10/10/72	13	12	442000	454000	0	HHWSN		
Oct-72	10/11/72	6	18	207000	209000	0	HHWSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-72	10/15/72	4	18	39000	40000	0	HHWSN	
Oct-72	10/15/72	18	17	25000	25000	0	LHWSN	
Oct-72	10/16/72	18	17	25000	26000	0	LHWSN	
Oct-72	10/18/72	4	18	48000	49000	0	LHWSN	
Oct-72	10/18/72	21	13	105000	107000	0	HHWSN	
Oct-72	10/19/72	18	17	137000	142000	0	LHWSN	
Oct-72	10/20/72	23	244-245H	180000	180000	0	NONCANYWASTE	
Oct-72	10/20/72	CRC	23	153000	153000	0	RBOF-RRF	
Oct-72	10/20/72	23	242-1H	24000	24000	0	OVERSPEC	Off spec. overhds.
Oct-72	10/20/72	20		0	4500	0	MISCADD/TRAN	Cond. H2O from CTS System
Oct-72	10/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2O from CTS System
Oct-72	10/20/72	18		0	4500	0	MISCADD/TRAN	Cond. H2O from CTS System
Oct-72	10/20/72	11		0	17000	0	MISCADD/TRAN	
Oct-72	10/20/72	31		0	10000	0	MISCADD/TRAN	
Oct-72	10/20/72	242-1H	21	555000	555000	0	EVAPFEED	
Oct-72	10/20/72	29	242-1H	280000	280000	0	EVAPCONC	
Oct-72	10/21/72	21	31	211000	217000	0	CONCSN	
Nov-72	10/21/72	17	18	184100	199000	0	FRLHW	
Nov-72	10/24/72	13	21	105000	108000	0	HHW	
Nov-72	11/3/72	31	21	222000	231000	0	CONCSN	
Nov-72	11/8/72	19	18	371300	393700	0	LHWCONCSN	
Nov-72	11/17/72	23	22	36000	38000	0	NONCANYWASTE	
Nov-72	11/20/72	23	244-245H	176000	176000	0	NONCANYWASTE	
Nov-72	11/20/72	CRC	23	145000	145000	0	RBOF-RRF	
Nov-72	11/20/72	23	242-1H	6000	6000	0	OVERSPEC	Off spec. overhds.
Nov-72	11/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2O from CTS System
Nov-72	11/20/72	21	242-1H	16000	16000	0	OVERSPEC	
Nov-72	11/20/72	242-1F	18	544600	544600	0	EVAPFEED	
Nov-72	11/20/72	242-1H	21	550000	550000	0	EVAPFEED	
Nov-72	11/20/72	10	242-1H	14000	14000	0	EVAPCONC	
Nov-72	11/20/72	19	242-1F	97200	97200	0	EVAPCONC	
Nov-72	11/20/72	31	242-1H	166000	166000	0	EVAPCONC	
Nov-72	11/20/72	20	242-1F	244000	244000	0	EVAPCONC	
Nov-72	11/20/72	29	242-1H	165000	165000	0	EVAPCONC	
Dec-72	11/22/72	21	13	261000	265000	0	HHW	
Dec-72	11/23/72	18	17	91000	95000	0	FRLHW	
Dec-72	12/2/72	18	20	304000	314000	0	LHWCONCSN	
Dec-72	12/16/72	18	17	80000	82000	0	FRLHW	
Dec-72	12/19/72	21	29	8000	9000	0	CONCSN	
Dec-72	12/20/72	23	244-245H	147000	147000	0	NONCANYWASTE	
Dec-72	12/20/72	CRC	23	215000	215000	0	RBOF-RRF	
Dec-72	12/20/72	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds.
Dec-72	12/20/72	29		0	4000	0	MISCADD/TRAN	Cond. H2O from CTS System
Dec-72	12/20/72	21	242-1H	13000	13000	0	OVERSPEC	
Dec-72	12/20/72		16	5000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-72	12/20/72	242-1F	18	564000	564000	0	EVAPFEED	
Dec-72	12/20/72	242-1H	21	250000	250000	0	EVAPFEED	
Dec-72	12/20/72	19	242-1F	270000	270000	0	EVAPCONC	
Dec-72	12/20/72	20	242-1F	113000	113000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-72	12/20/72	31	242-1H	191000	191000	0	EVAPCONC		
Jan-73	12/23/72	18	19	254000	262000	0	LHWCONCSN		
Jan-73	1/4/73	21	29	86000	89000	0	CONCSN		
Jan-73	1/6/73	18	17	69000	71000	0	FRLHW		
Jan-73	1/13/73	21	29	520000	536000	0	CONCSN		
Jan-73	1/15/73	18	7	232000	246000	0	DILCONC		
Jan-73	1/16/73	7	1	52000	54000	0	HWCONCSN		
Jan-73	1/16/73	7	1	34700	35200	0	HWCONCSN		
Jan-73	1/20/73	21	244-245H	17000	17000	0	NONCANYWASTE		
Jan-73	1/20/73	23	244-245H	129000	129000	0	NONCANYWASTE		
Jan-73	1/20/73	CRC	23	158000	158000	0	RBOF-RRF		
Jan-73	1/20/73	21	242-1H	6000	6000	0	OVERSPEC		
Jan-73	1/20/73	23	242-1H	2000	2000	0	OVERSPEC	Off spec. overhds.	
Jan-73	1/20/73	29		0	4000	0	MISCADD/TRAN	Cond. Water from CTS	
Jan-73	1/20/73		19	21000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-73	1/20/73		9	19000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-73	1/20/73		15	14000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-73	1/20/73	22		0	12000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-73	1/20/73	18	7	290000	300000	0	DILCONC		
Jan-73	1/20/73	242-1F	18	485000	485000	0	EVAPFEED		
Jan-73	1/20/73	242-1H	21	511000	511000	0	EVAPFEED		
Jan-73	1/20/73	1	242-1F	31000	31000	0	EVAPCONC		
Jan-73	1/20/73	20	242-1F	318000	318000	0	EVAPCONC		
Jan-73	1/20/73	31	242-1H	305000	305000	0	EVAPCONC		
Feb-73	1/20/73	18	7	14900	16300	0	MIXSNATE		
Feb-73	1/26/73	7	2	54000	56100	0	CONCSN		
Feb-73	1/27/73	7	3	82700	85900	0	CONCSN		
Feb-73	1/28/73	7	1	102500	106600	0	CONCSN		
Feb-73	2/7/73	13	14	42000	43000	0	DILCONC		
Feb-73	2/8/73	7	2	23900	25200	0	CONCSN		
Feb-73	2/12/73	7	1	44000	46300	0	CONCSN		
Feb-73	2/17/73	21	29	468000	486000	0	HHWCONCSN		
Feb-73	2/19/73	18	7	349700	379100	0	CONCSN		
Feb-73	2/20/73	21	244-245H	13000	13000	0	NONCANYWASTE		
Feb-73	2/20/73	23	244-245H	143000	143000	0	NONCANYWASTE		
Feb-73	2/20/73	CRC	23	113000	113000	0	RBOF-RRF		
Feb-73	2/20/73	21	242-1H	4000	4000	0	OVERSPEC		
Feb-73	2/20/73	23	242-1H	27000	27000	0	OVERSPEC	Off spec. overhds.	
Feb-73	2/20/73	20		0	1000	0	MISCADD/TRAN	Cond. Water from CTS	
Feb-73	2/20/73	29		0	4000	0	MISCADD/TRAN	Cond. Water from CTS	
Feb-73	2/20/73	11		0	13000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Feb-73	2/20/73	13	10	32000	33000	0	HHWCONCSN		
Feb-73	2/20/73	242-1F	18	439000	439000	0	EVAPFEED		
Feb-73	2/20/73	242-1H	21	382000	382000	0	EVAPFEED		
Feb-73	2/20/73	2	242-1F	46900	46900	0	EVAPCONC		
Feb-73	2/20/73	3	242-1F	29700	29700	0	EVAPCONC		
Feb-73	2/20/73	1	242-1F	174500	174500	0	EVAPCONC		
Feb-73	2/20/73	31	242-1H	268000	268000	0	EVAPCONC		
Mar-73	2/26/73	7	1	5500	5700	0	CONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Mar-73	2/26/73	7	2	27200	31200	0	CONC		
Mar-73	2/27/73	7	3	42700	44700	0	CONC		
Mar-73	3/3/73	7	1	102800	106100	0	CONC		
Mar-73	3/9/73	7	2	34700	36000	0	CONC		
Mar-73	3/10/73	7	3	59600	62100	0	CONC		
Mar-73	3/10/73	21	13	354000	372000	0	LHW		
Mar-73	3/13/73	7	1	96800	100000	0	CONC		
Mar-73	3/15/73	18	7	391000	411000	0	CONCSN		
Mar-73	3/15/73	13	10	24000	25000	0	HHWCONCSN		
Mar-73	3/16/73	7	2	47700	51800	0	CONC		
Mar-73	3/19/73	7	3	10200	10800	0	CONC		
Mar-73	3/20/73	21	244-245H	10000	10000	0	NONCANYWASTE		
Mar-73	3/20/73	23	244-245H	149000	149000	0	NONCANYWASTE		
Mar-73	3/20/73	CRC	23	191000	191000	0	RBOF-RRF		
Mar-73	3/20/73	21	242-1H	7000	7000	0	OVERSPEC		
Mar-73	3/20/73	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds.	
Mar-73	3/20/73	20		0	6000	0	MISCADD/TRAN	Cond. Water from CTS	
Mar-73	3/20/73	29		0	3000	0	MISCADD/TRAN	Cond. Water from CTS	
Mar-73	3/20/73	7		0	1000	0	NONCANYWASTE	100 Area Filter Sludge	
Mar-73	3/20/73	13	11	378000	400000	0	HHWSN		
Mar-73	3/20/73	242-1F	18	545000	545000	0	EVAPFEED		
Mar-73	3/20/73	242-1H	21	461000	461000	0	EVAPFEED		
Mar-73	3/20/73	2	242-1F	96600	96600	0	EVAPCONC		
Mar-73	3/20/73	3	242-1F	121500	121500	0	EVAPCONC		
Mar-73	3/20/73	10	242-1H	45000	45000	0	EVAPCONC		
Mar-73	3/20/73	31	242-1H	24000	24000	0	EVAPCONC		
Mar-73	3/20/73	1	242-1F	181900	181900	0	EVAPCONC		
Mar-73	3/20/73	29	242-1H	306000	306000	0	EVAPCONC		
Apr-73	3/21/73	7	2	21000	22000	0	CONCSN		
Apr-73	3/22/73	13	10	3000	4000	0	CONCSN		
Apr-73	3/23/73	7	3	53000	55000	0	CONCSN		
Apr-73	3/25/73	18	7	138000	144000	0	CONCSN		
Apr-73	3/27/73	7	5	254000	264000	0	DILCONC		
Apr-73	3/27/73	7	1	101000	105000	0	CONCSN		
Apr-73	3/28/73	7	2	30000	31000	0	CONCSN		
Apr-73	3/28/73	21	13	307000	324000	0	MIXSNATE		
Apr-73	3/29/73	13	11	132000	139000	0	LHW		
Apr-73	3/31/73	7	3	62000	64000	0	CONCSN		
Apr-73	3/31/73	7	2	20600	21400	0	CONCSN		
Apr-73	4/2/73	18	7	475000	495000	0	MIXSNATE		
Apr-73	4/3/73	7	2	23000	24000	0	CONCSN		
Apr-73	4/5/73	7	5	321000	331000	0	DILCONC		
Apr-73	4/5/73	7	1	30000	32000	0	CONCSN		
Apr-73	4/9/73	18	7	392000	412000	0	MIXSNATE		
Apr-73	4/10/73	7	5	92000	95000	0	DILCONC		
Apr-73	4/13/73	7	6	318000	324000	0	HHWSN		
Apr-73	4/15/73	21	13	291000	306000	0	MIXSNATE		
Apr-73	4/19/73	18	7	188000	198000	0	MIXSNATE		
Apr-73	4/20/73	21	244-245H	23000	23000	0	NONCANYWASTE		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-73	4/20/73	23	244-245H	153000	153000	0	NONCANYWASTE		
Apr-73	4/20/73	CRC	23	39000	39000	0	RBOF-RRF		
Apr-73	4/20/73	21	242-1H	8000	8000	0	OVERSPEC		
Apr-73	4/20/73	23	242-1H	1000	1000	0	OVERSPEC	Off spec. overhds.	
Apr-73	4/20/73	20		0	14000	0	MISCADD/TRAN	Cond. Water from CTS	
Apr-73	4/20/73	29		0	5000	0	MISCADD/TRAN	Cond. Water from CTS	
Apr-73	4/20/73	4		0	1000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Apr-73	4/20/73	242-1F	18	478000	478000	0	EVAPFEED		
Apr-73	4/20/73	242-1H	21	617000	617000	0	EVAPFEED		
Apr-73	4/20/73	2	242-1F	103600	103600	0	EVAPCONC		
Apr-73	4/20/73	3	242-1F	117000	117000	0	EVAPCONC		
Apr-73	4/20/73	1	242-1F	282000	282000	0	EVAPCONC		
Apr-73	4/20/73	29	242-1H	297000	297000	0	EVAPCONC		
May-73	4/19/73	7	6	13550	14090	0	HHWSN		
May-73	4/27/73	7	6	169400	175600	0	LHWSN		
May-73	4/30/73	34	18	10620	11250	0	MIXSNATE		
May-73	5/11/73	21	31	88000	93000	0	CONCSN		
May-73	5/14/73	21	31	214000	223000	0	CONCSN		
May-73	5/17/73	21	31	196000	206000	0	CONCSN		
May-73	5/20/73	21	244-245H	3000	3000	0	NONCANYWASTE		
May-73	5/20/73	23	244-245H	162000	162000	0	NONCANYWASTE		
May-73	5/20/73	CRC	23	182000	182000	0	RBOF-RRF		
May-73	5/20/73	23	242-1H	1000	1000	0	OVERSPEC	Off spec. overhds.	
May-73	5/20/73	20		0	10600	0	MISCADD/TRAN	Cond. Water from CTS	
May-73	5/20/73	29		0	5000	0	MISCADD/TRAN	Cond. Water from CTS	
May-73	5/20/73	7		0	6100	0	NONCANYWASTE	100 Area Sand Filter Flushes	
May-73	5/20/73	18	242-1H	800	800	0	OVERSPEC		
May-73	5/20/73	242-1F	18	361800	361800	0	EVAPFEED		
May-73	5/20/73	242-1H	21	542000	542000	0	EVAPFEED		
May-73	5/20/73	31	242-1H	38000	38000	0	EVAPCONC		
May-73	5/20/73	34	242-1F	287300	287300	0	EVAPCONC		
May-73	5/20/73	29	242-1H	268000	268000	0	EVAPCONC		
Jun-73	5/30/73	21	24	42000	44000	0	HHWCONCSN		
Jun-73	6/14/73	18	7	212000	219000	0	SNATE		
Jun-73	6/20/73	21	244-245H	16000	16000	0	NONCANYWASTE		
Jun-73	6/20/73	23	244-245H	159000	159000	0	NONCANYWASTE		
Jun-73	6/20/73	CRC	23	35000	35000	0	RBOF-RRF		
Jun-73	6/20/73	20		0	13300	0	MISCADD/TRAN	Cond. Water from CTS	
Jun-73	6/20/73	29		0	4000	0	MISCADD/TRAN	Cond. Water from CTS	
Jun-73	6/20/73	7		0	4300	0	NONCANYWASTE	100 Area Sand Filter Flushes	
Jun-73	6/20/73	22		0	49000	0	MISCADD/TRAN	Cond. of Circulation Steam	
Jun-73	6/20/73	31		0	8000	0	MISCADD/TRAN	Drawoff Valve Flush	
Jun-73	6/20/73	21	242-1H	9000	9000	0	OVERSPEC		
Jun-73	6/20/73	242-1F	18	642000	642000	0	EVAPFEED		
Jun-73	6/20/73	242-1H	21	506000	506000	0	EVAPFEED		
Jun-73	6/20/73	29	242-1H	69000	69000	0	EVAPCONC		
Jun-73	6/20/73	34	242-1F	424000	424000	0	EVAPCONC		
Jun-73	6/20/73	31	242-1H	281000	281000	0	EVAPCONC		
Jun-73	6/21/73	11	31	64000	66000	0	HHWCONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jul-73	6/28/73	13	10	31000	33000	0	CONCSN	
Jul-73	7/1/73	18	7	222000	233000	0	HHWSN	
Jul-73	7/2/73	21	31	524000	544000	0	CONCSN	
Jul-73	7/13/73	21	29	131000	135000	0	CONCSN	
Jul-73	7/18/73	7	3	5000	5400	0	DILCONC	
Jul-73	7/18/73	13	9	13000	14000	0	CONCSN	
Jul-73	7/19/73	18	20	14000	15000	0	LHWCONCSN	
Jul-73	7/20/73	21	244-245H	13000	13000	0	NONCANYWASTE	
Jul-73	7/20/73	23	244-245H	148000	148000	0	NONCANYWASTE	
Jul-73	7/20/73	CRC	23	67000	67000	0	RBOF-RRF	
Jul-73	7/20/73	20		0	9700	0	MISCADD/TRAN	Cond. Water from CTS
Jul-73	7/20/73	29		0	5000	0	MISCADD/TRAN	Cond. Water from CTS
Jul-73	7/20/73	21	242-1H	4000	4000	0	OVERSPEC	
Jul-73	7/20/73	18	242-1H	9000	9000	0	OVERSPEC	
Jul-73	7/20/73	7		0	20000	0	NONCANYWASTE	100 Area Sludge and Water
Jul-73	7/20/73	22		0	29000	0	MISCADD/TRAN	Cond> of Circulation Steam
Jul-73	7/20/73	242-1F	18	430000	430000	0	EVAPFEED	
Jul-73	7/20/73	242-1H	21	592000	592000	0	EVAPFEED	
Jul-73	7/20/73	10	242-1H	19000	19000	0	EVAPCONC	
Jul-73	7/20/73	29	242-1H	30000	30000	0	EVAPCONC	
Jul-73	7/20/73	34	242-1F	192000	192000	0	EVAPCONC	
Jul-73	7/20/73	31	242-1H	401000	401000	0	EVAPCONC	
Aug-73	7/23/73	13	10	10000	11000	0	CONCSN	
Aug-73	7/26/73	21	29	84000	88000	0	CONCSN	
Aug-73	7/30/73	21	29	319000	335000	0	CONCSN	
Aug-73	8/12/73	18	17	24800	25300	0	FRLHW	
Aug-73	8/12/73	21	29	161000	169000	0	CONCSN	
Aug-73	8/14/73	13	10	19000	21000	0	CONCSN	
Aug-73	8/15/73	13	9	14000	16000	0	CONCSN	
Aug-73	8/16/73	18	17	29200	30100	0	FRLHW	
Aug-73	8/20/73	21	244-245H	5000	5000	0	NONCANYWASTE	
Aug-73	8/20/73	23	244-245H	117000	117000	0	NONCANYWASTE	
Aug-73	8/20/73	CRC	23	143000	143000	0	RBOF-RRF	
Aug-73	8/20/73	20		0	8000	0	MISCADD/TRAN	Cond. Water from CTS
Aug-73	8/20/73	29		0	5000	0	MISCADD/TRAN	Cond. Water from CTS
Aug-73	8/20/73	21	242-1H	4000	4000	0	OVERSPEC	
Aug-73	8/20/73	23	242-1H	3000	3000	0	OVERSPEC	Off spec. overhds.
Aug-73	8/20/73	7		0	6200	0	NONCANYWASTE	100 Area Sludge and Water
Aug-73	8/20/73	9		0	13000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Aug-73	8/20/73	24		0	3000	0	MISCADD/TRAN	CRC Flushes
Aug-73	8/20/73	12		0	30000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Aug-73	8/20/73	21	22	321000	337000	0	DISSALT	
Aug-73	8/20/73	242-1F	18	256000	256000	0	EVAPFEED	
Aug-73	8/20/73	242-1H	21	858000	858000	0	EVAPFEED	
Aug-73	8/20/73	10	242-1H	31000	31000	0	EVAPCONC	
Aug-73	8/20/73	29	242-1H	299000	299000	0	EVAPCONC	
Aug-73	8/20/73	34	242-1F	78000	78000	0	EVAPCONC	
Aug-73	8/20/73	31	242-1H	340000	340000	0	EVAPCONC	
Sep-73	8/27/73	18	20	451000	469000	0	LHWCONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-73	8/31/73	18	17	178000	184000	0	LHW	
Sep-73	8/31/73	21	13	196000	205000	0	CONCSN	
Sep-73	9/1/73	13	10	17000	18000	0	CONCSN	
Sep-73	9/4/73	13	10	10000	11000	0	CONCSN	
Sep-73	9/6/73	21	29	534000	561000	0	CONCSN	
Sep-73	9/8/73	18	19	371000	380000	0	CONCSN	
Sep-73	9/12/73	13	10	25000	27000	0	CONCSN	
Sep-73	9/13/73	18	20	113000	117000	0	LHWCONCSN	
Sep-73	9/17/73	22	23	63000	66000	0	RBOF-RRF	
Sep-73	9/20/73	21	244-245H	0	0	0	NONCANYWASTE	
Sep-73	9/20/73	23	244-245H	135000	135000	0	NONCANYWASTE	
Sep-73	9/20/73	CRC	23	103000	103000	0	RBOF-RRF	
Sep-73	9/20/73	29		0	4000	0	MISCADD/TRAN	Cond. Water from CTS
Sep-73	9/20/73	21	242-1H	2000	2000	0	OVERSPEC	
Sep-73	9/20/73	23	242-1H	1000	1000	0	OVERSPEC	Off spec. overhds.
Sep-73	9/20/73	7		0	0	0	NONCANYWASTE	100 Area Sludge and Water
Sep-73	9/20/73	29		0	3000	0	MISCADD/TRAN	CRC Flushes
Sep-73	9/20/73		1	16000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73		2	7000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73	3		0	22000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73		4	8000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73	8		0	24000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73		5	1000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73	7		0	1000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73		34	1000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73	9		0	7000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73		16	35000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-73	9/20/73	242-1F	18	602000	602000	0	EVAPFEED	
Sep-73	9/20/73	242-1H	21	756000	756000	0	EVAPFEED	
Sep-73	9/20/73	10	242-1H	57000	57000	0	EVAPCONC	
Sep-73	9/20/73	20	242-1F	429000	429000	0	EVAPCONC	
Sep-73	9/20/73	29	242-1H	524000	524000	0	EVAPCONC	
Oct-73	9/21/73	13	10	15000	16000	0	CONCSN	
Oct-73	9/24/73	7	3	22000	23000	0	HHWCONCSN	
Oct-73	9/29/73	21	22	61000	64000	0	DISSALT	
Oct-73	10/8/73	21	29	400000	419000	0	CONCSN	
Oct-73	10/8/73	22	23	63000	66000	0	DILWASTE	
Oct-73	10/11/73	21	31	20000	21000	0	CONCSN	
Oct-73	10/12/73	18	17	338000	348000	0	FRLHW	
Oct-73	10/16/73	21	31	279000	295000	0	CONCSN	
Oct-73	10/19/73	13	9	20000	21000	0	CONCSN	
Oct-73	10/20/73	21	244-245H	4000	4000	0	NONCANYWASTE	
Oct-73	10/20/73	23	244-245H	109000	109000	0	NONCANYWASTE	
Oct-73	10/20/73	CRC	23	22000	22000	0	RBOF-RRF	
Oct-73	10/20/73	29		0	4000	0	MISCADD/TRAN	Cond. Water from CTS
Oct-73	10/20/73	18	242-1H	2000	2000	0	OVERSPEC	
Oct-73	10/20/73	21	242-1H	8000	8000	0	OVERSPEC	
Oct-73	10/20/73	23	242-1H	2000	2000	0	OVERSPEC	Off spec. overhds.
Oct-73	10/20/73	7		0	1000	0	NONCANYWASTE	100 Area Sludge and Water

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-73	10/20/73	22		0	33000	0	MISCADD/TRAN	Cond. of Circulation Steam
Oct-73	10/20/73	1		0	7000	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		2	2000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73	3		0	6000	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73	4		0	3000	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		5	1000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		6	10000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		7	3000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		8	3000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		17	13000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		18	12000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		19	8000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		20	4000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		34	3000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73	9		0	5000	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		12	2000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		14	1000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		15	1000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73		32	5000	0	0	MISCADD/TRAN	RT Adj. + Unk. Incr./Decr.
Oct-73	10/20/73	24		0	1000	0	MISCADD/TRAN	CRC Flushes
Oct-73	10/20/73	242-1F	18	545000	545000	0	EVAPFEED	
Oct-73	10/20/73	242-1H	21	752000	752000	0	EVAPFEED	
Oct-73	10/20/73	19	242-1F	245000	245000	0	EVAPCONC	
Oct-73	10/20/73	31	242-1H	370000	370000	0	EVAPCONC	
Oct-73	10/20/73	20	242-1F	60000	60000	0	EVAPCONC	
Oct-73	10/20/73	29	242-1H	590000	590000	0	EVAPCONC	
Oct-73	10/21/73	21	31	330000	347000	0	CONCSN	
Nov-73	10/27/73	21	13	88000	92000	0	LHW	
Nov-73	10/31/73	7	3	15100	15700	0	HHWCONCSN	
Nov-73	10/31/73	18	20	5300	6600	0	LHWCONCSN	
Nov-73	11/4/73	21	29	287000	301000	0	CONCSN	
Nov-73	11/8/73	18	20	302000	314000	0	LHWCONCSN	
Nov-73	11/20/73	21	244-245H	8000	8000	0	NONCANYWASTE	
Nov-73	11/20/73	23	244-245H	113000	113000	0	NONCANYWASTE	
Nov-73	11/20/73	CRC	23	2000	2000	0	RBOF-RRF	
Nov-73	11/20/73	22		0	18000	0	MISCADD/TRAN	Cond. of Circulation Steam
Nov-73	11/20/73	29		0	5000	0	MISCADD/TRAN	Conde. Water from CTS
Nov-73	11/20/73	21	242-1H	21000	21000	0	OVERSPEC	
Nov-73	11/20/73	23	242-1H	69000	69000	0	OVERSPEC	Off spec. overhds.
Nov-73	11/20/73	24		0	4000	0	MISCADD/TRAN	CRC Flushes
Nov-73	11/20/73	242-1F	18	600000	600000	0	EVAPFEED	
Nov-73	11/20/73	242-1H	21	980000	980000	0	EVAPFEED	
Nov-73	11/20/73	19	242-1F	127000	127000	0	EVAPCONC	
Nov-73	11/20/73	23	242-1H	180000	180000	0	EVAPCONC	
Nov-73	11/20/73	31	242-1H	382000	382000	0	EVAPCONC	
Nov-73	11/20/73	20	242-1F	222000	222000	0	EVAPCONC	
Nov-73	11/20/73	29	242-1H	191000	191000	0	EVAPCONC	
Dec-73	11/21/73	18	17	132000	136000	0	FRLHW	
Dec-73	11/28/73	18	20	88000	91000	0	LHWCONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-73	12/7/73	18	19	375000	387000	0	LHWCONCSN		
Dec-73	12/10/73	21	31	812000	854000	0	HHWCONCSN		
Dec-73	12/12/73	21	22	219000	230000	0	DISSALT		
Dec-73	12/17/73	22	23	72000	76000	0	RBOF-RRF		
Dec-73	12/18/73	21	13	114000	119000	0	FRLHW		
Dec-73	12/20/73	21	244-245H	6000	6000	0	NONCANYWASTE		
Dec-73	12/20/73	23	244-245H	133000	133000	0	NONCANYWASTE		
Dec-73	12/20/73	CRC	23	84000	84000	0	RBOF-RRF		
Dec-73	12/20/73	22		0	4000	0	MISCADD/TRAN	Cond. of Circulation Steam	
Dec-73	12/20/73	29		0	2000	0	MISCADD/TRAN	Cond. Water from CTS	
Dec-73	12/20/73	21	242-1H	7000	7000	0	OVERSPEC		
Dec-73	12/20/73	23	242-1H	4000	4000	0	OVERSPEC	Off spec. overhds.	
Dec-73	12/20/73	24		0	2000	0	MISCADD/TRAN	CRC Flushes	
Dec-73	12/20/73		32	8000	0	0	MISCADD/TRAN	Loss Vol. due to Tk Cooling	
Dec-73	12/20/73		15	10000	0	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Dec-73	12/20/73	242-1F	18	549000	549000	0	EVAPFEED		
Dec-73	12/20/73	242-1H	21	956000	956000	0	EVAPFEED		
Dec-73	12/20/73	19	242-1F	212000	212000	0	EVAPCONC		
Dec-73	12/20/73	31	242-1H	466000	466000	0	EVAPCONC		
Dec-73	12/20/73	20	242-1F	170000	170000	0	EVAPCONC		
Dec-73	12/20/73	29	242-1H	261000	261000	0	EVAPCONC		
Jan-74	12/21/73	18	17	77000	79000	0	FRLHW		
Jan-74	12/31/73	18	17	12500	13000	0	FRLHW		
Jan-74	1/3/74	18	19	76000	79000	0	LHWCONCSN		
Jan-74	1/8/74	18	19	184000	191000	0	LHWCONCSN		
Jan-74	1/14/74	18	17	32000	33000	0	FRLHW		
Jan-74	1/19/74	18	34	55000	56000	0	HHWCONCSN		
Jan-74	1/20/74	18	34	88000	91000	0	HHWCONCSN		
Jan-74	12/28/73	21	29	196000	206000	0	CONCSN		
Jan-74	1/4/74	21	29	353000	370000	0	CONCSN		
Jan-74	1/20/74	30	32	551000	562000	0	LHW		
Jan-74	1/17/74	13	10	13000	14000	0	CONCSN		
Jan-74	1/17/74	21	22	110000	116000	0	DILCONC		
Jan-74	1/19/74	21	22	25000	26000	0	DILCONC		
Jan-74	1/20/74	22	23	10000	10000	0	RBOF		
Jan-74	1/20/74	29		0	5000	0	MISCADD/TRAN	CTS Condensation	
Jan-74	1/20/74	22		0	9000	0	MISCADD/TRAN	Recirc. Jet Condensation	
Jan-74	1/20/74	23	44H-245	0	102000	0	RBF-RRF		
Jan-74	1/20/74		1	1000	0	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74	3		0	2000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74		4	1000	0	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74		5	1000	0	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74	6		0	3000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74	7		0	2000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74	34		0	5000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74		16	8000	0	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74	10		0	15000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.	
Jan-74	1/20/74	30		0	3000	0	MISCADD/TRAN	RT Calib./Repl.-Inv.change	
Jan-74	1/20/74	242-1F	18	562000	562000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jan-74	1/20/74	242-1H	21	691000	691000	0	EVAPFEED		
Jan-74	1/20/74	10	242-1H	16000	16000	0	EVAPCONC		
Jan-74	1/20/74	29	242-1H	176000	176000	0	EVAPCONC		
Jan-74	1/20/74	31	242-1H	380000	380000	0	EVAPCONC		
Jan-74	1/20/74	19	242-1F	409000	409000	0	EVAPCONC		
Jan-74	1/20/74	CRC	23	122000	122000	0	RBF-RRF		
Jan-74	1/20/74	21	242-1H	6000	6000	0	OVERSPEC		
Jan-74	1/20/74	23	242-1H	5000	5000	0	RBF-RRF	Tk 23 Stor. for CRC proc.	
Feb-74	1/26/74	18	34	696000	718000	0	HHWCONCSN		
Feb-74	2/9/74	7	4	263000	271000	0	DILCONC		
Feb-74	2/20/74	18	7	88000	91000	0	DILCONC		
Feb-74	1/24/74	30	32	514000	529000	0	HHW		
Feb-74	1/22/74	22	23	46000	47000	0	RBOF		
Feb-74	1/22/74	21	13	103000	109000	0	FRLHW		
Feb-74	2/4/74	21	31	512000	537000	0	CONCSN		
Feb-74	2/20/74	23	44H-245	93000	93000	0	RBF-RRF		
Feb-74	2/20/74	242-1F	18	788000	797000	0	EVAPFEED		
Feb-74	2/20/74	242-1H	21	761000	767000	0	EVAPFEED		
Feb-74	2/20/74	34	242-1F	712000	712000	0			
Feb-74	2/20/74	29	242-1H	353000	353000	0			
Feb-74	2/20/74	31	242-1H	232000	232000	0			
Feb-74	2/20/74	23	242-1H	13000	13000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Feb-74	2/20/74	CRC	23	100000	100000	0	RBF-RRF		
Feb-74	2/20/74	21	CRC	6000	6000	0	OVERSPEC		
Feb-74	2/20/74	23	CRC	6000	6000	0	OVERSPEC		
Mar-74	2/23/74	18	7	267000	278000	0	DILCONC		
Mar-74	2/28/74	7	4	332000	335000	0	DILCONC		
Mar-74	2/22/74	21	13	71000	75000	0	FRLHW		
Mar-74	3/1/74	21	22	96000	100000	0	DISSALT		
Mar-74	3/10/74	21	29	406000	422000	0	CONCSN		
Mar-74	3/17/74	22	23	59000	61000	0	RBOF		
Mar-74	3/20/74	242-1F	18	112000	126000	0	EVAPFEED		
Mar-74	3/20/74	34	242-1F	121000	121000	0	EVAPCONC		
Mar-74	3/20/74	242-1H	21	258000	278000	0	EVAPFEED		
Mar-74	3/20/74	31	242-1H	218000	238000	0	EVAPCONC		
Mar-74	3/20/74	23	44H-245	116000	116000	0	RBF-RRF		
Mar-74	3/20/74	18	242-1F	1000	1000	0	OVERSPEC		
Mar-74	3/20/74	21	242-1H	11000	11000	0	OVERSPEC		
Mar-74	3/20/74	23	242-1H	4000	4000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Mar-74	3/20/74	CRC	23	94000	94000	0	RBF-RRF		
Mar-74	3/20/74	22		12000	12000	0	MISCADD/TRAN	Circulation Jet Condensation	
Apr-74	4/1/74	18	7	24000	25000	0	DILCONC		
Apr-74	4/2/74	18	7	67000	69000	0	DILCONC		
Apr-74	4/3/74	18	7	237000	246000	0	DILCONC		
Apr-74	4/9/74	7	2	30000	31000	0	CONCSN		
Apr-74	4/11/74	7	3	22000	23000	0	CONCSN		
Apr-74	3/28/74	13	10	8000	9000	0	CONCSN		
Apr-74	4/5/74	21	29	333000	349000	0	CONCSN		
Apr-74	4/19/74	21	13	136000	143000	0	LHW		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-74	4/20/74	242-1F	18	451000	464000	0	EVAPFEED		
Apr-74	4/20/74	34	242-1F	293000	293000	0	EVAPCONC		
Apr-74	4/20/74	242-1H	21	571000	573000	0	EVAPFEED		
Apr-74	4/20/74	31	242-1H	51000	51000	0	EVAPCONC		
Apr-74	4/20/74	29	242-1H	363000	393000	0	EVAPCONC		
Apr-74	4/20/74	23	44H-245	77000	77000	0	RBF-RRF		
Apr-74	4/20/74	21	242-1H	3000	3000	0	OVERSPEC		
Apr-74	4/20/74	23	242-1H	4000	4000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Apr-74	4/20/74	CRC	23	96000	96000	0	RBF-RRF		
Apr-74	4/20/74	17		0	5000	0	MISCADD/TRAN	100 Area Trailer waste	
Apr-74	4/20/74	22		0	23000	0	MISCADD/TRAN	Circulation Jet Condensation	
May-74	5/2/74	33	18	10200	10500	0	HHWSN		
May-74	4/27/74	21	29	258000	271000	0	CONCSN		
May-74	4/27/74	21	13	46000	48000	0	FRLHW		
May-74	5/8/74	18	30	699000	719000	0	HHW		
May-74	5/13/74	7	30	370000	382000	0	HHW		
May-74	5/8/74	13	30	16000	17000	0	HHW		
May-74	5/15/74	21	22	113000	119000	0	DISSALT		
May-74	5/20/74	21	29	289000	304000	0	CONCSN		
May-74	5/20/74	242-1F	18	244000	265000	0	EVAPFEED		
May-74	5/20/74	33	242-1F	122500	122500	0	EVAPCONC		
May-74	5/20/74	34	242-1F	12000	12000	0	EVAPCONC		
May-74	5/20/74	242-1H	21	897000	898000	0	EVAPFEED		
May-74	5/20/74	29	242-1H	674000	695000	0	EVAPCONC		
May-74	5/20/74	23	44H-245	109000	109000	0	RBF-RRF		
May-74	5/20/74	18	242-1F	4000	4000	0	OVERSPEC		
May-74	5/20/74	21	242-1H	2000	2000	0	OVERSPEC		
May-74	5/20/74	23	242-1H	3000	3000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
May-74	5/20/74	CRC	23	109000	109000	0	RBF-RRF		
May-74	5/20/74	23	CRC	4000	4000	0	RBF-RRF		
May-74	5/20/74	17		0	3000	0	MISCADD/TRAN	100 Area Sludge Slurry	
May-74	5/20/74	22		0	7000	0	MISCADD/TRAN	Circulation Jet Condensation	
Jun-74	6/13/74	33	18	295000	305000	0	HHW		
Jun-74	6/13/74	18	17	27000	27000	0	FRLHW		
Jun-74	6/14/74	33	18	34000	35000	0	LHW	Mixed FRLHW + HHW	
Jun-74	6/14/74	18	17	23000	23000	0	FRLHW		
Jun-74	6/14/74	33	18	23000	31000	0	FRLHW	Mixed FRLHW + HHW	
Jun-74	6/14/74	18	17	24000	25000	0	FRLHW		
Jun-74	6/15/74	33	18	25000	25000	0	FRLHW	Mixed FRLHW + HHW	
Jun-74	6/19/74	18	19	462000	476000	0	LHWCONCSN	Mixed FRLHW+LHWCONCSN	
Jun-74	5/29/74	21	29	431000	453000	0	CONCSN		
Jun-74	6/18/74	21	29	201000	211000	0	CONCSN		
Jun-74	6/20/74	242-1F	18	543000	557000	0	EVAPFEED		
Jun-74	6/20/74	33	242-1F	194000	194000	0	EVAPCONC		
Jun-74	6/20/74	19	242-1F	79000	100000	0	EVAPCONC		
Jun-74	6/20/74	242-1H	21	912000	914000	0	EVAPFEED		
Jun-74	6/20/74	29	242-1H	677000	713000	0	EVAPCONC		
Jun-74	6/20/74	23	44H-245	111000	111000	0	RBF-RRF		
Jun-74	6/20/74	18	242-1F	4000	4000	0	OVERSPEC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jun-74	6/20/74	21	242-1H	2000	2000	0	OVERSPEC	
Jun-74	6/20/74	23	242-1H	2000	2000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Jun-74	6/20/74	CRC	23	112000	112000	0	RBF-RRF	
Jun-74	6/20/74	23	CRC	6000	6000	0	RBF-RRF	
Jun-74	6/20/74	17		0	3000	0	MISCADD/TRAN	100 Area Trailer Waste
Jul-74	6/24/74	18	19	25000	26000	0	LHWCONCSN	Mixed FRLHW+LHWCONCSN
Jul-74	6/29/74	18	20	444000	457000	0	LHWCONCSN	
Jul-74	7/1/74	18	17	334000	344000	0	LHW	
Jul-74	7/5/74	33	7	33000	34000	0	HHWSN	
Jul-74	7/10/74	21	31	946000	993000	0	HHWCONCSN	
Jul-74	7/20/74	242-1F	18	623000	646000	0	EVAPFEED	
Jul-74	7/20/74	19	242-1F	504000	509000	0	EVAPCONC	
Jul-74	7/20/74	20	242-1F	504000	509000	0	EVAPCONC	
Jul-74	7/20/74	242-1H	21	968000	969000	0	EVAPFEED	
Jul-74	7/20/74	29	242-1H	188000	188000	0	EVAPCONC	
Jul-74	7/20/74	31	242-1H	579000	631000	0	EVAPCONC	
Jul-74	7/20/74	23	44H-245	54000	54000	0	RBF-RRF	
Jul-74	7/20/74	21	44H-245	21000	21000	0	RBF-RRF	
Jul-74	7/20/74	18	242-1F	1000	1000	0	OVERSPEC	
Jul-74	7/20/74	23	242-1H	5000	5000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Jul-74	7/20/74	CRC	23	121000	121000	0	RBF-RRF	
Jul-74	7/20/74	23	CRC	9000	9000	0	RBF-RRF	
Jul-74	7/20/74	17		0	2000	0	MISCADD/TRAN	100 Area Trailer Waste
Jul-74	7/20/74	33		0	5000	0	MISCADD/TRAN	
Aug-74	7/26/74	22	10	4800	5000	0	CONCSN	
Aug-74	8/1/74	21	29	662000	695000	0	CONCSN	
Aug-74	8/20/74	21	29	267000	280000	0	CONCSN	
Aug-74	8/20/74	242-1F	18	427000	448000	0	EVAPFEED	
Aug-74	8/20/74	20	242-1F	164000	169000	0	EVAPCONC	
Aug-74	8/20/74	242-1H	21	1050000	1051000	0	EVAPFEED	
Aug-74	8/20/74	29	242-1H	502000	555000	0	EVAPCONC	
Aug-74	8/20/74	31	242-1H	321000	321000	0	EVAPCONC	
Aug-74	8/20/74	23	44H-245	87000	87000	0	RBF-RRF	
Aug-74	8/20/74	21	44H-245	21000	21000	0	RBF-RRF	
Aug-74	8/20/74	18	242-1F	3000	3000	0	OVERSPEC	
Aug-74	8/20/74	21	242-1H	2000	2000	0	OVERSPEC	
Aug-74	8/20/74	23	242-1H	6000	6000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Aug-74	8/20/74	CRC	23	129000	129000	0	RBF-RRF	
Aug-74	8/20/74	23	CRC	11000	11000	0	RBF-RRF	
Sep-74	8/23/74	18	19	149000	154000	0	LHWCONCSN	
Sep-74	9/3/74	18	20	475000	497000	0	LHWCONCSN	
Sep-74	9/5/74	18	19	24000	26000	0	LHWCONCSN	
Sep-74	9/13/74	18	20	7000	7000	0	LHWCONCSN	
Sep-74	9/15/74	18	20	44000	45000	0	LHWCONCSN	
Sep-74	8/25/74	21	29	221000	232000	0	CONCSN	
Sep-74	9/11/74	21	29	294000	309000	0	CONCSN	
Sep-74	9/16/74	21	29	140000	147000	0	CONCSN	
Sep-74	9/20/74	242-1F	18	690000	705000	0	EVAPFEED	
Sep-74	9/20/74	20	242-1F	563000	563000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-74	9/20/74	242-1H	21	975000	978000	0	EVAPFEED	
Sep-74	9/20/74	29	242-1H	765000	810000	0	EVAPCONC	
Sep-74	9/20/74	23	44H-245	21000	21000	0	RBF-RRF	
Sep-74	9/20/74	21	242-1H	4000	4000	0	OVERSPEC	
Sep-74	9/20/74	23	242-1H	3000	3000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Sep-74	9/20/74	CRC	23	119000	119000	0	RBF-RRF	
Sep-74	9/20/74	17		0	2000	0	MISCADD/TRAN	100 C-Area Trailer Waste
Sep-74	9/20/74	8		0	6000	0	MISCADD/TRAN	Drain Heat Exchangers
Oct-74	9/22/74	18	17	171000	176000	0	FRLHW	
Oct-74	10/9/74	18	17	55000	56000	0	FRLHW	
Oct-74	10/20/74	18	33	408000	420000	0	HHWCONCSN	Mixed HHW + HHWCONCSN
Oct-74	9/24/74	21	29	222000	233000	0	CONCSN	
Oct-74	10/6/74	21	31	53000	56000	0	CONCSN	
Oct-74	10/18/74	21	24	55000	56000	0	HHWSN	
Oct-74	10/20/74	242-1F	18	369000	392000	0	EVAPFEED	
Oct-74	10/20/74	33	242-1F	15000	15000	0	EVAPCONC	
Oct-74	10/20/74	19	242-1F	170000	170000	0	EVAPCONC	
Oct-74	10/20/74	242-1H	21	261000	263000	0	EVAPFEED	
Oct-74	10/20/74	29	242-1H	228000	244000	0	EVAPCONC	
Oct-74	10/20/74	23	44H-245	51000	51000	0	RBF-RRF	
Oct-74	10/20/74	21	44H-245	5000	5000	0	RBF-RRF	
Oct-74	10/20/74	18	242-1F	1000	1000	0	OVERSPEC	
Oct-74	10/20/74	21	242-1H	6000	6000	0	OVERSPEC	
Oct-74	10/20/74	CRC	23	105000	105000	0	RBF-RRF	
Oct-74	10/20/74	23	CRC	9000	9000	0	RBF-RRF	
Oct-74	10/20/74	17		0	2000	0	MISCADD/TRAN	100 Area Trailer Waste
Nov-74	10/23/74	18	33	321000	331000	0	HHWCONCSN	Mixed HHW + HHWCONCSN
Nov-74	11/9/74	18	7	421000	435000	0	HHW	
Nov-74	11/9/74	21	29	578000	607000	0	CONC	
Nov-74	11/20/74	242-1F	18	554000	583000	0	EVAPFEED	
Nov-74	11/20/74	33	242-1F	308000	310000	0	EVAPCONC	
Nov-74	11/20/74	242-1H	21	378000	379000	0	EVAPFEED	
Nov-74	11/20/74	29	242-1H	246000	264000	0	EVAPCONC	
Nov-74	11/20/74	31	242-1H	65000	65000	0	EVAPCONC	
Nov-74	11/20/74	23	44H-245	58000	58000	0	RBF-RRF	
Nov-74	11/20/74	18	242-1F	21000	21000	0	OVERSPEC	
Nov-74	11/20/74	23	242-1H	1000	1000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Nov-74	11/20/74	CRC	23	130000	130000	0	RBF-RRF	
Nov-74	11/20/74	23	CRC	110000	110000	0	RBF-RRF	
Nov-74	11/20/74	17		0	8000	0	MISCADD/TRAN	100 Area Trailer Waste
Dec-74	12/20/74	242-1F	18	408000	426000	0	EVAPFEED	
Dec-74	12/20/74	33	242-1F	161000	162000	0	EVAPCONC	
Dec-74	12/20/74	242-1H	21	510000	518000	0	EVAPFEED	
Dec-74	12/20/74	29	242-1H	433000	467000	0	EVAPCONC	
Dec-74	12/20/74	23	44H-245	44000	44000	0	RBF-RRF	
Dec-74	12/20/74	18	242-1F	7000	7000	0	OVERSPEC	
Dec-74	12/20/74	21	242-1H	3000	3000	0	OVERSPEC	
Dec-74	12/20/74	23	242-1H	3000	3000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Dec-74	12/20/74	CRC	23	84000	84000	0	RBF-RRF	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-74	12/20/74	23	CRC	3000	3000	0	RBF-RRF		
Jan-75	1/20/75	242-1F	18	202000	231000	0	EVAPFEED		
Jan-75	1/20/75	33	242-1F	66000	67000	0	EVAPCONC		
Jan-75	1/20/75	23	44H-245	58000	58000	0	RBF-RRF		
Jan-75	1/20/75	21	44H-245	8000	8000	0	RBF-RRF		
Jan-75	1/20/75	7	242-1F	6000	6000	0	OVERSPEC		
Jan-75	1/20/75	CRC	23	1000	1000	0	RBF-RRF		
Feb-75	2/17/75	18	13	485000	510500	0	MIXSNATE		
Feb-75	2/20/75	23	44H-245	38000	38000	0	RBF-RRF		
Feb-75	2/20/75	CRC	23	122000	122000	0	RBF-RRF		
Feb-75	2/20/75	23	CRC	3000	3000	0	RBF-RRF		
Feb-75	2/20/75	7		0	10000	0	MISCADD/TRAN	Catch Tank	
Mar-75	3/20/75	242-1F	18	384000	390000	0	EVAPFEED		
Mar-75	3/20/75	33	242-1F	174000	192000	0	EVAPCONC		
Mar-75	3/20/75	23	44H-245	86000	86000	0	RBF-RRF		
Mar-75	3/20/75	7	242-1F	9000	9000	0	OVERSPEC		
Mar-75	3/20/75	CRC	23	127000	127000	0	RBF-RRF		
Apr-75	4/20/75	242-1F	18	151000	157000	0	EVAPFEED		
Apr-75	4/20/75	33	242-1F	56000	60000	0	EVAPCONC		
Apr-75	4/12/75	21	31	87000	94000	0	HHWSN		
Apr-75	4/20/75	23	44H-245	99000	99000	0	RBF-RRF		
Apr-75	4/20/75	7	242-1F	3000	3000	0	OVERSPEC		
Apr-75	4/20/75	CRC	23	138000	138000	0	RBF-RRF		
Apr-75	4/20/75	23	CRC	7000	7000	0	RBF-RRF		
Apr-75	4/20/75	17		0	3000	0	NONCANYWASTE	100 Area Trailer Waste	
Apr-75	4/20/75	31		0	45000	0	MISCADD/TRAN		
May-75	4/26/75	21	31	83000	87000	0	HHWSN		
May-75	5/20/75	23	44H-245	87000	87000	0	RBF-RRF		
May-75	5/20/75	7	242-1F	2000	2000	0	OVERSPEC		
May-75	5/20/75	CRC	23	65000	65000	0	RBF-RRF		
May-75	5/20/75	23	CRC	2000	2000	0	RBF-RRF		
May-75	5/20/75	7		0	8000	0	MISCADD/TRAN	Catch Tank Water	
May-75	5/20/75	31		0	86000	0	MISCADD/TRAN	H2O to seat cooler in tk	
Jun-75	6/20/75	242-1H	21	130000	131000	0	EVAPFEED		
Jun-75	6/20/75	31	242-1H	101000	111000	0	EVAPCONC		
Jun-75	6/17/75	7	18	19000	19000	0	MIXSNATE		
Jun-75	6/17/75	18	17	21000	21000	0	FRLHW		
Jun-75	6/18/75	7	18	21000	23000	0	MIXSNATE		
Jun-75	6/18/75	18	17	19000	20000	0	FRLHW		
Jun-75	6/19/75	7	18	21000	22000	0	MIXSNATE		
Jun-75	6/20/75	18	19	150000	154000	0	MIXSNATE		
Jun-75	6/8/75	21	31	564000	594000	0	HHW		
Jun-75	6/8/75	21	29	123000	129000	0	HHW		
Jun-75	6/20/75	23	44H-245	165000	165000	0	RBF-RRF		
Jun-75	6/20/75	21	44H-245	15000	15000	0	RBF-RRF		
Jun-75	6/20/75	18	242-1F	0	0	0	OVERSPEC		
Jun-75	6/20/75	13	242-1H	3000	3000	0	OVERSPEC		
Jun-75	6/20/75	23	242-1H	3000	3000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Jun-75	6/20/75	CRC	23	8000	8000	0	RBF-RRF		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-75	6/20/75	23	CRC	5000	5000	0	RBF-RRF		
Jun-75	6/20/75	13		0	8000	0	MISCADD/TRAN	Evaporator Flush	
Jun-75	6/20/75	31		0	3000	0	MISCADD/TRAN	Line Flush Water	
Jul-75	6/21/75	18	19	37000	38000	0	MIXSNATE		
Jul-75	6/23/75	18	17	340000	350000	0	FRLHW		
Jul-75	7/10/75	21	29	76000	800000	0	CONCSN		
Jul-75	7/14/75	21	29	325000	341000	0	CONCSN		
Jul-75	7/20/75	242-1F	18	172000	181000	0	EVAPFEED		
Jul-75	7/20/75	19	242-1F	130000	130000	0	EVAPCONC		
Jul-75	7/20/75	242-1H	21	585000	586000	0	EVAPFEED		
Jul-75	7/20/75	31	242-1H	432000	448000	0	EVAPCONC		
Jul-75	7/20/75	23	44H-245	132000	132000	0	RBF-RRF		
Jul-75	7/20/75	21	44H-245	0	0	0	RBF-RRF		
Jul-75	7/20/75	18	242-1F	5000	5000	0	OVERSPEC		
Jul-75	7/20/75	21	242-1H	2000	2000	0	OVERSPEC		
Jul-75	7/20/75	23	242-1H	6000	6000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Jul-75	7/20/75	CRC	23	52000	52000	0	RBF-RRF		
Jul-75	7/20/75	23	CRC	3000	3000	0	RBF-RRF		
Jul-75	7/20/75	13		0	7000	0	MISCADD/TRAN	Flush water	
Aug-75	8/16/75	18	17	58000	60000	0	LHW		
Aug-75	8/20/75	18	20	154000	157000	0	CONCSN		
Aug-75	8/14/75	21	24	51000	55000	0	CONCSN		
Aug-75	8/20/75	242-1F	18	384000	387000	0	EVAPFEED		
Aug-75	8/20/75	19	242-1F	148000	148000	0	EVAPCONC		
Aug-75	8/20/75	20	242-1F	16000	16000	0	EVAPCONC		
Aug-75	8/20/75	242-1H	21	41000	41000	0	EVAPFEED		
Aug-75	8/20/75	31	242-1H	10000	34000	0	EVAPCONC		
Aug-75	8/20/75	23	44H-245	196000	196000	0	RBF-RRF		
Aug-75	8/20/75	21	44H-245	0	0	0	RBF-RRF		
Aug-75	8/20/75	18	242-1F	12000	12000	0	OVERSPEC		
Aug-75	8/20/75	21	242-1H	0	0	0	OVERSPEC		
Aug-75	8/20/75	23	242-1H	4000	4000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Aug-75	8/20/75	CRC	23	150000	150000	0	RBF-RRF		
Aug-75	8/20/75	23	CRC	10000	10000	0	RBF-RRF		
Sep-75	9/20/75	242-1F	18	201000	201000	0	EVAPFEED		
Sep-75	9/20/75	20	242-1F	127000	132000	0	EVAPCONC		
Sep-75	9/20/75	23	44H-245	133000	133000	0	RBF-RRF		
Sep-75	9/20/75	21	44H-245	7000	7000	0	RBF-RRF		
Sep-75	9/20/75	18	242-1F	3000	3000	0	OVERSPEC		
Sep-75	9/20/75	CRC	23	199000	199000	0	RBF-RRF		
Sep-75	9/20/75	23	CRC	5000	5000	0	RBF-RRF		
Oct-75	10/20/75	23	44H-245	92000	92000	0	RBF-RRF		
Oct-75	10/20/75	21	242-1H	2000	2000	0	OVERSPEC		
Oct-75	10/20/75	CRC	23	332000	332000	0	RBF-RRF		
Oct-75	10/20/75	23	CRC	10000	10000	0	RBF-RRF		
Nov-75	11/20/75	7	34	165000	170000	0	HHWCONCSN		
Nov-75	11/11/75	33	11	413000	429000	0	HHW		
Nov-75	11/21/75	21	31	69000	73000	0	CONC		
Nov-75	11/20/75	242-1H	21	692000	694000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-75	11/20/75	29	242-1H	493000	493000	0	EVAPCONC	
Nov-75	11/20/75	31	242-1H	32000	32000	0	EVAPCONC	
Nov-75	11/20/75	23	44H-245	121000	121000	0	RBF-RRF	
Nov-75	11/20/75	23	242-1H	5000	5000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Nov-75	11/20/75	CRC	23	169000	169000	0	RBF-RRF	
Nov-75	11/20/75	23	CRC	11000	11000	0	RBF-RRF	
Nov-75	11/20/75	7		0	9000	0	MISCADD/TRAN	Catch tankleak check water
Nov-75	11/20/75	17		0	4000	0	MISCADD/TRAN	100 Area trailer waste
Dec-75	11/26/75	18	20	137000	141000	0	LHWCONCSN	
Dec-75	11/28/75	18	17	208000	214000	0	LHW	
Dec-75	12/4/75	18	19	370000	386000	0	CONCSN	
Dec-75	11/24/75	21	13	28000	29000	0	HHWCONC	
Dec-75	11/27/75	13	31	11500	12000	0	HHWCONC	
Dec-75	12/5/75	13	31	303000	318000	0	HHWCONC	
Dec-75	12/11/75	13	24	30000	32000	0	HHWSN	
Dec-75	12/20/75	242-1F	18	288000	288000	0	EVAPFEED	
Dec-75	12/20/75	19	242-1F	23000	23000	0	EVAPCONC	
Dec-75	12/20/75	20	242-1F	193000	201000	0	EVAPCONC	
Dec-75	12/20/75	242-1H	21	235000	269000	0	EVAPFEED	
Dec-75	12/20/75	29	242-1H	17000	17000	0	EVAPCONC	
Dec-75	12/20/75	31	242-1H	158000	175000	0	EVAPCONC	
Dec-75	12/20/75	23	44H-245	112000	112000	0	RBF-RRF	
Dec-75	12/20/75	18	242-1F	1000	1000	0	OVERSPEC	
Dec-75	12/20/75	21	242-1H	5000	5000	0	OVERSPEC	
Dec-75	12/20/75	23	242-1H	14000	14000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Dec-75	12/20/75	CRC	23	82000	82000	0	RBF-RRF	
Dec-75	12/20/75	23	CRC	12000	12000	0	RBF-RRF	
Dec-75	12/20/75	17		0	3000	0	MISCADD/TRAN	100 Area trailer waste
Jan-76	1/20/76	242-1F	18	433000	433000	0	EVAPFEED	
Jan-76	1/20/76	19	242-1F	320000	323000	0	EVAPCONC	
Jan-76	1/20/76	242-1H	21	20000	82000	0	EVAPFEED	
Jan-76	1/20/76	31	242-1H	12000	17000	0	EVAPCONC	
Jan-76	12/29/75	7	33	41000	42000	0	HHWCONCSN	
Jan-76	1/20/76	23	44H-245	145000	145000	0	RBF-RRF	
Jan-76	1/20/76	23	242-1H	1000	1000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Jan-76	1/20/76	CRC	23	112000	112000	0	RBF-RRF	
Jan-76	1/20/76	23	CRC	3000	3000	0	RBF-RRF	
Jan-76	1/20/76	17		0	2000	0	NONCANYWASTE	100 Area Trailer
Jan-76	1/20/76	34		0	55000	0	MISCADD/TRAN	Cooler installation flush water
Jan-76	1/20/76	13		0	2000	0	MISCADD/TRAN	Flush Water
Feb-76	2/20/76	242-1H	21	428000	428000	0	EVAPFEED	
Feb-76	2/20/76	31	242-1H	281000	289000	0	EVAPCONC	
Feb-76	2/17/76	13	31	366000	384000	0	HHWCONCSN	
Feb-76	2/20/76	23	44H-245	132000	132000	0	RBF-RRF	
Feb-76	2/20/76	23	242-1H	2000	2000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Feb-76	2/20/76	CRC	23	95000	95000	0	RBF-RRF	
Feb-76	2/20/76	17		3000	3000	0	NONCANYWASTE	100 Area sludge
Feb-76	2/20/76	33		0	6000	0	MISCADD/TRAN	Wash in deployable coolers
Mar-76	3/20/76	242-1H	13	667000	699000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Mar-76	3/20/76	29	242-1H	278000	295000	0	EVAPCONC		
Mar-76	3/20/76	31	242-1H	278000	278000	0	EVAPCONC		
Mar-76	2/25/76	13	29	225000	237000	0	HHWCONCSN		
Mar-76	3/6/76	13	29	147000	154000	0	HHWCONCSN		
Mar-76	3/20/76	13	31	269000	282000	0	HHWCONCSN		
Mar-76	3/20/76	23	44H-245	87000	87000	0	RBF-RRF		
Mar-76	3/20/76	21	44H-245	24000	24000	0	RBF-RRF		
Mar-76	3/20/76	23	242-1H	6000	6000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Mar-76	3/20/76	CRC	23	160000	160000	0	RBF-RRF		
Mar-76	3/20/76	23	CRC	5000	5000	0	RBF-RRF		
Mar-76	3/20/76	17		0	4500	0	NONCANYWASTE	100 Area Sand Filter Flush	
Mar-76	3/20/76	34		0	7000	0	MISCADD/TRAN	Cooler installation flush water	
Mar-76	3/20/76		17	5000	0	0	MISCADD/TRAN	RT Calib./Repl.-Inv. change	
Apr-76	4/20/76	242-1H	13	860000	894000	0	EVAPFEED		
Apr-76	4/20/76	29	242-1H	205000	205000	0	EVAPCONC		
Apr-76	4/20/76	31	242-1H	489000	491000	0	EVAPCONC		
Apr-76	3/27/76	13	12	150000	157000	0	HHWSN		
Apr-76	4/1/76	13	31	223000	234000	0	HHWCONCSN		
Apr-76	4/7/76	13	12	91000	94000	0	HHWSN		
Apr-76	4/12/76	13	29	265000	278000	0	HHWCONCSN		
Apr-76	4/20/76	23	44H-245	75000	75000	0	RBF-RRF		
Apr-76	4/20/76	21	44H-245	8000	8000	0	RBF-RRF		
Apr-76	4/20/76	23	242-1H	5000	5000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Apr-76	4/20/76	CRC	23	173000	173000	0	RBF-RRF		
Apr-76	4/20/76	23	CRC	5000	5000	0	RBF-RRF		
Apr-76	4/20/76	17		0	18000	0	NONCANYWASTE		
Apr-76	4/20/76	34		0	5000	0	MISCADD/TRAN	Cooler installation flush water	
Apr-76	4/20/76	33		0	1000	0	MISCADD/TRAN		
Apr-76	4/20/76	7		0	4000	0	MISCADD/TRAN	Cooling H2O leak in cond. cell	
May-76	5/20/76	242-1H	13	335000	378000	0	EVAPFEED		
May-76	5/20/76	29	242-1H	68000	68000	0	EVAPCONC		
May-76	5/20/76	22	242-1H	112000	126000	0	EVAPCONC		
May-76	3/29/76	18	17	364000	381000	0	FRLHW		
May-76	5/11/76	21	22	766000	804000	0	LHWSN		
May-76	5/20/76	23	44H-245	122000	122000	0	RBF-RRF		
May-76	5/20/76	23	242-1H	3000	3000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
May-76	5/20/76	CRC	23	34000	34000	0	RBF-RRF		
May-76	5/20/76	23	CRC	11000	11000	0	RBF-RRF		
May-76	5/20/76	34		0	4000	0	MISCADD/TRAN	Cooler installation flush water	
Jun-76	6/20/76	242-1H	21	576000	576000	0	EVAPFEED		
Jun-76	6/20/76	22	242-1H	214000	222000	0	EVAPCONC		
Jun-76	6/20/76	13	29	186000	195000	0	HHWCONC		
Jun-76	6/20/76	23	44H-245	113000	113000	0	RBF-RRF		
Jun-76	6/20/76	21	44H-245	4000	4000	0	RBF-RRF		
Jun-76	6/20/76	23	242-1H	3000	3000	0	OVERSPEC	Tk 23 Stor. for CRC proc.	
Jun-76	6/20/76	CRC	23	91000	91000	0	RBF-RRF		
Jun-76	6/20/76	23	CRC	9000	9000	0	RBF-RRF		
Jun-76	6/20/76	17		0	10800	0	NONCANYWASTE		
Jun-76	6/20/76	7		0	11000	0	MISCADD/TRAN	IAPT, Catch Tank, Evap. Cell	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jun-76	6/20/76	13		0	4000	0	MISCADD/TRAN	Flush Water
Jul-76	7/20/76	242-1H	13	146000	178000	0	EVAPFEED	
Jul-76	7/20/76	242-1H	21	502000	502000	0	EVAPFEED	
Jul-76	7/20/76	29	242-1H	151000	151000	0	EVAPCONC	
Jul-76	7/20/76	22	242-1H	314000	335000	0	EVAPCONC	
Jul-76	6/24/76	13	29	117000	122000	0	HHWCONCSN	
Jul-76	6/25/76	21	22	197000	208000	0	LHWCONC	
Jul-76	7/5/76	21	22	245000	260000	0	LHWCONC	
Jul-76	7/20/76	23	44H-245	104000	104000	0	RBF-RRF	
Jul-76	7/20/76	23	242-1H	11000	11000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Jul-76	7/20/76	CRC	23	103000	103000	0	RBF-RRF	
Jul-76	7/20/76	23	CRC	10000	10000	0	RBF-RRF	
Jul-76	7/20/76	17		0	10000	0	NONCANYWASTE	
Jul-76	7/20/76	20		0	8000	0	MISCADD/TRAN	CTS pit
Aug-76	8/20/76	242-1F	18	80000	82000	0	EVAPFEED	
Aug-76	8/20/76	19	242-1F	39000	44000	0	EVAPCONC	
Aug-76	8/20/76	242-1H	13	222000	224000	0	EVAPFEED	
Aug-76	8/20/76	29	242-1H	171000	181000	0	EVAPCONC	
Aug-76	8/1/76	18	17	241000	253000	0	FRLHW	
Aug-76	8/6/76	18	19	299000	312000	0	LHWCONCSN	
Aug-76	8/20/76	18	20	205000	215000	0	LHWCONCSN	
Aug-76	8/20/76	23	44H-245	92000	92000	0	RBF-RRF	
Aug-76	8/20/76	7	242-1F	2000	2000	0	OVERSPEC	
Aug-76	8/20/76	23	242-1H	40000	40000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Aug-76	8/20/76	CRC	23	127000	127000	0	RBF-RRF	
Aug-76	8/20/76	23	CRC	12000	12000	0	RBF-RRF	
Aug-76	8/20/76	20		0	12000	0	MISCADD/TRAN	CTS pit
Sep-76	9/20/76	242-1F	18	498000	498000	0	EVAPFEED	
Sep-76	9/20/76	19	242-1F	278000	283000	0	EVAPCONC	
Sep-76	9/14/76	18	20	27000	28000	0	LHWCONCSN	
Sep-76	9/16/76	18	17	101000	106000	0	FRLHW	
Sep-76	9/1/76	13	31	176000	183000	0	HHWCONCSN	
Sep-76	9/4/76	13	29	143000	149000	0	HHWCONCSN	
Sep-76	9/20/76	23	44H-245	0	82000	0	RBF-RRF	
Sep-76	9/20/76	CRC	23	0	166000	0	RBF-RRF	
Sep-76	9/20/76	23	CRC	0	2000	0	RBF-RRF	
Sep-76	9/20/76	20		0	25000	0	MISCADD/TRAN	CTS pit
Sep-76	9/20/76	7		0	3000	0	MISCADD/TRAN	1A pump pit
Oct-76	10/20/76	242-1H	13	354000	354000	0	EVAPFEED	
Oct-76	10/20/76	29	242-1H	137000	137000	0	EVAPCONC	
Oct-76	10/20/76	31	242-1H	154000	167000	0	EVAPCONC	
Oct-76	10/20/76	242-1F	18	504000	504000	0	EVAPFEED	
Oct-76	10/20/76	17	242-1F	53000	53000	0	EVAPCONC	
Oct-76	10/20/76	20	242-1F	172000	182000	0	EVAPCONC	
Oct-76	10/7/76	13	32	202000	209000	0	HHWSN	
Oct-76	10/20/76	23	44H-245	94000	94000	0	RBF-RRF	
Oct-76	10/20/76	21	44H-245	4000	4000	0	RBF-RRF	
Oct-76	10/20/76	18	242-1F	14000	14000	0	OVERSPEC	
Oct-76	10/20/76	23	CRC	2000	2000	0	OVERSPEC	Tk 23 Stor. for CRC proc.

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-76	10/20/76	CRC	23	189000	189000	0	RBF-RRF	
Oct-76	10/20/76	17		8000	8000	0	NONCANYWASTE	100 Area sludge
Oct-76	10/20/76	7		0	9000	0	MISCADD/TRAN	Catch Tank
Nov-76	11/20/76	242-1F	18	340000	340000	0	EVAPFEED	
Nov-76	11/20/76	17	242-1F	137000	145000	0	EVAPCONC	
Nov-76	11/20/76	23	44H-245	104000	104000	0	RBF-RRF	
Nov-76	11/20/76	CRC	23	144000	144000	0	RBF-RRF	
Nov-76	11/20/76	23	CRC	5000	5000	0	RBF-RRF	
Nov-76	11/20/76	17		7000	7000	0	NONCANYWASTE	100 Area sludge
Dec-76	12/16/76	34	7	69000	72000	0	HHW	
Dec-76	12/20/76	23	44H-245	74000	74000	0	RBF-RRF	
Dec-76	12/20/76	CRC	23	80000	80000	0	RBF-RRF	
Dec-76	12/20/76	23	CRC	2000	2000	0	RBF-RRF	
Dec-76	12/20/76	7		0	79000	0	MISCADD/TRAN	Rain H2O inleak and Catch tk
Jan-77	1/20/77	23	44H-245	81000	81000	0	RBF-RRF	
Feb-77	2/5/77	13	29	205000	212000	0	CONCSN	
Feb-77	2/20/77	23	44H-245	83000	83000	0	RBF-RRF	
Feb-77	2/20/77	CRC	23	98000	98000	0	RBF-RRF	
Feb-77	2/20/77	23	CRC	2000	2000	0	RBF-RRF	
Mar-77	3/17/77	35	31	28000	30000	0	CONCSN	
Mar-77	3/19/77	13	31	129000	136000	0	CONCSN	
Mar-77	3/20/77	242-1H	13	331000	331000	0	EVAPFEED	
Mar-77	3/20/77	29	242-1H	229000	239000	0	EVAPCONC	
Mar-77	3/20/77	23	44H-245	70000	70000	0	RBF-RRF	
Mar-77	3/20/77	23	242-1H	4000	4000	0	OVERSPEC	Tk 23 Stor. for CRC proc.
Mar-77	3/20/77	CRC	23	54000	54000	0	RBF-RRF	
Mar-77	3/20/77	23	CRC	5000	5000	0	RBF-RRF	
Mar-77	3/20/77	17		0	10000	0	MISCADD/TRAN	
Mar-77	3/20/77	7		0	3000	0	MISCADD/TRAN	IAL pit
Mar-77	3/20/77	20		0	4000	0	MISCADD/TRAN	CTS pit flush
Mar-77	3/20/77	24		0	1000	0	MISCADD/TRAN	Flush HDB-5 sump
Apr-77	4/8/77	18	17	289500	299800	0	FRLHW	
Apr-77	4/20/77	23	44H-245	94000	94000	0	RBF-RRF	
Apr-77	4/20/77	21	44H-245	8000	8000	0	RBF-RRF	
Apr-77	4/20/77	CRC	23	133000	133000	0	RBF-RRF	
Apr-77	4/20/77	17		0	3000	0	MISCADD/TRAN	
Apr-77	4/20/77	20		0	2000	0	MISCADD/TRAN	CTS pit sump
Apr-77	4/20/77	7		0	9000	0	MISCADD/TRAN	Catch tank
Apr-77	4/20/77	31		0	9000	0	MISCADD/TRAN	Flush H2O;install cooler in 31
May-77	5/20/77	7	33	98000	103000	0	SNATE	
May-77	5/11/77	18	20	36500	37500	0	SNATE	
May-77	5/13/77	13	29	111000	116000	0	SNATE	
May-77	5/14/77	21	22	168000	174000	0	SNATE	
May-77	5/19/77	16	22	13000	14000	0	SNATE	
May-77	5/20/77	242-1F	7	76000	76000	0	EVAPFEED	
May-77	5/20/77	34	242-1F	30000	33000	0	EVAPCONC	
May-77	5/20/77	242-1H	13	60000	60000	0	EVAPFEED	
May-77	5/20/77	29	242-1H	46000	47000	0	EVAPCONC	
May-77	5/20/77	23	44H-245	35000	35000	0	RBF-RRF	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
May-77	5/20/77	7	242-1F	2000	2000	0	OVERSPEC		
May-77	5/20/77	17		0	2500	0	MISCADD/TRAN		
May-77	5/20/77	34		0	9000	0	MISCADD/TRAN	CTS pit sump	
May-77	5/20/77	31		0	19000	0	MISCADD/TRAN	Flush H2O install cooler in 31	
Jun-77	5/25/77	7	33	83000	85500	0	SNATE		
Jun-77	6/19/77	7	34	357000	368000	0	SNATE		
Jun-77	6/6/77	13	29	49000	51000	0	CONCSN		
Jun-77	6/20/77	242-1F	7	466500	466500	0	EVAPFEED		
Jun-77	6/20/77	33	242-1F	180000	199000	0	EVAPCONC		
Jun-77	6/20/77	34	242-1F	53000	53000	0	EVAPCONC		
Jun-77	6/20/77	242-1H	13	226000	226000	0	EVAPFEED		
Jun-77	6/20/77	29	242-1H	84000	84000	0	EVAPCONC		
Jun-77	6/20/77	31	242-1H	97000	103000	0	EVAPCONC		
Jun-77	6/20/77	23	44H-245	36000	36000	0	RBF-RRF		
Jun-77	6/20/77	7	242-1F	23000	23000	0	OVERSPEC		
Jun-77	6/20/77	14		0	1000	0	MISCADD/TRAN	Annulus waste from tank 16	
Jun-77	6/20/77		34	8000	0	0	MISCADD/TRAN	RT Calib./Repl.-Inv.change	
Jul-77	7/2/77	7	8	226000	235000	0	HHW		
Jul-77	7/20/77	242-1F	7	468000	468000	0	EVAPFEED		
Jul-77	7/20/77	34	242-1F	251500	269000	0	EVAPCONC		
Jul-77	7/20/77	23	44H-245	0	20000	0	RBF-RRF		
Jul-77	7/20/77	7	242-1F	0	7500	0	OVERSPEC		
Jul-77	7/20/77	16		0	2000	0	MISCADD/TRAN	Steam cond. from annulus jet	
Jul-77	7/20/77	14		0	9000	0	MISCADD/TRAN	Annulus waste from tank 16	
Aug-77	7/23/77	7	33	322000	332000	0	CONCSN		
Aug-77	8/5/77	7	8	89000	92000	0	HHW		
Aug-77	8/18/77	18	17	142000	147000	0	LHWSN		
Aug-77	8/20/77	242-1F	7	331000	331000	0	EVAPFEED		
Aug-77	8/20/77	33	242-1F	122000	143000	0	EVAPCONC		
Aug-77	8/20/77	34	242-1F	69000	69000	0	EVAPCONC		
Aug-77	8/20/77	23	44H-245	44000	44000	0	RBF-RRF		
Aug-77	8/20/77	7	242-1F	8000	8000	0	OVERSPEC		
Sep-77	9/1/77	7	8	205000	211000	0	HHW		
Sep-77	8/26/77	13	31	237000	246000	0	CONCSN		
Sep-77	9/10/77	13	29	284000	295000	0	CONCSN		
Sep-77	9/20/77	242-1F	7	252000	252000	0	EVAPFEED		
Sep-77	9/20/77	33	242-1F	98000	114000	0	EVAPCONC		
Sep-77	9/20/77	242-1H	13	346000	350000	0	EVAPFEED		
Sep-77	9/20/77	29	242-1H	24000	24000	0	EVAPCONC		
Sep-77	9/20/77	31	242-1H	228000	232000	0	EVAPCONC		
Sep-77	9/20/77	23	44H-245	43000	43000	0	RBF-RRF		
Sep-77	9/20/77	7	242-1F	5000	5000	0	OVERSPEC		
Oct-77	10/1/77	13	31	216000	230000	0	CONCSN		
Oct-77	10/4/77	13	29	39000	42000	0	CONCSN		
Oct-77	10/6/77	13	14	95000	102000	0	CONCSN		
Oct-77	10/20/77	242-1H	13	601000	601000	0	EVAPFEED		
Oct-77	10/20/77	29	242-1H	298000	307000	0	EVAPCONC		
Oct-77	10/20/77	31	242-1H	183000	183000	0	EVAPCONC		
Oct-77	10/20/77	23	44H-245	76000	76000	0	RBF-RRF		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-77	10/20/77	21	44H-245	6000	6000	0	RBF-RRF	
Oct-77	10/20/77	23	242-1H	29000	29000	0	OVERSPEC	Tank 23 Stor. ;later CRC proc.
Oct-77	10/20/77	CRC	23	29000	29000	0	RBF-RRF	
Oct-77	10/20/77	17		0	4000	0	NONCANYWASTE	100 Area sludge
Nov-77	11/20/77	23	44H-245	25000	25000	0	RBF-RRF	
Nov-77	11/20/77	CRC	23	59000	59000	0	RBF-RRF	
Nov-77	11/20/77	23	CRC	5000	5000	0	RBF-RRF	
Dec-77	12/7/77	7	34	164000	176000	0	CONCSN	
Dec-77	12/5/77	13	16	2400	2800	0	LHWSN	
Dec-77	12/20/77	CRC	23	229000	229000	0	RBF-RRF	
Jan-78	12/22/77	13	14	219000	226000	0	DILCONC	
Jan-78	12/31/77	36	29	241000	250000	0	CONCSN	
Jan-78	12/30/77	13	14	2000	2100	0	DILCONC	
Jan-78	1/4/78	35	31	34000	35000	0	CONCSN	
Jan-78	1/7/78	37	31	150000	155000	0	CONCSN	
Jan-78	1/20/78	242-1H	13	29000	29000	0	EVAPFEED	
Jan-78	1/20/78	29	242-1H	15000	32000	0	EVAPCONC	
Jan-78	1/20/78	23	44H-245	53000	53000	0	RBF-RRF	
Jan-78	1/20/78	17		0	9000	0	MISCADD/TRAN	100 Area Sludge Slurry
Jan-78	1/20/78	14		0	14000	0	MISCADD/TRAN	Tk 16 Annulus waste
Feb-78	2/5/78	34	7	15000	20000	0	SNATE	
Feb-78	2/3/78	13	14	94000	97000	0	DILCONC	
Feb-78	2/10/78	13	15	263000	271000	0	HHW	
Feb-78	2/20/78	242-1H	13	375000	379000	0	EVAPFEED	
Feb-78	2/20/78	29	242-1H	207000	214000	0	EVAPCONC	
Feb-78	2/20/78	31	242-1H	43000	43000	0	EVAPCONC	
Feb-78	2/20/78	23	44H-245	54000	54000	0	RBF-RRF	
Feb-78	2/20/78	23	242-1H	12000	12000	0	OVERSPEC	Tank 23 Stor. ;later CRC proc.
Feb-78	2/20/78	17		0	2000	0	MISCADD/TRAN	100 Area Sludge Slurry
Feb-78	2/20/78	14		0	18000	0	MISCADD/TRAN	Tk 16 Annulus waste
Feb-78	2/20/78	7		0	14000	0	MISCADD/TRAN	Catch tank
Feb-78	2/20/78	22		0	17000	0	MISCADD/TRAN	20% NaOH added
Mar-78	3/10/78	13	16	3700	3800	0	LHWSN	
Mar-78	3/13/78	37	29	238000	250000	0	CONCSN	
Mar-78	3/15/78	13	16	9300	9500	0	LHWSN	
Mar-78	3/20/78	242-1F	7	24000	24100	0	EVAPFEED	
Mar-78	3/20/78	33	242-1F	10000	10000	0	EVAPCONC	
Mar-78	3/20/78	34	242-1F	5000	11000	0	EVAPCONC	
Mar-78	3/20/78	23	44H-245	48000	48000	0	RBF-RRF	
Mar-78	3/20/78	21	44H-245	3000	3000	0	RBF-RRF	
Mar-78	3/20/78	7	242-1F	2000	2000	0	OVERSPEC	
Mar-78	3/20/78	CRC	23	62000	62000	0	RBF-RRF	
Mar-78	3/20/78	34		0	2000	0	MISCADD/TRAN	Salt diss. from tank walls
Mar-78	3/20/78	14		0	13000	0	MISCADD/TRAN	Tk 16 Annulus waste
Apr-78	4/7/78	7	34	95000	98000	0	CONCSN	
Apr-78	4/11/78	7	34	26000	28000	0	CONCSN	
Apr-78	4/18/78	7	8	119000	123000	0	LHW	
Apr-78	4/3/78	13	16	7500	7700	0	LHWSN	
Apr-78	4/20/78	242-1F	7	253000	263000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-78	4/20/78	33	242-1F	60000	60000	0	EVAPCONC		
Apr-78	4/20/78	34	242-1F	84000	97000	0	EVAPCONC		
Apr-78	4/20/78	242-1H	13	18000	19000	0	EVAPFEED		
Apr-78	4/20/78	29	242-1H	3000	3000	0	EVAPCONC		
Apr-78	4/20/78	31	242-1H	9000	13000	0	EVAPCONC		
Apr-78	4/20/78	23	44H-245	64000	64000	0	RBF-RRF		
Apr-78	4/20/78	21	44H-245	3000	3000	0	RBF-RRF		
Apr-78	4/20/78	CRC	23	199000	199000	0	RBF-RRF		
Apr-78	4/20/78	23	CRC	2000	2000	0	RBF-RRF		
Apr-78	4/20/78	34		0	2000	0	MISCADD/TRAN	Salt diss. from tank walls	
Apr-78	4/20/78	14		0	6000	0	MISCADD/TRAN	Tk 16 Annulus waste	
May-78	4/21/78	7	34	44000	50000	0	CONCSN		
May-78	4/24/78	7	33	38000	42000	0	CONCSN		
May-78	5/5/78	7	33	37000	38000	0	CONCSN		
May-78	5/8/78	7	8	26000	28000	0	LHW		
May-78	5/10/78	7	33	36000	37000	0	CONCSN		
May-78	5/14/78	7	8	33000	34000	0	LHW		
May-78	5/15/78	7	33	34000	35000	0	CONCSN		
May-78	5/17/78	7	33	56000	58000	0	CONCSN		
May-78	5/18/78	18	19	35000	36000	0	SNATE		
May-78	5/19/78	7	34	43000	48000	0	CONCSN		
May-78	5/14/78	13	24	188000	195000	0	HHWCONCSN		
May-78	5/20/78	242-1F	7	314000	350000	0	EVAPFEED		
May-78	5/20/78	33	242-1F	16000	16000	0	EVAPCONC		
May-78	5/20/78	34	242-1F	162000	203000	0	EVAPCONC		
May-78	5/20/78	242-1H	13	287000	293000	0	EVAPFEED		
May-78	5/20/78	29	242-1H	30000	30000	0	EVAPCONC		
May-78	5/20/78	31	242-1H	135000	158000	0	EVAPCONC		
May-78	5/20/78	23	44H-245	57000	57000	0	RBF-RRF		
May-78	5/20/78	18	242-1F	25000	25000	0	OVERSPEC		
May-78	5/20/78	21	242-1H	6000	6000	0	OVERSPEC		
May-78	5/20/78	23	242-1H	13000	13000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
May-78	5/20/78	17		0	1000	0	MISCADD/TRAN	100 Area Sludge Slurry	
Jun-78	5/25/78	7	33	48000	49000	0	CONCSN		
Jun-78	5/26/78	7	8	32000	33000	0	LHW		
Jun-78	6/7/78	7	8	168000	173000	0	LHW		
Jun-78	6/14/78	7	33	108000	119000	0	CONCSN		
Jun-78	6/19/78	7	34	48000	53000	0	CONCSN		
Jun-78	5/25/78	13	24	172000	179000	0	CONCSN		
Jun-78	5/28/78	36	31	215000	223000	0	CONCSN		
Jun-78	6/10/78	13	24	280000	291000	0	CONCSN		
Jun-78	6/15/78	13	24	31000	32000	0	CONCSN		
Jun-78	6/20/78	37	29	49000	51000	0	CONCSN		
Jun-78	6/20/78	242-1F	7	425000	425000	0	EVAPFEED		
Jun-78	6/20/78	33	242-1F	49000	49000	0	EVAPCONC		
Jun-78	6/20/78	34	242-1F	195000	238000	0	EVAPCONC		
Jun-78	6/20/78	242-1H	13	504000	524000	0	EVAPFEED		
Jun-78	6/20/78	29	242-1H	201000	201000	0	EVAPCONC		
Jun-78	6/20/78	31	242-1H	179000	179000	0	EVAPCONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-78	6/20/78	23	44H-245	29000	29000	0	RBF-RRF		
Jun-78	6/20/78	18	242-1F	21000	21000	0	OVERSPEC		
Jun-78	6/20/78	23	242-1H	10000	10000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
Jun-78	6/20/78	CRC	23	54000	54000	0	RBF-RRF		
Jun-78	6/20/78	23	CRC	10000	10000	0	RBF-RRF		
Jul-78	6/24/78	7	34	58000	58000	0	CONCSN		
Jul-78	7/4/78	7	33	118000	136000	0	CONCSN		
Jul-78	7/7/78	18	20	34000	36000	0	SNATE		
Jul-78	7/12/78	7	18	102000	111000	0	SNATE		
Jul-78	7/17/78	7	33	79000	87000	0	CONCSN		
Jul-78	6/22/78	37	29	186000	194000	0	CONCSN		
Jul-78	6/25/78	36	31	121000	126000	0	CONCSN		
Jul-78	7/1/78	13	11	306000	318000	0	HHW		
Jul-78	7/18/78	13	11	149000	155000	0	HHW		
Jul-78	7/19/78	36	29	9000	9000	0	CONCSN		
Jul-78	7/20/78	242-1F	7	424000	424000	0	EVAPFEED		
Jul-78	7/20/78	33	242-1F	229000	261000	0	EVAPCONC		
Jul-78	7/20/78	34	242-1F	6000	6000	0	EVAPCONC		
Jul-78	7/20/78	242-1H	13	527000	551000	0	EVAPFEED		
Jul-78	7/20/78	29	242-1H	234000	247000	0	EVAPCONC		
Jul-78	7/20/78	31	242-1H	42000	42000	0	EVAPCONC		
Jul-78	7/20/78	23	44H-245	39000	39000	0	RBF-RRF		
Jul-78	7/20/78	21	242-1H	5000	5000	0	OVERSPEC		
Jul-78	7/20/78	23	242-1H	2000	2000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
Jul-78	7/20/78	CRC	23	13000	13000	0	RBF-RRF		
Jul-78	7/20/78	23	CRC	12000	12000	0	RBF-RRF		
Jul-78	7/20/78	7		0	4000	0	MISCADD/TRAN	Jet Flush water	
Aug-78	7/25/78	7	33	122000	126000	0	CONCSN		
Aug-78	8/2/78	7	34	148000	153000	0	CONCSN		
Aug-78	8/15/78	7	34	162000	167000	0	CONCSN		
Aug-78	7/24/78	36	29	229000	238000	0	CONCSN		
Aug-78	7/27/78	13	15	253000	263000	0	HHWSN		
Aug-78	8/11/78	13	14	263000	273000	0	CONCSN		
Aug-78	8/16/78	37	31	217000	226000	0	CONCSN		
Aug-78	8/16/78	13	14	105000	110000	0	CONCSN		
Aug-78	8/20/78	242-1F	7	731000	731000	0	EVAPFEED		
Aug-78	8/20/78	33	242-1F	164000	164000	0	EVAPCONC		
Aug-78	8/20/78	34	242-1F	364000	387000	0	EVAPCONC		
Aug-78	8/20/78	242-1H	13	494000	541000	0	EVAPFEED		
Aug-78	8/20/78	29	242-1H	138000	138000	0	EVAPCONC		
Aug-78	8/20/78	31	242-1H	163000	179000	0	EVAPCONC		
Aug-78	8/20/78	23	44H-245	23000	23000	0	RBF-RRF		
Aug-78	8/20/78	21	242-1H	13000	13000	0	OVERSPEC		
Aug-78	8/20/78	23	242-1H	45000	45000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
Aug-78	8/20/78	CRC	23	58000	58000	0	RBF-RRF		
Aug-78	8/20/78	23	CRC	21000	21000	0	RBF-RRF		
Aug-78	8/20/78	7		0	4000	0	MISCADD/TRAN	IAL Pump Tank	
Sep-78	8/21/78	7	33	219000	226000	0	CONCSN		
Sep-78	8/25/78	7	8	41000	42000	0	FRLHW		

Appendix A
Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-78	8/21/78	13	14	11000	12000	0	HHWCONCSN	
Sep-78	8/31/78	13	12	106000	110000	0	HHWSN	
Sep-78	9/6/78	36	29	212000	221000	0	HHWCONCSN	
Sep-78	9/14/78	13	21	332000	345000	0	LHWSN	Plus some RBOF
Sep-78	9/20/78	242-1F	7	306000	306000	0	EVAPFEED	
Sep-78	9/20/78	33	242-1F	203000	213000	0	EVAPCONC	
Sep-78	9/20/78	34	242-1F	12000	12000	0	EVAPCONC	
Sep-78	9/20/78	242-1H	13	411000	431000	0	EVAPFEED	
Sep-78	9/20/78	29	242-1H	113000	113000	0	EVAPCONC	
Sep-78	9/20/78	31	242-1H	163000	163000	0	EVAPCONC	
Sep-78	9/20/78	23	44H-245	39000	39000	0	RBF-RRF	
Sep-78	9/20/78	21	44H-245	3000	3000	0	RBF-RRF	
Sep-78	9/20/78	21	242-1H	2000	2000	0	OVERSPEC	
Sep-78	9/20/78	23	242-1H	10000	10000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.
Sep-78	9/20/78	CRC	23	38000	38000	0	RBF-RRF	
Sep-78	9/20/78	23	CRC	12000	12000	0	RBF-RRF	
Sep-78	9/20/78	16		0	7000	0	MISCADD/TRAN	Sludge Mining water
Oct-78	10/11/78	36	31	191000	202000	0	CONCSN	
Oct-78	10/20/78	242-1H	13	108000	108000	0	EVAPFEED	
Oct-78	10/20/78	31	242-1H	79000	79000	0	EVAPCONC	
Oct-78	10/20/78	23	44H-245	120000	120000	0	RBF-RRF	
Oct-78	10/20/78	23	242-1H	12000	12000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.
Oct-78	10/20/78	CRC	23	26000	26000	0	RBF-RRF	
Oct-78	10/20/78	23	CRC	7000	7000	0	RBF-RRF	
Oct-78	10/20/78		34	24000	0	0	MISCADD/TRAN	RT Calib./Repl.-Inv. change
Nov-78	10/24/78	13	36	6000	6000	0	CONCSN	
Nov-78	11/2/78	13	37	409000	425000	0	CONCSN	
Nov-78	11/9/78	36	31	11000	11000	0	CONCSN	
Nov-78	11/9/78	37	31	219000	219000	0	CONCSN	
Nov-78	11/20/78	242-1H	13	516000	532000	0	EVAPFEED	
Nov-78	11/20/78	29	242-1H	179000	179000	0	EVAPCONC	
Nov-78	11/20/78	31	242-1H	169000	169000	0	EVAPCONC	
Nov-78	11/20/78	23	44H-245	47000	47000	0	RBF-RRF	
Nov-78	11/20/78	23	242-1H	27000	27000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.
Nov-78	11/20/78	CRC	23	115000	115000	0	RBF-RRF	
Nov-78	11/20/78	23	CRC	6000	6000	0	RBF-RRF	
Nov-78	11/20/78	24		0	2000	0	MISCADD/TRAN	Zeolite Flushes
Dec-78	12/14/78	7	8	126000	129000	0	FRLHWSN	
Dec-78	11/16/78	13	32	313000	325000	0	HHWSN	
Dec-78	11/23/78	37	29	242000	252000	0	CONCSN	
Dec-78	11/29/78	37	31	128000	133000	0	CONCSN	
Dec-78	12/8/78	13	32	432000	450000	0	HHWSN	
Dec-78	12/11/78	15	16	23000	23000	19	SLSLURRY	16K Sludge moved in 22K Slur.
Dec-78	12/20/78	242-1H	13	649000	679000	0	EVAPFEED	
Dec-78	12/20/78	29	242-1H	211000	211000	0	EVAPCONC	
Dec-78	12/20/78	31	242-1H	136000	136000	0	EVAPCONC	
Dec-78	12/20/78	23	44H-245	42000	42000	0	RBF-RRF	
Dec-78	12/20/78	23	242-1H	21000	21000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.
Dec-78	12/20/78	CRC	23	110000	110000	0	RBF-RRF	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-78	12/20/78	23	CRC	38000	38000	0	RBF-RRF	
Dec-78	12/20/78	17		0	5000	0	MISCADD/TRAN	100 Area Sludge Slurry
Dec-78	12/20/78	16		0	10000	0	MISCADD/TRAN	Sludge Mining water
Dec-78	12/20/78	24		0	6000	0	MISCADD/TRAN	Zeolite Flushes
Jan-79	12/20/78	13	32	281000	292000	0	HHWSN	
Jan-79	12/31/78	13	32	65000	67000	0	HHWSN	
Jan-79	1/2/79	16	21	22000	23000	0	LHWSN	
Jan-79	1/2/79	35	21	5000	5000	0	LHWSN	
Jan-79	1/5/79	16	21	6000	7000	0	LHWSN	
Jan-79	1/5/79	35	21	5000	5000	0	LHWSN	
Jan-79	1/11/79	13	37	213000	221000	0	CONCSN	
Jan-79	1/11/79	15	16	56000	56000	26	SLSLURRY	
Jan-79	1/19/79	37	29	247000	261000	0	CONCSN	
Jan-79	1/19/79	35	29	2000	2000	0	CONCSN	
Jan-79	1/20/79	13	36	92000	96000	0	CONCSN	
Jan-79	1/20/79	37	31	108000	118000	0	CONCSN	
Jan-79	1/20/79	35	31	5000	5000	0	CONCSN	
Jan-79	1/20/79	242-1H	13	591000	591000	0	EVAPFEED	
Jan-79	1/20/79	29	242-1H	62000	62000	0	EVAPCONC	
Jan-79	1/20/79	31	242-1H	226000	239000	0	EVAPCONC	
Jan-79	1/20/79	23	44H-245	38000	38000	0	RBF-RRF	
Jan-79	1/20/79	21	44H-245	6000	6000	0	RBF-RRF	
Jan-79	1/20/79	23	242-1H	16000	16000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.
Jan-79	1/20/79	CRC	23	74000	74000	0	RBF-RRF	
Jan-79	1/20/79	23	CRC	4000	4000	0	RBF-RRF	
Jan-79	1/20/79	7		0	2000	0	MISCADD/TRAN	IAL Pump tank
Jan-79	1/20/79	17		0	2000	0	NONCANYWASTE	100 Area Trailers
Jan-79	1/20/79	16		0	16000	0	MISCADD/TRAN	Seal water additions
Feb-79	1/21/79	37	31	46000	48000	0	CONCSN	
Feb-79	1/22/79	13	36	100000	104000	0	CONCSN	
Feb-79	1/23/79	36	31	41000	43000	0	CONCSN	
Feb-79	1/23/79	35	31	2000	2000	0	CONCSN	
Feb-79	1/29/79	16	22	16000	16000	0	LHWSN	
Feb-79	1/29/79	35	22	2000	2000	0	LHWSN	
Feb-79	2/4/79	13	36	260000	271000	0	CONCSN	
Feb-79	2/6/79	15	16	98000	98000	46	SLSLURRY	
Feb-79	2/16/79	13	36	194000	204000	0	CONCSN	
Feb-79	2/19/79	36	29	247000	256000	0	CONCSN	
Feb-79	2/19/79	35	29	2000	2000	0	CONCSN	
Feb-79	2/20/79	242-1H	13	579000	579000	0	EVAPFEED	
Feb-79	2/20/79	29	242-1H	237000	237000	0	EVAPCONC	
Feb-79	2/20/79	31	242-1H	129000	137000	0	EVAPCONC	
Feb-79	2/20/79	23	44H-245	20000	20000	0	RBF-RRF	
Feb-79	2/20/79	23	242-1H	2000	2000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.
Feb-79	2/20/79	CRC	23	145000	145000	0	RBF-RRF	
Feb-79	2/20/79	23	CRC	3000	3000	0	RBF-RRF	
Feb-79	2/20/79	16		0	55000	0	MISCADD/TRAN	Seal water additions
Feb-79	2/20/79		16	9000	0	0	MISCADD/TRAN	Filling of tk 16 sludge space
Feb-79	2/20/79	7		0	4000	0	MISCADD/TRAN	Catch tank + evaporation

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Mar-79	2/27/79	7	8	54000	56000	0	LHWSN		
Mar-79	3/20/79	7	8	65000	67000	0	LHWSN		
Mar-79	2/24/79	36	31	166000	173000	0	CONCSN		
Mar-79	2/24/79	35	31	3000	3000	0	CONCSN		
Mar-79	2/26/79	16	22	36000	38000	0	LHWSN		
Mar-79	2/26/79	13	22	2000	2000	0	LHWSN		
Mar-79	3/2/79	15	16	76000	76000	8	SLSLURRY		
Mar-79	3/15/79	13	37	411000	432000	0	CONCSN		
Mar-79	3/20/79	36	29	36000	37000	0	CONCSN		
Mar-79	3/20/79	35	29	2000	2000	0	CONCSN		
Mar-79	3/20/79	242-1H	13	470000	470000	0	EVAPFEED		
Mar-79	3/20/79	29	242-1H	234000	243000	0	EVAPCONC		
Mar-79	3/20/79	31	242-1H	101000	101000	0	EVAPCONC		
Mar-79	3/20/79	23	44H-245	46000	46000	0	RBF-RRF		
Mar-79	3/20/79	21	44H-245	2000	2000	0	RBF-RRF		
Mar-79	3/20/79	23	242-1H	5000	5000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
Mar-79	3/20/79	CRC	23	98000	98000	0	RBF-RRF		
Mar-79	3/20/79	23	CRC	10000	10000	0	RBF-RRF		
Mar-79	3/20/79	23		0	11000	0	MISCADD/TRAN	H-area catch tank	
Mar-79	3/20/79	16		0	28000	0	MISCADD/TRAN	slurry pump seal water	
Mar-79	3/20/79	16		0	3000	0	MISCADD/TRAN	flush water	
Mar-79	3/20/79	7		0	11000	0	MISCADD/TRAN	Catch tank + evaporation	
Apr-79	4/10/79	7	8	55000	56000	0	LHWSN		
Apr-79	3/22/79	36	29	144000	148000	0	CONCSN		
Apr-79	3/23/79	37	29	42000	43000	0	CONCSN		
Apr-79	3/27/79	37	10	11000	11000	0	CONCSN		
Apr-79	4/3/79	13	37	424000	445000	0	CONCSN		
Apr-79	4/13/79	37	31	219000	226000	0	CONCSN		
Apr-79	4/13/79	35	31	2000	2000	0	CONCSN		
Apr-79	4/20/79	37	29	121000	125000	0	CONCSN		
Apr-79	4/20/79	35	29	2000	2000	0	CONCSN		
Apr-79	4/20/79	13	36	29000	30000	0	CONCSN		
Apr-79	4/20/79	242-1H	13	633000	633000	0	EVAPFEED		
Apr-79	4/20/79	29	242-1H	225000	225000	0	EVAPCONC		
Apr-79	4/20/79	31	242-1H	214000	225000	0	EVAPCONC		
Apr-79	4/20/79	23	44H-245	57000	57000	0	RBF-RRF		
Apr-79	4/20/79	23	242-1H	17000	17000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
Apr-79	4/20/79	23	CRC	8000	8000	0	RBF-RRF		
Apr-79	4/20/79	23		0	17000	0	MISCADD/TRAN	H-area catch tank	
Apr-79	4/20/79	16		0	1000	0	MISCADD/TRAN	flush water	
May-79	4/26/79	7	8	25000	26000	0	LHWSN		
May-79	5/3/79	7	8	6300	6500	0	LHWSN		
May-79	5/4/79	7	8	11000	11400	0	LHWSN		
May-79	5/6/79	7	33	16300	16800	0	CONCSN		
May-79	5/7/79	7	8	7900	8100	0	LHWSN		
May-79	5/9/79	7	8	13800	14200	0	LHWSN		
May-79	5/14/79	7	34	16600	17100	0	CONCSN		
May-79	5/15/79	7	8	21300	22000	0	LHWSN		
May-79	5/16/79	7	34	16300	16800	0	CONCSN		

Appendix A
Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
May-79	5/17/79	7	8	13700	14100	0	LHWSN		
May-79	5/18/79	7	34	18100	18700	0	CONCSN		
May-79	5/20/79	7	8	13700	14200	0	LHWSN		
May-79	4/22/79	37	29	119000	123000	0	CONCSN		
May-79	4/22/79	13	36	92000	97000	0	CONCSN		
May-79	4/26/79	10	23	17000	18000	0	RBOFW		
May-79	4/27/79	13	10	16000	16000	0	DISSALT		
May-79	4/30/79	13	36	212000	223000	0	CONCSN		
May-79	5/3/79	10	23	83000	85000	0	RBOFW		
May-79	5/3/79	13	10	124000	128000	0	DISSALT		
May-79	5/12/79	36	31	199000	206000	0	CONCSN		
May-79	5/12/79	35	31	5000	5000	0	CONCSN		
May-79	5/11/79	10	23	64000	66000	0	RBOFW		
May-79	5/11/79	13	10	48000	50000	0	DISSALT		
May-79	5/16/79	10	23	21000	22000	0	RBOFW		
May-79	5/16/79	13	10	27000	28000	0	CONCSN		
May-79	5/17/79	36	29	126000	129000	0	CONCSN		
May-79	5/17/79	13	29	8000	9000	0	CONCSN		
May-79	5/18/79	13	29	52000	6000	0	CONCSN		
May-79	5/18/79	37	29	6000	54000	0	CONCSN		
May-79	5/20/79	242-1F	7	150000	185000	0	EVAPFEED		
May-79	5/20/79	33	242-1F	30300	30300	0	EVAPCONC		
May-79	5/20/79	34	242-1F	16700	35000	0	EVAPCONC		
May-79	5/20/79	242-1H	13	416000	416000	0	EVAPFEED		
May-79	5/20/79	29	242-1H	214000	226000	0	EVAPCONC		
May-79	5/20/79	31	242-1H	106000	106000	0	EVAPCONC		
May-79	5/20/79	23	44H-245	110000	110000	0	RBF-RRF		
May-79	5/20/79	18	242-1F	23000	23000	0	OVERSPEC		
May-79	5/20/79	23	242-1H	1000	1000	0	OVERSPEC	Tank 23 Stor.; later CRC proc.	
May-79	5/20/79	18		0	17000	0	MISCADD/TRAN	Flush water	
May-79	5/20/79	10		0	6000	0	MISCADD/TRAN	Flush water	
May-79	5/20/79	7		0	2000	0	MISCADD/TRAN	IAPT transfer	
Jun-79	5/22/79	7	34	29300	30300	0	CONCSN		
Jun-79	5/25/79	7	8	27000	27900	0	LHWSN		
Jun-79	5/29/79	7	33	55400	57100	0	CONCSN		
Jun-79	6/5/79	7	33	66200	68300	0	CONCSN		
Jun-79	6/9/79	7	8	48800	50400	0	LHWSN		
Jun-79	5/24/79	10	23	53000	55000	0	RBOFW		
Jun-79	5/25/79	13	10	90000	93000	0	DISSALT		
Jun-79	6/1/79	10	23	8000	8000	0	RBOFW		
Jun-79	6/20/79	242-1F	7	286000	288000	0	EVAPFEED		
Jun-79	6/20/79	33	242-1F	34000	56700	0	EVAPCONC		
Jun-79	6/20/79	34	242-1F	46000	79300	0	EVAPCONC		
Jun-79	6/20/79	23	44H-245	137000	137000	0	RBF-RRF		
Jun-79	6/20/79	17		0	6000	0	NONCANYWASTE	100 Area trailer waste	
Jun-79	6/20/79	23		0	6000	0	MISCADD/TRAN	H-area catch tank	
Jun-79	6/20/79	7		0	2000	0	MISCADD/TRAN	IAPT transfer	
Jul-79	7/10/79	7	8	57000	58800	0	LHWSN		
Jul-79	7/20/79	23	44H-245	36000	36000	0	RBF-RRF		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jul-79	7/20/79	10		0	5000	0	MISCADD/TRAN	tk 10 mining
Aug-79	7/31/79	7	7	34700	36200	0	FRLHW	
Aug-79	8/2/79	8	8	32800	33900	0	FRLHW	
Aug-79	8/17/79	34	34	36300	37400	0	CONCSN	
Aug-79	8/18/79	37	11	9000	10000	0	LHW	
Aug-79	8/18/79	35	11	3000	3000	0	LHW	
Aug-79	8/20/79	242-1F	7	85000	85000	0	EVAPFEED	
Aug-79	8/20/79	33	242-1F	16000	21000	0	EVAPCONC	
Aug-79	8/20/79	34	242-1F	16000	21000	0	EVAPCONC	
Aug-79	8/20/79	23	44H-245	60000	60000	0	RBF-RRF	
Aug-79	8/20/79	18	242-1F	2000	2000	0	OVERSPEC	
Aug-79	8/20/79	23		0	5000	0	MISCADD/TRAN	H-area catch tank
Aug-79	8/20/79	7		0	2000	0	MISCADD/TRAN	IAPT transfer
Sep-79	8/21/79	7	8	55800	57500	0	FRLHWSN	
Sep-79	8/23/79	7	34	31200	32200	0	CONCSN	
Sep-79	8/28/79	7	18	9600	9800	0	LHWSN	
Sep-79	8/29/79	7	34	69000	71000	0	CONCSN	
Sep-79	9/17/79	7	8	67300	69400	0	FRLHWSN	
Sep-79	9/19/79	7	34	67300	69400	0	CONCSN	
Sep-79	9/17/79	32	35	270000	283000	0	HHW	
Sep-79	9/20/79	242-1F	7	262000	262000	0	EVAPFEED	
Sep-79	9/20/79	33	242-1F	72000	72000	0	EVAPCONC	
Sep-79	9/20/79	34	242-1F	23000	66000	0	EVAPCONC	
Sep-79	9/20/79	23	44H-245	102000	102000	0	RBF-RRF	
Sep-79	9/20/79	18	242-1F	7000	7000	0	OVERSPEC	
Sep-79	9/20/79	23		0	6000	0	MISCADD/TRAN	H-area catch tank
Sep-79	9/20/79	7		0	10000	0	MISCADD/TRAN	IAPT transfer
Oct-79	9/22/79	7	18	20000	23000	0	LHWSN	
Oct-79	9/24/79	7	33	60000	62000	0	CONCSN	
Oct-79	9/28/79	7	34	49000	51000	0	CONCSN	
Oct-79	10/5/79	7	8	25000	26000	0	FRLHWSN	
Oct-79	10/10/79	7	34	142000	147000	0	CONCSN	
Oct-79	10/17/79	7	8	24000	25000	0	FRLHWSN	
Oct-79	9/28/79	32	35	639000	658000	0	HHWSN	
Oct-79	10/20/79	242-1F	7	442000	442000	0	EVAPFEED	
Oct-79	10/20/79	33	242-1F	53000	53000	0	EVAPCONC	
Oct-79	10/20/79	34	242-1F	154000	205000	0	EVAPCONC	
Oct-79	10/20/79	23	44H-245	54000	54000	0	RBF-RRF	
Oct-79	10/20/79	23		0	6000	0	MISCADD/TRAN	H-area catch tank
Oct-79	10/20/79	17		0	4000	0	NONCANYWASTE	100 Area trailer waste
Oct-79	10/20/79	7		0	3000	0	MISCADD/TRAN	IAPT transfer
Nov-79	10/24/79	7	18	30000	31000	0	LHWSN	
Nov-79	10/25/79	7	34	165000	170000	0	CONCSN	
Nov-79	10/30/79	7	8	40000	41000	0	FRLHWSN	
Nov-79	11/2/79	7	33	59000	61000	0	CONCSN	
Nov-79	11/12/79	7	8	43000	44000	0	FRLHWSN	
Nov-79	11/21/79	7	33	195000	201000	0	CONCSN	
Nov-79	11/5/79	16	22	57000	58000	0	LHWSN	
Nov-79	11/10/79	21	16	80000	84000	1	SLSLURRY	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-79	11/20/79	21	16	76000	84000	0	SLUDGEWW	
Nov-79	11/20/79	242-1F	7	415000	415000	0	EVAPFEED	
Nov-79	11/20/79	33	242-1F	75000	75000	0	EVAPCONC	
Nov-79	11/20/79	34	242-1F	150000	196000	0	EVAPCONC	
Nov-79	11/20/79	242-16	26	8800	8800	0	EVAPFEED	
Nov-79	11/20/79	33	242-16F	2700	2900	0	EVAPCONC	
Nov-79	11/20/79	23	44H-245	50000	50000	0	RBF-RRF	
Nov-79	11/20/79	CRC	23	50000	50000	0	RBF-RRF	
Nov-79	11/20/79	23		0	7000	0	MISCADD/TRAN	H-area catch tank
Nov-79	11/20/79	17		0	9000	0	NONCANYWASTE	100 Area trailer waste
Nov-79	11/20/79	16		0	4000	0	MISCADD/TRAN	Seal water addition
Dec-79	11/29/79	7	34	135000	139000	0	CONCSN	
Dec-79	12/4/79	7	18	15000	17000	0	LHWSN	
Dec-79	12/5/79	7	33	116000	120000	0	CONCSN	
Dec-79	12/14/79	7	18	22000	23000	0	LHWSN	
Dec-79	12/14/79	7	8	28000	29000	0	FRLHWSN	
Dec-79	12/15/79	7	18	15000	16000	0	LHWSN	
Dec-79	12/12/79	21	16	81000	104000	0	SLUDGEWW	
Dec-79	12/20/79	242-1F	7	494000	494000	0	EVAPFEED	
Dec-79	12/20/79	33	242-1F	245000	304000	0	EVAPCONC	
Dec-79	12/20/79	34	242-1F	56000	56000	0	EVAPCONC	
Dec-79	12/20/79	23	44H-245	28000	28000	0	RBF-RRF	
Dec-79	12/20/79	7	242-1F	2000	2000	0	OVERSPEC	
Dec-79	12/20/79	CRC	23	96000	96000	0	RBF-RRF	
Dec-79	12/20/79	23		0	10000	0	MISCADD/TRAN	H-area catch tank
Dec-79	12/20/79	16		0	31000	0	MISCADD/TRAN	Seal and flush water
Dec-79	12/20/79	16		0	89000	0	MISCADD/TRAN	Slurry water
Dec-79	12/20/79	16		0	7000	0	MISCADD/TRAN	Caustic and flush water
Jan-80	12/21/79	7	18	37000	38000	0	LHWSN	
Jan-80	12/22/79	7	8	92000	95000	0	FRLHWSN	
Jan-80	12/27/79	27	34	474000	488000	0	CONCSN	
Jan-80	12/30/79	7	33	118000	122000	0	CONCSN	
Jan-80	1/2/80	34	18	457000	471000	0	LHWSN	
Jan-80	1/8/80	34	18	474000	488000	0	LHWSN	
Jan-80	1/8/80	27	34	500000	515000	0	LHWSN	
Jan-80	1/9/80	18	20	191000	196000	0	CONCSN	
Jan-80	1/10/80	27	34	229000	236000	0	LHWSN	
Jan-80	1/10/80	7	8	63000	65000	0	FRLHWSN	
Jan-80	1/11/80	7	33	111000	114000	0	CONCSN	
Jan-80	1/12/80	18	19	187000	193000	0	CONCSN	
Jan-80	1/13/80	26	27	25000	26000	0	CONCSN	
Jan-80	1/17/80	18	17	204000	211000	0	FRLHWSN	
Jan-80	1/21/80	26	34	667000	688000	0	LHWSN	
Jan-80	1/20/80	242-1F	7	403000	403000	0	EVAPFEED	
Jan-80	1/20/80	33	242-1F	174000	174000	0	EVAPCONC	
Jan-80	1/20/80	34	242-1F	25000	77000	0	EVAPCONC	
Jan-80	1/20/80	23	44H-245	33000	33000	0	RBF-RRF	
Jan-80	1/20/80	23		0	6000	0	MISCADD/TRAN	H-area catch tank
Jan-80	1/20/80	28		0	5000	0	MISCADD/TRAN	FPP-2

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jan-80	1/20/80	18		0	2000	0	MISCADD/TRAN	Flush water
Jan-80	1/20/80		16	2000	0	0	MISCADD/TRAN	Evaporation
Feb-80	1/23/80	28	18	566000	583000	0	CONSN	
Feb-80	1/23/80	7	33	155000	160000	0	CONSN	
Feb-80	2/6/80	7	8	125000	129000	0	FRLHWSN	
Feb-80	2/12/80	7	33	127000	131000	0	CONSN	
Feb-80	2/17/80	26	27	113000	117000	0	CONSN	
Feb-80	1/23/80	31	10	21000	22000	0	CONSN	
Feb-80	1/15/80	21	16	80000	85000	0	SLUDGERW	Oxalic Acid cleaning solution
Feb-80	2/20/80	242-1F	7	403000	412000	0	EVAPFEED	
Feb-80	2/20/80	33	242-1F	213000	273000	0	EVAPCONC	
Feb-80	2/20/80	242-16	26	1500	1500	0	EVAPFEED	
Feb-80	2/20/80	28	242-16F	600	2800	0	EVAPCONC	
Feb-80	2/20/80	23	44H-245	60000	60000	0	RBF-RRF	
Feb-80	2/20/80	7	242-1F	6000	6000	0	OVERSPEC	
Feb-80	2/20/80	26	242-16F	900	900	0	OVERSPEC	
Feb-80	2/20/80	23		0	7000	0	MISCADD/TRAN	H-area catch tank
Feb-80	2/20/80	16		0	85000	0	MISCADD/TRAN	Oxalic acid solution
Feb-80	2/20/80	7		0	9000	0	MISCADD/TRAN	CATCH TK + IAL PUMP TK
Feb-80	2/20/80	16		0	11000	0	MISCADD/TRAN	Clean out program
Mar-80	2/23/80	18	19	31000	32000	0	CONCSN	
Mar-80	2/24/80	18	17	133000	137000	0	LHWSN	
Mar-80	2/27/80	7	33	47000	49000	0	CONCSN	
Mar-80	2/29/80	26	28	417000	430000	0	CONCSN	
Mar-80	3/9/80	7	18	242000	250000	0	CONCSN	
Mar-80	3/13/80	26	28	131000	135000	0	CONCSN	
Mar-80	3/14/80	7	8	47000	49000	0	FRLHWSN	
Mar-80	2/29/80	21	16	83000	85500	0	SLUDGERW	Oxalic Acid cleaning solution
Mar-80	3/20/80	242-1F	7	246000	250000	0	EVAPFEED	
Mar-80	3/20/80	25	242-1F	35000	66000	0	EVAPCONC	
Mar-80	3/20/80	33	242-1F	110000	110000	0	EVAPCONC	
Mar-80	3/20/80	242-16	26	308000	308000	0	EVAPFEED	
Mar-80	3/20/80	28	242-16F	132000	138000	0	EVAPCONC	
Mar-80	3/20/80	23	44H-245	43100	43100	0	RBF-RRF	
Mar-80	3/20/80	7		0	7000	0	MISCADD/TRAN	CATCH TK + IAL PUMP TK
Mar-80	3/20/80	23		0	20900	0	MISCADD/TRAN	H-area catch tank
Mar-80	3/20/80	16		0	85500	0	MISCADD/TRAN	Clean out program
Mar-80	3/20/80	17		0	2000	0	NONCANYWASTE	100 Area trailer waste
Mar-80	3/20/80	16		0	22000	0	MISCADD/TRAN	Cleaning for new wash
Apr-80	3/30/80	27	7	86000	97000	0	LHWSN	
Apr-80	3/28/80	7	8	52000	54000	0	FRLHWSN	
Apr-80	4/3/80	26	28	116000	120000	0	CONCSN	
Apr-80	4/3/80	18	19	22000	23000	0	DILW	Flush H2O from mining ops
Apr-80	4/5/80	26	27	198000	204000	0	CONCSN	
Apr-80	4/8/80	27	7	48000	49000	0	LHWSN	
Apr-80	4/8/80	7	8	82000	84000	0	FRLHWSN	
Apr-80	4/9/80	7	8	21000	22000	0	FRLHWSN	
Apr-80	4/9/80	27	7	121000	125000	0	LHWSN	
Apr-80	4/20/80	26	27	224000	231000	0	LHWSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-80	3/21/80	22	16	77300	80360	0	SLUDGERW	Oxalic Acid cleaning solution	
Apr-80	4/1/80	31	10	3794	4357	0	CONCSN		
Apr-80	4/6/80	31	10	84624	87142	0	CONCSN		
Apr-80	4/6/80	10	23	42130	42750	0	RBOFW		
Apr-80	4/8/80	31	10	20690	21020	0	CONCSN		
Apr-80	4/9/80	10	23	33280	35430	0	RBOFW		
Apr-80	4/10/80	31	10	8640	9227	0	CONCSN		
Apr-80	4/11/80	10	23	7080	7580	0	RBOFW		
Apr-80	4/16/80	10	23	10300	10664	0	RBOFW		
Apr-80	4/11/80	31		0	4613	0	MISCADD/TRAN		
Apr-80	4/20/80	242-16	26	438000	438000	0	EVAPFEED		
Apr-80	4/20/80	28	242-16F	198000	222000	0	EVAPCONC		
Apr-80	4/20/80	23	44H-245	14000	14000	0	RBF-RRF		
Apr-80	4/20/80	26	242-16F	3000	3000	0	OVERSPEC		
Apr-80	4/20/80	16		0	30000	0	MISCADD/TRAN	Neut. Oxalic;sump seal H2O	
Apr-80	4/20/80	7		0	10000	0	MISCADD/TRAN	IAPT tank + Catch tank	
Apr-80	4/20/80	19		0	37000	0	MISCADD/TRAN	Flush water	
May-80	4/29/80	18	19	37000	39000	0	CONCSN		
May-80	5/6/80	7	8	107000	110000	0	LHWSN		
May-80	5/6/80	27	7	6800	7000	0	LHWSN		
May-80	5/14/80	7	33	102000	106000	0	CONCSN		
May-80	5/18/80	26	27	497000	513000	0	CONCSN		
May-80	4/26/80	10	23	19725	20317	0	RBOFW		
May-80	4/26/80	31	10	10840	33236	0	CONCSN		
May-80	5/2/80	10	23	32568	33545	0	RBOFW		
May-80	5/2/80	29	10	15176	52345	0	CONCSN		
May-80	5/7/80	10	23	13452	13856	0	RBOFW		
May-80	5/13/80	10	23	4713	4854	0	RBOFW		
May-80	5/13/80	29	10	3523	8387	0	CONCSN		
May-80	5/14/80	10	23	9912	11303	0	RBOFW		
May-80	5/14/80	29	10	4607	16195	0	CONCSN		
May-80	5/15/80	10	23	10804	11128	0	RBOFW		
May-80	5/15/80	29	10	4336	15328	0	CONCSN		
May-80	5/20/80	29	10	5420	53962	0	CONCSN		
May-80	5/20/80	242-1F	7	141000	141000	0	EVAPFEED		
May-80	5/20/80	25	242-1F	44000	63000	0	EVAPCONC		
May-80	5/20/80	242-16	26	541000	541000	0	EVAPFEED		
May-80	5/20/80	28	242-16F	319000	338000	0	EVAPCONC		
May-80	5/20/80	23	44H-245	30000	30000	0	RBF-RRF		
May-80	5/20/80	21	44H-245	5000	5000	0	RBF-RRF		
May-80	5/20/80	23		0	7000	0	MISCADD/TRAN	H-area catch tank	
May-80	5/20/80	13		0	7000	0	MISCADD/TRAN	Flush water	
May-80	5/20/80	16		0	1000	0	MISCADD/TRAN	Tank 11 Annulus transfer	
May-80	5/20/80	20		0	4000	0	MISCADD/TRAN	Flush water	
May-80	5/20/80	19		0	37000	0	MISCADD/TRAN	RT Calib./Repl.-Inv. change	
Jun-80	6/4/80	26	27	281000	290000	0	MIXSNATE		
Jun-80	6/5/80	7	18	98000	101000	0	LHWCONCSN		
Jun-80	6/16/80	18	20	108000	112000	0	LHWCONCSN		
Jun-80	6/19/80	7	18	16700	17200	0	LHWCONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-80	5/24/80	10	23	17300	17346	0	RBOFW		
Jun-80	5/24/80	29	10	16100	16100	0	CONCSN		
Jun-80	5/25/80	10	23	9900	9900	0	RBOFW		
Jun-80	5/25/80	29	10	15100	16300	0	CONCSN		
Jun-80	5/26/80	10	23	8100	9100	0	RBOFW		
Jun-80	5/27/80	29	10	14600	14700	0	CONCSN		
Jun-80	6/1/80	37	31	214000	222000	0	CONCSN		
Jun-80	6/1/80	37	29	26000	27000	0	CONCSN		
Jun-80	6/6/80	29	10	4600	3000	0	CONCSN		
Jun-80	6/9/80	29	10	5400	6900	0	CONCSN		
Jun-80	6/10/80	29	10	7600	7700	0	CONCSN		
Jun-80	6/11/80	29	10	7300	5600	0	CONCSN		
Jun-80	6/12/80	29	10	7300	7400	0	CONCSN		
Jun-80	6/17/80	10	23	6300	6400	0	RBOFW		
Jun-80	6/20/80	242-1F	7	354000	340000	0	EVAPFEED		
Jun-80	6/20/80	25	242-1F	119000	171000	0	EVAPCONC		
Jun-80	6/20/80	242-16	26	642000	642000	0	EVAPFEED		
Jun-80	6/20/80	28	242-16F	402000	413000	0	EVAPCONC		
Jun-80	6/20/80	23	44H-245	54000	54000	0	RBF-RRF		
Jun-80	6/20/80	7	242-1F	6000	6000	0	OVERSPEC		
Jun-80	6/20/80	32		0	3000	0	MISCADD/TRAN	Transfer CTS Pump	
Jun-80	6/20/80	10		0	6000	0	MISCADD/TRAN	Flush water	
Jun-80	6/20/80	20		0	8000	0	MISCADD/TRAN	Flush water	
Jul-80	6/25/80	7	8	100000	103000	0	FRLHWSN		
Jul-80	6/28/80	18	20	43000	45000	0	CONCSN		
Jul-80	6/30/80	7	10	149000	154000	0	CONCSN		
Jul-80	7/3/80	18	20	57000	59000	0	CONCSN		
Jul-80	7/12/80	7	33	221000	228000	0	CONCSN		
Jul-80	7/20/80	242-1F	7	393000	393000	0	EVAPFEED		
Jul-80	7/20/80	25	242-1F	180000	211000	0	EVAPCONC		
Jul-80	7/20/80	242-16	26	257000	257000	0	EVAPFEED		
Jul-80	7/20/80	28	242-16F	147000	159000	0	EVAPCONC		
Jul-80	7/20/80	23	44H-245	55000	55000	0	RBF-RRF		
Jul-80	7/20/80	21	44H-245	12000	12000	0	RBF-RRF		
Jul-80	7/20/80	20		0	70000	0	MISCADD/TRAN	Inhibited water addition	
Jul-80	7/20/80	19		0	163000	0	MISCADD/TRAN	Inhibited water addition	
Jul-80	7/20/80	16		0	22000	0	MISCADD/TRAN	Flush water	
Aug-80	7/26/80	18	19	407000	420000	0	DISSALTSN		
Aug-80	7/27/80	26	28	376000	388000	0	CONCSN		
Aug-80	7/27/80	7	8	83000	86000	0	FRLHWSN		
Aug-80	7/29/80	18	20	96000	99000	0	DISSALTSN		
Aug-80	8/4/80	7	18	317000	327000	0	DISSALTSN		
Aug-80	8/9/80	18	20	107000	110000	0	DISSALTSN		
Aug-80	8/15/80	18	20	37000	38000	0	DISSALTSN		
Aug-80	8/18/80	18	20	27000	28000	0	DISSALTSN		
Aug-80	8/20/80	7	18	121000	125000	0	DISSALTSN		
Aug-80	8/22/80	27	7	92000	98000	0	DISSALTSN		
Aug-80	7/22/80	31	13	10200	12600	0	CONCSN		
Aug-80	8/12/80	15	16	109000	196000	0	SLUDGERW	Tank 16 wash	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Aug-80	8/20/80	242-1F	7	359000	360000	0	EVAPFEED		
Aug-80	8/20/80	25	242-1F	196000	212000	0	EVAPCONC		
Aug-80	8/20/80	242-16	26	421000	421000	0	EVAPFEED		
Aug-80	8/20/80	28	242-16F	239000	256000	0	EVAPCONC		
Aug-80	8/20/80	23	44H-245	3000	3000	0	RBF-RRF		
Aug-80	8/20/80	20		0	138000	0	MISCADD/TRAN	Inhibited water addition	
Aug-80	8/20/80	19		0	393000	0	MISCADD/TRAN	Inhibited water addition	
Aug-80	8/20/80	16		0	27000	0	MISCADD/TRAN	Flush water	
Sep-80	8/25/80	27	7	109000	125000	0	SALTRW		
Sep-80	8/26/80	7	8	53000	54000	0	LHWSN		
Sep-80	8/27/80	18	20	128000	132000	0	SALTRW		
Sep-80	8/29/80	27	7	83000	87000	0	SALTRW		
Sep-80	8/31/80	26	27	320000	330000	0	SALTRW		
Sep-80	9/5/80	18	20	75000	77000	0	SALTRW		
Sep-80	9/6/80	7	8	77000	82000	0	LHWSN		
Sep-80	9/6/80	18	19	64000	66000	0	SALTRW		
Sep-80	9/9/80	7	18	212000	218000	0	SALTRW		
Sep-80	9/13/80	26	28	401000	413000	0	CONCSN		
Sep-80	9/18/80	7	18	294000	304000	0	SALTRW		
Sep-80	9/18/80	27	7	402000	441000	0	SALTRW		
Sep-80	9/21/80	18	19	398000	411600	0	CONCSN		
Sep-80	9/16/80	32	21	99000	104000	0	SLUDGERW	Tank 16 wash	
Sep-80	9/20/80	242-16	26	485000	504000	0	EVAPFEED		
Sep-80	9/20/80	28	242-16F	321000	347000	0	EVAPCONC		
Sep-80	9/20/80	23	44H-245	82000	82000	0	RBF-RRF		
Sep-80	9/20/80	26	242-16F	24000	24000	0	OVERSPEC		
Sep-80	9/20/80	20		0	143000	0	MISCADD/TRAN	Inhibited water addition	
Sep-80	9/20/80	19		0	68000	0	MISCADD/TRAN	Inhibited water addition	
Sep-80	9/20/80	16		0	18000	0	MISCADD/TRAN	Flush water	
Oct-80	9/23/80	18	19	93000	96000	0	SALTRW		
Oct-80	9/24/80	18	19	85000	88000	0	SALTRW		
Oct-80	9/27/80	7	8	64000	66000	0	LHWSN		
Oct-80	9/27/80	18	19	100000	103000	0	SALTRW		
Oct-80	10/1/80	18	20	98000	101000	0	SALTRW		
Oct-80	10/1/80	7	8	109000	112000	0	LHWSN		
Oct-80	10/6/80	27	7	536000	589000	0	SALTRW		
Oct-80	10/9/80	26	27	325000	335000	0	SALTRW		
Oct-80	10/13/80	26	28	392000	395000	0	CONCSN		
Oct-80	9/27/80	10	23	35000	36000	0	RBOFW		
Oct-80	10/7/80	10	23	20000	21000	0	RBOFW		
Oct-80	10/19/80	13	37	71000	78000	0	CONCSN		
Oct-80	10/20/80	242-16	26	441000	444000	0	EVAPFEED		
Oct-80	10/20/80	28	242-16F	281000	315000	0	EVAPCONC		
Oct-80	10/20/80	242-1H	13	152000	162000	0	EVAPFEED		
Oct-80	10/20/80	31	242-1H	85800	99000	0	EVAPCONC		
Oct-80	10/20/80	23	44H-245	67000	67000	0	RBF-RRF		
Oct-80	10/20/80	23	242-1H	17000	17000	0	OVERSPEC	Tank 23 Stor.;later CRC proc.	
Oct-80	10/20/80	CRC	23	80000	80000	0	RBF-RRF		
Oct-80	10/20/80	26	242-16F	3000	3000	0	OVERSPEC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Oct-80	10/20/80	20		0	81000	0	MISCADD/TRAN	Inhibited water addition	
Oct-80	10/20/80	19		0	410000	0	MISCADD/TRAN	Inhibited water addition	
Nov-80	10/23/80	26	27	236000	244000	0	SALTRW		
Nov-80	11/2/80	26	27	220000	227000	0	LHWSN		
Nov-80	11/7/80	18	20	1987	2049	0	SALTRW		
Nov-80	11/12/80	26	28	207000	214000	0	CONCSN		
Nov-80	11/12/80	7	8	105000	109000	0	FRLHW		
Nov-80	10/23/80	13	37	90000	99000	0	CONSN		
Nov-80	10/31/80	37	29	156000	164000	0	CONSN		
Nov-80	11/2/80	13	37	70000	77000	0	CONSN		
Nov-80	11/6/80	37	31	61000	67000	0	CONSN		
Nov-80	11/7/80	13	21	87000	90000	0	FRLHWSN		
Nov-80	11/12/80	13	37	91000	100000	0	CONSN		
Nov-80	11/16/80	37	31	85000	91000	0	CONSN		
Nov-80	11/20/80	242-16	26	666000	666000	0	EVAPFEED		
Nov-80	11/20/80	28	242-16F	450000	467000	0	EVAPCONC		
Nov-80	11/20/80	242-1H	13	494000	502000	0	EVAPFEED		
Nov-80	11/20/80	29	242-1H	218000	241000	0	EVAPCONC		
Nov-80	11/20/80	31	242-1H	104000	104000	0	EVAPCONC		
Nov-80	11/20/80	23	44H-245	43000	43000	0	RBF-RRF		
Nov-80	11/20/80	21	44H-245	5000	5000	0	RBF-RRF		
Nov-80	11/20/80	26	242-16F	3500	3500	0	OVERSPEC		
Nov-80	11/20/80	13	242-1H	4000	4000	0	OVERSPEC		
Nov-80	11/20/80	23	242-1H	3500	3500	0	OVERSPEC	Tank 23 Stor.;later CRC proc.	
Nov-80	11/20/80	CRC	23	108500	108500	0	RBF-RRF		
Nov-80	11/20/80	9		0	3000	0	MISCADD/TRAN	Flush Water	
Nov-80	11/20/80	19		0	74000	0	MISCADD/TRAN	Inhibited Water additions	
Dec-80	11/23/80	27	18	705000	775000	0	SALTRW		
Dec-80	11/23/80	18	19	128000	132000	0	SALTRW		
Dec-80	11/21/80	7	4	26000	27000	0	HHW		
Dec-80	11/24/80	18	19	4000	4000	0	SALTRW		
Dec-80	11/26/80	26	28	142000	151000	0	CONCSN		
Dec-80	11/26/80	26	27	126000	132000	0	SALTRW		
Dec-80	11/28/80	18	19	97000	100000	0	SALTRW		
Dec-80	11/28/80	18	20	63000	65000	0	SALTRW		
Dec-80	12/3/80	18	19	20000	21000	0	SALTRW		
Dec-80	12/4/80	18	20	62000	64000	0	SALTRW		
Dec-80	12/6/80	26	28	234000	241000	0	CONCSN		
Dec-80	12/5/80	18	19	54000	56000	0	SALTRW		
Dec-80	12/13/80	26	27	77000	80000	0	SALTRW		
Dec-80	12/16/80	18	20	97000	103000	0	SALTRW		
Dec-80	12/19/80	26	28	194000	202000	0	CONCSN		
Dec-80	12/20/80	27	18	156000	171000	0	SALTRW		
Dec-80	12/18/80	18	19	224000	231000	0	SALTRW		
Dec-80	12/20/80	18	19	92000	95000	0	SALTRW		
Dec-80	11/23/80	13	36	225000	247000	0	CONCSN		
Dec-80	11/28/80	36	29	218000	230000	0	CONCSN		
Dec-80	12/7/80	13	37	262000	288000	0	CONCSN		
Dec-80	12/11/80	37	31	208000	223000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-80	12/14/80	13	36	171000	182000	0	CONCSN		
Dec-80	12/18/80	36	29	157000	174000	0	CONCSN		
Dec-80	12/20/80	242-16	26	644000	650000	0	EVAPFEED		
Dec-80	12/20/80	28	242-16F	436000	453000	0	EVAPCONC		
Dec-80	12/20/80	242-1H	13	643000	643000	0	EVAPFEED		
Dec-80	12/20/80	29	242-1H	215000	215000	0	EVAPCONC		
Dec-80	12/20/80	31	242-1H	214000	214000	0	EVAPCONC		
Dec-80	12/20/80	23	44H-245	40000	40000	0	RBF-RRF		
Dec-80	12/20/80	26	242-16F	5600	5600	0	OVERSPEC		
Dec-80	12/20/80	23	242-1H	14000	14000	0	OVERSPEC	Tank 23 Stor.;later CRC proc.	
Dec-80	12/20/80	CRC	23	14000	14000	0	RBF-RRF		
Dec-80	12/20/80	17		0	2000	0	NONCANYWASTE	100 Area Trailer	
Dec-80	12/20/80	19		0	99000	0	MISCADD/TRAN	Inhibited Water additions	
Dec-80	12/20/80	20		0	119000	0	MISCADD/TRAN	Inhibited Water additions	
Jan-81	12/22/80	13	37	126000	142000	0	CONCSN		
Jan-81	12/23/80	26	27	92000	95000	0	SALTRW		
Jan-81	12/24/80	37	29	92000	92000	0	CONCSN		
Jan-81	12/26/80	37	31	69000	73000	0	CONCSN		
Jan-81	12/30/80	26	27	106000	109000	0	SALTRW		
Jan-81	1/1/81	27	18	22000	25000	0	SALTRW		
Jan-81	1/3/81	13	36	219000	236000	0	CONCSN		
Jan-81	1/4/81	26	28	81000	83000	0	CONCSN		
Jan-81	1/5/81	36	31	61000	64000	0	CONCSN		
Jan-81	1/8/81	27	18	151000	163000	0	SALTRW		
Jan-81	1/9/81	18	19	183000	189000	0	SALTRW		
Jan-81	1/11/81	18	20	18500	19000	0	SALTRW		
Jan-81	1/12/81	26	28	108000	111000	0	CONCSN		
Jan-81	1/12/81	13	37	193000	208000	0	CONCSN		
Jan-81	1/17/81	26	28	67000	69000	0	CONCSN		
Jan-81	1/19/81	13	37	121000	130000	0	CONCSN		
Jan-81	1/20/81	17		0	4280	0	NONCANYWASTE	100 Area Waste	
Jan-81	1/20/81	19		0	269000	0	MISCADD/TRAN	Inhibited Water Addition	
Jan-81	1/20/81	20		0	20000	0	MISCADD/TRAN	Inhibited Water Addition	
Jan-81	1/20/81	25		0	29000	0	MISCADD/TRAN	Evaporator Flush Water	
Jan-81	1/20/81	23	44H-245	0	70000	0	NONCANYWASTE		
Jan-81	1/20/81	23	242-1H	0	19000	0	OVERSPEC		
Jan-81	1/20/81	CRC	23	0	64000	0	RBOF-RRF		
Jan-81	1/20/81	23	CRC	0	5000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Jan-81	1/20/81	242-1F	7	54000	54000	0	EVAPFEED		
Jan-81	1/20/81	242-16	26	528000	529000	0	EVAPFEED		
Jan-81	1/20/81	242-1H	13	635000	635000	0	EVAPFEED		
Jan-81	1/20/81	28	242-16F	339000	366000	0	EVAPCONC		
Jan-81	1/20/81	25	242-1F	20000	24000	0	EVAPCONC		
Jan-81	1/20/81	31	242-1H	210000	210000	0	EVAPCONC		
Jan-81	1/20/81	29	242-1H	185000	210000	0	EVAPCONC		
Feb-81	1/22/81	37	29	186000	190000	0	CONCSN		
Feb-81	1/24/81	26	28	88000	91000	0	CONCSN		
Feb-81	1/25/81	7	8	82000	85000	0	FRLHW		
Feb-81	1/25/81	37	29	82000	86000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-81	1/28/81	36	31	116000	123000	0	CONCSN	
Feb-81	1/29/81	26	18	98000	101000	0	SALTRW	
Feb-81	1/30/81	13	21	176000	181000	0	LHW	
Feb-81	2/1/81	26	28	85000	87000	0	CONCSN	
Feb-81	2/1/81	18	20	78000	82000	0	SALTRW	
Feb-81	2/2/81	7	8	60000	62000	0	FRLHW	
Feb-81	2/6/81	7	26	276000	285000	0	DISSALT	
Feb-81	2/6/81	26	27	17000	18000	0	SALTRW	
Feb-81	2/8/81	7	18	64000	67000	0	SALTRW	
Feb-81	2/9/81	18	20	41000	42000	0	SALTRW	
Feb-81	2/9/81	27	28	228000	235000	0	CONCSN	
Feb-81	2/10/81	13	37	162000	178000	0	CONCSN	
Feb-81	2/11/81	26	18	127000	133000	0	SALTRW	
Feb-81	2/19/81	7	18	64000	66000	0	SALTRW	
Feb-81	2/20/81	7	18	70000	71000	0	SALTRW	
Feb-81	2/20/81	23	44H-245	0	63000	0	NONCANYWASTE	
Feb-81	2/20/81	CRC	23	0	113000	0	RBOF-RRF	
Feb-81	2/20/81	19		0	106000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-81	2/20/81	20		0	100000	0	MISCADD/TRAN	Inhibited Water Addition
Feb-81	2/20/81	242-1F	7	341000	342000	0	EVAPFEED	
Feb-81	2/20/81	242-16	26	622000	622000	0	EVAPFEED	
Feb-81	2/20/81	242-1H	13	468000	468000	0	EVAPFEED	
Feb-81	2/20/81	28	242-16F	408000	477000	0	EVAPCONC	
Feb-81	2/20/81	25	242-1F	157000	183000	0	EVAPCONC	
Feb-81	2/20/81	31	242-1H	57000	57000	0	EVAPCONC	
Feb-81	2/20/81	29	242-1H	190000	231000	0	EVAPCONC	
Feb-81	12/26/81	37	31	62000	67000	0	CONCSN	
Mar-81	2/12/81	26	28	123000	127000	0	CONCSN	
Mar-81	2/25/81	13	37	211000	224000	0	CONCSN	
Mar-81	2/26/81	26	18	126000	130000	0	SALTRW	
Mar-81	3/2/81	26	27	25000	25000	0	MISCADD/TRAN	Cond. of Evaporator Vent
Mar-81	3/3/81	26	28	104000	108000	0	CONCSN	
Mar-81	3/4/81	7	18	19000	23000	0	SALTRW	
Mar-81	3/5/81	37	29	179000	187000	0	CONCSN	
Mar-81	3/6/81	7	18	12000	13000	0	SALTRW	
Mar-81	3/7/81	26	28	36000	38000	0	CONCSN	
Mar-81	3/8/81	7	18	43000	45000	0	SALTRW	
Mar-81	3/8/81	26	28	54000	55000	0	CONCSN	
Mar-81	3/9/81	13	36	196000	211000	0	CONCSN	
Mar-81	3/11/81	7	18	35000	36000	0	SALTRW	
Mar-81	3/14/81	26	28	72000	74000	0	CONCSN	
Mar-81	3/15/81	7	18	90000	92000	0	SALTRW	
Mar-81	3/17/81	37	31	177000	186000	0	CONCSN	
Mar-81	3/18/81	36	31	18000	20000	0	CONCSN	
Mar-81	3/20/81	36	29	158000	168000	0	CONCSN	
Mar-81	3/20/81	23	44H-245	0	28000	0	NONCANYWASTE	
Mar-81	3/20/81	23	242-1H	0	8000	0	OVERSPEC	
Mar-81	3/20/81	CRC	23	0	157000	0	RBOF-RRF	
Mar-81	3/20/81	23	CRC	0	5000	0	NONCANYWASTE	Off Spec. CRC Effluent

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Mar-81	3/20/81	26		0	2000	0	MISCADD/TRAN	Evaporator Flush Water
Mar-81	3/20/81	19		0	246000	0	MISCADD/TRAN	Bearing Seal Water Added
Mar-81	3/20/81	1		0	12000	0	MISCADD/TRAN	Inhibited Water Addition
Mar-81	3/20/81	242-1F	7	305000	305000	0	EVAPFEED	
Mar-81	3/20/81	242-16	26	665000	665000	0	EVAPFEED	
Mar-81	3/20/81	242-1H	13	535000	535000	0	EVAPFEED	
Mar-81	3/20/81	26	242-16F	440000	478000	0	EVAPCONC	
Mar-81	3/20/81	25	242-1F	167000	191000	0	EVAPCONC	
Mar-81	3/20/81	31	242-1H	224000	224000	0	EVAPCONC	
Mar-81	3/20/81	29	242-1H	106000	130000	0	EVAPCONC	
Mar-81	3/21/81	26	28	156000	161000	0	CONCSN	
Apr-81	3/23/81	26	27	15000	16000	0	SALTRW	
Apr-81	3/23/81	13	32	312000	322000	0	HHW	
Apr-81	3/25/81	7	18	154000	158000	0	SALTRW	
Apr-81	3/29/81	26	27	162000	167000	0	CONCSN	
Apr-81	3/30/81	18	19	660000	680000	0	SALTRW	
Apr-81	4/1/81	13	32	160000	163000	0	HHW	
Apr-81	4/8/81	7	26	143000	148000	0	SALTRW	
Apr-81	4/10/81	13	36	170000	183000	0	CONCSN	
Apr-81	4/11/81	26	28	278000	286000	0	CONCSN	
Apr-81	4/14/81	26	25	177000	182000	0	CONCSN	
Apr-81	4/14/81	36	31	180000	193000	0	CONCSN	
Apr-81	4/16/81	26	27	18000	19000	0	SALTRW	
Apr-81	4/19/81	13	37	211000	233000	0	CONCSN	
Apr-81	4/20/81	23	44H-245	0	30000	0	NONCANYWASTE	
Apr-81	4/20/81	26	242-16F	0	14000	0	OVERSPEC	
Apr-81	4/20/81	CRC	23	0	9000	0	RBOF-RRF	
Apr-81	4/20/81	23	CRC	0	8000	0	NONCANYWASTE	Off Spec. CRC Effluent
Apr-81	4/20/81	23	242-1H	0	20000	0	OVERSPEC	
Apr-81	4/20/81	19		0	285000	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-81	4/20/81	1		0	5000	0	MISCADD/TRAN	Inhibited Water Addition
Apr-81	4/20/81	242-1F	7	397000	397000	0	EVAPFEED	
Apr-81	4/20/81	242-16	26	790000	804000	0	EVAPFEED	
Apr-81	4/20/81	242-1H	13	689000	689000	0	EVAPFEED	
Apr-81	4/20/81	28	242-16F	536000	571000	0	EVAPCONC	
Apr-81	4/20/81	25	242-1F	161000	192000	0	EVAPCONC	
Apr-81	4/20/81	31	242-1H	181000	181000	0	EVAPCONC	
Apr-81	4/20/81	29	242-1H	201000	221000	0	EVAPCONC	
May-81	4/22/81	37	29	22000	24000	0	CONCSN	
May-81	4/25/81	26	28	271000	280000	0	CONCSN	
May-81	4/27/81	7	26	256000	264000	0	CONCSN	
May-81	4/29/81	13	37	200000	221000	0	CONCSN	
May-81	5/1/81	37	29	184000	198000	0	CONCSN	
May-81	5/4/81	26	28	293000	302000	0	CONCSN	
May-81	5/4/81	26	27	16000	16600	0	SALTRW	
May-81	5/4/81	18	19	36000	37000	0	SALTRW	
May-81	5/4/81	37	31	151000	153000	0	CONCSN	
May-81	5/7/81	26	25	170000	175000	0	CONCSN	
May-81	5/9/81	13	32	194000	207000	0	HHW	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
May-81	5/9/81	37	32	35000	36000	0	HHW		
May-81	5/14/81	7	26	223000	230000	0	CONCSN		
May-81	5/18/81	13	36	189000	202000	0	CONCSN		
May-81	5/20/81	21	44H-245	0	4000	0	NONCANYWASTE		
May-81	5/20/81	23	44H-245	0	39000	0	NONCANYWASTE		
May-81	5/20/81	7	242-1F	0	2000	0	OVERSPEC		
May-81	5/20/81	26	242-16F	0	5000	0	OVERSPEC		
May-81	5/20/81	23	242-1H	0	1000	0	OVERSPEC		
May-81	5/20/81	242-1F	7	454000	454000	0	EVAPFEED		
May-81	5/20/81	242-16	26	750000	864000	0	EVAPFEED		
May-81	5/20/81	242-1H	13	664000	664000	0	EVAPFEED		
May-81	5/20/81	28	242-16F	636000	679000	0	EVAPCONC		
May-81	5/20/81	25	242-1F	263000	309000	0	EVAPCONC		
May-81	5/20/81	31	242-1H	226000	226000	0	EVAPCONC		
May-81	5/20/81	29	242-1H	144000	169000	0	EVAPCONC		
May-81	5/21/81	26	28	217000	224000	0	CONCSN		
Jun-81	5/15/81	26	25	156000	161000	0	CONCSN		
Jun-81	5/22/81	26	27	116000	120000	0	SALTRW		
Jun-81	5/27/81	7	26	229000	236000	0	SNATE		
Jun-81	5/27/81	13	11	1000	1100	0	LHW		
Jun-81	5/28/81	26	28	54000	56000	0	CONCSN		
Jun-81	5/31/81	26	18	57000	59000	0	SALTRW		
Jun-81	6/1/81	26	28	22000	23000	0	CONCSN		
Jun-81	6/2/81	26	28	206000	212000	0	CONCSN		
Jun-81	6/5/81	13	11	313000	323000	0	LHW		
Jun-81	6/6/81	26	25	202000	208000	0	CONCSN		
Jun-81	6/7/81	7	18	134000	138000	0	SALTRW		
Jun-81	6/9/81	26	28	76000	77000	0	CONCSN		
Jun-81	6/15/81	26	28	288000	297000	0	CONCSN		
Jun-81	6/16/81	13	36	142000	155000	0	CONCSN		
Jun-81	6/17/81	13	22	66000	67000	0	LHW		
Jun-81	6/20/81	47	26	97000	100000	0	SNATE		
Jun-81	6/20/81	23	44H-245	0	39000	0	NONCANYWASTE		
Jun-81	6/20/81	23	242-1H	0	4000	0	OVERSPEC		
Jun-81	6/20/81	CRC	23	0	22000	0	RBOF-RRF		
Jun-81	6/20/81	23	CRC	0	3000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Jun-81	6/20/81	7		0	7800	0	MISCADD/TRAN	FDB-1 Catch Tank	
Jun-81	6/20/81	242-1F	7	469000	477000	0	EVAPFEED		
Jun-81	6/20/81	242-16	26	911000	911000	0	EVAPFEED		
Jun-81	6/20/81	242-1H	13	538000	538000	0	EVAPFEED		
Jun-81	6/20/81	28	242-16F	688000	724000	0	EVAPCONC		
Jun-81	6/20/81	25	242-1F	317000	345000	0	EVAPCONC		
Jun-81	6/20/81	31	242-1H	74000	74000	0	EVAPCONC		
Jun-81	6/20/81	36	242-1H	231000	241000	0	EVAPCONC		
Jul-81	6/23/81	26	25	185000	191000	0	CONCSN		
Jul-81	6/24/81	13	37	84000	91000	0	CONCSN		
Jul-81	6/25/81	47	18	350000	360000	0	SALTRW		
Jul-81	6/26/81	47	18	41000	42000	0	SALTRW		
Jul-81	6/27/81	13	36	119000	130000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jul-81	6/28/81	7	18	168000	173000	0	SALTRW		
Jul-81	6/28/81	26	28	337000	348000	0	CONCSN		
Jul-81	6/29/81	24	23	208000	223000	0	RBOF-RRF		
Jul-81	7/7/81	18	19	342000	353000	0	SALTRW		
Jul-81	7/11/81	7	18	181000	186000	0	SALTRW		
Jul-81	7/11/81	26	28	242000	249000	0	CONCSN		
Jul-81	7/13/81	13	36	244000	260000	0	CONCSN		
Jul-81	7/16/81	18	19	155000	160000	0	SALTRW		
Jul-81	7/18/81	18	19	163000	168000	0	SALTRW		
Jul-81	7/19/81	47	26	327000	337000	0	DILCONC		
Jul-81	7/20/81	13	37	146000	156000	0	CONCSN		
Jul-81	7/20/81	13	36	9000	10000	0	CONCSN		
Jul-81	7/20/81	23	44H-245	0	26000	0	NONCANYWASTE		
Jul-81	7/20/81	23	242-1H	0	6000	0	OVERSPEC		
Jul-81	7/20/81	CRC	23	0	150000	0	RBOF-RRF		
Jul-81	7/20/81	23	CRC	0	11000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Jul-81	7/20/81	19		0	188000	0	MISCADD/TRAN	Inhibited Water Addition	
Jul-81	7/20/81	24		0	43000	0	MISCADD/TRAN	Inhibited Water Addition	
Jul-81	7/20/81	9		0	3000	0	MISCADD/TRAN	Cooling Coil Water Leak	
Jul-81	7/20/81	242-1F	7	277000	277000	0	EVAPFEED		
Jul-81	7/20/81	242-16	26	742000	742000	0	EVAPFEED		
Jul-81	7/20/81	242-1H	13	640000	640000	0	EVAPFEED		
Jul-81	7/20/81	28	242-16F	539000	612000	0	EVAPCONC		
Jul-81	7/20/81	25	242-1F	106000	136000	0	EVAPCONC		
Jul-81	7/20/81	36	242-1H	422000	442000	0	EVAPCONC		
Aug-81	7/22/81	18	19	113000	117000	0	SALTRW		
Aug-81	7/22/81	13	36	94000	100000	0	CONCSN		
Aug-81	7/24/81	7	18	129000	135000	0	SALTRW		
Aug-81	7/27/81	26	28	383000	395000	0	CONCSN		
Aug-81	7/29/81	13	36	150000	162000	0	CONCSN		
Aug-81	7/30/81	47	18	205000	211000	0	SALTRW		
Aug-81	7/31/81	18	19	22000	23000	0	SALTRW		
Aug-81	8/2/81	26	27	345000	355000	0	SALTRW		
Aug-81	8/6/81	13	36	176000	194000	0	CONCSN		
Aug-81	8/8/81	26	28	334000	354000	0	CONCSN		
Aug-81	8/10/81	18	20	130000	138000	0	SALTRW		
Aug-81	8/15/81	18	20	52000	54000	0	SALTRW		
Aug-81	8/20/81	26	25	184000	190000	0	CONCSN		
Aug-81	8/20/81	23	44H-245	0	32000	0	NONCANYWASTE		
Aug-81	8/20/81	23	242-1H	0	5000	0	OVERSPEC		
Aug-81	8/20/81	CRC	23	0	27000	0	RBOF-RRF		
Aug-81	8/20/81	23	CRC	0	18000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Aug-81	8/20/81	17		0	2900	0	NONCANYWASTE	100 Area Waste	
Aug-81	8/20/81	19		0	44000	0	MISCADD/TRAN	Inhibited Water Addition	
Aug-81	8/20/81	24		0	14000	0	MISCADD/TRAN	Bearing Seal Water Added	
Aug-81	8/20/81		15	5000	0	0	MISCADD/TRAN	Cooling	
Aug-81	8/20/81		30	5000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Aug-81	8/20/81	242-1F	7	244000	244000	0	EVAPFEED		
Aug-81	8/20/81	242-16	26	732000	732000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Aug-81	8/20/81	242-1H	13	451000	451000	0	EVAPFEED		
Aug-81	8/20/81	28	242-16F	553000	603000	0	EVAPCONC		
Aug-81	8/20/81	25	242-1F	112000	136000	0	EVAPCONC		
Aug-81	8/20/81	36	242-1H	309000	358000	0	EVAPCONC		
Sep-81	8/23/81	7	8	225000	227000	0	LHW		
Sep-81	8/24/81	26	47	170000	175000	0	SALTRW		
Sep-81	9/2/81	26	28	10000	12000	0	CONCSN		
Sep-81	9/2/81	38	13	107000	121000	0	CONCSN		
Sep-81	9/3/81	18	20	160000	168000	0	SALTRW		
Sep-81	9/4/81	26	28	61000	72000	0	CONCSN		
Sep-81	9/6/81	7	18	328000	245000	0	SALTRW		
Sep-81	9/9/81	18	20	44000	47000	0	SALTRW		
Sep-81	9/10/81	13	36	295000	320000	0	CONCSN		
Sep-81	9/10/81	38	13	5000	6000	0	CONCSN		
Sep-81	9/12/81	26	28	306000	316000	0	CONCSN		
Sep-81	9/15/81	38	13	5000	6000	0	CONCSN		
Sep-81	9/18/81	38	13	4000	5000	0	CONCSN		
Sep-81	9/20/81	23	44H-245	0	17000	0	NONCANYWASTE		
Sep-81	9/20/81	23	242-1H	0	7000	0	OVERSPEC		
Sep-81	9/20/81	CRC	23	0	19000	0	RBOF-RRF		
Sep-81	9/20/81	23	CRC	0	2000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Sep-81	9/20/81	17		0	4600	0	NONCANYWASTE	100 Area Waste	
Sep-81	9/20/81	24		0	71000	0	MISCADD/TRAN	Bearing Seal Water Added	
Sep-81	9/20/81	17		0	12000	0	MISCADD/TRAN	RTCalib./Repl. or Inv. change	
Sep-81	9/20/81		35	3000	0	0	MISCADD/TRAN	Cooling	
Sep-81	9/20/81	242-1F	7	315000	315000	0	EVAPFEED		
Sep-81	9/20/81	242-16	26	698000	698000	0	EVAPFEED		
Sep-81	9/20/81	242-1H	13	520000	520000	0	EVAPFEED		
Sep-81	9/20/81	28	242-16F	504000	547000	0	EVAPCONC		
Sep-81	9/20/81	25	242-1F	121300	150000	0	EVAPCONC		
Sep-81	9/20/81	37	242-1H	24000	24000	0	EVAPCONC		
Sep-81	9/20/81	36	242-1H	400000	452000	0	EVAPCONC		
Oct-81	9/21/81	26	28	206000	212000	0	CONCSN		
Oct-81	9/23/81	13	37	257000	277000	0	CONCSN		
Oct-81	9/23/81	38	13	5000	6000	0	CONCSN		
Oct-81	9/24/81	7	26	75000	76000	0	SNATE		
Oct-81	9/26/81	26	47	161000	166000	0	SALTRW		
Oct-81	10/6/81	26	28	293000	306000	0	CONCSN		
Oct-81	10/12/81	26	25	163000	168000	0	CONCSN		
Oct-81	10/19/81	26	28	187000	193000	0	CONCSN		
Oct-81	10/20/81	23	44H-245	0	37000	0	NONCANYWASTE		
Oct-81	10/20/81	26	242-16F	0	25000	0	OVERSPEC		
Oct-81	10/20/81	CRC	23	0	131000	0	RBOF-RRF		
Oct-81	10/20/81	23	CRC	0	22000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Oct-81	10/20/81		35	5000	0	0	MISCADD/TRAN	Cooling	
Oct-81	10/20/81	24		0	92000	0	MISCADD/TRAN	Bearing Seal Water Added	
Oct-81	10/20/81	9		0	6000	0	MISCADD/TRAN	RTCalib./Repl. or Inv. change	
Oct-81	10/20/81	242-1F	7	81000	81000	0	EVAPFEED		
Oct-81	10/20/81	242-16	26	804000	828000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-81	10/20/81	28	242-16F	635000	669000	0	EVAPCONC	
Oct-81	10/20/81	25	242-1F	26000	35000	0	EVAPCONC	
Nov-81	10/26/81	26	28	186000	192000	0	CONCSN	
Nov-81	11/2/81	7	26	270000	278000	0	SNATE	
Nov-81	11/4/81	26	47	224000	231000	0	SALTRW	
Nov-81	11/9/81	26	25	187000	193000	0	CONCSN	
Nov-81	11/12/81	26	28	93000	100000	0	CONCSN	
Nov-81	11/15/81	37	29	192000	196000	0	CONCSN	
Nov-81	11/17/81	7	26	107000	109000	0	SNATE	
Nov-81	11/18/81	37	31	93000	96000	0	CONCSN	
Nov-81	11/20/81	26	28	128000	135000	0	CONCSN	
Nov-81	11/20/81	23	44H-245	0	33000	0	NONCANYWASTE	
Nov-81	11/20/81	CRC	23	0	214000	0	RBOF-RRF	
Nov-81	11/20/81	23	CRC	0	18000	0	NONCANYWASTE	Off Spec. CRC Effluent
Nov-81	11/20/81	17		0	5800	0	NONCANYWASTE	100 Area Waste
Nov-81	11/20/81		35	3000	0	0	MISCADD/TRAN	Cooling
Nov-81	11/20/81	24		0	45000	0	MISCADD/TRAN	Bearing Seal Water Added
Nov-81	11/20/81	242-1F	7	420000	420000	0	EVAPFEED	
Nov-81	11/20/81	242-16	26	787000	787000	0	EVAPFEED	
Nov-81	11/20/81	28	242-16F	615000	651000	0	EVAPCONC	
Nov-81	11/20/81	25	242-1F	238000	273000	0	EVAPCONC	
Nov-81	11/26/81	26	28	225000	230000	0	CONCSN	
Dec-81	11/21/81	26	28	208000	219000	0	CONCSN	
Dec-81	11/21/81	36	31	55000	57000	0	CONCSN	
Dec-81	11/26/81	7	26	230000	236000	0	CONCSN	
Dec-81	11/29/81	26	25	178000	183000	0	CONCSN	
Dec-81	12/2/81	26	28	283000	292000	0	CONCSN	
Dec-81	12/12/81	18	20	152000	159000	0	SALTRW	
Dec-81	12/14/81	26	28	274000	282000	0	CONCSN	
Dec-81	12/17/81	7	26	178000	189000	0	CONCSN	
Dec-81	12/20/81	23	44H-245	0	24000	0	NONCANYWASTE	
Dec-81	12/20/81	23	CRC	0	0	0	NONCANYWASTE	Off Spec. CRC Effluent
Dec-81	12/20/81	24		0	50000	0	MISCADD/TRAN	Bearing Seal Water Added
Dec-81	12/20/81	242-1F	7	325000	325000	0	EVAPFEED	
Dec-81	12/20/81	242-16	26	839000	839000	0	EVAPFEED	
Dec-81	12/20/81	28	242-16F	655000	676000	0	EVAPCONC	
Dec-81	12/20/81	25	242-1F	236000	273000	0	EVAPCONC	
Jan-82	12/22/81	26	25	230000	251000	0	CONCSN	
Jan-82	12/29/81	41	38	134000	145000	0	CONCSN	
Jan-82	12/30/81	26	28	335000	345000	0	CONCSN	
Jan-82	12/31/81	7	18	120000	121000	0	SALTRW	
Jan-82	1/9/82	26	47	211000	217000	0	LHW	
Jan-82	1/12/82	26	28	20000	21000	0	CONCSN	
Jan-82	1/12/82	41	38	34000	35000	0	MISCADD/TRAN	Inhibited Water
Jan-82	1/17/82	26	28	216000	222000	0	CONCSN	
Jan-82	1/20/82	23	44H-245	0	61000	0	NONCANYWASTE	
Jan-82	1/20/82	23	CRC	0	0	0	NONCANYWASTE	Off Spec. CRC Effluent
Jan-82	1/20/82	7		0	36000	0	MISCADD/TRAN	FDB-1 Catch Tank
Jan-82	1/20/82	19		0	87000	0	MISCADD/TRAN	Inhibited Water Addition

Appendix A
Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jan-82	1/20/82		35	2000	0	0	MISCADD/TRAN	Cooling
Jan-82	1/20/82	15		0	0	0	MISCADD/TRAN	Bearing Seal Water Added
Jan-82	1/20/82	24		0	0	0	MISCADD/TRAN	Bearing Seal Water Added
Jan-82	1/20/82	13		0	0	0	MISCADD/TRAN	Flush Water
Jan-82	1/20/82	38		0	0	0	MISCADD/TRAN	Inhibited Water Addition
Jan-82	1/20/82	23		0	0	0	MISCADD/TRAN	Side Wall Sump Water
Jan-82	1/20/82	242-1F	7	203000	206000	0	EVAPFEED	
Jan-82	1/20/82	242-16	26	728000	728000	0	EVAPFEED	
Jan-82	1/20/82	28	242-16F	537000	587000	0	EVAPCONC	
Jan-82	1/20/82	25	242-1F	151000	161000	0	EVAPCONC	
Feb-82	1/27/82	26	28	230000	251000	0	CONCSN	
Feb-82	1/31/82	26	28	335000	345000	0	CONCSN	
Feb-82	2/6/82	26	25	120000	121000	0	CONCSN	
Feb-82	2/10/82	26	28	211000	217000	0	CONCSN	
Feb-82	2/10/82	41	24	44000	53000	0	CONCSN	
Feb-82	2/11/82	7	26	20000	21000	0	SNATE	
Feb-82	2/11/82	39	31	27000	28000	0	CONCSN	
Feb-82	2/11/82	13	31	17000	18000	0	CONCSN	
Feb-82	2/20/82	26	28	216000	222000	0	CONCSN	
Feb-82	2/20/82	13	36	91000	101000	0	CONCSN	
Feb-82	2/20/82	23	44H-245	0	229000	0	NONCANYWASTE	
Feb-82	2/20/82	26	242-16F	0	3000	0	OVERSPEC	
Feb-82	2/20/82	CRC	23	0	66000	0	RBOF-RRF	
Feb-82	2/20/82	23	CRC	0	5000	0	NONCANYWASTE	Off Spec. CRC Effluent
Feb-82	2/20/82	7		0	9000	0	MISCADD/TRAN	FDB-1 Catch Tank
Feb-82	2/20/82	19		0	35000	0	MISCADD/TRAN	Inhibited Water Addition
Feb-82	2/20/82	15		0	94000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-82	2/20/82	24		0	63000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-82	2/20/82	38		0	9000	0	MISCADD/TRAN	Flush Water
Feb-82	2/20/82	23		0	10000	0	MISCADD/TRAN	Side Wall Sump Water
Feb-82	2/20/82	242-1F	7	305000	312000	0	EVAPFEED	
Feb-82	2/20/82	242-16	26	861000	861000	0	EVAPFEED	
Feb-82	2/20/82	242-1H	13	176000	176000	0	EVAPFEED	
Feb-82	2/20/82	28	242-16F	681000	727000	0	EVAPCONC	
Feb-82	2/20/82	25	242-1F	212000	241000	0	EVAPCONC	
Feb-82	2/20/82	31	242-1H	121000	128000	0	EVAPCONC	
Mar-82	2/25/82	7	18	182000	192000	0	SALTRW	
Mar-82	3/1/82	13	36	388000	428000	0	CONCSN	
Mar-82	3/3/82	42	15	403000	403000	16	SLSLURRY	
Mar-82	3/3/82	36	31	150000	157000	0	CONCSN	
Mar-82	3/9/82	42	24	10000	18000	0	DISSALT	
Mar-82	3/11/82	36	29	203000	211000	0	CONCSN	
Mar-82	3/13/82	42	15	301000	301000	16	SLSLURRY	
Mar-82	3/14/82	13	36	51000	54000	0	CONCSN	
Mar-82	3/17/82	44	26	42000	47000	0	SNATE	
Mar-82	3/20/82	13	36	252000	271000	0	CONCSN	
Mar-82	3/20/82	21	44H-245	0	3000	0	NONCANYWASTE	
Mar-82	3/20/82	23	44H-245	0	59000	0	NONCANYWASTE	
Mar-82	3/20/82	23	242-1H	0	13000	0	OVERSPEC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Mar-82	3/20/82	CRC	23	0	20000	0	RBOF-RRF	
Mar-82	3/20/82	23	CRC	0	11000	0	NONCANYWASTE	Off Spec CRC Effluent
Mar-82	3/20/82	24		0	22000	0	MISCADD/TRAN	Flush Water
Mar-82	3/20/82	23		0	1000	0	MISCADD/TRAN	Catch Tank
Mar-82	3/20/82	23		0	6000	0	MISCADD/TRAN	Side Wall sump Water
Mar-82	3/20/82	15		0	166000	0	MISCADD/TRAN	Bearing Seal Water Added
Mar-82	3/20/82	24		0	5000	0	MISCADD/TRAN	Bearing Seal Water Added
Mar-82	3/20/82	42		0	53000	0	MISCADD/TRAN	Bearing Seal Water Added
Mar-82	3/20/82	242-1F	7	279000	279000	0	EVAPFEED	
Mar-82	3/20/82	242-16	26	337000	337000	0	EVAPFEED	
Mar-82	3/20/82	242-1H	13	631000	631000	0	EVAPFEED	
Mar-82	3/20/82	44	242-16F	67000	67000	0	EVAPCONC	
Mar-82	3/20/82	28	242-16F	192000	206000	0	EVAPCONC	
Mar-82	3/20/82	25	242-1F	144000	182000	0	EVAPCONC	
Mar-82	3/20/82	31	242-1H	175000	175000	0	EVAPCONC	
Mar-82	3/20/82	29	242-1H	290000	290000	0	EVAPCONC	
Mar-82	3/21/82	26	47	229000	258000	0	FRLHW	
Apr-82	3/22/82	13	36	313000	333000	0	SNATE	
Apr-82	3/23/82	26	25	87000	92000	0	SNATE	
Apr-82	3/25/82	36	31	143000	152000	0	SNATE	
Apr-82	3/29/82	36	29	179000	186000	0	SNATE	
Apr-82	3/30/82	13	24	11000	12000	0	SNATE	
Apr-82	3/30/82	43	41	67000	69000	0	SNATE	
Apr-82	4/6/82	7	18	361000	372000	0	SALTRW	
Apr-82	4/7/82	13	37	234000	263000	0	SNATE	
Apr-82	4/8/82	26	25	6000	7000	0	SNATE	
Apr-82	4/9/82	43	31	156000	162000	0	SNATE	
Apr-82	4/10/82	7	18	59000	61000	0	SALTRW	
Apr-82	4/10/82	43	24	87000	98000	0	SNATE	
Apr-82	4/17/82	26	28	200000	206000	0	SNATE	
Apr-82	4/19/82	43	24	321000	350000	0	SNATE	
Apr-82	4/20/82	21	44H-245	0	7000	0	NONCANYWASTE	
Apr-82	4/20/82	23	44H-245	0	65000	0	NONCANYWASTE	
Apr-82	4/20/82	26	242-16F	0	6000	0	OVERSPEC	
Apr-82	4/20/82	43	242-16H	0	3000	0	OVERSPEC	
Apr-82	4/20/82	23	CRC	0	11000	0	NONCANYWASTE	Off Spec. CRC Effluent
Apr-82	4/20/82	22		0	5000	0	MISCADD/TRAN	Water Leak
Apr-82	4/20/82	15		0	63000	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-82	4/20/82	24		0	10000	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-82	4/20/82	42		0	59000	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-82	4/20/82	242-1F	7	197000	197000	0	EVAPFEED	
Apr-82	4/20/82	242-16	26	322000	328000	0	EVAPFEED	
Apr-82	4/20/82	242-1H	13	338000	338000	0	EVAPFEED	
Apr-82	4/20/82	42-16	43	53000	76000	0	EVAPFEED	
Apr-82	4/20/82	44	242-16F	171000	171000	0	EVAPCONC	
Apr-82	4/20/82	28	242-16F	64000	74000	0	EVAPCONC	
Apr-82	4/20/82	41	242-16H	44000	54000	0	EVAPCONC	
Apr-82	4/20/82	25	242-1F	118000	158000	0	EVAPCONC	
Apr-82	4/20/82	31	242-1H	151000	151000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-82	4/20/82	29	242-1H	82000	94000	0	EVAPCONC		
May-82	4/21/82	26	25	247000	255000	0	CONCSN		
May-82	5/6/82	26	27	352000	378000	0	CONCSN		
May-82	5/10/82	38	36	93000	105000	0	CONCSN		
May-82	5/13/82	7	26	235000	250000	0	SNATE		
May-82	5/17/82	13	36	104000	118000	0	CONCSN		
May-82	5/20/82	23	44H-245	0	32000	0	NONCANYWASTE		
May-82	5/20/82	7	242-1F	0	1000	0	OVERSPEC		
May-82	5/20/82	26	242-16F	0	7000	0	OVERSPEC		
May-82	5/20/82	43	242-16H	0	11000	0	OVERSPEC		
May-82	5/20/82	CRC	23	0	104000	0	RBOF-RRF		
May-82	5/20/82	47		0	7000	0	NONCANYWASTE	100 Area Waste	
May-82	5/20/82	15		0	7000	0	MISCADD/TRAN	Bearing Seal Water Added	
May-82	5/20/82	24		0	62000	0	MISCADD/TRAN	Bearing Seal Water Added	
May-82	5/20/82	42		0	30000	0	MISCADD/TRAN	Bearing Seal Water Added	
May-82	5/20/82	22		0	2000	0	MISCADD/TRAN	Water Leak	
May-82	5/20/82	31		0	7000	0	MISCADD/TRAN		
May-82	5/20/82	242-1F	7	358000	359000	0	EVAPFEED		
May-82	5/20/82	242-16	26	436000	447000	0	EVAPFEED		
May-82	5/20/82	42-16	43	326000	346000	0	EVAPFEED		
May-82	5/20/82	28	242-16F	353000	374000	0	EVAPCONC		
May-82	5/20/82	41	242-16H	178000	205000	0	EVAPCONC		
May-82	5/20/82	25	242-1F	126000	168000	0	EVAPCONC		
Jun-82	5/21/82	26	18	162000	172000	0	SALTRW		
Jun-82	5/31/82	43	42	640000	670000	0	SLUDGEWW		
Jun-82	6/11/82	7	26	144000	149000	0	SNATE		
Jun-82	6/12/82	42	24	62000	72000	0	SALTRW		
Jun-82	6/14/82	26	47	288000	297000	0	LHW		
Jun-82	6/15/82	38	24	264000	297000	0	SALTRW		
Jun-82	6/20/82	26	18	230000	255000	0	SALTRW		
Jun-82	6/20/82	23	44H-245	0	43000	0	NONCANYWASTE		
Jun-82	6/20/82	43	242-16H	0	12000	0	OVERSPEC		
Jun-82	6/20/82	24		0	47000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jun-82	6/20/82	42		0	78000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jun-82	6/20/82		32	8000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jun-82	6/20/82	42		0	64000	0	MISCADD/TRAN	Caustic Addition	
Jun-82	6/20/82	242-1F	7	35000	47000	0	EVAPFEED		
Jun-82	6/20/82	242-16	26	273000	273000	0	EVAPFEED		
Jun-82	6/20/82	42-16	43	429000	447000	0	EVAPFEED		
Jun-82	6/20/82	44	242-16F	174000	185000	0	EVAPCONC		
Jun-82	6/20/82	41	242-16H	161000	177000	0	EVAPCONC		
Jun-82	6/20/82	25	242-1F	30000	36000	0	EVAPCONC		
Jul-82	6/26/82	42	24	64000	77000	0	SALTRW		
Jul-82	7/2/82	43	38	93000	98000	0	CONCSN		
Jul-82	7/4/82	36	31	152000	167000	0	CONCSN		
Jul-82	7/9/82	26	25	292000	301000	0	CONCSN		
Jul-82	7/14/82	13	36	403000	437000	0	CONCSN		
Jul-82	7/16/82	36	29	190000	223000	0	CONCSN		
Jul-82	7/18/82	36	31	142000	149000	0	CONCSN		

Appendix A
Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jul-82	7/20/82	21	44H-245	3000	3000	0	NONCANYWASTE		
Jul-82	7/20/82	23	44H-245	64000	64000	0	NONCANYWASTE		
Jul-82	7/20/82	26	242-16F	0	2000	0	OVERSPEC		
Jul-82	7/20/82	43	242-16H	0	13000	0	OVERSPEC		
Jul-82	7/20/82	23	242-1H	0	7000	0	OVERSPEC		
Jul-82	7/20/82	CRC	23	0	109000	0	RBOF-RRF		
Jul-82	7/20/82		9	9000	0	0	MISCADD/TRAN	RT Calib./Repl. or inv. change	
Jul-82	7/20/82	7		0	4000	0	MISCADD/TRAN	CTS Flush	
Jul-82	7/20/82	28		0	4000	0	MISCADD/TRAN	flush Water	
Jul-82	7/20/82	18		0	5000	0	MISCADD/TRAN	CTS Vent	
Jul-82	7/20/82	24		0	174000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jul-82	7/20/82	42		0	146000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jul-82	7/20/82	242-16	26	416000	418000	0	EVAPFEED		
Jul-82	7/20/82	242-1H	13	767000	767000	0	EVAPFEED		
Jul-82	7/20/82	42-16	43	324000	338000	0	EVAPFEED		
Jul-82	7/20/82	44	242-16F	182600	208000	0	EVAPCONC		
Jul-82	7/20/82	41	242-16H	86000	91000	0	EVAPCONC		
Jul-82	7/20/82	31	242-1H	291000	291000	0	EVAPCONC		
Jul-82	7/20/82	29	242-1H	222000	237000	0	EVAPCONC		
Aug-82	7/21/82	43	38	2000	3000	0	CONCSN		
Aug-82	7/24/82	13	36	92000	99000	0	CONCSN		
Aug-82	7/26/82	43	42	433000	452000	0	SLUDGEWW		
Aug-82	7/27/82	43	38	2000	3000	0	CONCSN		
Aug-82	8/1/82	13	35	427000	442000	0	HHW		
Aug-82	8/4/82	36	29	184000	195000	0	CONCSN		
Aug-82	8/5/82	26	47	36000	37000	0	LHW		
Aug-82	8/13/82	26	27	380000	399000	0	CONCSN		
Aug-82	8/16/82	13	36	323000	334000	0	CONCSN		
Aug-82	8/18/82	36	31	116000	127000	0	CONCSN		
Aug-82	8/20/82	36	29	180000	189000	0	CONCSN		
Aug-82	8/20/82	21	44H-245	0	19000	0	NONCANYWASTE		
Aug-82	8/20/82	23	44H-245	0	23000	0	NONCANYWASTE		
Aug-82	8/20/82	26	242-16F	0	4000	0	OVERSPEC		
Aug-82	8/20/82	23	242-1H	0	3000	0	OVERSPEC		
Aug-82	8/20/82	CRC	23	0	108000	0	RBOF-RRF		
Aug-82	8/20/82	24		0	23000	0	MISCADD/TRAN	Bearing Seal Water Added	
Aug-82	8/20/82	9		0	10000	0	MISCADD/TRAN	RT Calib./Repl. or inv. change	
Aug-82	8/20/82		15	7000	0	0	MISCADD/TRAN	RT Calib./Repl. or inv. change	
Aug-82	8/20/82	42		0	953000	0	MISCADD/TRAN		
Aug-82	8/20/82	38		0	14000	0	MISCADD/TRAN	Transfer Jet flush	
Aug-82	8/20/82	242-16	26	376000	380000	0	EVAPFEED		
Aug-82	8/20/82	242-1H	13	687000	687000	0	EVAPFEED		
Aug-82	8/20/82	42-16	43	194000	195000	0	EVAPFEED		
Aug-82	8/20/82	44	242-16F	180600	197000	0	EVAPCONC		
Aug-82	8/20/82	41	242-16H	60000	60000	0	EVAPCONC		
Aug-82	8/20/82	31	242-1H	195000	195000	0	EVAPCONC		
Aug-82	8/20/82	29	242-1H	271000	289000	0	EVAPCONC		
Sep-82	8/29/82	43	42	535000	558000	0	SLUDGEWW		
Sep-82	8/30/82	13	36	240000	263000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-82	9/1/82	36	31	129000	137000	0	CONCSN	
Sep-82	9/3/82	38	43	380000	403000	0	SLUDGEWW	
Sep-82	9/4/82	45	26	24570	35100	0	SNATE	
Sep-82	9/5/82	13	35	90000	99000	0	HHW	
Sep-82	9/7/82	43	42	441000	451000	0	SLUDGEWW	
Sep-82	9/8/82	36	29	127000	134000	0	CONCSN	
Sep-82	9/9/82	37	29	72000	78000	0	CONCSN	
Sep-82	9/13/82	26	33	332000	342000	0	CONCSN	
Sep-82	9/15/82	13	36	213000	233000	0	CONCSN	
Sep-82	9/17/82	26	47	210000	216000	0	LHW	
Sep-82	9/18/82	37	31	115000	130000	0	CONCSN	
Sep-82	9/20/82	13	21	107000	111000	0	LHW	
Sep-82	9/20/82	21	44H-245	0	17000	0	NONCANYWASTE	
Sep-82	9/20/82	23	44H-245	0	50000	0	NONCANYWASTE	
Sep-82	9/20/82	13	242-1H	0	81000	0	OVERSPEC	
Sep-82	9/20/82	43	242-16H	0	580000	0	OVERSPEC	
Sep-82	9/20/82	23	242-1H	0	7000	0	OVERSPEC	
Sep-82	9/20/82	CRC	23	0	14000	0	RBOF-RRF	
Sep-82	9/20/82	24		0	3000	0	MISCADD/TRAN	Bearing Seal Water Added
Sep-82	9/20/82	42		0	92000	0	MISCADD/TRAN	Bearing Seal Water Added
Sep-82	9/20/82	42		0	726000	0	MISCADD/TRAN	
Sep-82	9/20/82	7		0	3000	0	MISCADD/TRAN	Flush Water
Sep-82	9/20/82	7		0	4000	0	MISCADD/TRAN	Catch Tank Water
Sep-82	9/20/82		14	11000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-82	9/20/82	11		0	4000	0	MISCADD/TRAN	Rain Water
Sep-82	9/20/82	242-16	26	532000	535000	0	EVAPFEED	
Sep-82	9/20/82	242-1H	13	442000	444000	0	EVAPFEED	
Sep-82	9/20/82	42-16	43	754000	754000	0	EVAPFEED	
Sep-82	9/20/82	44	242-16F	95000	95000	0	EVAPCONC	
Sep-82	9/20/82	45	242-16F	232900	232900	0	EVAPCONC	
Sep-82	9/20/82	28	242-16F	97100	124100	0	EVAPCONC	
Sep-82	9/20/82	41	242-16H	562000	577000	0	EVAPCONC	
Sep-82	9/20/82	31	242-1H	196000	196000	0	EVAPCONC	
Sep-82	9/20/82	29	242-1H	117000	116000	0	EVAPCONC	
Oct-82	9/23/82	26	44	26000	27000	0	CONCSN	
Oct-82	9/24/82	13	29	182000	192000	0	CONCSN	
Oct-82	9/26/82	13	35	104000	110000	0	HHW	
Oct-82	9/30/82	36	31	123000	135000	0	CONCSN	
Oct-82	10/2/82	13	35	67000	74000	0	HHW	
Oct-82	10/5/82	38	43	507000	521000	0	SLUDGEWW	
Oct-82	10/9/82	13	37	249000	260000	0	CONCSN	
Oct-82	10/14/82	43	42	918000	971000	0	SLUDGEWW	
Oct-82	10/15/82	37	29	176000	184000	0	CONCSN	
Oct-82	10/17/82	13	31	122000	132000	0	CONCSN	
Oct-82	10/18/82	43	42	53000	56000	0	SLUDGEWW	
Oct-82	10/20/82	21	44H-245	0	18000	0	NONCANYWASTE	
Oct-82	10/20/82	23	44H-245	0	11000	0	NONCANYWASTE	
Oct-82	10/20/82	42		0	188000	0	MISCADD/TRAN	
Oct-82	10/20/82	19		0	12000	0	MISCADD/TRAN	Caustic Addition

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-82	10/20/82	7		0	3000	0	MISCADD/TRAN	IAPT Addition
Oct-82	10/20/82	23		0	5000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-82	10/20/82	242-16	26	546000	546000	0	EVAPFEED	
Oct-82	10/20/82	45	242-16F	314800	345000	0	EVAPCONC	
Nov-82	10/21/82	26	47	118000	121000	0	LHW	
Nov-82	10/25/82	13	36	252000	273000	0	CONCSN	
Nov-82	10/27/82	36	29	184000	192000	0	CONCSN	
Nov-82	11/6/82	13	37	157000	171000	0	CONCSN	
Nov-82	11/8/82	36	31	102000	117000	0	CONCSN	
Nov-82	11/12/82	26	28	144000	148000	0	CONCSN	
Nov-82	11/17/82	26	44	105000	110000	0	CONCSN	
Nov-82	11/20/82	13	35	161000	175000	0	CONCSN	
Nov-82	11/20/82	21	44H-245	0	31000	0	NONCANYWASTE	
Nov-82	11/20/82	23	44H-245	0	70000	0	NONCANYWASTE	
Nov-82	11/20/82	43	242-16H	0	12000	0	OVERSPEC	
Nov-82	11/20/82		14	3000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Nov-82	11/20/82		32	5000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Nov-82	11/20/82	28		0	1000	0	MISCADD/TRAN	Flush Water
Nov-82	11/20/82	42		0	556000	0	MISCADD/TRAN	
Nov-82	11/20/82	242-16	26	578000	585000	0	EVAPFEED	
Nov-82	11/20/82	242-1H	13	459000	459000	0	EVAPFEED	
Nov-82	11/20/82	42-16	43	200000	212000	0	EVAPFEED	
Nov-82	11/20/82	45	242-16F	302000	331000	0	EVAPCONC	
Nov-82	11/20/82	41	242-16H	12000	16000	0	EVAPCONC	
Nov-82	11/20/82	31	242-1H	204000	204000	0	EVAPCONC	
Nov-82	11/20/82	29	242-1H	136000	140000	0	EVAPCONC	
Dec-82	11/24/82	37	31	97000	125000	0	CONCSN	
Dec-82	11/26/82	26	44	143000	148000	0	CONC	
Dec-82	11/30/82	13	36	156000	173000	0	CONCSN	
Dec-82	12/2/82	13	10	47000	56000	0	SALTRW	
Dec-82	12/2/82	36	29	167000	180000	0	CONCSN	
Dec-82	12/2/82	43	42	278000	300000	0	SLUDGEWW	
Dec-82	12/3/82	26	44	141000	146000	0	CONC	
Dec-82	12/6/82	13	37	78000	93000	0	CONCSN	
Dec-82	12/9/82	13	10	47000	59000	0	SALTRW	
Dec-82	12/9/82	37	31	115000	126000	0	CONCSN	
Dec-82	12/12/82	33	26	587000	613000	0	SALTRW	
Dec-82	12/13/82	13	10	57000	65000	0	SALTRW	
Dec-82	12/15/82	13	10	43000	51000	0	SALTRW	
Dec-82	12/17/82	13	37	31000	33000	0	CONCSN	
Dec-82	12/18/82	37	29	93000	102000	0	CONCSN	
Dec-82	12/20/82	21	44H-245	0	18000	0	NONCANYWASTE	
Dec-82	12/20/82	23	44H-245	0	27000	0	NONCANYWASTE	
Dec-82	12/20/82	7	242-1F	0	7000	0	OVERSPEC	
Dec-82	12/20/82	26	242-16F	0	13000	0	OVERSPEC	
Dec-82	12/20/82	13	242-1H	0	19000	0	OVERSPEC	
Dec-82	12/20/82	43	242-16H	0	28000	0	OVERSPEC	
Dec-82	12/20/82	CRC	23	0	34000	0	RBOF-RRF	
Dec-82	12/20/82	42		0	33000	0	MISCADD/TRAN	Bearing Seal Water Added

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-82	12/20/82	7		0	2000	0	MISCADD/TRAN	Chromate Drain Tank Flush
Dec-82	12/20/82	242-1F	7	191000	204000	0	EVAPFEED	
Dec-82	12/20/82	242-16	26	623000	637000	0	EVAPFEED	
Dec-82	12/20/82	242-1H	13	707000	707000	0	EVAPFEED	
Dec-82	12/20/82	42-16	43	345000	373000	0	EVAPFEED	
Dec-82	12/20/82	28	242-16F	72000	72000	0	EVAPCONC	
Dec-82	12/20/82	45	242-16F	327000	374000	0	EVAPCONC	
Dec-82	12/20/82	41	242-16H	25000	29000	0	EVAPCONC	
Dec-82	12/20/82	25	242-1F	130000	143000	0	EVAPCONC	
Dec-82	12/20/82	31	242-1H	165000	165000	0	EVAPCONC	
Dec-82	12/20/82	29	242-1H	266000	240000	0	EVAPCONC	
Dec-82	12/24/82	26	47	961000	999000	0	LHW	To be Used for salt removal
Jan-83	12/22/82	13	29	78000	84000	0	CONCSN	
Jan-83	12/23/82	13	31	5000	8000	0	CONCSN	
Jan-83	12/26/82	13	31	111000	121000	0	CONCSN	
Jan-83	12/28/82	26	33	700000	740000	0	DISSALT	
Jan-83	12/29/82	13	36	103000	113000	0	CONCSN	
Jan-83	1/2/83	43	42	311000	320000	0	SLUDGEWW	
Jan-83	1/7/83	26	45	72000	75000	0	CONCSN	
Jan-83	1/8/83	43	38	69000	72000	0	SLUDGEWW	
Jan-83	1/10/83	13	36	40000	47000	0	CONCSN	
Jan-83	1/12/83	36	29	137000	143000	0	CONCSN	
Jan-83	1/13/83	7	26	221000	230000	0	CONCSN	
Jan-83	1/15/83	7	26	75000	79000	0	CONCSN	
Jan-83	1/17/83	26	44	544000	560000	0	CONCSN	
Jan-83	1/18/83	13	37	79000	88000	0	CONCSN	
Jan-83	1/20/83	242-1F	7	133000	135000	0	EVAPFEED	
Jan-83	1/20/83	242-16	26	584000	593000	0	EVAPFEED	
Jan-83	1/20/83	242-1H	13	565000	565000	0	EVAPFEED	
Jan-83	1/20/83	42-16	43	370000	379000	0	EVAPFEED	
Jan-83	1/20/83	43	42	54000	56000	0	SLUDGEWW	
Jan-83	1/20/83	48		0	65000	0	MISCADD/TRAN	Chemical Addition
Jan-83	1/20/83	47		0	21000	0	NONCANYWASTE	100-P Trailer Waste
Jan-83	1/20/83	42		0	5000	0	MISCADD/TRAN	Flush Water
Jan-83	1/20/83	7		0	2000	0	MISCADD/TRAN	Inter Area Pump Tank
Jan-83	1/20/83	21	44H-245	0	13000	0	NONCANYWASTE	
Jan-83	1/20/83	23	44H-245	0	57000	0	NONCANYWASTE	
Jan-83	1/20/83	7	242-1F	0	8000	0	OVERSPEC	
Jan-83	1/20/83	26	242-16F	0	9000	0	OVERSPEC	
Jan-83	1/20/83	43	242-16H	0	8000	0	OVERSPEC	
Jan-83	1/20/83	23	242-1H	0	10000	0	OVERSPEC	Off spec. overhds..
Jan-83	1/20/83	18		0	8000	0	OVERSPEC	Overheads returned from CRC
Jan-83	1/20/83	23		0	7000	0	OVERSPEC	Overheads returned from CRC
Jan-83	1/20/83	44	242-16F	234000	234000	0	EVAPCONC	
Jan-83	1/20/83	28	242-16F	145000	166000	0	EVAPCONC	
Jan-83	1/20/83	41	242-16H	24000	28000	0	EVAPCONC	
Jan-83	1/20/83	25	242-1F	79000	95000	0	EVAPCONC	
Jan-83	1/20/83	31	242-1H	165000	165000	0	EVAPCONC	
Jan-83	1/20/83	29	242-1H	279000	294000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-83	1/21/83	26	27	170000	177000	0	CONCSN	
Feb-83	1/28/83	13	10	20000	22000	0	SALTRW	
Feb-83	2/1/83	13	10	3000	1000	0	SALTRW	
Feb-83	2/5/83	43	38	213000	217000	0	CONCSN	
Feb-83	2/7/83	26	25	404000	416000	0	CONCSN	
Feb-83	2/15/83	48	24	427000	457000	0	SALTRW	
Feb-83	2/16/83	13	37	5000	7000	0	CONCSN	
Feb-83	2/20/83	242-1F	7	245000	245000	0	EVAPFEED	
Feb-83	2/20/83	242-16	26	856000	862000	0	EVAPFEED	
Feb-83	2/20/83	42-16	43	382000	382000	0	EVAPFEED	
Feb-83	2/20/83	13	36	92000	10000	0	CONCSN	
Feb-83	2/20/83	48		0	33000	0	MISCADD/TRAN	Chemical Addition
Feb-83	2/20/83	38		0	12000	0	MISCADD/TRAN	Pump tank 3
Feb-83	2/20/83		10	113000	0	0	MISCADD/TRAN	Dewatering
Feb-83	2/20/83	48		0	20000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-83	2/20/83	42		0	26000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-83	2/20/83	7		0	2000	0	MISCADD/TRAN	Inter Area Pump Tank
Feb-83	2/20/83	23		0	13000	0	MISCADD/TRAN	
Feb-83	2/20/83	21	44H-245	0	22000	0	NONCANYWASTE	
Feb-83	2/20/83	23	44H-245	0	56000	0	NONCANYWASTE	
Feb-83	2/20/83	26	242-16F	0	6000	0	OVERSPEC	
Feb-83	2/20/83	CRC	23	0	77000	0	RBOF-RRF	
Feb-83	2/20/83	18		0	12000	0	OVERSPEC	Overheads ret. from CRC
Feb-83	2/20/83	44	242-16F	593000	645000	0	EVAPCONC	
Feb-83	2/20/83	41	242-16H	32000	36000	0	EVAPCONC	
Feb-83	2/20/83	27	242-1F	19000	19000	0	EVAPCONC	
Feb-83	2/20/83	25	242-1F	163000	195000	0	EVAPCONC	
Mar-83	2/24/83	13	36	144000	159000	0	CONCSN	
Mar-83	2/28/83	26	28	241000	250000	0	CONCSN	
Mar-83	3/2/83	7	26	142000	149000	0	SNATE	
Mar-83	3/6/83	43	38	357000	372000	0	SLUDGEWW	
Mar-83	3/9/83	26	44	328000	341000	0	CONCSN	
Mar-83	3/9/83	26	45	53000	56000	0	CONCSN	
Mar-83	3/10/83	26	44	133000	138000	0	CONCSN	
Mar-83	3/18/83	26	47	335000	348000	0	LHW	
Mar-83	3/18/83	7	26	102000	107000	0	SNATE	
Mar-83	3/20/83	242-1F	7	332000	340000	0	EVAPFEED	
Mar-83	3/20/83	242-16	26	818000	826000	0	EVAPFEED	
Mar-83	3/20/83	42-16	43	335000	340000	0	EVAPFEED	
Mar-83	3/20/83	47		0	42000	0	NONCANYWASTE	100-K Area Waste
Mar-83	3/20/83	33		0	10000	0	MISCADD/TRAN	Flush Water
Mar-83	3/20/83	10		0	136000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Mar-83	3/20/83	23		0	20000	0	MISCADD/TRAN	Catch tank Waste
Mar-83	3/20/83	47		0	9000	0	MISCADD/TRAN	Flush Water
Mar-83	3/20/83	21	44H-245	0	13000	0	NONCANYWASTE	
Mar-83	3/20/83	23	44H-245	0	25000	0	NONCANYWASTE	
Mar-83	3/20/83	18	242-1F	0	10000	0	OVERSPEC	
Mar-83	3/20/83	26	242-16F	0	8000	0	OVERSPEC	
Mar-83	3/20/83	23	242-1H	0	5000	0	OVERSPEC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Mar-83	3/20/83	CRC	23	0	29000	0	RBOF-RRF	
Mar-83	3/20/83	28	242-16F	251000	251000	0	EVAPCONC	
Mar-83	3/20/83	44	242-16F	361000	417000	0	EVAPCONC	
Mar-83	3/20/83	41	242-16H	43000	47000	0	EVAPCONC	
Mar-83	3/20/83	27	242-1F	21000	21000	0	EVAPCONC	
Mar-83	3/20/83	25	242-1F	213000	235000	0	EVAPCONC	
Apr-83	3/29/83	26	44	406000	418000	0	CONCSN	
Apr-83	3/29/83	43	42	48000	50000	0	SLUDGEWW	
Apr-83	4/1/83	26	25	201000	207000	0	CONCSN	
Apr-83	4/2/83	30	36	234000	243000	0	CONCSN	
Apr-83	4/4/83	36	31	79000	84000	0	CONCSN	
Apr-83	4/7/83	7	26	302000	311000	0	SNATE	
Apr-83	4/7/83	36	29	166000	178000	0	CONCSN	
Apr-83	4/9/83	26	45	72000	75000	0	CONCSN	
Apr-83	4/13/83	26	44	433000	451000	0	CONCSN	
Apr-83	4/14/83	36	31	22000	23000	0	CONCSN	
Apr-83	4/17/83	26	28	178000	182000	0	CONCSN	
Apr-83	4/20/83	242-1F	7	330000	330000	0	EVAPFEED	
Apr-83	4/20/83	242-16	26	981000	981000	0	EVAPFEED	
Apr-83	4/20/83	42-16	43	358000	360000	0	EVAPFEED	
Apr-83	4/20/83	33		0	36000	0	MISCADD/TRAN	Flush Water
Apr-83	4/20/83	42		0	13000	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-83	4/20/83	48		0	94000	0	MISCADD/TRAN	Well Water Addition
Apr-83	4/20/83	48		0	41000	0	MISCADD/TRAN	Inhibited Water Addition
Apr-83	4/20/83	48		0	57000	0	MISCADD/TRAN	Seal Water
Apr-83	4/20/83	23		0	16000	0	MISCADD/TRAN	Catch tank
Apr-83	4/20/83	38		0	15000	0	MISCADD/TRAN	PT-3
Apr-83	4/20/83	7		0	10000	0	MISCADD/TRAN	Inter Area Pump Tank
Apr-83	4/20/83	21	44H-245	0	23000	0	NONCANYWASTE	
Apr-83	4/20/83	23	44H-245	0	81000	0	NONCANYWASTE	
Apr-83	4/20/83	7	242-1F	0	14000	0	OVERSPEC	
Apr-83	4/20/83	43	242-16H	0	1000	0	OVERSPEC	
Apr-83	4/20/83	CRC	23	0	188000	0	RBOF-RRF	
Apr-83	4/20/83	23	CRC	0	15000	0	NONCANYWASTE	Off Spec. CRC Effluent
Apr-83	4/20/83	44	242-16F	731000	740000	0	EVAPCONC	
Apr-83	4/20/83	41	242-16H	50000	54000	0	EVAPCONC	
Apr-83	4/20/83	25	242-1F	29000	29000	0	EVAPCONC	
Apr-83	4/20/83	27	242-1F	195000	206000	0	EVAPCONC	
May-83	4/30/83	26	25	287000	296000	0	CONCSN	
May-83	4/30/83	37	31	82000	85000	0	CONCSN	
May-83	5/1/83	7	26	448000	461000	0	SNATE	
May-83	5/5/83	26	44	52000	54000	0	CONCSN	
May-83	5/5/83	43	41	467000	478000	0	CONCSN	
May-83	5/7/83	13	35	221000	230000	0	SNATE	
May-83	5/10/83	26	44	361000	377000	0	CONCSN	
May-83	5/15/83	26	45	365000	380000	0	CONCSN	
May-83	5/16/83	30	37	452000	469000	0	CONCSN	
May-83	5/18/83	36	29	167000	174000	0	CONCSN	
May-83	5/20/83	242-1F	7	479000	479000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
May-83	5/20/83	242-16	26	923000	930000	0	EVAPFEED		
May-83	5/20/83	242-1H	13	439000	439000	0	EVAPFEED		
May-83	5/20/83	42-16	43	375000	377000	0	EVAPFEED		
May-83	5/20/83	43	41	166000	171000	0	CONCSN		
May-83	5/20/83	7		0	7000	0	MISCADD/TRAN	Catch tank	
May-83	5/20/83	21	44H-245	0	12000	0	NONCANYWASTE		
May-83	5/20/83	23	44H-245	0	42000	0	NONCANYWASTE		
May-83	5/20/83	7	242-1F	0	7000	0	OVERSPEC		
May-83	5/20/83	26	242-16F	0	7000	0	OVERSPEC		
May-83	5/20/83	13	242-1H	0	5000	0	OVERSPEC		
May-83	5/20/83	43	242-16H	0	2000	0	OVERSPEC		
May-83	5/20/83	CRC	23	0	153000	0	RBOF-RRF		
May-83	5/20/83	23	CRC	0	5000	0	NONCANYWASTE	Off Spec CRC Effluent	
May-83	5/20/83	45	242-16F	50000	50000	0	EVAPCONC		
May-83	5/20/83	44	242-16F	574000	633000	0	EVAPCONC		
May-83	5/20/83	41	242-16H	79000	83000	0	EVAPCONC		
May-83	5/20/83	25	242-1F	160000	160000	0	EVAPCONC		
May-83	5/20/83	27	242-1F	205000	209000	0	EVAPCONC		
May-83	5/20/83	31	242-1H	175000	175000	0	EVAPCONC		
May-83	5/20/83	29	242-1H	157000	175000	0	EVAPCONC		
Jun-83	5/23/83	7	26	224000	231000	0	CONCSN		
Jun-83	5/23/83	13	36	244000	254000	0	CONCSN		
Jun-83	5/26/83	37	31	95000	118000	0	CONCSN		
Jun-83	5/29/83	26	28	135000	142000	0	CONCSN		
Jun-83	6/3/83	36	29	182000	189000	0	CONCSN		
Jun-83	6/5/83	13	37	155000	160000	0	CONCSN		
Jun-83	6/7/83	37	31	104000	116000	0	CONCSN		
Jun-83	6/13/83	13	36	369000	383000	0	CONCSN		
Jun-83	6/16/83	26	44	899000	937000	0	CONCSN		
Jun-83	6/16/83	36	29	190000	209000	0	CONCSN		
Jun-83	6/19/83	36	21	128000	136000	0	RBOF-RRF	LHW + RBOF	
Jun-83	6/20/83	242-1F	7	238000	238000	0	EVAPFEED		
Jun-83	6/20/83	242-16	26	865000	865000	0	EVAPFEED		
Jun-83	6/20/83	242-1H	13	755000	755000	0	EVAPFEED		
Jun-83	6/20/83	42-16	43	161000	162000	0	EVAPFEED		
Jun-83	6/20/83	42		0	10000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jun-83	6/20/83	47		0	4000	0	NONCANYWASTE	100 Area Trailer Waste	
Jun-83	6/20/83	21	44H-245	0	11000	0	NONCANYWASTE		
Jun-83	6/20/83	23	44H-245	0	53000	0	NONCANYWASTE		
Jun-83	6/20/83	CRC	23	0	81000	0	RBOF-RRF		
Jun-83	6/20/83	23	CRC	0	7000	0	NONCANYWASTE	Off Spec CRC Effluent	
Jun-83	6/20/83	47	242-16F	321000	321000	0	EVAPCONC		
Jun-83	6/20/83	28	242-16F	204000	204000	0	EVAPCONC		
Jun-83	6/20/83	45	242-16F	5000	5000	0	EVAPCONC		
Jun-83	6/20/83	44	242-16F	597000	607000	0	EVAPCONC		
Jun-83	6/20/83	41	242-16H	67000	72000	0	EVAPCONC		
Jun-83	6/20/83	27	242-1F	165000	165000	0	EVAPCONC		
Jun-83	6/20/83	25	242-1F	5000	11000	0	EVAPCONC		
Jun-83	6/20/83	31	242-1H	191000	191000	0	EVAPCONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-83	6/20/83	29	242-1H	381000	385000	0	EVAPCONC		
Jul-83	6/25/83	13	37	105000	110000	0	CONCSN		
Jul-83	6/27/83	36	31	106000	111000	0	CONCSN		
Jul-83	7/2/83	13	36	127000	133000	0	CONCSN		
Jul-83	7/6/83	38	21	419000	444000	0	LHW		
Jul-83	7/9/83	26	28	99000	102000	0	CONCSN		
Jul-83	7/9/83	37	29	175000	201000	0	CONCSN		
Jul-83	7/11/83	43	38	344000	354000	0	LHW		
Jul-83	7/14/83	13	36	230000	241000	0	CONCSN		
Jul-83	7/20/83	242-16	26	732000	810000	0	EVAPFEED		
Jul-83	7/20/83	242-1H	13	372000	372000	0	EVAPFEED		
Jul-83	7/20/83	42-16	43	334000	335000	0	EVAPFEED		
Jul-83	7/20/83	26	27	642000	674000	0	CONCSN		
Jul-83	7/20/83	42		0	17000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jul-83	7/20/83	24		0	61000	0	MISCADD/TRAN	Bearing Seal Water Added	
Jul-83	7/20/83	24		0	4000	0	MISCADD/TRAN	Caustic Addition	
Jul-83	7/20/83		7	3000	0	0	MISCADD/TRAN	Cooling	
Jul-83	7/20/83	44		0	60000	0	MISCADD/TRAN	Salt Deposits on Tank Walls	
Jul-83	7/20/83	21	44H-245	0	20000	0	NONCANYWASTE		
Jul-83	7/20/83	23	44H-245	0	49000	0	NONCANYWASTE		
Jul-83	7/20/83	47	242-16F	537000	579000	0	EVAPCONC		
Jul-83	7/20/83	28	242-16F	34000	34000	0	EVAPCONC		
Jul-83	7/20/83	41	242-16H	136000	144000	0	EVAPCONC		
Jul-83	7/20/83	31	242-1H	115000	115000	0	EVAPCONC		
Jul-83	7/20/83	29	242-1H	160000	168000	0	EVAPCONC		
Aug-83	7/23/83	37	31	104000	108000	0	CONCSN		
Aug-83	7/27/83	43	38	139000	143000	0	LHW		
Aug-83	7/27/83	38	24	1000	13000	0	DISSALT		
Aug-83	7/31/83	38	24	320000	332000	0	DISSALT		
Aug-83	8/4/83	7	26	82000	86000	0	CONCSN		
Aug-83	8/4/83	38	24	83000	86000	0	DISSALT		
Aug-83	8/4/83	13	37	33000	35000	0	CONCSN		
Aug-83	8/6/83	37	29	179000	199000	0	CONCSN		
Aug-83	8/6/83	43	42	63000	65000	0	MISCADD/TRAN	Seal Water	
Aug-83	8/10/83	13	37	398000	412000	0	CONCSN		
Aug-83	8/12/83	43	38	166000	171000	0	DISSALT		
Aug-83	8/13/83	26	47	385000	404000	0	CONCSN		
Aug-83	8/14/83	37	31	102000	108000	0	CONCSN		
Aug-83	8/18/83	38	24	149000	154000	0	DISSALT		
Aug-83	8/20/83	242-1F	7	1000	6000	0	EVAPFEED		
Aug-83	8/20/83	242-16	26	883000	899000	0	EVAPFEED		
Aug-83	8/20/83	242-1H	13	646000	646000	0	EVAPFEED		
Aug-83	8/20/83	42-16	43	387000	390000	0	EVAPFEED		
Aug-83	8/20/83	24		0	208000	0	MISCADD/TRAN	Bearing Seal Water Added	
Aug-83	8/20/83	2		0	19000	0	MISCADD/TRAN	Bearing Seal Water Added	
Aug-83	8/20/83	48		0	5000	0	MISCADD/TRAN	Bearing Seal Water Added	
Aug-83	8/20/83	24		0	4000	0	MISCADD/TRAN	Caustic Addition	
Aug-83	8/20/83	48		0	1000	0	MISCADD/TRAN	Demister flush	
Aug-83	8/20/83	21	44H-245	0	24000	0	NONCANYWASTE		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-83	8/20/83	23	44H-245	0	45000	0	NONCANYWASTE	
Aug-83	8/20/83	26	242-16F	0	16000	0	OVERSPEC	
Aug-83	8/20/83	44	242-16F	555000	555000	0	EVAPCONC	
Aug-83	8/20/83	28	242-16F	123000	177000	0	EVAPCONC	
Aug-83	8/20/83	41	242-16H	134000	148000	0	EVAPCONC	
Aug-83	8/20/83	27	242-1F	6000	13000	0	EVAPCONC	
Aug-83	8/20/83	31	242-1H	151000	151000	0	EVAPCONC	
Aug-83	8/20/83	29	242-1H	331000	335000	0	EVAPCONC	
Aug-83	8/21/83	37	29	161000	177000	0	CONCSN	
Aug-83	8/21/83	24	29	11000	11000	0	CONCSN	
Sep-83	8/23/83	13	37	72000	75000	0	CONCSN	
Sep-83	8/23/83	13	24	15000	16000	0	DISSALT	
Sep-83	8/26/83	43	38	171000	176000	0	DISSALT	
Sep-83	8/27/83	13	37	292000	300000	0	CONCSN	
Sep-83	8/28/83	7	26	121000	127000	0	CONCSN	
Sep-83	8/29/83	36	31	105000	109000	0	CONCSN	
Sep-83	9/1/83	24	23	58000	62000	0	RBOF-RRF	LHW + RBOF
Sep-83	9/2/83	24	23	40000	43000	0	RBOF-RRF	LHW + RBOF
Sep-83	9/2/83	37	29	12000	14000	0	CONCSN	
Sep-83	9/2/83	24	29	7000	8000	0	CONCSN	
Sep-83	9/3/83	37	29	43000	44000	0	CONCSN	
Sep-83	9/4/83	13	24	140000	142000	0	DISSALT	
Sep-83	9/5/83	37	29	117000	121000	0	CONCSN	
Sep-83	9/7/83	26	44	646000	687000	0	CONCSN	
Sep-83	9/10/83	24	23	154000	167000	0	RBOF-RRF	LHW + RBOF
Sep-83	9/17/83	13	24	252000	263000	0	DISSALT	
Sep-83	9/19/83	13	24	11000	11000	0	DISSALT	
Sep-83	9/20/83	242-1F	7	239000	240000	0	EVAPFEED	
Sep-83	9/20/83	242-16	26	767000	772000	0	EVAPFEED	
Sep-83	9/20/83	242-1H	13	591000	591000	0	EVAPFEED	
Sep-83	9/20/83	42-16	43	483000	483000	0	EVAPFEED	
Sep-83	9/20/83	26	47	101000	105000	0	CONCSN	
Sep-83	9/20/83	36	31	93000	97000	0	CONCSN	
Sep-83	9/20/83	24		0	100000	0	MISCADD/TRAN	Bearing Seal Water Added
Sep-83	9/20/83	42		0	8000	0	MISCADD/TRAN	Bearing Seal Water Added
Sep-83	9/20/83	38		0	24000	0	MISCADD/TRAN	PT-3 Water
Sep-83	9/20/83	47		0	6000	0	NONCANYWASTE	100 Area LHW Trailer
Sep-83	9/20/83	21	44H-245	0	24000	0	NONCANYWASTE	
Sep-83	9/20/83	23	44H-245	0	28000	0	NONCANYWASTE	
Sep-83	9/20/83	26	242-16F	0	1000	0	OVERSPEC	
Sep-83	9/20/83	23	CRC	0	2000	0	NONCANYWASTE	Off Spec. CRC Effluent
Sep-83	9/20/83	44	242-16F	206000	206000	0	EVAPCONC	
Sep-83	9/20/83	45	242-16F	17000	17000	0	EVAPCONC	
Sep-83	9/20/83	47	242-16F	392000	392000	0	EVAPCONC	
Sep-83	9/20/83	28	242-16F	192000	247000	0	EVAPCONC	
Sep-83	9/20/83	41	242-16H	154000	164000	0	EVAPCONC	
Sep-83	9/20/83	27	242-1F	157000	182000	0	EVAPCONC	
Sep-83	9/20/83	31	242-1H	161000	161000	0	EVAPCONC	
Sep-83	9/20/83	29	242-1H	220000	228000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-83	9/23/83	43	38	391000	403000	0	DISSALT	
Oct-83	9/23/83	26	47	400000	416000	0	CONCSN	
Oct-83	9/23/83	7	26	186000	194000	0	CONCSN	
Oct-83	10/8/83	26	27	286000	297000	0	CONCSN	
Oct-83	10/12/83	13	37	175000	183000	0	CONCSN	
Oct-83	10/13/83	26	45	113000	126000	0	CONCSN	
Oct-83	10/14/83	43	41	228000	241000	0	CONCSN	
Oct-83	10/16/83	13	36	141000	148000	0	CONCSN	
Oct-83	10/20/83	242-1F	7	136000	133700	0	EVAPFEED	
Oct-83	10/20/83	242-16	26	919000	919000	0	EVAPFEED	
Oct-83	10/20/83	242-1H	13	379000	379000	0	EVAPFEED	
Oct-83	10/20/83	42-16	43	458000	458000	0	EVAPFEED	
Oct-83	10/20/83	47		0	3000	0	NONCANYWASTE	100 Area LHW Trailer
Oct-83	10/20/83		34	3000	0	0	MISCADD/TRAN	Cooling
Oct-83	10/20/83	21	44H-245	0	32000	0	NONCANYWASTE	
Oct-83	10/20/83	23	44H-245	0	67000	0	NONCANYWASTE	
Oct-83	10/20/83	18	242-1F	0	3000	0	OVERSPEC	
Oct-83	10/20/83	44	242-16F	301000	301000	0	EVAPCONC	
Oct-83	10/20/83	45	242-16F	22000	22000	0	EVAPCONC	
Oct-83	10/20/83	28	242-16F	21000	21000	0	EVAPCONC	
Oct-83	10/20/83	47	242-16F	669000	713000	0	EVAPCONC	
Oct-83	10/20/83	41	242-16H	140000	157000	0	EVAPCONC	
Oct-83	10/20/83	25	242-1F	5000	5000	0	EVAPCONC	
Oct-83	10/20/83	27	242-1F	88000	100000	0	EVAPCONC	
Oct-83	10/20/83	31	242-1H	79000	79000	0	EVAPCONC	
Oct-83	10/20/83	29	242-1H	45000	56000	0	EVAPCONC	
Oct-83	10/23/83	26	47	238000	247000	0	CONCSN	
Nov-83	10/22/83	37	31	84000	88000	0	CONCSN	
Nov-83	10/23/83	26	47	204000	212000	0	CONCSN	
Nov-83	10/23/83	24	23	25000	28000	0	RBOF-RRF	LHW + RBOF
Nov-83	10/27/83	24	23	20000	21000	0	RBOF-RRF	LHW + RBOF
Nov-83	10/28/83	26	28	78000	81000	0	CONCSN	
Nov-83	10/29/83	36	29	161000	167000	0	CONCSN	
Nov-83	11/2/83	26	47	44000	46000	0	CONCSN	
Nov-83	11/2/83	13	37	90000	94000	0	CONCSN	
Nov-83	11/4/83	13	24	89000	93000	0	MISCADD/TRAN	Zeolite Slurry
Nov-83	11/6/83	26	44	388000	408000	0	CONCSN	
Nov-83	11/6/83	26	47	36000	37000	0	CONCSN	
Nov-83	11/6/83	13	36	219000	229000	0	CONCSN	
Nov-83	11/7/83	43	38	308000	318000	0	MISCADD/TRAN	Zeolite Slurry
Nov-83	11/7/83	37	31	53000	55000	0	CONCSN	
Nov-83	11/9/83	26	47	114000	120000	0	CONCSN	
Nov-83	11/10/83	13	24	56000	60000	0	MISCADD/TRAN	Zeolite Slurry
Nov-83	11/17/83	43	41	167000	176000	0	CONCSN	
Nov-83	11/18/83	26	47	140000	145000	0	CONCSN	
Nov-83	11/19/83	13	24	126000	129000	0	MISCADD/TRAN	Zeolite Slurry
Nov-83	11/20/83	242-16	26	706000	707000	0	EVAPFEED	
Nov-83	11/20/83	242-1H	13	547000	547000	0	EVAPFEED	
Nov-83	11/20/83	42-16	43	506000	507000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-83	11/20/83	36	31	81000	84000	0	CONCSN	
Nov-83	11/20/83	17		0	118000	0	MISCADD/TRAN	Inhibited Water Addition
Nov-83	11/20/83	24		0	222000	0	MISCADD/TRAN	Bearing Seal Water Added
Nov-83	11/20/83	42		0	11000	0	MISCADD/TRAN	Bearing Seal Water Added
Nov-83	11/20/83	38		0	4000	0	MISCADD/TRAN	Pump tank 3
Nov-83	11/20/83		34	3000	0	0	MISCADD/TRAN	Cooling
Nov-83	11/20/83	21	44H-245	0	28000	0	NONCANYWASTE	
Nov-83	11/20/83	23	44H-245	0	42000	0	NONCANYWASTE	
Nov-83	11/20/83	28	242-16F	26000	26000	0	EVAPCONC	
Nov-83	11/20/83	47	242-16F	476000	490000	0	EVAPCONC	
Nov-83	11/20/83	41	242-16H	223000	240000	0	EVAPCONC	
Nov-83	11/20/83	31	242-1H	62000	62000	0	EVAPCONC	
Nov-83	11/20/83	29	242-1H	269000	283000	0	EVAPCONC	
Dec-83	11/24/83	26	47	76000	78000	0	CONCSN	
Dec-83	11/25/83	37	29	184000	191000	0	CONCSN	
Dec-83	12/2/83	18	17	368000	368000	7.3	SLSLURRY	Sludge + Salt Slurry
Dec-83	12/11/83	35	32	664000	679000	0	HHHW	
Dec-83	12/11/83	43	41	349000	371000	0	CONCSN	
Dec-83	12/14/83	13	30	326000	338000	0	CONCSN	
Dec-83	12/15/83	36	31	67000	70000	0	CONCSN	
Dec-83	12/16/83	18	17	92000	92000	7.3	SLSLURRY	Sludge + Salt Slurry
Dec-83	12/20/83	242-16	26	658000	660000	0	EVAPFEED	
Dec-83	12/20/83	242-1H	13	428000	428000	0	EVAPFEED	
Dec-83	12/20/83	42-16	43	455000	455000	0	EVAPFEED	
Dec-83	12/20/83	21	44H-245	0	21000	0	NONCANYWASTE	
Dec-83	12/20/83	23	44H-245	0	65000	0	NONCANYWASTE	
Dec-83	12/20/83	26	242-16F	0	2000	0	OVERSPEC	
Dec-83	12/20/83	23	CRC	0	3000	0	NONCANYWASTE	Off Spec CRC Effluent
Dec-83	12/20/83	48		0	98000	0	MISCADD/TRAN	Chemical Addition
Dec-83	12/20/83	17		0	293000	0	MISCADD/TRAN	Inhibited Water Addition
Dec-83	12/20/83	25		0	4000	0	MISCADD/TRAN	CTS Condensation
Dec-83	12/20/83	7		0	4000	0	MISCADD/TRAN	Interarea Pump Tank
Dec-83	12/20/83	28	242-16F	7000	7000	0	EVAPCONC	
Dec-83	12/20/83	47	242-16F	120000	120000	0	EVAPCONC	
Dec-83	12/20/83	26	242-16F	347000	388000	0	EVAPCONC	
Dec-83	12/20/83	41	242-16H	187000	223000	0	EVAPCONC	
Dec-83	12/20/83	31	242-1H	61000	61000	0	EVAPCONC	
Dec-83	12/20/83	29	242-1H	120000	127000	0	EVAPCONC	
Jan-84	1/10/84	26	47	330000	341000	0	CONCSN	
Jan-84	1/20/84	242-16	26	333000	333000	0	EVAPFEED	
Jan-84	1/20/84	242-1H	13	68000	68000	0	EVAPFEED	
Jan-84	1/20/84	42-16	43	272000	272000	0	EVAPFEED	
Jan-84	1/20/84	17		0	242000	0	MISCADD/TRAN	Inhibited Water Addition
Jan-84	1/20/84	21	44H-245	0	19000	0	NONCANYWASTE	
Jan-84	1/20/84	23	44H-245	0	126000	0	NONCANYWASTE	
Jan-84	1/20/84	47		0	3000	0	NONCANYWASTE	100 Area LHW Trailer
Jan-84	1/20/84	44	242-16F	150000	180000	0	EVAPCONC	
Jan-84	1/20/84	41	242-16H	168000	175000	0	EVAPCONC	
Jan-84	1/20/84	29	242-1H	49000	49000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-84	2/12/84	18	17	489000	489000	8.7	SLSLURRY	Salt + Sludge Slurry
Feb-84	2/20/84	47		0	2000	0	NONCANYWASTE	100 Area LHW Trailer
Feb-84	2/20/84	17		0	212000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-84	2/20/84	7		0	7000	0	MISCADD/TRAN	Catch Tank
Feb-84	2/20/84	7		0	2000	0	MISCADD/TRAN	IAPT Inter-Area Pump Tank
Feb-84	2/20/84	7		0	2000	0	MISCADD/TRAN	CTS Tank
Feb-84	2/20/84	13		0	59000	0	MISCADD/TRAN	flush Water
Feb-84	2/20/84	21	44H-245	0	20000	0	NONCANYWASTE	
Feb-84	2/20/84	23	44H-245	0	202000	0	NONCANYWASTE	
Mar-84	3/20/84	242-16	26	9000	10000	0	EVAPFEED	
Mar-84	3/20/84	47		0	4000	0	NONCANYWASTE	100 Area LHW Trailer
Mar-84	3/20/84	2		0	10000	0	MISCADD/TRAN	flush Water
Mar-84	3/20/84	33		0	18000	0	MISCADD/TRAN	flush Water
Mar-84	3/20/84	17		0	90000	0	MISCADD/TRAN	Inhibited Water Addition
Mar-84	3/20/84	7		0	6000	0	MISCADD/TRAN	Catch Tank
Mar-84	3/20/84	7		0	3000	0	MISCADD/TRAN	IAPT Inter-Area Pump Tank
Mar-84	3/20/84	13		0	27000	0	MISCADD/TRAN	Water and Oxalic Acid
Mar-84	3/20/84	21	44H-245	0	25000	0	NONCANYWASTE	
Mar-84	3/20/84	23	44H-245	18000	18000	0	NONCANYWASTE	
Mar-84	3/23/84	7	26	210000	218000	0	CONCSN	
Apr-84	4/20/84	242-16	26	9000	10000	0	EVAPFEED	
Apr-84	4/20/84	21	44H-245	16000	16000	0	NONCANYWASTE	
Apr-84	4/20/84	23	44H-245	64000	64000	0	NONCANYWASTE	
Apr-84	4/20/84	44		0	3000	0	NONCANYWASTE	Flush Water
Apr-84	4/20/84	19		0	3000	0	MISCADD/TRAN	Flush Water
Apr-84	4/20/84	27		0	12000	0	MISCADD/TRAN	Flush Water
Apr-84	4/20/84	41		0	24000	0	MISCADD/TRAN	Evap. Decon Ffuhes
Apr-84	4/20/84	38		0	12000	0	MISCADD/TRAN	From Pump Tank 3
Apr-84	4/20/84	35		0	27000	0	MISCADD/TRAN	From Pump Tank 4
Apr-84	4/20/84	31		0	3000	0	MISCADD/TRAN	CTS
Apr-84	4/20/84	11		0	8000	0	MISCADD/TRAN	ERIP 6
Apr-84	4/20/84	12		0	9000	0	MISCADD/TRAN	ERIP 6
Apr-84	4/20/84	7		0	4000	0	MISCADD/TRAN	IAPT
Apr-84	4/20/84	26	242-16F	0	1000	0	OVERSPEC	
Apr-84	4/20/84	CRC	23	0	240000	0	RBOF-RRF	
Apr-84	4/20/84	23	CRC	0	16000	0	NONCANYWASTE	
Apr-84	4/20/84	44	242-16F	18000	18000	0	EVAPCONC	
May-84	5/8/84	27	18	8000	9000	0	DISSALT	
May-84	5/11/84	27	18	13000	16000	0	DISSALT	
May-84	5/14/84	27	18	7000	8000	0	DISSALT	
May-84	5/20/84	242-16	26	108000	128000	0	EVAPFEED	
May-84	5/20/84	26	242-16F	0	20000	0	OVERSPEC	
May-84	5/20/84	44	242-16F	95000	105000	0	EVAPCONC	
May-84	5/20/84	21	44H-245	16000	16000	0	NONCANYWASTE	
May-84	5/20/84	23	44H-245	64000	64000	0	NONCANYWASTE	
May-84	5/20/84	44		0	3000	0	NONCANYWASTE	Flush Water
May-84	5/20/84	19		0	3000	0	MISCADD/TRAN	Flush Water
May-84	5/20/84	27		0	12000	0	MISCADD/TRAN	Flush Water
May-84	5/20/84	41		0	24000	0	MISCADD/TRAN	Evap. Decon Ffuhes

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
May-84	5/20/84	38		0	12000	0	MISCADD/TRAN	From Pump Tank 3
May-84	5/20/84	35		0	27000	0	MISCADD/TRAN	From Pump Tank 4
May-84	5/20/84	31		0	3000	0	MISCADD/TRAN	CTS
May-84	5/20/84	11		0	8000	0	MISCADD/TRAN	ERIP 6
May-84	5/20/84	12		0	9000	0	MISCADD/TRAN	ERIP 6
May-84	5/20/84	7		0	4000	0	MISCADD/TRAN	IAPT
Jun-84	6/8/84	27	18	186000	195000	0	DISSALT	
Jun-84	6/12/84	26	44	127000	131000	0	CONCSN	
Jun-84	6/15/84	27	18	273000	286000	0	DISSALT	
Jun-84	6/20/84	242-16	26	249000	308000	0	EVAPFEED	
Jun-84	6/20/84	47		0	3000	0	NONCANYWASTE	100 Area LHW Trailer
Jun-84	6/20/84	7		0	2000	0	MISCADD/TRAN	CTS Tank
Jun-84	6/20/84	27		0	3000	0	MISCADD/TRAN	Flush Water
Jun-84	6/20/84	26		0	1000	0	MISCADD/TRAN	Flush Water
Jun-84	6/20/84	38		0	1000	0	MISCADD/TRAN	PT-3
Jun-84	6/20/84	41		0	8000	0	MISCADD/TRAN	Evaporator Flush Water
Jun-84	6/20/84	31		0	1000	0	MISCADD/TRAN	CTS Tank
Jun-84	6/20/84	7		0	2000	0	MISCADD/TRAN	Inter Area Pump Tank
Jun-84	6/20/84	7		0	12000	0	MISCADD/TRAN	Catch tank
Jun-84	6/20/84	27		0	32000	0	MISCADD/TRAN	Salt Deposits on Tank Walls
Jun-84	6/20/84	21	44H-245	0	12000	0	NONCANYWASTE	
Jun-84	6/20/84	23	44H-245	0	23000	0	NONCANYWASTE	
Jun-84	6/20/84	26	242-16F	0	14000	0	OVERSPEC	
Jun-84	6/20/84	45	242-16F	3000	3000	0	EVAPCONC	
Jun-84	6/20/84	44	242-16F	144000	144000	0	EVAPCONC	
Jul-84	6/22/84	18	17	34000	34000	0.5	SLSLURRY	
Jul-84	6/27/84	18	17	477000	477000	6.8	SLSLURRY	
Jul-84	7/9/84	26	44	121000	126000	0	CONCSN	
Jul-84	7/11/84	26	27	98000	102000	0	DISSALT	
Jul-84	7/13/84	27	18	4000	5000	0	DISSALT	
Jul-84	7/16/84	27	18	338000	353000	0	DISSALT	
Jul-84	7/19/84	26	44	155000	159000	0	CONCSN	
Jul-84	7/20/84	242-16	26	504000	504000	0	EVAPFEED	
Jul-84	7/20/84	47		0	46000	0	NONCANYWASTE	100 Area LHW Trailer
Jul-84	7/20/84	17		0	45000	0	MISCADD/TRAN	Bearing Seal Water Added
Jul-84	7/20/84	23		0	16000	0	MISCADD/TRAN	Side Wall sumps
Jul-84	7/20/84	11		0	7000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jul-84	7/20/84	21	44H-245	0	11000	0	NONCANYWASTE	
Jul-84	7/20/84	23	44H-245	0	38000	0	NONCANYWASTE	
Jul-84	7/20/84	44	242-16F	276000	291000	0	EVAPCONC	
Aug-84	7/20/84	27	18	169000	177000	0	DISSALT	
Aug-84	7/26/84	26	44	112000	155000	0	CONCSN	
Aug-84	8/3/84	26	44	142000	146000	0	CONCSN	
Aug-84	8/13/84	26	44	94000	97000	0	CONCSN	
Aug-84	8/20/84	242-16	26	632000	638000	0	EVAPFEED	
Aug-84	8/20/84	33		0	4000	0	MISCADD/TRAN	Flush Water
Aug-84	8/20/84	7		0	5000	0	MISCADD/TRAN	Inter Area Pump Tank
Aug-84	8/20/84	38		0	9000	0	MISCADD/TRAN	PT3
Aug-84	8/20/84	29		0	4000	0	MISCADD/TRAN	Concentrate Transfer System

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-84	8/20/84	21	44H-245	0	15000	0	NONCANYWASTE	
Aug-84	8/20/84	23	44H-245	0	86000	0	NONCANYWASTE	
Aug-84	8/20/84	26	242-16F	0	6000	0	OVERSPEC	
Aug-84	8/20/84	CRC	23	0	198000	0	RBOF-RRF	
Aug-84	8/20/84	23	CRC	0	16000	0	NONCANYWASTE	Off Spec. CRC Effluent
Aug-84	8/20/84	44	242-16F	394000	410000	0	EVAPCONC	
Sep-84	8/24/84	26	44	79000	82000	0	CONCSN	
Sep-84	9/1/84	26	44	87000	90000	0	CONCSN	
Sep-84	9/8/84	26	44	85000	89000	0	CONCSN	
Sep-84	9/14/84	26	44	91000	95000	0	CONCSN	
Sep-84	9/20/84	242-16	26	682000	684000	0	EVAPFEED	
Sep-84	9/20/84	7		0	6000	0	MISCADD/TRAN	Inter Area Pump Tank
Sep-84	9/20/84	26		0	7000	0	MISCADD/TRAN	FDB-4
Sep-84	9/20/84	33		0	6000	0	MISCADD/TRAN	FDB-4
Sep-84	9/20/84	21	44H-245	0	41000	0	NONCANYWASTE	
Sep-84	9/20/84	23	44H-245	0	78000	0	NONCANYWASTE	
Sep-84	9/20/84	26	242-16F	0	2000	0	OVERSPEC	
Sep-84	9/20/84	45	242-16F	12000	12000	0	EVAPCONC	
Sep-84	9/20/84	44	242-16F	383000	403000	0	EVAPCONC	
Oct-84	10/5/84	26	47	206000	213000	0	CONCSN	
Oct-84	10/12/84	26	45	415000	429000	0	CONCSN	
Oct-84	10/19/84	26	27	247000	257000	0	CONCSN	
Oct-84	10/19/84	38	43	357000	368000	0	LHW	
Oct-84	10/20/84	242-16	26	649000	649000	0	EVAPFEED	
Oct-84	10/20/84	38		0	6000	0	MISCADD/TRAN	HPT-3
Oct-84	10/20/84	45		0	1000	0	MISCADD/TRAN	Jet Flushes
Oct-84	10/20/84	7		0	3000	0	MISCADD/TRAN	242-F/FCTS
Oct-84	10/20/84	47		0	3000	0	MISCADD/TRAN	Flush Water
Oct-84	10/20/84	33		0	3000	0	MISCADD/TRAN	Flush Water
Oct-84	10/20/84		24	7000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-84	10/20/84		18	18000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-84	10/20/84		25	2000	0	0	MISCADD/TRAN	Cooling
Oct-84	10/20/84		17	1000	0	0	MISCADD/TRAN	Evaporation
Oct-84	10/20/84	47		0	14000	0	NONCANYWASTE	100 Area LHW Trailer
Oct-84	10/20/84	21	44H-245	0	22000	0	NONCANYWASTE	
Oct-84	10/20/84	23	44H-245	0	16000	0	NONCANYWASTE	
Oct-84	10/20/84	45	242-16F	450000	458000	0	EVAPCONC	
Nov-84	10/25/84	32	35	760000	818000	0	HHW	
Nov-84	10/26/84	30	34	767000	820000	0	HHW	
Nov-84	10/30/84	26	45	481000	497000	0	CONCSN	
Nov-84	11/12/84	26	45	266000	274000	0	CONCSN	
Nov-84	11/17/84	26	47	196000	202000	0	LHW	
Nov-84	11/20/84	242-16	26	1067000	1069000	0	EVAPFEED	
Nov-84	11/20/84	47		0	15000	0	NONCANYWASTE	100 Area LHW Trailer
Nov-84	11/20/84	7		0	4000	0	MISCADD/TRAN	Flush Water
Nov-84	11/20/84	33		0	7000	0	MISCADD/TRAN	Flush Water
Nov-84	11/20/84	34		0	3000	0	MISCADD/TRAN	Flush Water
Nov-84	11/20/84	20		0	5000	0	MISCADD/TRAN	Inhibited Water
Nov-84	11/20/84		13	9000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-84	11/20/84	7		0	3000	0	MISCADD/TRAN	Inter Area Pump Tank
Nov-84	11/20/84	21	44H-245	0	33000	0	NONCANYWASTE	
Nov-84	11/20/84	23	44H-245	0	18000	0	NONCANYWASTE	
Nov-84	11/20/84	26	242-16F	0	2000	0	OVERSPEC	
Nov-84	11/20/84	44	242-16F	6000	6000	0	EVAPCONC	
Nov-84	11/20/84	45	242-16F	780000	792000	0	EVAPCONC	
Dec-84	12/7/84	26	45	353000	367000	0	CONCSN	
Dec-84	12/10/84	43	41	282000	294000	0	CONCSN	
Dec-84	12/17/84	26	47	223000	229000	0	CONCSN	
Dec-84	12/20/84	242-16	26	615000	615000	0	EVAPFEED	
Dec-84	12/20/84	42-16	43	200000	201500	0	EVAPFEED	
Dec-84	12/20/84	17		0	7000	0	MISCADD/TRAN	Seal Water
Dec-84	12/20/84	42		0	16000	0	MISCADD/TRAN	Seal Water
Dec-84	12/20/84	21	44H-245	0	20000	0	NONCANYWASTE	
Dec-84	12/20/84	23	44H-245	0	81000	0	NONCANYWASTE	
Dec-84	12/20/84	43	242-16H	0	1780	0	OVERSPEC	
Dec-84	12/20/84	44	242-16F	3000	3000	0	EVAPCONC	
Dec-84	12/20/84	45	242-16F	437000	443000	0	EVAPCONC	
Dec-84	12/20/84	41	242-16H	62000	64730	0	EVAPCONC	
Jan-85	12/23/84	26	45	272000	282000	0	CONCSN	
Jan-85	1/4/85	26	45	161000	167000	0	CONCSN	
Jan-85	1/11/85	26	45	13000	15000	0	CONCSN	
Jan-85	1/16/85	26	45	251000	262000	0	CONCSN	
Jan-85	1/31/85	242-16	26	878000	878000	0	EVAPFEED	
Jan-85	1/31/85	42-16	43	447500	470500	0	EVAPFEED	
Jan-85	1/31/85	21	44H-245	0	30000	0	NONCANYWASTE	
Jan-85	1/31/85	23	44H-245	0	21000	0	NONCANYWASTE	
Jan-85	1/31/85	43	242-16H	0	23000	0	OVERSPEC	
Jan-85	1/31/85	17		0	128000	0	MISCADD/TRAN	Bearing Seal Water Added
Jan-85	1/31/85	45		0	2000	0	MISCADD/TRAN	Flush Water
Jan-85	1/31/85		33	4000	0	0	MISCADD/TRAN	Cooling
Jan-85	1/31/85	44	242-16F	7000	7000	0	EVAPCONC	
Jan-85	1/31/85	45	242-16F	633000	644000	0	EVAPCONC	
Jan-85	1/31/85	41	242-16H	200500	254000	0	EVAPCONC	
Feb-85	1/20/85	26	45	223000	230000	0	CONCSN	
Feb-85	1/23/85	26	25	5000	5000	0	CONCSN	
Feb-85	1/26/85	18	17	326000	326000	38.2	SLSLURRY	
Feb-85	1/29/85	43	41	638000	663000	0	CONCSN	
Feb-85	1/30/85	18	17	182000	182000	21.3	SLSLURRY	
Feb-85	2/2/85	26	45	226000	233000	0	CONCSN	
Feb-85	2/6/85	26	47	227000	233000	0	CONCSN	
Feb-85	2/14/85	26	45	44000	46000	0	CONCSN	
Feb-85	2/15/85	26	45	171000	175000	0	CONCSN	
Feb-85	2/15/85	35	39	213000	232000	0	HHWSN	
Feb-85	2/28/85	242-16	26	986000	986000	0	EVAPFEED	
Feb-85	2/28/85	42-16	43	409000	412000	0	EVAPFEED	
Feb-85	2/28/85	17		0	142000	0	MISCADD/TRAN	Bearing Seal Water Added
Feb-85	2/28/85	7		0	7000	0	MISCADD/TRAN	Catch Tank
Feb-85	2/28/85	10		0	1500	0	MISCADD/TRAN	PT-4

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-85	2/28/85	21	44H-245	0	25000	0	NONCANYWASTE	
Feb-85	2/28/85	23	44H-245	0	53000	0	NONCANYWASTE	
Feb-85	2/28/85	43	242-16H	0	2300	0	OVERSPEC	
Feb-85	2/28/85	44	242-16F	7000	7000	0	EVAPCONC	
Feb-85	2/28/85	45	242-16F	750000	765000	0	EVAPCONC	
Feb-85	2/28/85	41	242-16H	225800	227000	0	EVAPCONC	
Mar-85	2/22/85	26	18	201000	208000	0	DISSALT	
Mar-85	2/24/85	26	45	302000	317000	0	CONCSN	
Mar-85	2/26/85	24	23	242000	257000	0	RBOF-RRF	
Mar-85	3/1/85	26	44	36000	37000	0	CONCSN	
Mar-85	3/4/85	35	39	610000	656000	0	HHWSN	
Mar-85	3/5/85	26	45	153000	163000	0	CONCSN	
Mar-85	3/10/85	26	18	211000	218000	0	DISSALT	
Mar-85	3/13/85	18	17	240000	240000	0.8	SLSLURRY	
Mar-85	3/14/85	18	17	186000	186000	0.6	SLSLURRY	
Mar-85	3/14/85	26	47	128000	131000	0	CONCSN	
Mar-85	3/18/85	43	38	347000	361000	0	LHWSN	
Mar-85	3/31/85	242-1F	26	54000	54000	0	EVAPFEED	
Mar-85	3/31/85	242-16	26	868000	868000	0	EVAPFEED	
Mar-85	3/31/85	42-16	43	501000	510000	0	EVAPFEED	
Mar-85	3/31/85	25		0	5000	0	MISCADD/TRAN	Flush Water
Mar-85	3/31/85	28		0	238000	0	MISCADD/TRAN	Flush Water
Mar-85	3/31/85	17		0	6000	0	MISCADD/TRAN	Bearing Seal Water Added
Mar-85	3/31/85	10		0	3000	0	MISCADD/TRAN	NaOH
Mar-85	3/31/85	21	44H-245	0	21000	0	NONCANYWASTE	
Mar-85	3/31/85	23	44H-245	0	19000	0	NONCANYWASTE	
Mar-85	3/31/85	43	242-16H	0	9000	0	OVERSPEC	
Mar-85	3/31/85	28	242-16F	6000	6000	0	EVAPCONC	
Mar-85	3/31/85	44	242-16F	4000	4000	0	EVAPCONC	
Mar-85	3/31/85	45	242-16F	661500	664000	0	EVAPCONC	
Mar-85	3/31/85	41	242-16H	306000	314000	0	EVAPCONC	
Mar-85	3/31/85	25	242-1F	37500	43000	0	EVAPCONC	
Apr-85	3/20/85	26	47	194000	194000	0	CONCSN	
Apr-85	3/25/85	26	44	187000	187000	0	CONCSN	
Apr-85	3/31/85	38	24	271000	282000	0	RBOF-RRF	
Apr-85	4/2/85	26	47	234000	234000	0	CONCSN	
Apr-85	4/6/85	43	41	64000	69000	0	LHWCONCSN	
Apr-85	4/11/85	26	18	251000	251000	0	DISSALT	
Apr-85	4/13/85	26	47	140000	140000	0	CONCSN	
Apr-85	4/16/85	18	17	211000	211000	4.6	SLSLURRY	
Apr-85	4/17/85	38	24	98000	102000	0	MISCADD/TRAN	Oxalic Acid Wash
Apr-85	4/17/85	38	24	9600	10000	0	MISCADD/TRAN	Tank 42 Hot Water Rinse
Apr-85	4/17/85	43	41	588000	609000	0	LHWCONCSN	
Apr-85	4/30/85	242-1F	26	341000	341000	0	EVAPFEED	
Apr-85	4/30/85	242-16	26	669000	669000	0	EVAPFEED	
Apr-85	4/30/85	42-16	43	612000	612000	0	EVAPFEED	
Apr-85	4/30/85	1		0	8000	0	MISCADD/TRAN	Flush Water
Apr-85	4/30/85	2		0	5000	0	MISCADD/TRAN	Flush Water
Apr-85	4/30/85	17		0	88000	0	MISCADD/TRAN	Bearing Seal Water Added

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-85	4/30/85	18		0	15000	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-85	4/30/85	24		0	62500	0	MISCADD/TRAN	Bearing Seal Water Added
Apr-85	4/30/85	24		0	21600	0	MISCADD/TRAN	Rinse Water
Apr-85	4/30/85		4	15000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Apr-85	4/30/85		45	15000	0	0	MISCADD/TRAN	Cooling
Apr-85	4/30/85	36		0	6000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Apr-85	4/30/85	24		0	22500	0	MISCADD/TRAN	Oxalic Acid Addition
Apr-85	4/30/85	24		0	2400	0	MISCADD/TRAN	50 wt% NaOH
Apr-85	4/30/85	21	44H-245	0	11000	0	NONCANYWASTE	
Apr-85	4/30/85	23	44H-245	0	44000	0	NONCANYWASTE	
Apr-85	4/30/85	26	242-16F	0	1000	0	OVERSPEC	
Apr-85	4/30/85	47	242-16F	409000	409000	0	EVAPCONC	
Apr-85	4/30/85	28	242-16F	12000	12000	0	EVAPCONC	
Apr-85	4/30/85	41	242-16H	312000	319000	0	EVAPOONC	
Apr-85	4/30/85	25	242-1F	203000	225000	0	EVAPCONC	
May-85	4/21/85	26	47	173000	178000	0	CONCSN	
May-85	4/25/85	38	24	32000	32000	0	MISCADD/TRAN	Tank 42 Hot Water Rinse
May-85	4/26/85	26	25	36000	38000	0	CONCSN	
May-85	4/26/85	13	24	13000	13000	0	MISCADD/TRAN	Tank 42 Hot Water Rinse
May-85	4/29/85	26	47	210000	217000	0	CONCSN	
May-85	4/29/85	26	25	57000	59000	0	CONCSN	
May-85	4/30/85	38	24	61000	63000	0	MISCADD/TRAN	Oxalic Acid Wash
May-85	5/1/85	26	25	79000	82000	0	CONCSN	
May-85	5/16/85	26	47	434000	452000	0	CONCSN	
May-85	5/19/85	38	21	249000	254000	0	SNATE	
May-85	5/20/85	43	41	526000	547000	0	CONCSN	
May-85	5/31/85	242-1F	26	353000	355000	0	EVAPFEED	
May-85	5/31/85	242-16	26	709000	710000	0	EVAPFEED	
May-85	5/31/85	42-16	43	754000	754000	0	EVAPFEED	
May-85	5/31/85	17		0	20000	0	MISCADD/TRAN	Inhibited Water
May-85	5/31/85	24		0	60000	0	MISCADD/TRAN	Bearing Seal Water Added
May-85	5/31/85	42		0	5500	0	MISCADD/TRAN	Bearing Seal Water Added
May-85	5/31/85	24		0	19100	0	MISCADD/TRAN	Rinse Water
May-85	5/31/85		45	9000	0	0	MISCADD/TRAN	Cooling
May-85	5/31/85	3		0	8000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-85	5/31/85	4		0	14000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-85	5/31/85	24		0	23500	0	MISCADD/TRAN	Oxalic Acid
May-85	5/31/85	24		0	2400	0	MISCADD/TRAN	50 wt% NaOH
May-85	5/31/85	42		0	500	0	MISCADD/TRAN	50 wt% NaOH
May-85	5/31/85	21	44H-245	0	7000	0	NONCANYWASTE	
May-85	5/31/85	23	44H-245	0	115000	0	NONCANYWASTE	
May-85	5/31/85	47	242-16F	449000	477000	0	EVAPCONC	
May-85	5/31/85	28	242-16F	19000	19000	0	EVAPCONC	
May-85	5/31/85	41	242-16H	445000	475000	0	EVAPCONC	
May-85	5/31/85	25	242-1F	225000	266000	0	EVAPCONC	
Jun-85	5/21/85	26	25	73000	75000	0	CONCSN	
Jun-85	5/21/85	26	47	130000	134000	0	CONCSN	
Jun-85	5/24/85	26	47	167000	172000	0	CONCSN	
Jun-85	5/27/85	26	25	193000	200000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-85	5/30/85	26	47	61000	63000	0	CONCSN		
Jun-85	6/3/85	26	47	323000	332000	0	CONCSN		
Jun-85	6/10/85	26	25	224000	232000	0	CONCSN		
Jun-85	6/12/85	43	38	820000	853000	0	LHWSN		
Jun-85	6/14/85	26	47	156000	159000	0	CONCSN		
Jun-85	6/19/85	26	47	111000	115000	0	CONCSN		
Jun-85	6/20/85	43	41	53000	55000	0	LHWCONCSN		
Jun-85	6/30/85	242-1F	26	603000	604000	0	EVAPFEED		
Jun-85	6/30/85	242-16	26	939000	939000	0	EVAPFEED		
Jun-85	6/30/85	42-16	43	729000	729000	0	EVAPFEED		
Jun-85	6/30/85	17		0	88000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jun-85	6/30/85	7		0	9000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jun-85	6/30/85	17		0	29000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jun-85	6/30/85	27		0	7000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jun-85	6/30/85	21	44H-245	0	12000	0	NONCANYWASTE		
Jun-85	6/30/85	23	44H-245	0	100000	0	NONCANYWASTE		
Jun-85	6/30/85	26	242-1F	0	1000	0	OVERSPEC		
Jun-85	6/30/85	47		0	4000	0	NONCANYWASTE	Low Level Trailer Waste	
Jun-85	6/30/85	28	242-16F	39000	39000	0	EVAPCONC		
Jun-85	6/30/85	47	242-16F	569000	617000	0	EVAPCONC		
Jun-85	6/30/85	41	242-16H	436000	476000	0	EVAPCONC		
Jun-85	6/30/85	25	242-1F	378000	417000	0	EVAPCONC		
Jul-85	6/21/85	26	47	173000	179000	0	CONCSN		
Jul-85	6/23/85	26	18	70000	71000	0	SNATE		
Jul-85	6/24/85	43	41	152000	162000	0	CONCSN		
Jul-85	6/25/85	26	18	159000	161000	0	SNATE		
Jul-85	6/26/85	18	17	150000	150000	1.9	SLSLURRY		
Jul-85	6/27/85	26	25	103000	107000	0	CONCSN		
Jul-85	6/30/85	26	47	191000	197000	0	CONCSN		
Jul-85	7/3/85	26	25	61000	64000	0	CONCSN		
Jul-85	7/8/85	26	47	291000	300000	0	CONCSN		
Jul-85	7/10/85	26	25	111000	116000	0	CONCSN		
Jul-85	7/16/85	26	25	320000	332000	0	CONCSN		
Jul-85	7/31/85	242-1F	26	650000	652000	0	EVAPFEED		
Jul-85	7/31/85	242-16	26	901000	903000	0	EVAPFEED		
Jul-85	7/31/85	242-1H	13	113000	113000	0	EVAPFEED		
Jul-85	7/31/85	42-16	43	363000	398000	0	EVAPFEED		
Jul-85	7/31/85	17		0	37000	0	MISCADD/TRAN	Inhibited water	
Jul-85	7/31/85	38		0	4000	0	MISCADD/TRAN	HPT-3	
Jul-85	7/31/85	42		0	2000	0	MISCADD/TRAN	Flush Water	
Jul-85	7/31/85	24		0	21000	0	MISCADD/TRAN	Spray Wash of Tank 24	
Jul-85	7/31/85		20	6000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jul-85	7/31/85	21	44H-245	0	50000	0	NONCANYWASTE		
Jul-85	7/31/85	23	44H-245	0	33000	0	NONCANYWASTE		
Jul-85	7/31/85	26	242-1F	0	2000	0	OVERSPEC		
Jul-85	7/31/85	26	242-16F	0	2000	0	OVERSPEC		
Jul-85	7/31/85	13	242-1H	0	12000	0	OVERSPEC		
Jul-85	7/31/85	43	242-16H	0	35000	0	OVERSPEC		
Jul-85	7/31/85	CRC	23	0	32000	0	RBOF-RRF		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jul-85	7/31/85	23	CRC	0	34000	0	NONCANYWASTE	Off Spec. CRC Effluent
Jul-85	7/31/85	47		0	4000	0	NONCANYWASTE	Low Level Trailer Waste
Jul-85	7/31/85	28	242-16F	27000	27000	0	EVAPCONC	
Jul-85	7/31/85	47	242-16F	606000	646000	0	EVAPCONC	
Jul-85	7/31/85	41	242-16H	125000	129000	0	EVAPCONC	
Jul-85	7/31/85	25	242-1F	456000	456000	0	EVAPCONC	
Jul-85	7/31/85	34	242-1F	30000	30000	0	EVAPCONC	
Jul-85	7/31/85	36	242-1H	14000	27000	0	EVAPCONC	
Aug-85	7/21/85	26	47	283000	291000	0	CONCSN	
Aug-85	7/28/85	43	41	239000	298000	0	LHWCONCSN	
Aug-85	7/29/85	13	30	298000	310000	0	SNATE	
Aug-85	7/30/85	26	47	159000	165000	0	CONCSN	
Aug-85	8/4/85	38	11	89000	96000	0	SNATE	
Aug-85	8/5/85	26	47	313000	324000	0	CONCSN	
Aug-85	8/12/85	26	25	254000	264000	0	CONCSN	
Aug-85	8/14/85	26	27	44000	46000	0	CONCSN	
Aug-85	8/14/85	13	30	269000	280000	0	SNATE	
Aug-85	8/14/85	38	43	80000	85000	0	CONCSN	
Aug-85	8/18/85	26	27	200000	207000	0	CONCSN	
Aug-85	8/20/85	38	24	31000	33000	0	MISCADD/TRAN	Tank 24 spray Washing
Aug-85	8/31/85	242-1F	26	424000	424000	0	EVAPFEED	
Aug-85	8/31/85	242-16	26	812000	817000	0	EVAPFEED	
Aug-85	8/31/85	242-1H	13	589000	591000	0	EVAPFEED	
Aug-85	8/31/85	42-16	43	82000	94000	0	EVAPFEED	
Aug-85	8/31/85	10		0	33000	0	MISCADD/TRAN	Salt Mining Water
Aug-85	8/31/85	24		0	5000	0	MISCADD/TRAN	Seal Water
Aug-85	8/31/85	2		0	32000	0	MISCADD/TRAN	Salt Mining Water
Aug-85	8/31/85	18		0	6000	0	MISCADD/TRAN	Seal Water
Aug-85	8/31/85	21	44H-245	0	29000	0	NONCANYWASTE	
Aug-85	8/31/85	23	44H-245	0	78000	0	NONCANYWASTE	
Aug-85	8/31/85	26	242-16F	0	5000	0	OVERSPEC	
Aug-85	8/31/85	23	242-1H	0	4000	0	OVERSPEC	Off Spec. Overhds.
Aug-85	8/31/85	CRC	23	0	124000	0	RBOF-RRF	
Aug-85	8/31/85	23	CRC	0	4000	0	NONCANYWASTE	Off Specification CRC Effluent
Aug-85	8/31/85	43	299H	0	6000	0	MISCADD/TRAN	Decon Waste
Aug-85	8/31/85	28	242-16F	27000	27000	0	EVAPCONC	
Aug-85	8/31/85	47	242-16F	504000	546000	0	EVAPCONC	
Aug-85	8/31/85	41	242-16H	30000	35000	0	EVAPCONC	
Aug-85	8/31/85	25	242-1F	70000	70000	0	EVAPCONC	
Aug-85	8/31/85	34	242-1F	241000	270000	0	EVAPCONC	
Aug-85	8/31/85	36	242-1H	231000	231000	0	EVAPCONC	
Aug-85	8/31/85	37	242-1H	67000	103000	0	EVAPCONC	
Sep-85	8/22/85	26	47	166000	172000	0	CONCSN	
Sep-85	8/23/85	30	24	32000	34000	0	MISCADD/TRAN	Tank 24 spray Washing
Sep-85	8/25/85	26	47	206000	214000	0	CONCSN	
Sep-85	8/26/85	13	36	246000	265000	0	CONCSN	
Sep-85	9/3/85	26	25	185000	193000	0	CONCSN	
Sep-85	9/6/85	13	30	211000	219000	0	HHWSN	
Sep-85	9/8/85	26	47	596000	625000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-85	9/16/85	30	37	404000	443000	0	CONCSN	
Sep-85	9/18/85	43	41	141000	150000	0	CONCSN	
Sep-85	9/19/85	26	25	220000	230000	0	CONCSN	
Sep-85	9/30/85	242-1F	26	605000	605000	0	EVAPFEED	
Sep-85	9/30/85	242-16	26	1035000	1035000	0	EVAPFEED	
Sep-85	9/30/85	242-1H	13	553000	553000	0	EVAPFEED	
Sep-85	9/30/85	42-16	43	437000	439000	0	EVAPFEED	
Sep-85	9/30/85	10		0	16000	0	MISCADD/TRAN	Salt Mining Water
Sep-85	9/30/85	24		0	27000	0	MISCADD/TRAN	Spray Wash
Sep-85	9/30/85	24		0	4000	0	MISCADD/TRAN	Seal Water
Sep-85	9/30/85	2		0	13000	0	MISCADD/TRAN	
Sep-85	9/30/85	7		0	7000	0	MISCADD/TRAN	IAPP + IAPT
Sep-85	9/30/85	21	44H-245	0	7000	0	NONCANYWASTE	
Sep-85	9/30/85	23	44H-245	0	54000	0	NONCANYWASTE	
Sep-85	9/30/85	43	242-16H	0	2000	0	OVERSPEC	
Sep-85	9/30/85	CRC	23	0	175000	0	RBOF-RRF	
Sep-85	9/30/85	23	CRC	0	16000	0	NONCANYWASTE	Off Spec. CRC Effluent
Sep-85	9/30/85	47		0	1000	0	NONCANYWASTE	Low Level Trailer Waste
Sep-85	9/30/85	43	299H	0	7000	0	MISCADD/TRAN	Decon Waste
Sep-85	9/30/85	28	242-16F	23000	23000	0	EVAPCONC	
Sep-85	9/30/85	47	242-16F	706000	737000	0	EVAPCONC	
Sep-85	9/30/85	41	242-16H	140000	179000	0	EVAPCONC	
Sep-85	9/30/85	25	242-1F	399000	399000	0	EVAPCONC	
Sep-85	9/30/85	34	242-1F	14000	14000	0	EVAPCONC	
Sep-85	9/30/85	36	242-1H	235000	235000	0	EVAPCONC	
Sep-85	9/30/85	37	242-1H	41000	101000	0	EVAPCONC	
Oct-85	9/22/85	43	41	151400	157500	0	CONCSN	
Oct-85	9/23/85	26	18	352000	352000	0	SNATE	
Oct-85	9/25/85	26	47	298000	310000	0	CONCSN	
Oct-85	9/25/85	13	36	260000	270400	0	CONCSN	
Oct-85	10/4/85	26	47	126000	131000	0	CONCSN	
Oct-85	10/7/85	26	47	239000	249000	0	CONCSN	
Oct-85	10/7/85	13	30	362900	377400	0	CONCSN	
Oct-85	10/13/85	26	25	282000	293000	0	CONCSN	
Oct-85	10/15/85	18	17	117000	117000	0	MISCADD/TRAN	Waste Removal/Spray Wash
Oct-85	10/31/85	242-1F	26	497000	497000	0	EVAPFEED	
Oct-85	10/31/85	242-16	26	763000	763000	0	EVAPFEED	
Oct-85	10/31/85	242-1H	13	477700	477700	0	EVAPFEED	
Oct-85	10/31/85	42-16	43	378800	378800	0	EVAPFEED	
Oct-85	10/31/85	4		0	22000	0	MISCADD/TRAN	
Oct-85	10/31/85	17		0	114000	0	MISCADD/TRAN	Spray Wash and Seal Water
Oct-85	10/31/85	21	44H-245	0	7000	0	NONCANYWASTE	
Oct-85	10/31/85	23	44H-245	0	127000	0	NONCANYWASTE	
Oct-85	10/31/85	13	242-1H	0	22400	0	OVERSPEC	
Oct-85	10/31/85	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste
Oct-85	10/31/85	47	242-16F	457000	482000	0	EVAPCONC	
Oct-85	10/31/85	41	242-16H	164700	206300	0	EVAPCONC	
Oct-85	10/31/85	25	242-1F	296000	317000	0	EVAPCONC	
Oct-85	10/31/85	27	242-1F	15000	15000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Oct-85	10/31/85	37	242-1H	280300	321600	0	EVAPCONC		
Nov-85	10/21/85	26	28	202000	210000	0	CONCSN		
Nov-85	10/29/85	26	47	451000	469000	0	CONCSN		
Nov-85	11/1/85	26	25	21000	22000	0	CONCSN		
Nov-85	11/9/85	43	41	304000	318000	0	CONCSN		
Nov-85	11/13/85	26	47	459000	477000	0	CONCSN		
Nov-85	11/15/85	26	25	325000	338000	0	CONCSN		
Nov-85	11/18/85	26	7	64000	67000	0	CONCSN		
Nov-85	11/25/85	26	7	80000	83000	0	CONCSN		
Nov-85	11/30/85	242-1F	26	685000	685000	0	EVAPFEED		
Nov-85	11/30/85	242-16	26	1300000	1300000	0	EVAPFEED		
Nov-85	11/30/85	42-16	43	669000	669000	0	EVAPFEED		
Nov-85	11/30/85	47		0	12000	0	NONCANYWASTE	Low Level Trailer Waste	
Nov-85	11/30/85	3		0	2000	0	MISCADD/TRAN		
Nov-85	11/30/85	20		0	13000	0	MISCADD/TRAN	Seal Water	
Nov-85	11/30/85	20		0	8000	0	MISCADD/TRAN	Caustic Addition	
Nov-85	11/30/85	37		0	33000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Nov-85	11/30/85	10		0	17000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Nov-85	11/30/85	13		0	9000	0	MISCADD/TRAN	Flush Water	
Nov-85	11/30/85	32		0	4000	0	MISCADD/TRAN	Flush Water + Zeolite	
Nov-85	11/30/85		35	8000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Nov-85	11/30/85	21	44H-245	0	20000	0	NONCANYWASTE		
Nov-85	11/30/85	23	44H-245	0	93000	0	NONCANYWASTE		
Nov-85	11/30/85	26	242-16F	0	5000	0	OVERSPEC		
Nov-85	11/30/85	CRC	23	0	232000	0	RBOF-RRF		
Nov-85	11/30/85	23	CRC	0	25000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Nov-85	11/30/85	43	299H	0	7000	0	MISCADD/TRAN	Decon Waste	
Nov-85	11/30/85	47	242-16F	899000	941000	0	EVAPCONC		
Nov-85	11/30/85	41	242-16H	362000	395000	0	EVAPCONC		
Nov-85	11/30/85	25	242-1F	440000	440000	0	EVAPCONC		
Nov-85	11/30/85	27	242-1F	46000	92000	0	EVAPCONC		
Dec-85	12/2/85	26	47	490000	510000	0	CONCSN		
Dec-85	12/5/85	13	37	55000	57000	0	CONCSN		
Dec-85	12/6/85	26	25	353000	367000	0	CONCSN		
Dec-85	12/7/85	18	20	204000	213000	0	LHWSN		
Dec-85	12/9/85	7	1	30000	31000	0	LHWNS		
Dec-85	12/10/85	26	45	5000	5200	0	CONCSN		
Dec-85	12/11/85	26	45	8000	8300	0	CONCSN		
Dec-85	12/11/85	43	41	315000	324000	0	CONCSN		
Dec-85	12/26/85	26	47	616000	616000	0	CONCSN		
Dec-85	12/26/85	43	41	232000	241000	0	CONCSN		
Dec-85	12/31/85	242-1F	26	443000	443000	0	EVAPFEED		
Dec-85	12/31/85	242-16	26	866000	866000	0	EVAPFEED		
Dec-85	12/31/85	242-1H	13	231000	241000	0	EVAPFEED		
Dec-85	12/31/85	42-16	43	449000	498000	0	EVAPFEED		
Dec-85	12/31/85	47		0	4000	0	NONCANYWASTE	Low Level Trailer Waste	
Dec-85	12/31/85	21	44H-245	0	4000	0	NONCANYWASTE		
Dec-85	12/31/85	23	44H-245	0	31000	0	NONCANYWASTE		
Dec-85	12/31/85	CRC	23	0	211000	0	RBOF-RRF		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-85	12/31/85	47	242-16F	637000	662000	0	EVAPCONC		
Dec-85	12/31/85	41	242-16H	326000	343000	0	EVAPCONC		
Dec-85	12/31/85	25	242-1F	293000	329000	0	EVAPCONC		
Dec-85	12/31/85	27	242-1F	34000	34000	0	EVAPCONC		
Dec-85	12/31/85	37	242-1H	33000	33000	0	EVAPCONC		
Dec-85	12/31/85	36	242-1H	106000	126000	0	EVAPCONC		
Jan-86	1/6/86	26	25	296000	308000	0	CONCSN		
Jan-86	1/9/86	26	47	226000	235000	0	CONCSN		
Jan-86	1/10/86	30	33	383000	396000	0	HHW		
Jan-86	1/11/86	13	33	101000	104000	0	HHW		
Jan-86	1/13/86	30	33	253000	261000	0	HHW		
Jan-86	1/16/86	13	36	53000	57000	0	CONCSN		
Jan-86	1/20/86	26	47	410000	427000	0	CONCSN		
Jan-86	1/21/86	13	36	214000	226000	0	CONCSN		
Jan-86	1/23/86	13	36	122000	127000	0	CONCSN		
Jan-86	1/26/86	43	41	227000	234000	0	CONCSN		
Jan-86	1/27/86	26	18	325000	325000	0	LHWSN		
Jan-86	1/31/86	32	22	11000	11000	0	SNATE		
Jan-86	1/31/86	242-1F	26	518000	518000	0	EVAPFEED		
Jan-86	1/31/86	242-16	26	862000	862000	0	EVAPFEED		
Jan-86	1/31/86	242-1H	13	257000	260000	0	EVAPFEED		
Jan-86	1/31/86	42-16	43	369000	381000	0	EVAPFEED		
Jan-86	1/31/86	47		0	10000	0	NONCANYWASTE	Low Level Waste Trailer	
Jan-86	1/31/86	43	299H	0	7000	0	MISCADD/TRAN	Decon Waste	
Jan-86	1/31/86	1		0	11000	0	MISCADD/TRAN	Water	
Jan-86	1/31/86	20		0	105000	0	MISCADD/TRAN	Inhibited Water	
Jan-86	1/31/86	7		0	7000	0	MISCADD/TRAN	Catch Tank	
Jan-86	1/31/86	10		0	43000	0	MISCADD/TRAN	Solution?	
Jan-86	1/31/86	23	44H-245	0	50000	0	NONCANYWASTE		
Jan-86	1/31/86	43	242-16H	0	1000	0	OVERSPEC		
Jan-86	1/31/86	CRC	23	0	94000	0	RBOF-RRF		
Jan-86	1/31/86	23	CRC	0	67000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Jan-86	1/31/86	47	242-16F	650000	688000	0	EVAPCONC		
Jan-86	1/31/86	41	242-16H	314000	326000	0	EVAPCONC		
Jan-86	1/31/86	25	242-1F	439000	443000	0	EVAPCONC		
Jan-86	1/31/86	36	242-1H	202000	217000	0	EVAPCONC		
Jan-86	1/31/86	37	242-1H	6000	6000	0	EVAPCONC		
Feb-86	2/3/86	26	25	319000	332000	0	CONCSN		
Feb-86	2/3/86	43	38	258000	268000	0	MISCADD/TRAN	Misc. and Waste Removal	
Feb-86	2/10/86	26	47	551000	573000	0	CONCSN		
Feb-86	2/18/86	26	25	155000	161000	0	CONCSN		
Feb-86	2/18/86	13	22	345000	345000	0	SNATE		
Feb-86	2/18/86	38	22	9000	9000	0	SNATE		
Feb-86	2/18/86	43	41	303000	316000	0	CONCSN		
Feb-86	2/23/86	13	37	166000	173000	0	CONCSN		
Feb-86	2/27/86	26	47	485000	504000	0	CONCSN		
Feb-86	2/28/86	43	41	95000	99000	0	CONCSN		
Feb-86	2/28/86	43	38	281000	292000	0	SNATE		
Feb-86	2/28/86	13	36	114000	118000	0	CONCSN		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-86	2/28/86	242-1F	26	438000	438000	0	EVAPFEED	
Feb-86	2/28/86	242-16	26	800000	800000	0	EVAPFEED	
Feb-86	2/28/86	242-1H	13	375000	375000	0	EVAPFEED	
Feb-86	2/28/86	42-16	43	686000	686000	0	EVAPFEED	
Feb-86	2/28/86	47		0	8000	0	NONCANYWASTE	Low Level Waste Trailer
Feb-86	2/28/86	43	299H	0	10000	0	MISCADD/TRAN	Decon Waste
Feb-86	2/28/86	1		0	12000	0	MISCADD/TRAN	
Feb-86	2/28/86	20		0	87000	0	MISCADD/TRAN	Inhibited Water
Feb-86	2/28/86	20		0	15000	0	MISCADD/TRAN	Bearing Water
Feb-86	2/28/86	21	44H-245	0	9000	0	NONCANYWASTE	
Feb-86	2/28/86	23	44H-245	0	110000	0	NONCANYWASTE	
Feb-86	2/28/86	23	242-1H	0	25000	0	OVERSPEC	Off Spec. Overhds.
Feb-86	2/28/86	CRC	23	0	31000	0	RBOF-RRF	
Feb-86	2/28/86	23	CRC	0	13000	0	NONCANYWASTE	Off Spec. CRC Effluent
Feb-86	2/28/86	47	242-16F	573000	607000	0	EVAPCONC	
Feb-86	2/28/86	41	242-16H	425000	442000	0	EVAPCONC	
Feb-86	2/28/86	25	242-1F	308000	338000	0	EVAPCONC	
Feb-86	2/28/86	36	242-1H	222000	280000	0	EVAPCONC	
Mar-86	3/1/86	43	38	69000	72000	0	SNATE	
Mar-86	3/2/86	13	36	68000	71000	0	CONCSN	
Mar-86	3/2/86	43	41	190000	197000	0	CONCSN	
Mar-86	3/3/86	26	25	147000	153000	0	CONCSN	
Mar-86	3/14/86	26	47	363000	377000	0	CONCSN	
Mar-86	3/15/86	26	18	211000	211000	0	LHWSN	
Mar-86	3/17/86	43	41	180000	188000	0	CONCSN	
Mar-86	3/24/86	18	20	307000	321000	0	LHWSN	
Mar-86	3/25/86	26	25	129000	135000	0	CONCSN	
Mar-86	3/31/86	26	47	417000	434000	0	CONCSN	
Mar-86	3/31/86	242-1F	26	368000	368000	0	EVAPFEED	
Mar-86	3/31/86	242-16	26	949000	949000	0	EVAPFEED	
Mar-86	3/31/86	42-16	43	556000	556000	0	EVAPFEED	
Mar-86	3/31/86	43	299H	0	7000	0	MISCADD/TRAN	Decon Waste
Mar-86	3/31/86	7		0	3000	0	MISCADD/TRAN	
Mar-86	3/31/86	33		0	7000	0	MISCADD/TRAN	Flush Water
Mar-86	3/31/86	47		0	3000	0	MISCADD/TRAN	Flush Water
Mar-86	3/31/86	20		0	12000	0	MISCADD/TRAN	Bearing Water
Mar-86	3/31/86	23		0	24000	0	MISCADD/TRAN	Flushes
Mar-86	3/31/86	10		0	10000	0	MISCADD/TRAN	
Mar-86	3/31/86	13		0	24000	0	MISCADD/TRAN	Flushes
Mar-86	3/31/86	21	44H-245	0	4000	0	NONCANYWASTE	
Mar-86	3/31/86	23	44H-245	0	75000	0	NONCANYWASTE	
Mar-86	3/31/86	47	242-16F	724000	756000	0	EVAPCONC	
Mar-86	3/31/86	41	242-16H	357000	373000	0	EVAPCONC	
Mar-86	3/31/86	25	242-1F	262000	308000	0	EVAPCONC	
Apr-86	4/7/86	26	18	314000	314000	0	LHWSN	
Apr-86	4/8/86	43	41	264000	275000	0	CONCSN	
Apr-86	4/9/86	26	47	178000	185000	0	CONCSN	
Apr-86	4/11/86	26	25	143000	149000	0	CONCSN	
Apr-86	4/13/86	26	47	143000	149000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-86	4/18/86	30	29	74000	77000	0	SNATE	
Apr-86	4/20/86	43	41	171000	178000	0	CONCSN	
Apr-86	4/21/86	26	47	374000	389000	0	CONCSN	
Apr-86	4/24/86	26	25	226000	235000	0	CONCSN	
Apr-86	4/25/86	38	21	22000	22000	0	SNATE	
Apr-86	4/26/86	43	41	121000	126000	0	CONCSN	
Apr-86	4/27/86	26	25	65000	68000	0	CONCSN	
Apr-86	4/30/86	38	21	90000	86000	0	SNATE	
Apr-86	4/30/86	242-1F	26	584000	584000	0	EVAPFEED	
Apr-86	4/30/86	242-16	26	1019000	1019000	0	EVAPFEED	
Apr-86	4/30/86	242-1H	13	18000	18000	0	EVAPFEED	
Apr-86	4/30/86	42-16	43	792000	792000	0	EVAPFEED	
Apr-86	4/30/86	43	299H	0	7000	0	MISCADD/TRAN	Decon Waste
Apr-86	4/30/86	47		0	7000	0	NONCANYWASTE	Low Level Waste Trailer
Apr-86	4/30/86	20		0	297000	0	MISCADD/TRAN	Inhibited Water
Apr-86	4/30/86	18		0	17000	0	MISCADD/TRAN	Seal Water
Apr-86	4/30/86	23	44H-245	0	29000	0	NONCANYWASTE	
Apr-86	4/30/86	23	242-1H	0	3000	0	OVERSPEC	Off Spec. Overhds.
Apr-86	4/30/86	CRC	23	0	9000	0	RBOF-RRF	
Apr-86	4/30/86	23	CRC	0	2000	0	NONCANYWASTE	Off Spec. CRC Effluent
Apr-86	4/30/86	47	242-16F	747000	781000	0	EVAPCONC	
Apr-86	4/30/86	41	242-16H	579000	605000	0	EVAPCONC	
Apr-86	4/30/86	25	242-1F	455000	465000	0	EVAPCONC	
Apr-86	4/30/86	36	242-1H	10000	11000	0	EVAPCONC	
May-86	5/3/86	26	47	386000	401000	0	CONCSN	
May-86	5/3/86	43	38	326000	339000	0	SNATE	
May-86	5/4/86	38	21	535000	535000	0	SNATE	
May-86	5/4/86	43	41	139000	145000	0	CONC	
May-86	5/6/86	26	25	160000	167000	0	CONCSN	
May-86	5/8/86	38	22	144000	144000	0	SNATE	
May-86	5/11/86	26	47	175000	182000	0	CONCSN	
May-86	5/16/86	26	25	198000	206000	0	CONCSN	
May-86	5/17/86	26	27	210000	218000	0	CONCSN	
May-86	5/18/86	26	47	138000	143000	0	CONCSN	
May-86	5/22/86	26	25	189000	196000	0	CONCSN	
May-86	5/24/86	26	47	148000	154000	0	CONCSN	
May-86	5/30/86	26	47	221000	230000	0	CONCSN	
May-86	5/31/86	242-1F	26	799000	799000	0	EVAPFEED	
May-86	5/31/86	242-16	26	953000	953000	0	EVAPFEED	
May-86	5/31/86	242-1H	13	718000	718000	0	EVAPFEED	
May-86	5/31/86	42-16	43	545000	545000	0	EVAPFEED	
May-86	5/31/86	43	299H	0	4000	0	MISCADD/TRAN	Decon Waste
May-86	5/31/86	47		0	15000	0	NONCANYWASTE	Low Level Waste Trailer
May-86	5/31/86	20		0	39000	0	MISCADD/TRAN	Inhibited Water
May-86	5/31/86	20		0	2000	0	MISCADD/TRAN	Seal Water
May-86	5/31/86	18		0	36000	0	MISCADD/TRAN	Seal Water
May-86	5/31/86	23	44H-245	0	80000	0	NONCANYWASTE	
May-86	5/31/86	23	242-1H	0	30000	0	OVERSPEC	Off Spec. Overhds.
May-86	5/31/86	CRC	23	0	64000	0	RBOF-RRF	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
May-86	5/31/86	23	CRC	0	26000	0	NONCANYWASTE	Off Spec. CRC Effluent
May-86	5/31/86	47	242-16F	754000	790000	0	EVAPCONC	
May-86	5/31/86	41	242-16H	343000	359000	0	EVAPCONC	
May-86	5/31/86	27	242-1F	116000	116000	0	EVAPCONC	
May-86	5/31/86	25	242-1F	532000	546000	0	EVAPCONC	
May-86	5/31/86	37	242-1H	37000	37000	0	EVAPCONC	
May-86	5/31/86	36	242-1H	473000	549000	0	EVAPCONC	
Jun-86	6/2/86	43	41	94000	98000	0	CONC	
Jun-86	6/5/86	13	36	152000	158000	0	CONC	
Jun-86	6/9/86	26	45	209000	217000	0	CONCSN	
Jun-86	6/11/86	13	30	75000	78000	0	SNATE	
Jun-86	6/13/86	26	47	5300	5500	0	CONCSN	
Jun-86	6/16/86	13	30	200000	208000	0	SNATE	
Jun-86	6/24/86	13	30	141000	147000	0	SNATE	
Jun-86	6/24/86	22	21	100000	100000	0	SNATE	
Jun-86	6/26/86	26	25	81000	84000	0	CONCSN	
Jun-86	6/27/86	43	10	30000	31000	0	SNATE	
Jun-86	6/30/86	242-1F	26	499000	499000	0	EVAPFEED	
Jun-86	6/30/86	242-16	26	376000	376000	0	EVAPFEED	
Jun-86	6/30/86	242-1H	13	624000	624000	0	EVAPFEED	
Jun-86	6/30/86	42-16	43	243000	243000	0	EVAPFEED	
Jun-86	6/30/86	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste
Jun-86	6/30/86	47		0	4000	0	NONCANYWASTE	Low Level Waste Trailer
Jun-86	6/30/86	20		0	86000	0	MISCADD/TRAN	Inhibited Water
Jun-86	6/30/86	20		0	5000	0	MISCADD/TRAN	Seal Water
Jun-86	6/30/86	18		0	33000	0	MISCADD/TRAN	Seal Water
Jun-86	6/30/86	7		0	2000	0	MISCADD/TRAN	FPT-1
Jun-86	6/30/86	21	44H-245	0	7000	0	NONCANYWASTE	
Jun-86	6/30/86	23	44H-245	0	66000	0	NONCANYWASTE	
Jun-86	6/30/86	23	242-1H	0	12000	0	OVERSPEC	Off Spec. Overhds..
Jun-86	6/30/86	CRC	23	0	123000	0	RBOF-RRF	
Jun-86	6/30/86	23	CRC	0	6000	0	NONCANYWASTE	Off Spec. CRC Effluent
Jun-86	6/30/86	45	242-16F	141000	141000	0	EVAPCONC	
Jun-86	6/30/86	47	242-16F	183000	183000	0	EVAPCONC	
Jun-86	6/30/86	41	242-16H	140000	150000	0	EVAPCONC	
Jun-86	6/30/86	27	242-1F	388000	388000	0	EVAPCONC	
Jun-86	6/30/86	25	242-1F	23000	33000	0	EVAPCONC	
Jun-86	6/30/86	37	242-1H	49000	49000	0	EVAPCONC	
Jun-86	6/30/86	36	242-1H	379000	391000	0	EVAPCONC	
Jul-86	7/4/86	26	45	298000	310000	0	CONCSN	
Jul-86	7/4/86	43	10	41000	43000	0	SNATE	
Jul-86	7/4/86	43	41	177000	184000	0	CONC	
Jul-86	7/7/86	13	36	240000	250000	0	CONC	
Jul-86	7/8/86	26	25	30000	32000	0	CONCSN	
Jul-86	7/9/86	26	28	153000	160000	0	CONCSN	
Jul-86	7/10/86	51	18	270000	300000	14.2	SLSLURRY	
Jul-86	7/14/86	26	27	308000	320000	0	CONCSN	
Jul-86	7/14/86	43	41	206000	215000	0	CONC	
Jul-86	7/16/86	26	27	80000	83000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jul-86	7/17/86	51	22	344000	352000	9.7	SLSLURRY	
Jul-86	7/20/86	18	20	604000	628000	0	DISSALT	Saturated Salt Solution
Jul-86	7/20/86	26	45	494000	514000	0	CONCSN	
Jul-86	7/21/86	26	18	589000	589000	0	DISSALT	Saturated Salt Solution
Jul-86	7/21/86	43	38	175000	182000	0	SNATE	
Jul-86	7/21/86	13	30	177000	184000	0	SNATE	
Jul-86	7/22/86	26	47	35000	37000	0	CONCSN	
Jul-86	7/25/86	43	41	98000	102000	0	CONC	
Jul-86	7/26/86	26	25	152000	158000	0	CONCSN	
Jul-86	7/28/86	13	37	117000	122000	0	CONC	
Jul-86	7/31/86	242-1F	26	786000	786000	0	EVAPFEED	
Jul-86	7/31/86	242-16	26	1179000	1179000	0	EVAPFEED	
Jul-86	7/31/86	242-1H	13	458000	458000	0	EVAPFEED	
Jul-86	7/31/86	42-16	43	700000	700000	0	EVAPFEED	
Jul-86	7/31/86	43	299H	0	10000	0	MISCADD/TRAN	Decon Waste
Jul-86	7/31/86	20		0	142000	0	MISCADD/TRAN	Inhibited Water
Jul-86	7/31/86	18		0	35000	0	MISCADD/TRAN	Seal Water
Jul-86	7/31/86	47		0	1000	0	MISCADD/TRAN	flush Water
Jul-86	7/31/86	22		0	5000	0	MISCADD/TRAN	Seal Water
Jul-86	7/31/86	21	44H-245	0	11000	0	NONCANYWASTE	
Jul-86	7/31/86	23	44H-245	0	41000	0	NONCANYWASTE	
Jul-86	7/31/86	23	242-1H	0	47000	0	OVERSPEC	Off Spec. Overhds.
Jul-86	7/31/86	CRC	23	0	25000	0	RBOF-RRF	
Jul-86	7/31/86	23	CRC	0	15000	0	NONCANYWASTE	Off Spec. CRC Effluent
Jul-86	7/31/86	45	242-16F	904000	919000	0	EVAPCONC	
Jul-86	7/31/86	41	242-16H	462000	471000	0	EVAPCONC	
Jul-86	7/31/86	27	242-1F	420000	420000	0	EVAPCONC	
Jul-86	7/31/86	25	242-1F	192000	203000	0	EVAPCONC	
Jul-86	7/31/86	37	242-1H	125000	125000	0	EVAPCONC	
Jul-86	7/31/86	36	242-1H	192000	231000	0	EVAPCONC	
Aug-86	8/1/86	26	45	333000	346000	0	CONCSN	
Aug-86	8/1/86	43	41	182000	190000	0	CONCSN	
Aug-86	8/4/86	13	36	157000	163000	0	CONCSN	
Aug-86	8/8/86	26	47	171000	177000	0	CONCSN	
Aug-86	8/11/86	18	20	79000	82000	0	DISSALT	Saturated Salt Solution
Aug-86	8/11/86	43	41	176000	183000	0	CONCSN	
Aug-86	8/11/86	43	10	54000	56000	0	SNATE	
Aug-86	8/12/86	32	30	113000	118000	0	SNATE	
Aug-86	8/13/86	13	37	111000	115000	0	CONCSN	
Aug-86	8/16/86	35	30	42000	44000	0	SNATE	
Aug-86	8/18/86	26	25	111000	115000	0	CONCSN	
Aug-86	8/18/86	13	30	61000	63000	0	SNATE	
Aug-86	8/21/86	26	45	173000	180000	0	CONCSN	
Aug-86	8/21/86	26	27	415000	431000	0	CONCSN	
Aug-86	8/21/86	26	45	494000	514000	0	CONCSN	
Aug-86	8/21/86	13	36	166000	173000	0	CONCSN	
Aug-86	8/23/86	43	41	243000	253000	0	CONCSN	
Aug-86	8/25/86	13	37	138000	143000	0	CONCSN	
Aug-86	8/27/86	51	18	285000	319000	16.2	SLSLURRY	

Appendix A
Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-86	8/27/86	26	47	207000	215000	0	CONCSN	
Aug-86	8/28/86	30	39	273000	283000	0	FRHHWSN	
Aug-86	8/29/86	22	23	81000	85000	0	RBOF-RRF	
Aug-86	8/31/86	18	20	115000	120000	0	DISSALT	Saturated Salt Solution
Aug-86	8/31/86	26	45	312000	324000	0	CONCSN	
Aug-86	8/31/86	242-1F	26	714000	714000	0	EVAPFEED	
Aug-86	8/31/86	242-16	26	1166000	1166000	0	EVAPFEED	
Aug-86	8/31/86	242-1H	13	711000	711000	0	EVAPFEED	
Aug-86	8/31/86	42-16	43	759000	759000	0	EVAPFEED	
Aug-86	8/31/86	43	299H	0	6000	0	MISCADD/TRAN	Decon Waste
Aug-86	8/31/86	20		0	5000	0	MISCADD/TRAN	Inhibited Water
Aug-86	8/31/86	18		0	166000	0	MISCADD/TRAN	Seal Water
Aug-86	8/31/86	47		0	14000	0	MISCADD/TRAN	Flush
Aug-86	8/31/86	22		0	30000	0	MISCADD/TRAN	Seal Water
Aug-86	8/31/86	21	44H-245	0	9000	0	NONCANYWASTE	
Aug-86	8/31/86	23	44H-245	0	50000	0	NONCANYWASTE	
Aug-86	8/31/86	23	242-1H	0	20000	0	OVERSPEC	Off Spec. Overhds.
Aug-86	8/31/86	45	242-16F	725000	725000	0	EVAPCONC	
Aug-86	8/31/86	47	242-16F	183000	183000	0	EVAPCONC	
Aug-86	8/31/86	41	242-16H	550000	582000	0	EVAPCONC	
Aug-86	8/31/86	27	242-1F	289000	289000	0	EVAPCONC	
Aug-86	8/31/86	25	242-1F	259000	259000	0	EVAPCONC	
Aug-86	8/31/86	37	242-1H	226000	226000	0	EVAPCONC	
Aug-86	8/31/86	36	242-1H	283000	333000	0	EVAPCONC	
Sep-86	9/2/86	26	25	13000	13000	0	CONCSN	
Sep-86	9/4/86	26	25	73000	76000	0	CONCSN	
Sep-86	9/6/86	26	25	79000	82000	0	CONCSN	
Sep-86	9/7/86	51	18	196000	201000	10.9	SLSLURRY	
Sep-86	9/7/86	30	39	514000	543000	0	FRHHWSN	
Sep-86	9/9/86	18	20	125000	130000	0	DISSALT	
Sep-86	9/9/86	13	36	112000	116000	0	CONCSN	
Sep-86	9/11/86	43	41	217000	226000	0	CONCSN	
Sep-86	9/12/86	26	47	270000	280000	0	CONCSN	
Sep-86	9/12/86	13	37	168000	175000	0	CONCSN	
Sep-86	9/16/86	26	28	54000	56000	0	CONCSN	
Sep-86	9/17/86	42	18	236000	255000	3.6	SLSLURRY	
Sep-86	9/18/86	26	44	198000	206000	0	CONCSN	
Sep-86	9/18/86	18	20	37000	39000	0	MISCADD/TRAN	Inhibited water
Sep-86	9/19/86	43	41	138000	143000	0	CONCSN	
Sep-86	9/20/86	18	20	75000	78000	0	MISCADD/TRAN	Inhibited water
Sep-86	9/20/86	42	21	345000	345000	54	SLSLURRY	
Sep-86	9/21/86	26	45	286000	298000	0	CONCSN	
Sep-86	9/22/86	13	36	211000	220000	0	CONCSN	
Sep-86	9/22/86	21	22	165000	165000	33.9	SLSLURRY	
Sep-86	9/23/86	42	18	277000	329000	8.7	SLSLURRY	
Sep-86	9/23/86	43	51	204000	212000	0	SNATE	
Sep-86	9/25/86	26	27	98000	102000	0	CONCSN	
Sep-86	9/25/86	42	21	93000	93000	12.1	SLSLURRY	
Sep-86	9/26/86	18	20	171000	178000	0	MISCADD/TRAN	Inhibited water

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-86	9/27/86	51	21	174000	174000	22.4	SLSLURRY	
Sep-86	9/28/86	26	25	104000	108000	0	CONCSN	
Sep-86	9/28/86	26	7	7000	8000	0	LHWSN	
Sep-86	9/28/86	40	22	158000	158000	32.2	SLSLURRY	
Sep-86	9/29/86	43	41	154000	160000	0	CONCSN	
Sep-86	9/30/86	242-1F	26	608000	608000	0	EVAPFEED	
Sep-86	9/30/86	242-16	26	1040000	1040000	0	EVAPFEED	
Sep-86	9/30/86	242-1H	13	683000	683000	0	EVAPFEED	
Sep-86	9/30/86	42-16	43	605000	615000	0	EVAPFEED	
Sep-86	9/30/86	43	299H	0	5000	0	MISCADD/TRAN	Decon Waste
Sep-86	9/30/86	7		0	2000	0	MISCADD/TRAN	Catch Tank
Sep-86	9/30/86	20		0	12000	0	MISCADD/TRAN	Caustic NaOH
Sep-86	9/30/86	28		0	15000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-86	9/30/86	21	44H-245	0	19000	0	NONCANYWASTE	
Sep-86	9/30/86	23	44H-245	0	54000	0	NONCANYWASTE	
Sep-86	9/30/86	26	242-1F	0	2000	0	OVERSPEC	
Sep-86	9/30/86	43	242-16H	0	10000	0	OVERSPEC	
Sep-86	9/30/86	23	242-1H	0	43000	0	OVERSPEC	Off Spec. Overhds..
Sep-86	9/30/86	23	CRC	0	20000	0	NONCANYWASTE	Off Spec. CRC Effluent
Sep-86	9/30/86	47	242-16F	552000	552000	0	EVAPCONC	
Sep-86	9/30/86	45	242-16F	257000	286000	0	EVAPCONC	
Sep-86	9/30/86	43	242-16H	35000	35000	0	EVAPCONC	
Sep-86	9/30/86	41	242-16H	413000	453000	0	EVAPCONC	
Sep-86	9/30/86	27	242-1F	343000	343000	0	EVAPCONC	
Sep-86	9/30/86	25	242-1F	128000	140000	0	EVAPCONC	
Sep-86	9/30/86	37	242-1H	280000	280000	0	EVAPCONC	
Sep-86	9/30/86	36	242-1H	275000	305000	0	EVAPCONC	
Sep-86	10/2/86	40	18	286000	364000	12.5	SLSLURRY	
Sep-86	10/3/86	26	47	76000	79000	0	CONCSN	
Oct-86	10/1/86	26	27	4000	4000	0	CONCSN	
Oct-86	10/1/86	18	20	31000	32000	0	MISCADD/TRAN	Inhibited Water
Oct-86	10/3/86	26	47	171000	177000	0	CONCSN	
Oct-86	10/3/86	13	36	235000	244000	0	CONC	
Oct-86	10/5/86	26	45	240000	250000	0	CONCSN	
Oct-86	10/6/86	26	25	85000	88000	0	CONCSN	
Oct-86	10/6/86	43	41	126000	131000	0	CONC	
Oct-86	10/11/86	26	25	70000	73000	0	CONCSN	
Oct-86	10/12/86	40	42	256000	267000	0	SNATE	
Oct-86	10/13/86	43	41	105000	109000	0	CONC	
Oct-86	10/14/86	13	32	140000	146000	0	HHWSN	
Oct-86	10/16/86	22	21	80000	80000	0	SLSLURRY	
Oct-86	10/17/86	13	36	113000	117000	0	CONC	
Oct-86	10/18/86	26	47	307000	319000	0	CONCSN	
Oct-86	10/18/86	42	18	129000	175000	5.6	SLSLURRY	
Oct-86	10/20/86	43	41	197000	205000	0	CONC	
Oct-86	10/22/86	13	37	203000	211000	0	CONC	
Oct-86	10/25/86	26	25	138000	144000	0	CONCSN	
Oct-86	10/25/86	43	42	73000	76000	0	SNATE	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-86	10/25/86	40	42	101000	108000	0	SNATE	
Oct-86	10/26/86	26	27	619000	643000	0	CONCSN	
Oct-86	10/27/86	24	23	192000	199000	0	RBOF-RRF	
Oct-86	10/31/86	242-1F	26	480000	480000	0	EVAPFEED	
Oct-86	10/31/86	242-16	26	881000	881000	0	EVAPFEED	
Oct-86	10/31/86	242-1H	13	622000	622000	0	EVAPFEED	
Oct-86	10/31/86	42-16	43	555000	556000	0	EVAPFEED	
Oct-86	10/31/86	43	299H	0	3000	0	MISCADD/TRAN	Decon Waste
Oct-86	10/31/86	7		0	2000	0	MISCADD/TRAN	Catch Tank
Oct-86	10/31/86	18		0	190000	0	MISCADD/TRAN	Inhibited Water
Oct-86	10/31/86		6	13000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-86	10/31/86		28	19000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-86	10/31/86		20	13000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-86	10/31/86	21	44H-245	0	6000	0	NONCANYWASTE	
Oct-86	10/31/86	23	44H-245	0	46000	0	NONCANYWASTE	
Oct-86	10/31/86	23	242-1H	0	19000	0	OVERSPEC	Off Spec. Overhds.
Oct-86	10/31/86	23	CRC	0	89000	0	NONCANYWASTE	Off Spec. CRC Effluent
Oct-86	10/31/86	45	242-16F	296000	296000	0	EVAPCONC	
Oct-86	10/31/86	47	242-16F	399000	435000	0	EVAPCONC	
Oct-86	10/31/86	41	242-16H	386000	422000	0	EVAPCONC	
Oct-86	10/31/86	27	242-1F	84000	84000	0	EVAPCONC	
Oct-86	10/31/86	25	242-1F	291000	309000	0	EVAPCONC	
Oct-86	10/31/86	37	242-1H	147000	147000	0	EVAPCONC	
Oct-86	10/31/86	36	242-1H	337000	351000	0	EVAPCONC	
Nov-86	11/1/86	13	36	99000	103000	0	CONC	
Nov-86	11/3/86	42	18	100000	162000	2.4	SLSLURRY	
Nov-86	11/3/86	26	45	263000	273000	0	CONCSN	
Nov-86	11/4/86	43	41	168000	175000	0	CONC	
Nov-86	11/4/86	13	32	34000	35000	0	HHWSN	
Nov-86	11/6/86	26	25	84000	87000	0	CONCSN	
Nov-86	11/6/86	13	37	268000	279000	0	CONC	
Nov-86	11/10/86	43	42	70000	73000	0	SNATE	
Nov-86	11/11/86	40	42	44000	46000	0	SNATE	
Nov-86	11/11/86	43	41	136000	141000	0	CONC	
Nov-86	11/12/86	42	18	71000	113000	1.6	SLSLURRY	
Nov-86	11/12/86	26	47	204000	212000	0	CONCSN	
Nov-86	11/12/86	13	32	56000	58000	0	HHWSN	
Nov-86	11/17/86	43	41	114000	119000	0	CONC	
Nov-86	11/18/86	26	45	280000	291000	0	CONCSN	
Nov-86	11/19/86	13	36	247000	257000	0	CONC	
Nov-86	11/22/86	40	18	115000	159000	5.3	SLSLURRY	
Nov-86	11/24/86	26	25	54000	57000	0	CONCSN	
Nov-86	11/25/86	13	32	105000	109000	0	HHWSN	
Nov-86	11/27/86	26	47	237000	246000	0	CONCSN	
Nov-86	11/27/86	43	41	161000	167000	0	CONC	
Nov-86	11/30/86	242-1F	26	681000	681000	0	EVAPFEED	
Nov-86	11/30/86	242-16	26	900000	900000	0	EVAPFEED	
Nov-86	11/30/86	242-1H	13	689000	689000	0	EVAPFEED	
Nov-86	11/30/86	42-16	43	759000	759000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-86	11/30/86	43	299H	0	4000	0	MISCADD/TRAN	Decon Waste
Nov-86	11/30/86	18		0	195000	0	MISCADD/TRAN	Inhibited Water
Nov-86	11/30/86	20		0	111000	0	MISCADD/TRAN	Inhibited Water
Nov-86	11/30/86	20		0	13000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Nov-86	11/30/86	21	44H-245	0	8000	0	NONCANYWASTE	
Nov-86	11/30/86	23	44H-245	0	31000	0	NONCANYWASTE	
Nov-86	11/30/86	23	242-1H	0	8000	0	OVERSPEC	Off Spec. Overhds.
Nov-86	11/30/86	23	CRC	0	12000	0	NONCANYWASTE	Off Spec. CRC Effluent
Nov-86	11/30/86	45	242-16F	449000	449000	0	EVAPCONC	
Nov-86	11/30/86	47	242-16F	293000	332000	0	EVAPCONC	
Nov-86	11/30/86	41	242-16H	559000	591000	0	EVAPCONC	
Nov-86	11/30/86	38	242-16H	30000	30000	0	EVAPCONC	
Nov-86	11/30/86	27	242-1F	482000	482000	0	EVAPCONC	
Nov-86	11/30/86	25	242-1F	87000	95000	0	EVAPCONC	
Nov-86	11/30/86	37	242-1H	324000	324000	0	EVAPCONC	
Nov-86	11/30/86	36	242-1H	213000	245000	0	EVAPCONC	
Dec-86	12/2/86	40	18	89000	121000	2.9	SLSLURRY	
Dec-86	12/5/86	18	20	87000	91000	0	MISCADD/TRAN	Inhibited Water
Dec-86	12/5/86	43	51	23000	24000	0	SNATE	
Dec-86	12/6/86	26	27	156000	143000	0	CONCSN	
Dec-86	12/6/86	13	37	122000	127000	0	CONC	
Dec-86	12/7/86	43	41	124000	129000	0	CONC	
Dec-86	12/7/86	43	51	64000	67000	0	SNATE	
Dec-86	12/8/86	26	27	182000	189000	0	CONCSN	
Dec-86	12/11/86	51	40	123000	128000	0	SNATE	
Dec-86	12/12/86	42	40	101000	106000	0	SNATE	
Dec-86	12/14/86	43	40	164000	171000	0	SNATE	
Dec-86	12/16/86	26	45	291000	303000	0	CONCSN	
Dec-86	12/18/86	43	10	16000	22000	0	SNATE	
Dec-86	12/20/86	40	18	133000	159000	3.6	SLSLURRY	
Dec-86	12/21/86	43	41	138000	143000	0	CONC	
Dec-86	12/22/86	26	47	242000	252000	0	CONCSN	
Dec-86	12/22/86	13	36	181000	188000	0	CONC	
Dec-86	12/24/86	26	25	86000	89000	0	CONCSN	
Dec-86	12/27/86	13	32	87000	90000	0	MISCADD/TRAN	Aged Waste
Dec-86	12/28/86	43	41	138000	143000	0	CONC	
Dec-86	12/29/86	26	45	398000	414000	0	CONCSN	
Dec-86	12/30/86	26	7	28000	29000	0	LHWSN	
Dec-86	12/30/86	40	18	70000	96000	2.4	SLSLURRY	
Dec-86	12/30/86	13	37	118000	123000	0	CONC	
Dec-86	12/31/86	43	51	66000	69000	0	SNATE	
Dec-86	12/31/86	242-1F	26	435000	435000	0	EVAPFEED	
Dec-86	12/31/86	242-16	26	968000	968000	0	EVAPFEED	
Dec-86	12/31/86	242-1H	13	570000	570000	0	EVAPFEED	
Dec-86	12/31/86	42-16	43	771000	771000	0	EVAPFEED	
Dec-86	12/31/86	7		0	6700	0	MISCADD/TRAN	IAPT + Catch Tank
Dec-86	12/31/86		20	25700	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Dec-86	12/31/86	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste
Dec-86	12/31/86	21	44H-245	0	20000	0	NONCANYWASTE	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-86	12/31/86	23	44H-245	0	58000	0	NONCANYWASTE		
Dec-86	12/31/86	23	242-1H	0	16000	0	OVERSPEC	Off Spec. Overhds..	
Dec-86	12/31/86	23	CRC	0	4000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Dec-86	12/31/86	45	242-16F	551000	551000	0	EVAPCONC		
Dec-86	12/31/86	47	242-16F	214000	243000	0	EVAPCONC		
Dec-86	12/31/86	41	242-16H	419000	419000	0	EVAPCONC		
Dec-86	12/31/86	38	242-16H	172000	212000	0	EVAPCONC		
Dec-86	12/31/86	27	242-1F	178000	178000	0	EVAPCONC		
Dec-86	12/31/86	25	242-1F	167000	180000	0	EVAPCONC		
Dec-86	12/31/86	37	242-1H	132000	132000	0	EVAPCONC		
Dec-86	12/31/86	36	242-1H	277000	287000	0	EVAPCONC		
Jan-87	1/2/87	43	41	50000	52000	0	CONC		
Jan-87	1/5/87	26	7	366000	380000	0	LHWSN		
Jan-87	1/6/87	13	36	198000	206000	0	CONC		
Jan-87	1/8/87	43	41	171000	178000	0	CONC		
Jan-87	1/9/87	26	25	79000	82000	0	CONCSN		
Jan-87	1/9/87	26	45	80000	84000	0	CONCSN		
Jan-87	1/9/87	40	18	59000	82000	1.8	SLSLURRY		
Jan-87	1/10/87	26	25	40000	42000	0	CONCSN		
Jan-87	1/10/87	26	45	72000	75000	0	CONCSN		
Jan-87	1/10/87	13	32	93000	97000	0	HHW		
Jan-87	1/12/87	22	21	42000	42000	0	RBOF-RRF		
Jan-87	1/15/87	26	27	215000	223000	0	CONCSN		
Jan-87	1/16/87	43	41	151000	157000	0	CONC		
Jan-87	1/16/87	13	37	106000	110000	0	CONC		
Jan-87	1/17/87	26	27	164000	170000	0	CONCSN		
Jan-87	1/17/87	24	23	41000	44000	0	RBOF-RRF		
Jan-87	1/19/87	39	32	70000	77000	0	HHW		
Jan-87	1/22/87	43	41	121000	126000	0	CONC		
Jan-87	1/23/87	26	45	396000	412000	0	CONCSN		
Jan-87	1/23/87	22	21	34000	34000	0	RBOF-RRF		
Jan-87	1/24/87	13	36	170000	177000	0	CONC		
Jan-87	1/27/87	40	18	73000	100000	2.4	SLSLURRY		
Jan-87	1/29/87	13	37	165000	172000	0	CONC		
Jan-87	1/30/87	43	41	136000	141000	0	CONC		
Jan-87	1/31/87	43	299H	0	7000	0	MISCADD/TRAN	Decon Waste	
Jan-87	1/31/87	18		0	116300	0	MISCADD/TRAN	Inhibited Water	
Jan-87	1/31/87	7		0	9210	0	MISCADD/TRAN	Flush Water	
Jan-87	1/31/87		2	14600	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-87	1/31/87		6	11700	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jan-87	1/31/87	21	44H-245	0	34000	0	NONCANYWASTE		
Jan-87	1/31/87	23	44H-245	0	74000	0	NONCANYWASTE		
Jan-87	1/31/87	23	242-1H	0	17000	0	OVERSPEC	Off Spec. Overhds.	
Jan-87	1/31/87	CRC	23	0	18000	0	RBOF-RRF		
Jan-87	1/31/87	23	CRC	0	11000	0	NONCANYWASTE	Off Spec. CRC Effluent	
Jan-87	1/31/87	26	47	246000	256000	0	CONCSN		
Jan-87	1/31/87	43	51	78000	84000	0	SNATE		
Jan-87	1/31/87	22	23	426000	458000	0	RBOF-RRF		
Jan-87	1/31/87	242-1F	26	636000	636000	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jan-87	1/31/87	242-16	26	1066000	1066000	0	EVAPFEED		
Jan-87	1/31/87	242-1H	13	770000	770000	0	EVAPFEED		
Jan-87	1/31/87	42-16	43	792000	792000	0	EVAPFEED		
Jan-87	1/31/87	45	242-16F	611000	611000	0	EVAPCONC		
Jan-87	1/31/87	47	242-16F	245000	270000	0	EVAPCONC		
Jan-87	1/31/87	41	242-16H	549000	601000	0	EVAPCONC		
Jan-87	1/31/87	25	242-1F	84000	84000	0	EVAPCONC		
Jan-87	1/31/87	27	242-1F	421000	438000	0	EVAPCONC		
Jan-87	1/31/87	36	242-1H	382000	382000	0	EVAPCONC		
Jan-87	1/31/87	37	242-1H	144000	229000	0	EVAPCONC		
Feb-87	2/3/87	43	51	45000	47000	0	SNATE		
Feb-87	2/4/87	22	23	161000	169000	0	RBOF-RRF		
Feb-87	2/4/87	13	36	68000	71000	0	CONC		
Feb-87	2/5/87	43	41	76000	86000	0	CONC		
Feb-87	2/7/87	13	36	140000	146000	0	CONC		
Feb-87	2/9/87	26	45	390000	405000	0	CONCSN		
Feb-87	2/11/87	43	41	82000	92000	0	CONC		
Feb-87	2/11/87	13	37	55000	57000	0	CONC		
Feb-87	2/12/87	26	25	176000	183000	0	CONCSN		
Feb-87	2/15/87	43	41	66000	71000	0	CONC		
Feb-87	2/19/87	26	27	295000	307000	0	CONCSN		
Feb-87	2/20/87	43	42	10000	11000	0	SNATE		
Feb-87	2/20/87	22	21	10000	10000	0	RBOF-RRF		
Feb-87	2/21/87	26	25	109000	114000	0	CONCSN		
Feb-87	2/22/87	43	41	105000	122000	0	CONC		
Feb-87	2/23/87	13	37	163000	170000	0	CONC		
Feb-87	2/24/87	26	47	52000	54000	0	CONCSN		
Feb-87	2/24/87	13	36	60000	62000	0	CONC		
Feb-87	2/25/87	43	41	66000	74000	0	CONC		
Feb-87	2/28/87	43	299H	0	9000	0	MISCADD/TRAN	Decon Waste	
Feb-87	2/28/87	18		0	26600	0	MISCADD/TRAN	Inhibited Water	
Feb-87	2/28/87	2		0	12700	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Feb-87	2/28/87	6		0	13800	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Feb-87	2/28/87		5	12700	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Feb-87	2/28/87	21	44H-245	0	13000	0	NONCANYWASTE		
Feb-87	2/28/87	23	44H-245	0	98000	0	NONCANYWASTE		
Feb-87	2/28/87	23	242-1H	0	18000	0	OVERSPEC	Off Spec. Overhds.	
Feb-87	2/28/87	26	47	115000	119000	0	CONCSN		
Feb-87	2/28/87	51	42	178000	186000	0	SNATE		
Feb-87	2/28/87	43	41	55000	63000	0	CONC		
Feb-87	2/28/87	242-1F	26	565000	565000	0	EVAPFEED		
Feb-87	2/28/87	242-16	26	973000	973000	0	EVAPFEED		
Feb-87	2/28/87	242-1H	13	447000	447000	0	EVAPFEED		
Feb-87	2/28/87	42-16	43	621000	621000	0	EVAPFEED		
Feb-87	2/28/87	45	242-16F	553000	553000	0	EVAPCONC		
Feb-87	2/28/87	47	242-16F	245000	263000	0	EVAPCONC		
Feb-87	2/28/87	41	242-16H	427000	451000	0	EVAPCONC		
Feb-87	2/28/87	25	242-1F	265000	265000	0	EVAPCONC		
Feb-87	2/28/87	27	242-1F	200000	208000	0	EVAPCONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Feb-87	2/28/87	36	242-1H	206000	206000	0	EVAPCONC		
Feb-87	2/28/87	37	242-1H	122000	173000	0	EVAPCONC		
Mar-87	3/1/87	47	26	90000	94000	0	CONCSN		
Mar-87	3/3/87	42	43	53000	55000	0	SNATE		
Mar-87	3/5/87	41	43	41000	44000	0	CONC		
Mar-87	3/6/87	41	43	75000	79000	0	CONC		
Mar-87	3/6/87	45	26	207000	215000	0	CONCSN		
Mar-87	3/8/87	42	26	46000	52000	0	SNATE		
Mar-87	3/8/87	36	13	126000	131000	0	CONC		
Mar-87	3/8/87	42	26	46000	52000	0	CONCSN		
Mar-87	3/10/87	41	43	78000	83000	0	CONC		
Mar-87	3/11/87	51	43	53000	55000	0	SNATE		
Mar-87	3/12/87	42	26	71000	78000	0	SNATE		
Mar-87	3/12/87	42	26	71000	78000	0	SNATE		
Mar-87	3/12/87	27	26	119000	124000	0	CONCSN		
Mar-87	3/14/87	47	26	102000	107000	0	CONCSN		
Mar-87	3/14/87	27	26	120000	125000	0	CONCSN		
Mar-87	3/15/87	41	43	76000	83000	0	CONC		
Mar-87	3/19/87	41	43	50000	56000	0	CONC		
Mar-87	3/19/87	45	26	5000	6000	0	CONCSN		
Mar-87	3/23/87	41	43	60000	67000	0	CONC		
Mar-87	3/23/87	37	13	228000	243000	0	CONC		
Mar-87	3/26/87	21	22	22000	22000	0	NONCANYWASTE		
Mar-87	3/27/87	36	13	182000	189000	0	CONC		
Mar-87	3/27/87	41	43	46000	67000	0	CONC		
Mar-87	3/30/87	45	26	140000	146000	0	CONCSN		
Mar-87	3/31/87	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste	
Mar-87	3/31/87	7		0	6500	0	MISCADD/TRAN	Inhibited Water	
Mar-87	3/31/87	6		0	4900	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Mar-87	3/31/87	7		0	3000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Mar-87	3/31/87	21	44H-245	0	21000	0	NONCANYWASTE		
Mar-87	3/31/87	23	44H-245	0	131000	0	NONCANYWASTE		
Mar-87	3/31/87	23	242-1H	0	9000	0	OVERSPEC	Off Spec. Overhds..	
Mar-87	3/31/87	41	43	60000	74000	0	CONC		
Mar-87	3/31/87	45	26	82000	85000	0	CONCSN		
Mar-87	3/31/87	27	26	53000	55000	0	CONCSN		
Mar-87	3/31/87	242-1F	26	611000	611000	0	EVAPFEED		
Mar-87	3/31/87	242-16	26	465000	465000	0	EVAPFEED		
Mar-87	3/31/87	242-1H	13	616000	616000	0	EVAPFEED		
Mar-87	3/31/87	42-16	43	750000	750000	0	EVAPFEED		
Mar-87	3/31/87	45	242-16F	124000	124000	0	EVAPCONC		
Mar-87	3/31/87	47	242-16F	249000	265000	0	EVAPCONC		
Mar-87	3/31/87	39	242-16H	6000	6000	0	EVAPCONC		
Mar-87	3/31/87	38	242-16H	14000	14000	0	EVAPCONC		
Mar-87	3/31/87	41	242-16H	494000	511000	0	EVAPCONC		
Mar-87	3/31/87	25	242-1F	11000	11000	0	EVAPCONC		
Mar-87	3/31/87	27	242-1F	484000	489000	0	EVAPCONC		
Mar-87	3/31/87	36	242-1H	197000	197000	0	EVAPCONC		
Mar-87	3/31/87	37	242-1H	278000	349000	0	EVAPCONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-87	4/1/87	26	27	38000	40000	0	CONCSN		
Apr-87	4/3/87	26	27	126000	131000	0	CONCSN		
Apr-87	4/6/87	43	41	56000	68000	0	CONC		
Apr-87	4/9/87	26	47	149000	155000	0	CONCSN		
Apr-87	4/12/87	26	27	299000	311000	0	CONCSN		
Apr-87	4/13/87	43	41	80000	91000	0	CONC		
Apr-87	4/15/87	26	45	4000	4000	0	CONCSN		
Apr-87	4/15/87	13	37	181000	190000	0	CONC		
Apr-87	4/15/87	43	40	72000	76000	0	SNATE		
Apr-87	4/16/87	43	41	44000	46000	0	CONC		
Apr-87	4/18/87	43	41	15000	31000	0	CONC		
Apr-87	4/21/87	13	36	169000	176000	0	CONC		
Apr-87	4/22/87	26	47	249000	259000	0	CONCSN		
Apr-87	4/22/87	26	45	7000	8000	0	CONCSN		
Apr-87	4/26/87	26	45	281000	292000	0	CONCSN		
Apr-87	4/28/87	13	37	195000	203000	0	CONC		
Apr-87	4/30/87	43	299H	0	9000	0	MISCADD/TRAN	Decon Waste	
Apr-87	4/30/87	42		0	71000	0	MISCADD/TRAN	NaNO3	
Apr-87	4/30/87		1	8000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Apr-87	4/30/87		6	6000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Apr-87	4/30/87	21	44H-245	0	18000	0	NONCANYWASTE		
Apr-87	4/30/87	23	44H-245	0	147000	0	NONCANYWASTE		
Apr-87	4/30/87	23	242-1H	0	5000	0	OVERSPEC	Off Spec. Overhds..	
Apr-87	4/30/87	26	47	123000	128000	0	CONCSN		
Apr-87	4/30/87	242-1F	26	587000	587000	0	EVAPFEED		
Apr-87	4/30/87	242-16	26	1035000	1035000	0	EVAPFEED		
Apr-87	4/30/87	242-1H	13	583000	583000	0	EVAPFEED		
Apr-87	4/30/87	42-16	43	347000	347000	0	EVAPFEED		
Apr-87	4/30/87	45	242-16F	313000	313000	0	EVAPCONC		
Apr-87	4/30/87	47	242-16F	513000	533000	0	EVAPCONC		
Apr-87	4/30/87	38	242-16H	27000	27000	0	EVAPCONC		
Apr-87	4/30/87	41	242-16H	188000	214000	0	EVAPCONC		
Apr-87	4/30/87	25	242-1F	3000	3000	0	EVAPCONC		
Apr-87	4/30/87	27	242-1F	465000	472000	0	EVAPCONC		
Apr-87	4/30/87	36	242-1H	217000	217000	0	EVAPCONC		
Apr-87	4/30/87	37	242-1H	256000	300000	0	EVAPCONC		
May-87	5/2/87	26	47	149000	155000	0	CONCSN		
May-87	5/5/87	26	27	264000	274000	0	CONCSN		
May-87	5/11/87	13	5	278000	289000	0	HHWSN		
May-87	5/14/87	13	36	130000	136000	0	CONC		
May-87	5/15/87	26	47	136000	142000	0	CONCSN		
May-87	5/15/87	13	37	34000	36000	0	CONC		
May-87	5/17/87	26	27	213000	221000	0	CONCSN		
May-87	5/24/87	26	47	110000	114000	0	CONCSN		
May-87	5/25/87	13	37	147000	153000	0	CONC		
May-87	5/26/87	26	27	142000	148000	0	CONCSN		
May-87	5/29/87	13	35	66000	69000	0	HHWSN		
May-87	5/30/87	26	47	45000	47000	0	CONCSN		
May-87	5/30/87	26	51	693000	726000	0	SNATE		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
May-87	5/31/87	43	299H	0	13000	0	MISCADD/TRAN	Decon Waste
May-87	5/31/87	7		0	5000	0	MISCADD/TRAN	F-PT1
May-87	5/31/87	33		0	11000	0	MISCADD/TRAN	F-PT3
May-87	5/31/87		37	11000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-87	5/31/87	43		0	1000	0	MISCADD/TRAN	Chromate Addition
May-87	5/31/87		25	2000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-87	5/31/87	21	44H-245	0	17000	0	NONCANYWASTE	
May-87	5/31/87	23	44H-245	0	93000	0	NONCANYWASTE	
May-87	5/31/87	23	242-1H	0	9000	0	OVERSPEC	Off Spec. Overhds..
May-87	5/31/87	23	CRC	0	3000	0	NONCANYWASTE	Off Spec. CRC Effluent
May-87	5/31/87	242-1F	26	687000	687000	0	EVAPFEED	
May-87	5/31/87	242-16	26	871000	871000	0	EVAPFEED	
May-87	5/31/87	242-1H	13	695000	695000	0	EVAPFEED	
May-87	5/31/87	42-16	43	20000	20000	0	EVAPFEED	
May-87	5/31/87	45	242-16F	285000	285000	0	EVAPCONC	
May-87	5/31/87	47	242-16F	435000	468000	0	EVAPCONC	
May-87	5/31/87	38	242-16H	24000	24000	0	EVAPCONC	
May-87	5/31/87	39	242-16H	2000	2000	0	EVAPCONC	
May-87	5/31/87	27	242-1F	569000	589000	0	EVAPCONC	
May-87	5/31/87	36	242-1H	224000	224000	0	EVAPCONC	
May-87	5/31/87	37	242-1H	257000	304000	0	EVAPCONC	
Jun-87	6/3/87	26	51	105000	112000	0	SNATE	
Jun-87	6/4/87	43	10	19000	21000	0	SNATE	
Jun-87	6/5/87	13	36	174000	181000	0	CONC	
Jun-87	6/10/87	26	27	197000	205000	0	CONCSN	
Jun-87	6/11/87	43	40	81000	84000	0	SNATE	
Jun-87	6/15/87	26	45	43000	45000	0	CONCSN	
Jun-87	6/16/87	13	37	173000	180000	0	CONC	
Jun-87	6/20/87	26	27	121000	126000	0	CONCSN	
Jun-87	6/20/87	43	40	105000	109000	0	SNATE	
Jun-87	6/21/87	26	42	348000	369000	0	SNATE	
Jun-87	6/23/87	26	44	92000	95000	0	CONCSN	
Jun-87	6/24/87	26	27	36000	37000	0	CONCSN	
Jun-87	6/26/87	26	27	123000	128000	0	CONCSN	
Jun-87	6/27/87	43	40	156000	162000	0	SNATE	
Jun-87	6/30/87	47		0	8000	0	NONCANYWASTE	100Area Low Level Trailer
Jun-87	6/30/87	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste
Jun-87	6/30/87	18		0	13000	0	MISCADD/TRAN	Inhibited Water
Jun-87	6/30/87	23		0	13000	0	MISCADD/TRAN	cooling Water Leak
Jun-87	6/30/87	10		0	18000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jun-87	6/30/87	21	44H-245	0	34000	0	NONCANYWASTE	
Jun-87	6/30/87	23	44H-245	0	24000	0	NONCANYWASTE	
Jun-87	6/30/87	26	242-16F	0	2000	0	OVERSPEC	
Jun-87	6/30/87	23	242-1H	0	6000	0	OVERSPEC	Off Spec. Overhds.
Jun-87	6/30/87	26	44	181000	189000	0	CONCSN	
Jun-87	6/30/87	26	47	16000	17000	0	CONCSN	
Jun-87	6/30/87	242-1F	26	677000	677000	0	EVAPFEED	
Jun-87	6/30/87	242-16	26	718000	718000	0	EVAPFEED	
Jun-87	6/30/87	242-1H	13	391000	391000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-87	6/30/87	42-16	43	441000	441000	0	EVAPFEED		
Jun-87	6/30/87	44	242-16F	476000	476000	0	EVAPCONC		
Jun-87	6/30/87	47	242-16F	68000	84000	0	EVAPCONC		
Jun-87	6/30/87	39	242-16H	7000	7000	0	EVAPCONC		
Jun-87	6/30/87	38	242-16H	276000	293000	0	EVAPCONC		
Jun-87	6/30/87	25	242-1F	4000	4000	0	EVAPCONC		
Jun-87	6/30/87	27	242-1F	512000	528000	0	EVAPCONC		
Jun-87	6/30/87	36	242-1H	164000	164000	0	EVAPCONC		
Jun-87	6/30/87	37	242-1H	113000	159000	0	EVAPCONC		
Jul-87	7/2/87	43	38	85000	89000	0	CONC		
Jul-87	7/5/87	26	27	129000	134000	0	CONCSN		
Jul-87	7/10/87	26	47	211000	220000	0	CONCSN		
Jul-87	7/12/87	43	38	158000	164000	0	CONC		
Jul-87	7/19/87	51	42	312000	323000	0	SNATE		
Jul-87	7/20/87	26	44	298000	310000	0	CONCSN		
Jul-87	7/26/87	26	47	121000	126000	0	CONCSN		
Jul-87	7/28/87	26	27	332000	345000	0	SNATE		
Jul-87	7/31/87	47		0	3000	0	NONCANYWASTE	100Area Low Level Trailer	
Jul-87	7/31/87	43	299H	0	16000	0	MISCADD/TRAN	Decon Waste	
Jul-87	7/31/87	18		0	47000	0	MISCADD/TRAN	Inhibited Water	
Jul-87	7/31/87	42		0	7000	0	MISCADD/TRAN	Slurry Pump Seal Water	
Jul-87	7/31/87	23		0	12000	0	MISCADD/TRAN	cooling Water Leak	
Jul-87	7/31/87	51		0	18000	0	MISCADD/TRAN	Caustic Addition	
Jul-87	7/31/87	23	44H-245	0	105000	0	NONCANYWASTE		
Jul-87	7/31/87	26	242-16F	0	1000	0	OVERSPEC		
Jul-87	7/31/87	43	242-16H	0	31000	0	OVERSPEC		
Jul-87	7/31/87	23	242-1H	0	4000	0	OVERSPEC	Off Spec. Overhds.	
Jul-87	7/31/87	26	47	102000	106000	0	CONCSN		
Jul-87	7/31/87	13	36	174000	181000	0	CONC		
Jul-87	7/31/87	242-1F	26	409000	409000	0	EVAPFEED		
Jul-87	7/31/87	242-16	26	1043000	1043000	0	EVAPFEED		
Jul-87	7/31/87	242-1H	13	150000	150000	0	EVAPFEED		
Jul-87	7/31/87	42-16	43	321000	352000	0	EVAPFEED		
Jul-87	7/31/87	44	242-16F	439000	439000	0	EVAPCONC		
Jul-87	7/31/87	47	242-16F	321000	364000	0	EVAPCONC		
Jul-87	7/31/87	38	242-16H	174000	191000	0	EVAPCONC		
Jul-87	7/31/87	39	242-16H	5000	5000	0	EVAPCONC		
Jul-87	7/31/87	25	242-1F	3000	3000	0	EVAPCONC		
Jul-87	7/31/87	27	242-1F	300000	302000	0	EVAPCONC		
Jul-87	7/31/87	36	242-1H	73000	73000	0	EVAPCONC		
Jul-87	7/31/87	29	242-1H	2000	2000	0	EVAPCONC		
Jul-87	7/31/87	37	242-1H	113000	161000	0	EVAPCONC		
Aug-87	8/1/87	13	36	66000	77000	0	CONC		
Aug-87	8/10/87	26	27	210000	218000	0	CONCSN		
Aug-87	8/11/87	26	44	499000	520000	0	CONCSN		
Aug-87	8/14/87	43	38	130000	137000	0	CONC		
Aug-87	8/15/87	51	18	169000	169000	2	SLSLURRY		
Aug-87	8/18/87	26	27	249000	259000	0	CONC		
Aug-87	8/22/87	51	18	49000	86000	0.9	SLSLURRY		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-87	8/24/87	13	37	94000	98000	0	CONC	
Aug-87	8/25/87	26	44	337000	351000	0	CONCSN	
Aug-87	8/31/87	47		0	6000	0	NONCANYWASTE	100Area Low Level Trailer
Aug-87	8/31/87	43	299H	0	12000	0	MISCADD/TRAN	Decon Waste
Aug-87	8/31/87	18		0	56000	0	MISCADD/TRAN	Inhibited water
Aug-87	8/31/87	7		0	20000	0	MISCADD/TRAN	Catch tank
Aug-87	8/31/87	23		0	18000	0	MISCADD/TRAN	Cooling water leak
Aug-87	8/31/87	13		0	10000	0	MISCADD/TRAN	Decon Water
Aug-87	8/31/87		21	5000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Aug-87	8/31/87	40		0	33000	0	MISCADD/TRAN	NaNO3
Aug-87	8/31/87	21	44H-245	0	72000	0	NONCANYWASTE	
Aug-87	8/31/87	43	242-16H	0	57000	0	OVERSPEC	
Aug-87	8/31/87	23	242-1H	0	3000	0	OVERSPEC	Off Spec. Overhds.
Aug-87	8/31/87	242-1F	26	974000	974000	0	EVAPFEED	
Aug-87	8/31/87	242-16	26	1143000	1143000	0	EVAPFEED	
Aug-87	8/31/87	242-1H	13	192000	192000	0	EVAPFEED	
Aug-87	8/31/87	42-16	43	220000	277000	0	EVAPFEED	
Aug-87	8/31/87	44	242-16F	784000	851000	0	EVAPCONC	
Aug-87	8/31/87	47	242-16F	50000	50000	0	EVAPCONC	
Aug-87	8/31/87	39	242-16H	14000	14000	0	EVAPCONC	
Aug-87	8/31/87	38	242-16H	107000	129000	0	EVAPCONC	
Aug-87	8/31/87	25	242-1F	8000	8000	0	EVAPCONC	
Aug-87	8/31/87	27	242-1F	778000	783000	0	EVAPCONC	
Aug-87	8/31/87	36	242-1H	142000	174000	0	EVAPCONC	
Aug-87	8/31/87	37	242-1H	4000	4000	0	EVAPCONC	
Sep-87	9/2/87	42	22	165000	165000	0	SNATE	
Sep-87	9/3/87	43	40	59000	61000	0	SNATE	
Sep-87	9/8/87	26	27	177000	184000	0	CONCSN	
Sep-87	9/13/87	39	34	378000	401000	0	HHWSN	
Sep-87	9/13/87	26	44	452000	470000	0	CONCSN	
Sep-87	9/15/87	26	44	33000	34000	0	CONCSN	
Sep-87	9/16/87	26	44	5000	5000	0	CONCSN	
Sep-87	9/16/87	32	34	165000	187000	0	HHWSN	
Sep-87	9/17/87	43	38	169000	175000	0	CONC	
Sep-87	9/17/87	22	23	110000	117000	0	RBOF-RRF	
Sep-87	9/20/87	26	47	155000	161000	0	CONCSN	
Sep-87	9/28/87	26	45	78000	81000	0	CONCSN	
Sep-87	9/29/87	26	44	346000	360000	0	CONCSN	
Sep-87	9/29/87	26	45	28000	29000	0	CONCSN	
Sep-87	9/29/87	26	22	29000	45000	0	RBOF-RRF	
Sep-87	9/30/87	13		0	0	0	MISCADD/TRAN	Water
Sep-87	9/30/87	23		0	0	0	MISCADD/TRAN	Cooling water leak
Sep-87	9/30/87		6	0	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-87	9/30/87		22	0	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-87	9/30/87	22		0	0	0	MISCADD/TRAN	NaOH
Sep-87	9/30/87	24		0	0	0	MISCADD/TRAN	NaOH
Sep-87	9/30/87	24		0	0	0	MISCADD/TRAN	NaNO3
Sep-87	9/30/87	42		0	0	0	MISCADD/TRAN	NaNO3
Sep-87	9/30/87	47		0	8000	0	NONCANYWASTE	100Area Low Level Trailer

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-87	9/30/87	43	299H	0	16000	0	MISCADD/TRAN	Decon Waste
Sep-87	9/30/87	21	44H-245	0	76000	0	NONCANYWASTE	
Sep-87	9/30/87	43	242-16H	0	15000	0	OVERSPEC	
Sep-87	9/30/87	26	45	26000	27000	0	CONCSN	
Sep-87	9/30/87	26	22	29000	45000	0	RBOF-RRF	
Sep-87	9/30/87	242-1F	26	566000	566000	0	EVAPFEED	
Sep-87	9/30/87	242-16	26	972000	972000	0	EVAPFEED	
Sep-87	9/30/87	242-1H	13	4000	4000	0	EVAPFEED	
Sep-87	9/30/87	42-16	43	122000	137000	0	EVAPFEED	
Sep-87	9/30/87	44	242-16F	717000	717000	0	EVAPCONC	
Sep-87	9/30/87	47	242-16F	115000	123000	0	EVAPCONC	
Sep-87	9/30/87	38	242-16H	31000	89000	0	EVAPCONC	
Sep-87	9/30/87	39	242-16H	28000	28000	0	EVAPCONC	
Sep-87	9/30/87	25	242-1F	22000	22000	0	EVAPCONC	
Sep-87	9/30/87	27	242-1F	458000	467000	0	EVAPCONC	
Sep-87	9/30/87	37	242-1H	3000	26000	0	EVAPCONC	
Oct-87	10/1/87	26	44	47000	48000	0	CONCSN	
Oct-87	10/7/87	26	22	495000	520000	0	RBOF-RRF	
Oct-87	10/7/87	26	44	128000	133000	0	CONCSN	
Oct-87	10/13/87	26	27	304000	316000	0	CONCSN	
Oct-87	10/17/87	26	44	194000	202000	0	CONCSN	
Oct-87	10/18/87	43	38	28000	29000	0	CONC	
Oct-87	10/29/87	26	44	316000	329000	0	CONCSN	
Oct-87	10/31/87	43	299H	0	34000	0	MISCADD/TRAN	Decon Waste
Oct-87	10/31/87	23		0	1000	0	MISCADD/TRAN	Caustic Addition
Oct-87	10/31/87	42		0	3000	0	MISCADD/TRAN	Resin Change
Oct-87	10/31/87	21	44H-245	0	74000	0	NONCANYWASTE	
Oct-87	10/31/87	23	44H-245	0	1000	0	NONCANYWASTE	
Oct-87	10/31/87	43	242-16H	0	12000	0	OVERSPEC	
Oct-87	10/31/87	23	242-1H	0	3300	0	OVERSPEC	Off Spec. Overhds.
Oct-87	10/31/87	26	27	57000	59000	0	CONCSN	
Oct-87	10/31/87	43	38	92000	97000	0	CONC	
Oct-87	10/31/87	242-1F	26	729000	729000	0	EVAPFEED	
Oct-87	10/31/87	242-16	26	843000	843000	0	EVAPFEED	
Oct-87	10/31/87	242-1H	13	1000	10000	0	EVAPFEED	
Oct-87	10/31/87	42-16	43	451000	463000	0	EVAPFEED	
Oct-87	10/31/87	44	242-16F	573000	580000	0	EVAPCONC	
Oct-87	10/31/87	47	242-16F	6000	6000	0	EVAPCONC	
Oct-87	10/31/87	38	242-16H	196000	196000	0	EVAPCONC	
Oct-87	10/31/87	39	242-16H	27000	37000	0	EVAPCONC	
Oct-87	10/31/87	25	242-1F	2000	2000	0	EVAPCONC	
Oct-87	10/31/87	27	242-1F	497000	498000	0	EVAPCONC	
Oct-87	10/31/87	37	242-1H	14000	14000	0	EVAPCONC	
Nov-87	11/3/87	26	27	139000	146000	0	CONCSN	
Nov-87	11/3/87	43	38	282000	287000	0	CONC	
Nov-87	11/6/87	26	25	86000	90000	0	CONCSN	
Nov-87	11/9/87	13	36	174000	179000	0	CONC	
Nov-87	11/10/87	26	44	331000	344000	0	CONCSN	
Nov-87	11/11/87	26	25	2000	2000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-87	11/13/87	30	37	19000	24000	0	CONC	
Nov-87	11/15/87	26	27	269000	280000	0	CONCSN	
Nov-87	11/18/87	26	45	123000	128000	0	CONCSN	
Nov-87	11/20/87	13	35	111000	115000	0	HHWSN	
Nov-87	11/23/87	35	37	36000	58000	0	CONC	
Nov-87	11/25/87	26	44	489000	509000	0	CONCSN	
Nov-87	11/25/87	13	36	101000	105000	0	CONC	
Nov-87	11/26/87	26	27	152000	159000	0	CONCSN	
Nov-87	11/26/87	32	39	23000	27000	0	HHWSN	
Nov-87	11/29/87	43	51	351000	356000	0	SLUDGEWW	
Nov-87	11/30/87	43	299H	0	14000	0	MISCADD/TRAN	Decon Waste
Nov-87	11/30/87	42		0	2000	0	MISCADD/TRAN	Resin Change
Nov-87	11/30/87	21	44H-245	0	48000	0	NONCANYWASTE	
Nov-87	11/30/87	23	44H-245	0	6000	0	NONCANYWASTE	
Nov-87	11/30/87	26	242-16F	0	1000	0	OVERSPEC	
Nov-87	11/30/87	43	242-16H	0	9000	0	OVERSPEC	
Nov-87	11/30/87	43	38	44000	46000	0	SNATE	
Nov-87	11/30/87	242-1F	26	662000	662000	0	EVAPFEED	
Nov-87	11/30/87	242-16	26	1059000	1059000	0	EVAPFEED	
Nov-87	11/30/87	242-1H	13	315000	328000	0	EVAPFEED	
Nov-87	11/30/87	42-16	43	636000	657000	0	EVAPFEED	
Nov-87	11/30/87	44	242-16F	806000	806000	0	EVAPCONC	
Nov-87	11/30/87	47	242-16F	14000	14000	0	EVAPCONC	
Nov-87	11/30/87	39	242-16H	7000	7000	0	EVAPCONC	
Nov-87	11/30/87	38	242-16H	373000	396000	0	EVAPCONC	
Nov-87	11/30/87	25	242-1F	127000	127000	0	EVAPCONC	
Nov-87	11/30/87	27	242-1F	372000	377000	0	EVAPCONC	
Nov-87	11/30/87	36	242-1H	190000	190000	0	EVAPCONC	
Nov-87	11/30/87	37	242-1H	102000	102000	0	EVAPCONC	
Dec-87	12/3/87	43	38	211000	219000	0	CONC	
Dec-87	12/6/87	26	27	191000	198000	0	CONCSN	
Dec-87	12/10/87	26	44	218000	227000	0	CONCSN	
Dec-87	12/16/87	26	44	217000	225000	0	CONCSN	
Dec-87	12/16/87	35	39	17000	18000	0	HHWSN	
Dec-87	12/19/87	43	38	344000	358000	0	CONC	
Dec-87	12/22/87	26	21	325000	330000	0	RBOF-RRF	
Dec-87	12/26/87	35	39	15000	17000	0	HHWSN	
Dec-87	12/29/87	26	44	275000	286000	0	CONCSN	
Dec-87	12/31/87		5	12000	0	0	MISCADD/TRAN	
Dec-87	12/31/87	43	299H	0	11000	0	MISCADD/TRAN	Decon Waste
Dec-87	12/31/87	21	44H-245	0	71000	0	NONCANYWASTE	
Dec-87	12/31/87	26	28	17000	18000	0	CONCSN	
Dec-87	12/31/87	242-1F	26	384000	384000	0	EVAPFEED	
Dec-87	12/31/87	242-16	26	843000	843000	0	EVAPFEED	
Dec-87	12/31/87	42-16	43	619000	628000	0	EVAPFEED	
Dec-87	12/31/87	44	242-16F	663000	680000	0	EVAPCONC	
Dec-87	12/31/87	38	242-16H	324000	324000	0	EVAPCONC	
Dec-87	12/31/87	39	242-16H	20000	40000	0	EVAPCONC	
Dec-87	12/31/87	25	242-1F	7000	7000	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-87	12/31/87	27	242-1F	293000	297000	0	EVAPCONC	
Jan-88	1/12/88	26	44	149000	155000	0	CONCSN	
Jan-88	1/20/88	26	44	39000	41000	0	CONCSN	
Jan-88	1/24/88	43	38	230000	239000	0	CONC	
Jan-88	1/25/88	43	41	23000	25000	0	SNATE	
Jan-88	1/27/88	26	44	466000	485000	0	CONCSN	
Jan-88	1/31/88	43	299H	0	23000	0	MISCADD/TRAN	Decon Waste
Jan-88	1/31/88	21	44H-245	0	36000	0	NONCANYWASTE	
Jan-88	1/31/88	26	242-16F	0	2000	0	OVERSPEC	
Jan-88	1/31/88	43	242-16H	0	1000	0	OVERSPEC	
Jan-88	1/31/88	26	27	109000	114000	0	CONCSN	
Jan-88	1/31/88	242-1F	26	198000	198000	0	EVAPFEED	
Jan-88	1/31/88	242-16	26	942000	942000	0	EVAPFEED	
Jan-88	1/31/88	42-16	43	302000	303000	0	EVAPFEED	
Jan-88	1/31/88	44	242-16F	717000	717000	0	EVAPCONC	
Jan-88	1/31/88	47	242-16F	17000	33000	0	EVAPCONC	
Jan-88	1/31/88	39	242-16H	4000	4000	0	EVAPCONC	
Jan-88	1/31/88	38	242-16H	158000	181000	0	EVAPCONC	
Jan-88	1/31/88	25	242-1F	7000	7000	0	EVAPCONC	
Jan-88	1/31/88	27	242-1F	144000	153000	0	EVAPCONC	
Feb-88	2/2/88	26	27	278000	289000	0	CONCSN	
Feb-88	2/11/88	26	44	348000	362000	0	CONCSN	
Feb-88	2/13/88	43	38	288000	299000	0	CONC	
Feb-88	2/20/88	26	27	283000	294000	0	CONCSN	
Feb-88	2/28/88	47		0	3000	0	NONCANYWASTE	100Area Low Level Trailer
Feb-88	2/28/88	43	299H	0	18000	0	MISCADD/TRAN	Decon Waste
Feb-88	2/28/88	42		0	3000	0	MISCADD/TRAN	Flush water
Feb-88	2/28/88	32		0	4000	0	MISCADD/TRAN	PT3
Feb-88	2/28/88	24		0	22000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-88	2/28/88		12	28000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-88	2/28/88		48	5000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-88	2/28/88	21	44H-245	0	61000	0	NONCANYWASTE	
Feb-88	2/28/88	26	242-16F	0	8000	0	OVERSPEC	
Feb-88	2/28/88	23	CRC	0	5000	0	NONCANYWASTE	Off Spec. CRC Effluent
Feb-88	2/28/88	26	44	300000	312000	0	CONCSN	
Feb-88	2/28/88	242-1F	26	779000	779000	0	EVAPFEED	
Feb-88	2/28/88	242-16	26	717000	717000	0	EVAPFEED	
Feb-88	2/28/88	42-16	43	814000	814000	0	EVAPFEED	
Feb-88	2/28/88	44	242-16F	599000	599000	0	EVAPCONC	
Feb-88	2/28/88	47	242-16F	1000	18000	0	EVAPCONC	
Feb-88	2/28/88	38	242-16H	537000	558000	0	EVAPCONC	
Feb-88	2/28/88	25	242-1F	4000	4000	0	EVAPCONC	
Feb-88	2/28/88	27	242-1F	649000	655000	0	EVAPCONC	
Mar-88	3/2/88	26	27	27000	28000	0	CONCSN	
Mar-88	3/3/88	43	38	219000	228000	0	CONC	
Mar-88	3/6/88	26	27	450000	468000	0	CONCSN	
Mar-88	3/6/88	43	51	138000	144000	0	SNATE	
Mar-88	3/10/88	51	42	75000	80000	0	SNATE	
Mar-88	3/15/88	26	44	483000	502000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Mar-88	3/17/88	22	23	35000	37000	0	RBOF-RRF		
Mar-88	3/19/88	26	25	58000	58000	0	CONCSN		
Mar-88	3/20/88	43	38	425000	443000	0	CONC		
Mar-88	3/22/88	26	27	346000	360000	0	CONCSN		
Mar-88	3/23/88	13	37	118000	123000	0	CONC		
Mar-88	3/27/88	13	37	95000	100000	0	CONC		
Mar-88	3/31/88	43	299H	0	22000	0	MISCADD/TRAN	Decon Waste	
Mar-88	3/31/88		24	58000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Mar-88	3/31/88	40		0	14000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Mar-88	3/31/88	51		0	13000	0	MISCADD/TRAN	NaOH	
Mar-88	3/31/88	51		0	4000	0	MISCADD/TRAN	NaNO3	
Mar-88	3/31/88	21	44H-245	0	92000	0	NONCANYWASTE		
Mar-88	3/31/88	23	242-1H	0	9000	0	OVERSPEC	Off Spec. Overhds.	
Mar-88	3/31/88	26	44	224000	233000	0	CONCSN		
Mar-88	3/31/88	242-1F	26	903000	903000	0	EVAPFEED		
Mar-88	3/31/88	242-16	26	871000	871000	0	EVAPFEED		
Mar-88	3/31/88	242-1H	13	311000	311000	0	EVAPFEED		
Mar-88	3/31/88	42-16	43	689000	689000	0	EVAPFEED		
Mar-88	3/31/88	44	242-16F	726000	742000	0	EVAPCONC		
Mar-88	3/31/88	47	242-16F	12000	12000	0	EVAPCONC		
Mar-88	3/31/88	38	242-16H	427000	454000	0	EVAPCONC		
Mar-88	3/31/88	25	242-1F	6000	6000	0	EVAPCONC		
Mar-88	3/31/88	27	242-1F	761000	767000	0	EVAPCONC		
Mar-88	3/31/88	36	242-1H	77000	77000	0	EVAPCONC		
Mar-88	3/31/88	37	242-1H	96000	172000	0	EVAPCONC		
Apr-88	4/1/88	51	42	74000	78000	0	SNATE		
Apr-88	4/2/88	13	37	131000	136000	0	CONC		
Apr-88	4/6/88	26	27	322000	335000	0	CONCSN		
Apr-88	4/9/88	35	39	17000	18000	0	HHW		
Apr-88	4/10/88	37	39	39000	41000	0	HHW		
Apr-88	4/11/88	26	44	314000	327000	0	CONCSN		
Apr-88	4/15/88	43	38	209000	217000	0	CONC		
Apr-88	4/17/88	13	37	240000	250000	0	CONC		
Apr-88	4/20/88	26	27	361000	376000	0	CONCSN		
Apr-88	4/23/88	43	38	157000	163000	0	CONC		
Apr-88	4/28/88	26	44	477000	496000	0	CONCSN		
Apr-88	4/28/88	13	37	198000	210000	0	CONC		
Apr-88	4/30/88	43	299H	0	19000	0	MISCADD/TRAN	Decon Waste	
Apr-88	4/30/88	42		0	200000	0	MISCADD/TRAN	SLUDGEWW	
Apr-88	4/30/88	41		0	13000	0	MISCADD/TRAN	Salt Mining Water	
Apr-88	4/30/88	23		0	2000	0	MISCADD/TRAN	Sidewall sump	
Apr-88	4/30/88	42		0	6000	0	MISCADD/TRAN	NaNO3	
Apr-88	4/30/88	21	44H-245	0	72000	0	NONCANYWASTE		
Apr-88	4/30/88	23	242-1H	0	4000	0	OVERSPEC	Off Spec. Overhds.	
Apr-88	4/30/88	242-1F	26	775000	775000	0	EVAPFEED		
Apr-88	4/30/88	242-16	26	858000	858000	0	EVAPFEED		
Apr-88	4/30/88	242-1H	13	528000	528000	0	EVAPFEED		
Apr-88	4/30/88	42-16	43	513000	513000	0	EVAPFEED		
Apr-88	4/30/88	44	242-16F	709000	722000	0	EVAPCONC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-88	4/30/88	47	242-16F	12000	12000	0	EVAPCONC	
Apr-88	4/30/88	38	242-16H	286000	307000	0	EVAPCONC	
Apr-88	4/30/88	25	242-1F	5000	5000	0	EVAPCONC	
Apr-88	4/30/88	27	242-1F	644000	652000	0	EVAPCONC	
Apr-88	4/30/88	37	242-1H	363000	428000	0	EVAPCONC	
May-88	5/6/88	26	27	375000	390000	0	CONCSN	
May-88	5/7/88	43	38	168000	174000	0	CONC	
May-88	5/9/88	13	37	116000	122000	0	CONC	
May-88	5/12/88	13	30	53000	55000	0	HHW	
May-88	5/15/88	26	28	22000	23000	0	CONCSN	
May-88	5/16/88	13	37	179000	186000	0	CONC	
May-88	5/19/88	43	38	174000	181000	0	CONC	
May-88	5/21/88	13	30	50000	52000	0	HHW	
May-88	5/26/88	13	37	158000	166000	0	CONC	
May-88	5/28/88	43	38	160000	166000	0	CONC	
May-88	5/29/88	26	44	436000	454000	0	CONCSN	
May-88	5/31/88	43	299H	0	23000	0	MISCADD/TRAN	Decon Waste
May-88	5/31/88	23		0	7000	0	MISCADD/TRAN	
May-88	5/31/88		32	20000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-88	5/31/88	21	44H-245	0	70000	0	NONCANYWASTE	
May-88	5/31/88	26	242-16F	0	5000	0	OVERSPEC	
May-88	5/31/88	23	242-1H	0	4000	0	OVERSPEC	Off Spec. Overhds.
May-88	5/31/88	242-1F	26	305000	305000	0	EVAPFEED	
May-88	5/31/88	242-16	26	540000	540000	0	EVAPFEED	
May-88	5/31/88	242-1H	13	713000	713000	0	EVAPFEED	
May-88	5/31/88	42-16	43	751000	751000	0	EVAPFEED	
May-88	5/31/88	44	242-16F	463000	473000	0	EVAPCONC	
May-88	5/31/88	47	242-16F	10000	10000	0	EVAPCONC	
May-88	5/31/88	38	242-16H	480000	508000	0	EVAPCONC	
May-88	5/31/88	25	242-1F	6000	6000	0	EVAPCONC	
May-88	5/31/88	27	242-1F	262000	268000	0	EVAPCONC	
May-88	5/31/88	36	242-1H	3000	3000	0	EVAPCONC	
May-88	5/31/88	37	242-1H	512000	587000	0	EVAPCONC	
Jun-88	6/1/88	13	37	56000	58000	0	HHWCONC	
Jun-88	6/2/88	43	38	124000	128000	0	LHWCONC	
Jun-88	6/3/88	13	30	132000	137000	0	HHW	
Jun-88	6/8/88	43	38	128000	133000	0	LHWCONC	
Jun-88	6/10/88	30	37	216000	225000	0	HHWCONC	
Jun-88	6/13/88	26	44	445000	463000	0	CONCSN	
Jun-88	6/15/88	43	38	126000	130000	0	LHWCONC	
Jun-88	6/20/88	13	37	244000	254000	0	HHWCONC	
Jun-88	6/21/88	43	40	422000	438000	0	LHWCONC	
Jun-88	6/24/88	26	27	556000	578000	0	CONCSN	
Jun-88	6/30/88	43	299H	0	27000	0	MISCADD/TRAN	Decon Waste
Jun-88	6/30/88	47		0	2000	0	NONCANYWASTE	100Area Low Level Trailer
Jun-88	6/30/88	48		0	3000	0	MISCADD/TRAN	Flush water
Jun-88	6/30/88	23		0	5000	0	MISCADD/TRAN	water
Jun-88	6/30/88	31		0	5000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jun-88	6/30/88	39		0	18000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Jun-88	6/30/88	21	44H-245	0	90000	0	NONCANYWASTE		
Jun-88	6/30/88	43	242-16H	0	13000	0	OVERSPEC		
Jun-88	6/30/88	23	242-1H	0	7000	0	OVERSPEC	Off Spec. Overhds.	
Jun-88	6/30/88	26	44	244000	254000	0	CONCSN		
Jun-88	6/30/88	13	37	27000	28000	0	HHWCONC		
Jun-88	6/30/88	242-1F	26	662000	662000	0	EVAPFEED		
Jun-88	6/30/88	242-16	26	888000	888000	0	EVAPFEED		
Jun-88	6/30/88	242-1H	13	608000	608000	0	EVAPFEED		
Jun-88	6/30/88	42-16	43	631000	644000	0	EVAPFEED		
Jun-88	6/30/88	44	242-16F	780000	780000	0	EVAPCONC		
Jun-88	6/30/88	47	242-16F	12000	12000	0	EVAPCONC		
Jun-88	6/30/88	38	242-16H	412000	452000	0	EVAPCONC		
Jun-88	6/30/88	25	242-1F	6000	6000	0	EVAPCONC		
Jun-88	6/30/88	27	242-1F	580000	580000	0	EVAPCONC		
Jun-88	6/30/88	29	242-1H	3000	3000	0	EVAPCONC		
Jun-88	6/30/88	37	242-1H	400000	493000	0	EVAPCONC		
Jul-88	7/3/88	13	37	200000	213000	0	HHWCONC		
Jul-88	7/4/88	26	44	330000	343000	0	CONCSN		
Jul-88	7/15/88	43	38	198000	206000	0	LHWCONC		
Jul-88	7/24/88	43	51	239000	247000	0	SNATE		
Jul-88	7/30/88	26	27	279000	290000	0	CONCSN		
Jul-88	7/31/88	43	299H	0	16000	0	MISCADD/TRAN	Decon Waste	
Jul-88	7/31/88	22		0	4000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Jul-88	7/31/88	51		0	6000	0	MISCADD/TRAN	NaOH	
Jul-88	7/31/88	21	44H-245	0	54000	0	NONCANYWASTE		
Jul-88	7/31/88	43	242-16H	0	7000	0	OVERSPEC		
Jul-88	7/31/88	23	242-1H	0	6000	0	OVERSPEC	Off Spec. Overhds.	
Jul-88	7/31/88	242-1F	26	198000	198000	0	EVAPFEED		
Jul-88	7/31/88	242-16	26	563000	563000	0	EVAPFEED		
Jul-88	7/31/88	242-1H	13	11000	11000	0	EVAPFEED		
Jul-88	7/31/88	42-16	43	527000	534000	0	EVAPFEED		
Jul-88	7/31/88	44	242-16F	468000	480000	0	EVAPCONC		
Jul-88	7/31/88	47	242-16F	10000	10000	0	EVAPCONC		
Jul-88	7/31/88	38	242-16H	192000	197000	0	EVAPCONC		
Jul-88	7/31/88	25	242-1F	17000	17000	0	EVAPCONC		
Jul-88	7/31/88	27	242-1F	155000	155000	0	EVAPCONC		
Jul-88	7/31/88	29	242-1H	1000	8000	0	EVAPCONC		
Jul-88	7/31/88	37	242-1H	3000	11000	0	EVAPCONC		
Aug-88	8/2/88	26	28	54000	56000	0	CONCSN		
Aug-88	8/14/88	26	44	238000	247000	0	CONCSN		
Aug-88	8/17/88	43	38	242000	252000	0	LHWCONC		
Aug-88	8/18/88	51	42	206000	216000	0	SNATE		
Aug-88	8/24/88	26	44	217000	226000	0	CONCSN		
Aug-88	8/31/88	51		0	22000	0	MISCADD/TRAN	NaOH	
Aug-88	8/31/88	42		0	12000	0	MISCADD/TRAN	NaNO3	
Aug-88	8/31/88	20		0	11000	0	MISCADD/TRAN	spray Washing of tank 20	
Aug-88	8/31/88	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste	
Aug-88	8/31/88	21	44H-245	0	70000	0	NONCANYWASTE		
Aug-88	8/31/88	43	242-16H	0	86000	0	OVERSPEC		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Aug-88	8/31/88	43	38	135000	140000	0	LHWCONC		
Aug-88	8/31/88	242-16	26	594000	594000	0	EVAPFEED		
Aug-88	8/31/88	42-16	43	444000	530000	0	EVAPFEED		
Aug-88	8/31/88	44	242-16F	373000	373000	0	EVAPCONC		
Aug-88	8/31/88	47	242-16F	61000	72000	0	EVAPCONC		
Aug-88	8/31/88	38	242-16H	313000	371000	0	EVAPCONC		
Sep-88	9/2/88	38	43	0	0	0	LHWCONC		
Sep-88	9/5/88	44	26	0	0	0	CONCSN		
Sep-88	9/11/88	38	43	0	0	0	LHWCONC		
Sep-88	9/15/88	44	26	0	0	0	CONCSN		
Sep-88	9/18/88	38	43	0	0	0	LHWCONC		
Sep-88	9/26/88	44	26	0	0	0	CONCSN		
Sep-88	9/26/88	51	43	0	0	0	LHWCONC		
Sep-88	9/30/88	43	299H	0	10000	0	MISCADD/TRAN	Decon Waste	
Sep-88	9/30/88	20		0	47000	0	MISCADD/TRAN	spray Washing of tank 20	
Sep-88	9/30/88	21	44H-245	0	31000	0	NONCANYWASTE		
Sep-88	9/30/88	43	242-16H	0	6000	0	OVERSPEC		
Sep-88	9/30/88	242-16	26	592000	592000	0	EVAPFEED		
Sep-88	9/30/88	42-16	43	715000	721000	0	EVAPFEED		
Sep-88	9/30/88	47	242-16F	5000	5000	0	EVAPCONC		
Sep-88	9/30/88	44	242-16F	471000	483000	0	EVAPCONC		
Sep-88	9/30/88	38	242-16H	526000	537000	0	EVAPCONC		
Oct-88	6/2/88	51	43	89500	68100	0	SNATE		
Oct-88	10/11/88	44	26	276000	287000	0	CONCSN		
Oct-88	10/26/88	44	26	289000	301000	0	CONCSN		
Oct-88	10/26/88	38	43	269920	283600	0	LHWCONC		
Oct-88	10/31/88	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste	
Oct-88	10/31/88	48		0	8000	0	MISCADD/TRAN	Flush water	
Oct-88	10/31/88	23		0	3000	0	MISCADD/TRAN	water	
Oct-88	10/31/88		5	24000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change	
Oct-88	10/31/88	20		0	2000	0	MISCADD/TRAN	NaNO2	
Oct-88	10/31/88	50		0	1000	0	MISCADD/TRAN	ETF Steam	
Oct-88	10/31/88	21	44H-245	0	70000	0	NONCANYWASTE		
Oct-88	10/31/88	26	242-16F	0	2000	0	OVERSPEC		
Oct-88	10/31/88	43	242-16H	0	29000	0	OVERSPEC		
Oct-88	10/31/88	242-16	26	692000	692000	0	EVAPFEED		
Oct-88	10/31/88	42-16	43	227000	256000	0	EVAPFEED		
Oct-88	10/31/88	44	242-16F	598000	611000	0	EVAPCONC		
Oct-88	10/31/88	38	242-16H	176000	213000	0	EVAPCONC		
Nov-88	11/2/88	26	25	97570	101500	0	CONCSN		
Nov-88	11/14/88	25	26	71600	74500	0	CONCSN		
Nov-88	11/14/88	22	23	353600	385500	0	RBOF-RRF		
Nov-88	11/20/88	26	44	239900	248500	0	CONCSN		
Nov-88	11/23/88	43	38	162900	145300	0	LHWCONC		
Nov-88	11/27/88	26	44	173600	180500	0	CONCSN		
Nov-88	11/30/88	22		0	15000	0	MISCADD/TRAN	Jet dilution	
Nov-88	11/30/88	23		0	4000	0	MISCADD/TRAN	water	
Nov-88	11/30/88	50		0	4000	0	MISCADD/TRAN	ETF Steam	
Nov-88	11/30/88	21	44H-245	0	53000	0	NONCANYWASTE		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Nov-88	11/30/88	23	44H-245	0	50000	0	NONCANYWASTE	
Nov-88	11/30/88	26	242-16F	0	4000	0	OVERSPEC	
Nov-88	11/30/88	43	242-16H	0	71000	0	OVERSPEC	
Nov-88	11/30/88	23	242-1H	0	4000	0	OVERSPEC	Off Spec. Overhds.
Nov-88	11/30/88	CRC	23	0	50000	0	RBOF-RRF	
Nov-88	11/30/88	23	CRC	0	1000	0	NONCANYWASTE	Off Spec. CRC Effluent
Nov-88	11/30/88	242-16	26	449000	449000	0	EVAPFEED	
Nov-88	11/30/88	242-1H	13	23000	23000	0	EVAPFEED	
Nov-88	11/30/88	42-16	43	328000	408000	0	EVAPFEED	
Nov-88	11/30/88	44	242-16F	428000	433000	0	EVAPCONC	
Nov-88	11/30/88	38	242-16H	192000	224000	0	EVAPCONC	
Nov-88	11/30/88	37	242-1H	18000	30000	0	EVAPCONC	
Dec-88	12/9/88	43	38	102800	88800	0	LHWCONC	
Dec-88	12/17/88	22	21	346200	344100	0	SNATE	
Dec-88	12/20/88	43	38	111900	100000	0	LHWCONC	
Dec-88	12/31/88	22		0	14000	0	MISCADD/TRAN	Jet dilution
Dec-88	12/31/88	48		0	4000	0	MISCADD/TRAN	Flush water
Dec-88	12/31/88	21	44H-245	0	29000	0	NONCANYWASTE	
Dec-88	12/31/88	23	44H-245	0	69000	0	NONCANYWASTE	
Dec-88	12/31/88	43	242-16H	0	4000	0	OVERSPEC	
Dec-88	12/31/88	CRC	23	0	5000	0	RBOF-RRF	
Dec-88	12/31/88	23	CRC	0	10000	0	NONCANYWASTE	Off Spec. CRC Effluent
Dec-88	12/31/88	43	38	75500	69100	0	LHWCONC	
Dec-88	12/31/88	42-16	43	542000	562000	0	EVAPFEED	
Dec-88	12/31/88	38	242-16H	308000	323000	0	EVAPCONC	
Jan-89	1/1/89	43	38	53000	51900	0	LHWCONC	
Jan-89	1/12/89	43	38	126000	128500	0	LHWCONC	
Jan-89	1/20/89	43	38	125300	121800	0	LHWCONC	
Jan-89	1/26/89	26	45	97580	101500	0	CONCSN	
Jan-89	1/29/89	43	38	107400	104200	0	LHWCONC	
Jan-89	1/31/89	50		0	13000	0	MISCADD/TRAN	ETF Addition
Jan-89	1/31/89	2		0	41000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jan-89	1/31/89	12		0	4000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jan-89	1/31/89	21	44H-245	0	12000	0	NONCANYWASTE	
Jan-89	1/31/89	23	44H-245	0	143000	0	NONCANYWASTE	
Jan-89	1/31/89	43	242-16H	0	5000	0	OVERSPEC	
Jan-89	1/31/89	242-16	26	212000	212000	0	EVAPFEED	
Jan-89	1/31/89	42-16	43	684000	717000	0	EVAPFEED	
Jan-89	1/31/89	44	242-16F	126000	126000	0	EVAPCONC	
Jan-89	1/31/89	45	242-16F	86000	95000	0	EVAPCONC	
Jan-89	1/31/89	38	242-16H	550000	583000	0	EVAPCONC	
Feb-89	2/4/89	43	38	103200	100400	0	LHWCONC	
Feb-89	2/6/89	26	45	176000	183000	0	CONCSN	
Feb-89	2/9/89	43	38	72700	73300	0	LHWCONC	
Feb-89	2/14/89	43	38	72700	71300	0	LHWCONC	
Feb-89	2/15/89	26	45	165400	171900	0	CONCSN	
Feb-89	2/15/89	26	47	10900	11300	0	CONCSN	
Feb-89	2/17/89	26	45	72300	75200	0	CONCSN	
Feb-89	2/18/89	43	38	55500	56200	0	LHWCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-89	2/22/89	43	38	65300	65300	0	LHWCONC	
Feb-89	2/23/89	43	22	130900	113000	0	SNATE	
Feb-89	2/27/89	26	45	184800	192200	0	CONCSN	
Feb-89	2/27/89	43	22	132800	128800	0	SNATE	
Feb-89	2/28/89	43	299H	0	8000	0	MISCADD/TRAN	Decon Waste
Feb-89	2/28/89	23		0	8000	0	MISCADD/TRAN	water
Feb-89	2/28/89	50	ETF	0	20000	0	MISCADD/TRAN	ETF stream
Feb-89	2/28/89	13		0	7000	0	MISCADD/TRAN	Pump tank 3
Feb-89	2/28/89	23		0	7000	0	MISCADD/TRAN	NaOH addition
Feb-89	2/28/89	23		0	6000	0	MISCADD/TRAN	NaNo2 addition
Feb-89	2/28/89	21	44H-245	0	2000	0	NONCANYWASTE	
Feb-89	2/28/89	23	44H-245	0	56000	0	NONCANYWASTE	
Feb-89	2/28/89	26	242-16F	0	7100	0	OVERSPEC	
Feb-89	2/28/89	43	242-16H	0	1000	0	OVERSPEC	
Feb-89	2/28/89	242-16	26	636280	667770	0	EVAPFEED	
Feb-89	2/28/89	42-16	43	376310	407310	0	EVAPFEED	
Feb-89	2/28/89	45	242-16F	589600	605130	0	EVAPCONC	
Feb-89	2/28/89	38	242-16H	295550	318550	0	EVAPCONC	
Mar-89	3/13/89	26	44	38200	39700	0	CONCSN	
Mar-89	3/18/89	26	45	146800	152700	0	CONCSN	
Mar-89	3/20/89	22	23	490600	555900	0	RBOF-RRF	
Mar-89	3/27/89	27	26	287500	287500	0	CONCSN	
Mar-89	3/31/89	43	299H	0	9000	0	MISCADD/TRAN	Decon Waste
Mar-89	3/31/89	23		0	5000	0	MISCADD/TRAN	water
Mar-89	3/31/89	12		0	12000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Mar-89	3/31/89	50	ETF	0	38000	0	MISCADD/TRAN	ETF stream
Mar-89	3/31/89	13		0	9000	0	MISCADD/TRAN	Pump tank 3
Mar-89	3/31/89	21		0	4000	0	MISCADD/TRAN	NaOH addition
Mar-89	3/31/89	22		0	4000	0	MISCADD/TRAN	NaOH addition
Mar-89	3/31/89	21	44H-245	0	17000	0	NONCANYWASTE	
Mar-89	3/31/89	23	44H-245	0	103000	0	NONCANYWASTE	
Mar-89	3/31/89	26	242-16F	0	890	0	OVERSPEC	
Mar-89	3/31/89	242-16	26	95000	125200	0	EVAPFEED	
Mar-89	3/31/89	45	242-16F	163570	172690	0	EVAPCONC	
Apr-89	4/6/89	26	22	54200	11700	0	RBOF-RRF	
Apr-89	4/9/89	26	45	194800	202600	0	CONCSN	
Apr-89	4/20/89	26	45	279500	290700	0	CONCSN	
Apr-89	4/30/89	26	45	313700	326200	0	CONCSN	
Apr-89	4/30/89	50	ETF	0	7000	0	MISCADD/TRAN	ETF stream
Apr-89	4/30/89	48		0	4000	0	MISCADD/TRAN	NaOH addition
Apr-89	4/30/89	21	44H-245	0	17000	0	NONCANYWASTE	
Apr-89	4/30/89	23	44H-245	0	67000	0	NONCANYWASTE	
Apr-89	4/30/89	242-16	26	747050	778570	0	EVAPFEED	
Apr-89	4/30/89	45	242-16F	633780	644800	0	EVAPCONC	
May-89	5/29/89	26	44	195000	202800	0	CONCSN	
May-89	5/31/89	26	45	139000	145300	0	CONCSN	
May-89	5/31/89	50	ETF	0	18000	0	MISCADD/TRAN	ETF stream
May-89	5/31/89	23	44H-245	0	117000	0	NONCANYWASTE	
May-89	5/31/89	43	242-16H	0	3000	0	OVERSPEC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
May-89	5/31/89	242-16	26	343000	356400	0	EVAPFEED	
May-89	5/31/89	42-16	43	109780	112780	0	EVAPFEED	
May-89	5/31/89	45	242-16F	293200	307300	0	EVAPCONC	
May-89	5/31/89	38	242-16H	43140	49140	0	EVAPCONC	
Jun-89	6/2/89	26	45	128700	133900	0	CONCSN	
Jun-89	6/12/89	26	45	309500	321900	0	CONCSN	
Jun-89	6/27/89	43	38	200400	189500	0	LHWCONC	
Jun-89	6/30/89	43	299H	0	11000	0	MISCADD/TRAN	Decon Waste
Jun-89	6/30/89	42		0	8000	0	MISCADD/TRAN	Flush water
Jun-89	6/30/89	10		0	10000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jun-89	6/30/89	50	ETF	0	14000	0	MISCADD/TRAN	ETF stream
Jun-89	6/30/89	43		0	1000	0	MISCADD/TRAN	Pump tank 5
Jun-89	6/30/89	21	44H-245	0	5000	0	NONCANYWASTE	
Jun-89	6/30/89	23	44H-245	0	120000	0	NONCANYWASTE	
Jun-89	6/30/89	26	242-16F	0	14690	0	OVERSPEC	
Jun-89	6/30/89	43	242-16H	0	33000	0	OVERSPEC	
Jun-89	6/30/89	242-16	26	454530	497580	0	EVAPFEED	
Jun-89	6/30/89	42-16	43	331420	373420	0	EVAPFEED	
Jun-89	6/30/89	45	242-16F	517740	533360	0	EVAPCONC	
Jun-89	6/30/89	38	242-16H	149950	154950	0	EVAPCONC	
Jul-89	7/9/89	26	45	55100	57300	0	CONCSN	
Jul-89	7/20/89	43	38	131300	122100	0	LHWCONC	
Jul-89	7/27/89	43	22	6400	5300	0	RBOF-RRF	
Jul-89	7/31/89	43	22	43500	42500	0	RBOF-RRF	
Jul-89	7/31/89	43	299H	0	9000	0	MISCADD/TRAN	Decon Waste
Jul-89	7/31/89	10		0	13000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jul-89	7/31/89	50	ETF	0	40000	0	MISCADD/TRAN	ETF stream
Jul-89	7/31/89	43		0	4000	0	MISCADD/TRAN	Pump tank 5
Jul-89	7/31/89	23	44H-245	0	100000	0	NONCANYWASTE	
Jul-89	7/31/89	26	242-16F	0	12460	0	OVERSPEC	
Jul-89	7/31/89	43	242-16H	0	2000	0	OVERSPEC	
Jul-89	7/31/89	242-16	26	39730	55290	0	EVAPFEED	
Jul-89	7/31/89	42-16	43	485500	497500	0	EVAPFEED	
Jul-89	7/31/89	45	242-16F	77690	85350	0	EVAPCONC	
Jul-89	7/31/89	38	242-16H	254500	269500	0	EVAPCONC	
Aug-89	8/5/89	43	23	847100	784500	0	RBOF-RRF	
Aug-89	8/13/89	44	26	167000	161800	0	LHW	
Aug-89	8/17/89	43	23	675800	713700	0	RBOF-RRF	
Aug-89	8/31/89	43	299H	0	9000	0	MISCADD/TRAN	Decon Waste
Aug-89	8/31/89	12		0	14000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Aug-89	8/31/89	50	ETF	0	48000	0	MISCADD/TRAN	ETF stream
Aug-89	8/31/89	21	44H-245	0	43000	0	NONCANYWASTE	
Aug-89	8/31/89	23	44H-245	0	66000	0	NONCANYWASTE	
Aug-89	8/31/89	43	242-16H	0	15000	0	OVERSPEC	
Aug-89	8/31/89	42-16	43	330220	380220	0	EVAPFEED	
Aug-89	8/31/89	38	242-16H	124170	129170	0	EVAPCONC	
Sep-89	9/30/89	43	38	229600	204900	0	LHWCONC	
Sep-89	9/30/89	43	299H	0	9000	0	MISCADD/TRAN	Decon Waste
Sep-89	9/30/89	42		0	5000	0	MISCADD/TRAN	Flush water

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-89	9/30/89	12		0	17000	0	MISCADD/TRAN	RT Calib./Repl. or inv. change
Sep-89	9/30/89	50	ETF	0	48000	0	MISCADD/TRAN	ETF stream
Sep-89	9/30/89	21	44H-245	0	20000	0	NONCANYWASTE	
Sep-89	9/30/89	43	242-16H	0	20000	0	OVERSPEC	
Sep-89	9/30/89	42-16	43	351390	373390	0	EVAPFEED	
Sep-89	9/30/89	38	242-16H	75990	79990	0	EVAPCONC	
Oct-89	10/1/89	43	38	81800	82500	0	LHWCONC	
Oct-89	10/9/89	26	45	32300	33600	0	CONCSN	
Oct-89	10/10/89	26	45	11200	11600	0	CONCSN	
Oct-89	10/15/89	26	45	38300	39800	0	CONCSN	
Oct-89	10/17/89	26	45	40400	42100	0	CONCSN	
Oct-89	10/18/89	26	25	8100	8400	0	CONCSN	
Oct-89	10/18/89	13	36	19700	21400	0	CONC	
Oct-89	10/19/89	26	45	57100	59400	0	CONCSN	
Oct-89	10/24/89	26	45	62700	65200	0	CONCSN	
Oct-89	10/29/89	26	45	93400	97200	0	CONCSN	
Oct-89	10/31/89	35	39	11200	5600	0	HHW	
Oct-89	10/31/89	50		0	27000	0	MISCADD/TRAN	ETF stream
Oct-89	10/31/89	42		0	12000	0	MISCADD/TRAN	NaOH
Oct-89	10/31/89	22		0	3500	0	MISCADD/TRAN	NaNO2
Oct-89	10/31/89	23		0	3500	0	MISCADD/TRAN	NaNO2
Oct-89	10/31/89	23	44H-245	0	50000	0	NONCANYWASTE	
Oct-89	10/31/89	26	242-16F	0	11190	0	OVERSPEC	
Oct-89	10/31/89	43	242-16H	0	3000	0	OVERSPEC	
Oct-89	10/31/89	242-16	26	404960	438410	0	EVAPFEED	
Oct-89	10/31/89	42-16	43	358420	365420	0	EVAPFEED	
Oct-89	10/31/89	45	242-16F	340220	346990	0	EVAPCONC	
Oct-89	10/31/89	38	242-16H	126710	156710	0	EVAPCONC	
Nov-89	11/2/89	26	45	144600	150400	0	CONCSN	
Nov-89	11/2/89	43	22	27300	23200	0	RBOF-RRF	
Nov-89	11/3/89	43	22	57700	47700	0	RBOF-RRF	
Nov-89	11/8/89	26	45	186600	194000	0	CONCSN	
Nov-89	11/8/89	26	47	21800	22600	0	CONCSN	
Nov-89	11/11/89	43	38	107400	102500	0	LHWCONC	
Nov-89	11/15/89	26	45	186600	194100	0	CONCSN	
Nov-89	11/17/89	26	44	24200	25200	0	CONCSN	
Nov-89	11/22/89	26	45	239500	249100	0	CONCSN	
Nov-89	11/28/89	43	22	15900	11200	0	RBOF-RRF	
Nov-89	11/29/89	26	45	189000	196500	0	CONCSN	
Nov-89	11/30/89	50	ETF	0	21000	0	MISCADD/TRAN	ETF stream
Nov-89	11/30/89	23	44H-245	0	44000	0	NONCANYWASTE	
Nov-89	11/30/89	242-16	26	1111520	1152200	0	EVAPFEED	
Nov-89	11/30/89	42-16	43	323000	335000	0	EVAPFEED	
Nov-89	11/30/89	45	242-16F	886390	910820	0	EVAPCONC	
Nov-89	11/30/89	38	242-16H	135700	162700	0	EVAPCONC	
Dec-89	12/6/89	43	38	36500	33700	0	LHWCONC	
Dec-89	12/7/89	26	45	345500	359300	0	CONCSN	
Dec-89	12/7/89	43	22	50300	34000	0	RBOF-RRF	
Dec-89	12/17/89	26	45	246400	256300	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Dec-89	12/17/89	43	38	113400	107400	0	LHWCONC		
Dec-89	12/20/89	26	47	52300	54400	0	CONCSN		
Dec-89	12/31/89	43	38	252400	238300	0	LHWCONC		
Dec-89	12/31/89	43	299H	0	2000	0	MISCADD/TRAN	Decon Waste	
Dec-89	12/31/89	50	ETF	0	21000	0	MISCADD/TRAN	ETF stream	
Dec-89	12/31/89	23	44H-245	0	18000	0	NONCANYWASTE		
Dec-89	12/31/89	242-16	26	696000	723000	0	EVAPFEED		
Dec-89	12/31/89	42-16	43	357000	383000	0	EVAPFEED		
Dec-89	12/31/89	45	242-16F	558000	575000	0	EVAPCONC		
Dec-89	12/31/89	38	242-16H	181000	238000	0	EVAPCONC		
Jan-90	1/9/90	26	45	208300	216600	0	CONCSN		
Jan-90	1/16/90	26	44	36700	38100	0	CONCSN		
Jan-90	1/19/90	26	45	124800	129800	0	CONCSN		
Jan-90	1/19/90	43	38	133000	130200	0	LHWCONC		
Jan-90	1/26/90	43	38	8400	8800	0	LHWCONC		
Jan-90	1/30/90	43	38	204600	208800	0	LHWCONC		
Jan-90	1/31/90	43	299H	0	4000	0	MISCADD/TRAN	Decon Waste	
Jan-90	1/31/90	50	ETF	0	19000	0	MISCADD/TRAN	ETF stream	
Jan-90	1/31/90	23	44H-245	0	49000	0	NONCANYWASTE		
Jan-90	1/31/90	43	242-16H	0	1000	0	OVERSPEC		
Jan-90	1/31/90	242-16	26	523140	551410	0	EVAPFEED		
Jan-90	1/31/90	42-16	43	524100	545100	0	EVAPFEED		
Jan-90	1/31/90	45	242-16F	474730	498470	0	EVAPCONC		
Jan-90	1/31/90	38	242-16H	402762	440760	0	EVAPCONC		
Jan-90	2/1/90	26	45	242200	251900	0	CONCSN		
Feb-90	2/12/90	43	21	642200	623000	0	RBOF-RRF		
Feb-90	2/18/90	26	45	182700	133000	0	CONCSN		
Feb-90	2/26/90	26	45	153400	92300	0	CONCSN		
Feb-90	2/28/90	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste	
Feb-90	2/28/90	21	44H-245	0	13000	0	NONCANYWASTE		
Feb-90	2/28/90	23	44H-245	0	14000	0	NONCANYWASTE		
Feb-90	2/28/90	43	242-16H	0	1000	0	OVERSPEC		
Feb-90	2/28/90	242-16	26	474740	492590	0	EVAPFEED		
Feb-90	2/28/90	42-16	43	178550	179550	0	EVAPFEED		
Feb-90	2/28/90	45	242-16F	420880	431640	0	EVAPCONC		
Feb-90	2/28/90	38	242-16H	66900	70900	0	EVAPCONC		
Mar-90	3/1/90	43		0	3861	0	LHWCONC	Conc. from Pump tank 2	
Mar-90	3/4/90	26	45	94400	164100	0	CONCSN		
Mar-90	3/12/90	26	45	109200	168100	0	CONCSN		
Mar-90	3/14/90	26	47	69500	38900	0	CONCSN		
Mar-90	3/19/90	26	45	268900	196200	0	CONCSN		
Mar-90	3/25/90	26	44	89300	106300	0	CONCSN		
Mar-90	3/29/90	26	44	106300	85300	0	CONCSN		
Mar-90	3/31/90	32	35	25900	30200	0	HHWCONC		
Mar-90	3/31/90	43	299H	0	2000	0	MISCADD/TRAN	Decon Waste	
Mar-90	3/31/90	21	44H-245	0	21000	0	NONCANYWASTE		
Mar-90	3/31/90	43	242-16H	0	52000	0	OVERSPEC		
Mar-90	3/31/90	242-16	26	732610	770760	0	EVAPFEED		
Mar-90	3/31/90	42-16	43	405880	457880	0	EVAPFEED		

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Mar-90	3/31/90	45	242-16F	673750	683440	0	EVAPCONC	
Mar-90	3/31/90	38	242-16H	129750	140750	0	EVAPCONC	
Apr-90	4/3/90	26	44	153100	109500	0	CONCSN	
Apr-90	4/8/90	43		0	1053	0	MISCADD/TRAN	From Pump tank 2
Apr-90	4/8/90	43	39	109100	113400	0	LHWCONC	
Apr-90	4/10/90	26	44	156200	97900	0	CONCSN	
Apr-90	4/12/90	26	44	93500	81800	0	CONCSN	
Apr-90	4/21/90	26	44	246200	185300	0	CONCSN	
Apr-90	4/21/90	43	38	311300	312700	0	LHWCONC	
Apr-90	4/23/90	43		0	2457	0	MISCADD/TRAN	From Pump tank 2
Apr-90	4/30/90	26	44	86900	71900	0	CONCSN	
Apr-90	4/30/90	21	44H-245	0	28000	0	NONCANYWASTE	
Apr-90	4/30/90	43	242-16H	0	1000	0	OVERSPEC	
Apr-90	4/30/90	50	ETF	0	13000	0	MISCADD/TRAN	ETF stream
Apr-90	4/30/90	242-16	26	818600	851040	0	EVAPFEED	
Apr-90	4/30/90	42-16	43	294270	309270	0	EVAPFEED	
Apr-90	4/30/90	45	242-16F	705920	722990	0	EVAPCONC	
Apr-90	4/30/90	38	242-16H	128570	146570	0	EVAPCONC	
May-90	5/3/90	26	44	21500	15100	0	CONCSN	
May-90	5/13/90	26	44	217500	193400	0	CONCSN	
May-90	5/31/90	50	ETF	0	22000	0	MISCADD/TRAN	ETF stream
May-90	5/31/90	24		0	5000	0	MISCADD/TRAN	NaOH
May-90	5/31/90	21	44H-245	0	17000	0	NONCANYWASTE	
May-90	5/31/90	242-16	26	277400	304530	0	EVAPFEED	
May-90	5/31/90	42-16	43	144750	145750	0	EVAPFEED	
May-90	5/31/90	44	242-16F	278390	284890	0	EVAPCONC	
May-90	5/31/90	38	242-16H	117540	136540	0	EVAPCONC	
Jun-90	6/8/90	43	22	106200	102100	0	RBOF-RRF	
Jun-90	6/15/90	43	22	32200	30900	0	RBOF-RRF	
Jun-90	6/15/90	43	22	112200	109200	0	RBOF-RRF	
Jun-90	6/16/90	43	22	75800	73700	0	RBOF-RRF	
Jun-90	6/17/90	43	22	97700	95800	0	RBOF-RRF	
Jun-90	6/19/90	43	22	226200	224600	0	RBOF-RRF	
Jun-90	6/30/90	50	ETF	0	27000	0	MISCADD/TRAN	ETF stream
Jun-90	6/30/90	23		0	1000	0	MISCADD/TRAN	Flush water
Jun-90	6/30/90	Z-Area	50	24000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Jun-90	6/30/90	21	44H-245	0	23000	0	NONCANYWASTE	
Jun-90	6/30/90	242-16	26	166460	169740	0	EVAPFEED	
Jun-90	6/30/90	42-16	43	6670	332	0	EVAPFEED	
Jun-90	6/30/90	45	242-16F	135850	143780	0	EVAPCONC	
Jun-90	6/30/90	38	242-16H	1050	1050	0	EVAPCONC	
Jul-90	7/31/90	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Jul-90	7/31/90	50	ETF	0	13000	0	MISCADD/TRAN	ETF stream
Jul-90	7/31/90	21	44H-245	0	20000	0	NONCANYWASTE	
Jul-90	7/31/90	23		0	5000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Jul-90	7/31/90	Z-Area	50	44000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Aug-90	8/31/90	26	45	28400	33700	0	CONCSN	
Aug-90	8/31/90	7		0	9000	0	MISCADD/TRAN	Catch tank
Aug-90	8/31/90	43	299H	0	2000	0	MISCADD/TRAN	Decon Waste

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-90	8/31/90	21	44H-245	0	31000	0	NONCANYWASTE	
Aug-90	8/31/90	50	ETF	0	20000	0	MISCADD/TRAN	ETF stream
Aug-90	8/31/90	23		0	3000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Aug-90	8/31/90	Z-Area	50	108000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Sep-90	9/18/90	26	45	98800	102800	0	CONCSN	
Sep-90	9/30/90	21	44H-245	0	17000	0	NONCANYWASTE	
Sep-90	9/30/90	50	ETF	0	17000	0	MISCADD/TRAN	ETF stream
Sep-90	9/30/90	23		0	3000	0	MISCADD/TRAN	water
Sep-90	9/30/90	40		0	6000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-90	9/30/90	Z-Area	50	35000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Sep-90	9/30/90	38		0	3000	0	MISCADD/TRAN	Pump tank 2
Oct-90	10/26/90	38	43	70200	71600	0	LHW	
Oct-90	10/28/90	48	22	126000	125300	0	RBOF-RRF	
Oct-90	10/31/90	7		0	9000	0	MISCADD/TRAN	Catch Tank
Oct-90	10/31/90	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Oct-90	10/31/90	21	44H-245	0	55000	0	NONCANYWASTE	
Oct-90	10/31/90	23	44H-245	0	6000	0	NONCANYWASTE	
Oct-90	10/31/90	50	ETF	0	24000	0	MISCADD/TRAN	ETF stream
Oct-90	10/31/90	Z-Area	50	97000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Oct-90	10/31/90	38		0	9000	0	MISCADD/TRAN	Pump tank 2 and DB-7
Oct-90	10/31/90	30		0	2000	0	MISCADD/TRAN	CTS Tank
Nov-90	11/30/90	7		0	35000	0	MISCADD/TRAN	Unex. Incr./decr. or Inv. Adj.
Nov-90	11/30/90	21	44H-245	0	33000	0	NONCANYWASTE	
Nov-90	11/30/90	50	ETF	0	15000	0	MISCADD/TRAN	ETF stream
Nov-90	11/30/90	Z-Area	50	86000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Nov-90	11/30/90	23		0	4000	0	MISCADD/TRAN	Water
Dec-90	12/31/90	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Dec-90	12/31/90	21	44H-245	0	7000	0	NONCANYWASTE	
Dec-90	12/31/90	23	44H-245	0	9000	0	NONCANYWASTE	
Dec-90	12/31/90	50	ETF	0	10000	0	MISCADD/TRAN	ETF stream
Dec-90	12/31/90	Z-Area	50	91000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Jan-91	1/22/91	26	25	11300	11600	0	CONCSN	
Jan-91	1/31/91	17		0	4000	0	MISCADD/TRAN	NaOH additions
Jan-91	1/31/91	21	44H-245	0	29000	0	NONCANYWASTE	
Jan-91	1/31/91	50	ETF	0	10000	0	MISCADD/TRAN	ETF stream
Jan-91	1/31/91	Z-Area	50	44000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Jan-91	1/31/91	43		0	4000	0	MISCADD/TRAN	water
Jan-91	1/31/91		40	7000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-91	2/12/91	43	38	30000	31000	0	LHW	
Feb-91	2/14/91	43	38	120000	125000	0	LHW	
Feb-91	2/28/91	21	44H-245	0	31000	0	NONCANYWASTE	
Feb-91	2/28/91	50	ETF	0	20000	0	MISCADD/TRAN	ETF stream
Feb-91	2/28/91	Z-Area	50	46000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Feb-91	2/28/91	43		0	8000	0	MISCADD/TRAN	water
Feb-91	2/28/91		36	1000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Feb-91	2/28/91	42-16	43	313040	321040	0	EVAPFEED	
Feb-91	2/28/91	38	242-16H	146530	160530	0	EVAPCONC	
Mar-91	3/7/91	43	38	240000	250000	0	LHW	
Mar-91	3/11/91	47	26	76300	77900	0	LHW	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Mar-91	3/22/91	26	45	152900	-1050	0	CONCSN	
Mar-91	3/28/91	26	45	152900	131900	0	CONCSN	
Mar-91	3/31/91	21	44H-245	0	34000	0	NONCANYWASTE	
Mar-91	3/31/91	50	ETF	0	14000	0	MISCADD/TRAN	ETF stream
Mar-91	3/31/91	Z-Area	50	57000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Mar-91	3/31/91	43	235F	0	1000	0	MISCADD/TRAN	water
Mar-91	3/31/91		36	2000	0	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Mar-91	3/31/91	43		0	7000	0	MISCADD/TRAN	Chromate Dr., PT-3 and H2O
Mar-91	3/31/91	242-16	26	173680	184450	0	EVAPFEED	
Mar-91	3/31/91	42-16	43	216060	231060	0	EVAPFEED	
Mar-91	3/31/91	45	242-16F	162290	168940	0	EVAPCONC	
Mar-91	3/31/91	38	242-16H	99080	109080	0	EVAPCONC	
Apr-91	4/4/91	26	45	173000	178000	0	CONCSN	
Apr-91	4/9/91	26	47	42000	44000	0	CONCSN	
Apr-91	4/13/91	26	45	149000	151000	0	CONCSN	
Apr-91	4/23/91	26	44	30000	31000	0	CONCSN	
Apr-91	4/27/91	26	45	84000	86000	0	CONCSN	
Apr-91	4/30/91	43	299H	0	3000	0	MISCADD/TRAN	Decon Waste
Apr-91	4/30/91	21	44H-245	0	60000	0	NONCANYWASTE	
Apr-91	4/30/91	23	44H-245	0	3000	0	NONCANYWASTE	
Apr-91	4/30/91	50	ETF	0	12000	0	MISCADD/TRAN	ETF stream
Apr-91	4/30/91	Z-Area	50	25000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Apr-91	4/30/91	35		0	2000	0	MISCADD/TRAN	Water
Apr-91	4/30/91	43		0	1000	0	MISCADD/TRAN	Water
Apr-91	4/30/91	242-16	26	576990	613190	0	EVAPFEED	
Apr-91	4/30/91	45	242-16F	482500	514000	0	EVAPCONC	
Apr-91	5/1/91	26	45	126000	134000	0	CONCSN	
May-91	5/1/91	26	45	7000	8000	0	CONCSN	
May-91	5/6/91	34	33	3000	2000	0	HHWSN	vol. diff. due to PT holdup
May-91	5/9/91	34	33	20000	20000	0	HHWSN	
May-91	5/12/91	26	45	227000	237000	0	CONCSN	
May-91	5/19/91	26	45	168000	176000	0	CONCSN	
May-91	5/30/91	26	45	216000	225000	0	CONCSN	
May-91	5/31/91	21	44H-245	0	37000	0	NONCANYWASTE	
May-91	5/31/91	50	ETF	0	23000	0	MISCADD/TRAN	ETF stream
May-91	5/31/91	Z-Area	50	36000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
May-91	5/31/91	36		0	4000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
May-91	5/31/91	39		0	3000	0	MISCADD/TRAN	pump tank 6
May-91	5/31/91	43		0	2000	0	MISCADD/TRAN	pump tank 5
May-91	5/31/91	242-16	26	659260	691630	0	EVAPFEED	
May-91	5/31/91	42-16	43	465820	487820	0	EVAPFEED	
May-91	5/31/91	45	242-16F	566790	590570	0	EVAPCONC	
May-91	5/31/91	38	242-16H	197450	202450	0	EVAPCONC	
Jun-91	6/6/91	26	45	120300	123000	0	CONCSN	
Jun-91	6/15/91	26	45	133000	138000	0	CONCSN	
Jun-91	6/22/91	26	45	130600	130600	0	CONCSN	
Jun-91	6/28/91	43	38	195000	203000	0	CONCSN	
Jun-91	6/30/91	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Jun-91	6/30/91	21	44H-245	0	60000	0	NONCANYWASTE	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Jun-91	6/30/91	50	ETF	0	19000	0	MISCADD/TRAN	ETF stream
Jun-91	6/30/91	Z-Area	50	45000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Jun-91	6/30/91	39		0	2250	0	MISCADD/TRAN	Acid Addition
Jun-91	6/30/91	39		0	2250	0	MISCADD/TRAN	NaOH Addition
Jun-91	6/30/91	39		0	4500	0	MISCADD/TRAN	Flush Water
Jun-91	6/30/91	242-16	26	466030	490310	0	EVAPFEED	
Jun-91	6/30/91	42-16	43	316810	324810	0	EVAPFEED	
Jun-91	6/30/91	45	242-16F	418180	429170	0	EVAPCONC	
Jun-91	6/30/91	38	242-16H	161800	177800	0	EVAPCONC	
Jul-91	7/6/91	26	45	98000	103000	0	CONCSN	
Jul-91	7/13/91	43	38	117000	122000	0	CONCSN	
Jul-91	7/17/91	26	45	157000	163000	0	CONCSN	
Jul-91	7/31/91	26	45	164000	170000	0	CONCSN	
Jul-91	7/31/91	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Jul-91	7/31/91	21	44H-245	0	39000	0	NONCANYWASTE	
Jul-91	7/31/91	50	ETF	0	13000	0	MISCADD/TRAN	ETF stream
Jul-91	7/31/91	Z-Area	50	45000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Jul-91	7/31/91	43		0	5000	0	MISCADD/TRAN	PT 5&6 and Chromate tk
Jul-91	7/31/91	242-16	26	365690	386520	0	EVAPFEED	
Jul-91	7/31/91	42-16	43	375890	380890	0	EVAPFEED	
Jul-91	7/31/91	45	242-16F	355730	372730	0	EVAPCONC	
Jul-91	7/31/91	38	242-16H	229590	254590	0	EVAPCONC	
Aug-91	8/7/91	26	45	123000	129000	0	CONCSN	
Aug-91	8/12/91	43	21	574000	574000	0	RBOF-RRF	
Aug-91	8/12/91	30	35	8000	10000	0	HHWSN	
Aug-91	8/15/91	26	45	142000	148000	0	CONCSN	
Aug-91	8/22/91	43	41	33000	33000	0	LHWSN	
Aug-91	8/23/91	26	45	187000	196000	0	CONCSN	
Aug-91	8/31/91	47		0	3000	0	NONCANYWASTE	100 Area Trailer Waste
Aug-91	8/31/91	21	44H-245	0	59000	0	NONCANYWASTE	
Aug-91	8/31/91	50	ETF	0	28000	0	MISCADD/TRAN	ETF stream
Aug-91	8/31/91	Z-Area	50	36000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Aug-91	8/31/91	43		0	13000	0	MISCADD/TRAN	Pump tanks 2,3 and 4
Aug-91	8/31/91	42		0	3500	0	MISCADD/TRAN	NaOH
Aug-91	8/31/91	23		0	3500	0	MISCADD/TRAN	NaOH
Aug-91	8/31/91	23		0	4000	0	MISCADD/TRAN	1H Evap. Decon water
Aug-91	8/31/91	24		0	2000	0	MISCADD/TRAN	Sidewall sump
Aug-91	8/31/91	242-16	26	577170	603200	0	EVAPFEED	
Aug-91	8/31/91	42-16	43	197710	198710	0	EVAPFEED	
Aug-91	8/31/91	45	242-16F	535270	550330	0	EVAPCONC	
Aug-91	8/31/91	38	242-16H	103180	116180	0	EVAPCONC	
Sep-91	9/28/91	43	38	374000	389000	0	CONCSN	
Sep-91	9/30/91	47		0	1000	0	NONCANYWASTE	100 Area Trailer Waste
Sep-91	9/30/91	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Sep-91	9/30/91	21	44H-245	0	13000	0	NONCANYWASTE	
Sep-91	9/30/91	50	ETF	0	14000	0	MISCADD/TRAN	ETF stream
Sep-91	9/30/91	Z-Area	50	40000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Sep-91	9/30/91	43		0	5000	0	MISCADD/TRAN	PT 3 and Chromate drain tank
Sep-91	9/30/91	42-16	43	306670	306670	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Sep-91	9/30/91	38	242-16H	133150	145150	0	EVAPCONC	
Oct-91	10/8/91	21	23	495000	508000	0	NONCANYWASTE	
Oct-91	10/31/91	47		0	2000	0	NONCANYWASTE	100 Area Trailer Waste
Oct-91	10/31/91	50	ETF	0	10000	0	MISCADD/TRAN	ETF stream
Oct-91	10/31/91	Z-Area	50	26000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Oct-91	10/31/91	43		0	6000	0	MISCADD/TRAN	Pump tanks 2 & 3
Oct-91	10/31/91	30		0	2000	0	MISCADD/TRAN	Concentrate Transfer System
Oct-91	10/31/91	242-16	26	5000	6000	0	EVAPFEED	
Oct-91	10/31/91	42-16	43	77070	77070	0	EVAPFEED	
Oct-91	10/31/91	45	242-16F	4000	4000	0	EVAPCONC	
Oct-91	10/31/91	38	242-16H	42460	55460	0	EVAPCONC	
Nov-91	11/8/91	26	45	70000	71000	0	CONCSN	
Nov-91	11/26/91	26	45	99000	102000	0	CONCSN	
Nov-91	11/30/91	43	38	307000	318000	0	CONCSN	
Nov-91	11/30/91	47		0	2000	0	NONCANYWASTE	100 Area Trailer Waste
Nov-91	11/30/91	23	44H-245	0	3000	0	NONCANYWASTE	
Nov-91	11/30/91	50	ETF	0	14000	0	MISCADD/TRAN	ETF stream
Nov-91	11/30/91	Z-Area	50	28000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Nov-91	11/30/91	242-16	26	174180	196700	0	EVAPFEED	
Nov-91	11/30/91	42-16	43	399290	399290	0	EVAPFEED	
Nov-91	11/30/91	45	242-16F	157240	173260	0	EVAPCONC	
Nov-91	11/30/91	38	242-16H	197020	208020	0	EVAPCONC	
Dec-91	1/1/91	26	45	18000	19000	0	CONCSN	
Dec-91	12/8/91	26	45	95000	97000	0	CONCSN	
Dec-91	12/14/91	31	30	65000	68000	0	CONCSN	
Dec-91	12/23/91	26	45	120000	125000	0	CONCSN	
Dec-91	12/31/91	21	44H-245	0	6000	0	NONCANYWASTE	
Dec-91	12/31/91	23	44H-245	0	17000	0	NONCANYWASTE	
Dec-91	12/31/91	50	ETF	0	13000	0	MISCADD/TRAN	ETF stream
Dec-91	12/31/91	Z-Area	50	26000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Dec-91	12/31/91	242-16	26	272000	288000	0	EVAPFEED	
Dec-91	12/31/91	42-16	43	421000	421000	0	EVAPFEED	
Dec-91	12/31/91	45	242-16F	233000	245000	0	EVAPCONC	
Dec-91	12/31/91	38	242-16H	234000	260000	0	EVAPCONC	
Jan-92	1/1/92	26	45	91000	94000	0	CONCSN	
Jan-92	1/11/92	26	45	124000	128000	0	CONCSN	
Jan-92	1/12/92	43	21	366000	364000	0	RBOF-RRF	
Jan-92	1/19/92	26	45	126000	134000	0	CONCSN	
Jan-92	1/31/92	43	38	8000	8000	0	CONCSN	
Jan-92	1/31/92	17		0	64000	0	NONCANYWASTE	Trailer Waste- Tritiated Water
Jan-92	1/31/92	26		0	15000	0	MISCADD/TRAN	Rain water,FPT-1, and FPT-2
Jan-92	1/31/92	21	44H-245	0	10000	0	NONCANYWASTE	
Jan-92	1/31/92	23	44H-245	0	6000	0	NONCANYWASTE	
Jan-92	1/31/92	50	ETF	0	10000	0	MISCADD/TRAN	ETF stream
Jan-92	1/31/92	43		0	4000	0	MISCADD/TRAN	H area Pump tank
Jan-92	1/31/92	242-16	26	322000	337000	0	EVAPFEED	
Jan-92	1/31/92	42-16	43	142160	143160	0	EVAPFEED	
Jan-92	1/31/92	45	242-16F	266000	279000	0	EVAPCONC	
Jan-92	1/31/92	38	242-16H	86210	98210	0	EVAPCONC	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-92	2/4/92	43	38	375000	389000	0	CONCSN	
Feb-92	2/7/92	26	45	19000	20000	0	CONCSN	
Feb-92	2/11/92	26	44	19000	20000	0	CONCSN	
Feb-92	2/28/92	17		0	46000	0	NONCANYWASTE	Trailer Waste- Tritiated Water
Feb-92	2/28/92	17		0	8000	0	MISCADD/TRAN	NaOH and NaNO2 additions
Feb-92	2/28/92	23	44H-245	0	19000	0	NONCANYWASTE	
Feb-92	2/28/92	50	ETF	0	13000	0	MISCADD/TRAN	ETF stream
Feb-92	2/28/92	43		0	4000	0	MISCADD/TRAN	HPT2
Feb-92	2/28/92	242-16	26	112000	116000	0	EVAPFEED	
Feb-92	2/28/92	42-16	43	446620	460620	0	EVAPFEED	
Feb-92	2/28/92	44	242-16F	4000	4000	0	EVAPCONC	
Feb-92	2/28/92	45	242-16F	90000	93000	0	EVAPCONC	
Feb-92	2/28/92	38	242-16H	222230	227230	0	EVAPCONC	
Mar-92	2/4/92	43	38	247000	256000	0	CONCSN	
Mar-92	3/16/92	26	45	145000	153000	0	CONCSN	
Mar-92	3/25/92	26	44	107000	110000	0	CONCSN	
Mar-92	3/31/92	21	44H-245	0	7000	0	NONCANYWASTE	
Mar-92	3/31/92	23	44H-245	0	27000	0	NONCANYWASTE	
Mar-92	3/31/92	50	ETF	0	7000	0	MISCADD/TRAN	ETF stream
Mar-92	3/31/92	43		0	2000	0	MISCADD/TRAN	PT-5 Rain water
Mar-92	3/31/92	242-16	26	279000	295000	0	EVAPFEED	
Mar-92	3/31/92	42-16	43	392490	401490	0	EVAPFEED	
Mar-92	3/31/92	44	242-16F	107000	107000	0	EVAPCONC	
Mar-92	3/31/92	45	242-16F	168000	175000	0	EVAPCONC	
Mar-92	3/31/92	38	242-16H	245020	254020	0	EVAPCONC	
Apr-92	4/2/92	26	45	80000	83000	0	CONCSN	
Apr-92	4/4/92	26	45	66000	69000	0	CONCSN	
Apr-92	4/6/92	43	38	167000	173000	0	CONCSN	
Apr-92	4/9/92	43	21	197000	195000	0	CONCSN	
Apr-92	4/11/92	26	45	149000	155000	0	CONCSN	
Apr-92	4/21/92	26	45	165000	172000	0	CONCSN	
Apr-92	4/25/92	43	38	276000	287000	0	CONCSN	
Apr-92	4/30/92	26	45	10000	10000	0	CONCSN	
Apr-92	4/30/92	43		0	0	0	MISCADD/TRAN	PT-5 Rain water
Apr-92	4/30/92	43	299H	0	1000	0	MISCADD/TRAN	Decon Waste
Apr-92	4/30/92	23	44H-245	0	39000	0	NONCANYWASTE	
Apr-92	4/30/92	50	ETF	0	7000	0	MISCADD/TRAN	ETF stream
Apr-92	4/30/92	23		0	2000	0	MISCADD/TRAN	NaNO2
Apr-92	4/30/92	41		0	4000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Apr-92	4/30/92	242-16	26	507000	526000	0	EVAPFEED	
Apr-92	4/30/92	42-16	43	379510	397510	0	EVAPFEED	
Apr-92	4/30/92	44	242-16F	12000	12000	0	EVAPCONC	
Apr-92	4/30/92	45	242-16F	426000	437000	0	EVAPCONC	
Apr-92	4/30/92	38	242-16H	219120	240120	0	EVAPCONC	
May-92	5/2/92	26	45	165000	176000	0	CONCSN	
May-92	5/22/92	43	38	145000	151000	0	CONCSN	
May-92	5/31/92	23	44H-245	0	9000	0	NONCANYWASTE	
May-92	5/31/92	50	ETF	0	9000	0	MISCADD/TRAN	ETF stream
May-92	5/31/92	41		0	2000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.

Appendix A
Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
May-92	5/31/92	35		0	3000	0	MISCADD/TRAN	Thermal Expansion
May-92	5/31/92	242-16	26	71000	78000	0	EVAPFEED	
May-92	5/31/92	42-16	43	316000	322000	0	EVAPFEED	
May-92	5/31/92	45	242-16F	65000	70000	0	EVAPCONC	
May-92	5/31/92	38	242-16H	209000	233000	0	EVAPCONC	
Jun-92	6/2/92	26	45	77000	80000	0	CONCSN	
Jun-92	6/12/92	43	38	213000	220000	0	CONCSN	
Jun-92	6/12/92	26	45	117000	122000	0	CONCSN	
Jun-92	6/18/92	26	47	1000	1000	0	SNATE	
Jun-92	6/19/92	26	47	41000	43000	0	SNATE	
Jun-92	6/21/92	26	45	134000	139000	0	CONCSN	
Jun-92	6/30/92	43	299H	0	3000	0	MISCADD/TRAN	Decon Waste
Jun-92	6/30/92	23	44H-245	0	29000	0	NONCANYWASTE	
Jun-92	6/30/92	50	ETF	0	8000	0	MISCADD/TRAN	ETF stream
Jun-92	6/30/92	Z-Area	50	22000	0	0	MISCADD/TRAN	Tank 50 to Z-Area Saltstone
Jun-92	6/30/92	30		0	2000	0	MISCADD/TRAN	CTS pumpout
Jun-92	6/30/92	41		0	2000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Jun-92	6/30/92	13		0	1000	0	MISCADD/TRAN	Flush water
Jun-92	6/30/92	38		0	3000	0	MISCADD/TRAN	DB-7 sump
Jun-92	6/30/92	48		0	4000	0	MISCADD/TRAN	NaNO2
Jun-92	6/30/92	43		0	19000	0	MISCADD/TRAN	
Jun-92	6/30/92	242-16	26	402000	417000	0	EVAPFEED	
Jun-92	6/30/92	42-16	43	133000	142000	0	EVAPFEED	
Jun-92	6/30/92	44	242-16F	4000	4000	0	EVAPCONC	
Jun-92	6/30/92	45	242-16F	353000	369000	0	EVAPCONC	
Jun-92	6/30/92	38	242-16H	97000	102000	0	EVAPCONC	
Jul-92	7/4/92	26	45	170000	146000	0	CONCSN	
Jul-92	7/15/92	26	45	165000	171000	0	CONCSN	
Jul-92	7/16/92	43	23	158000	158000	0	CONCSN	
Jul-92	7/22/92	26	47	173000	180000	0	CONCSN	
Jul-92	7/29/92	26	47	119000	124000	0	CONCSN	
Jul-92	7/31/92	22		0	1000	0	MISCADD/TRAN	pump seal water
Jul-92	7/31/92	30		0	1000	0	MISCADD/TRAN	CTS pumpout
Jul-92	7/31/92	41		0	1000	0	MISCADD/TRAN	Unexpl. incr./decr. or Inv. Adj.
Jul-92	7/31/92	11		0	1000	0	MISCADD/TRAN	Rain water
Jul-92	7/31/92	38		0	8000	0	MISCADD/TRAN	DB-7 sump
Jul-92	7/31/92	21		0	2000	0	MISCADD/TRAN	NaNO2
Jul-92	7/31/92	43		0	3000	0	MISCADD/TRAN	PT-3 and 2H Evap sump
Jul-92	7/31/92	35		0	2000	0	MISCADD/TRAN	Thermal Expansion
Jul-92	7/31/92	21	44H-245	0	6000	0	NONCANYWASTE	
Jul-92	7/31/92	23	44H-245	0	20000	0	NONCANYWASTE	
Jul-92	7/31/92	50	ETF	0	13000	0	MISCADD/TRAN	ETF stream
Jul-92	7/31/92	242-16	26	595000	620000	0	EVAPFEED	
Jul-92	7/31/92	45	242-16F	546000	561000	0	EVAPCONC	
Aug-92	8/3/92	26	45	35000	39000	0	CONCSN	
Aug-92	8/7/92	26	45	164000	174000	0	CONCSN	
Aug-92	8/16/92	26	47	168000	178000	0	CONCSN	
Aug-92	8/26/92	26	47	185000	197000	0	CONCSN	
Aug-92	8/31/92	242-16	26	648000	670000	0	EVAPFEED	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Aug-92	8/31/92	45	242-16F	582000	596000	0	EVAPCONC	
Aug-92	8/31/92	42-16	43	203000	204000	0	EVAPFEED	
Aug-92	8/31/92	38	242-16H	130000	130000	0	EVAPCONC	
Aug-92	8/31/92	43	299H		1000	0	MISCADD/TRAN	Decon Waste
Aug-92	8/31/92	21			13000	0	NONCANYWASTE	
Aug-92	8/31/92	23			11000	0	NONCANYWASTE	
Aug-92	8/31/92	50	ETF		13000	0	MISCADD/TRAN	ETF stream
Aug-92	8/31/92	30			1000	0	MISCADD/TRAN	CTS pumpout
Aug-92	8/31/92	13			1000	0	MISCADD/TRAN	1H Cell sump
Aug-92	8/31/92	11			1000	0	MISCADD/TRAN	Rain Water
Aug-92	8/31/92	38			3000	0	MISCADD/TRAN	DB-7
Aug-92	8/31/92	43			6000	0	MISCADD/TRAN	Rain Water and 2H Cell sump
Aug-92	8/31/92		35	1000		0	MISCADD/TRAN	Thermal Exp./Contraction
Sep-92	9/14/92	43	38	267000	278000	0	CONCSN	
Sep-92	9/30/92	43	38	128000	133000	0	CONCSN	
Sep-92	9/3/92	26	45	183000	190000	0	CONCSN	
Sep-92	9/4/92	26	45	35000	36000	0	CONCSN	
Sep-92	9/13/92	26	45	165000	172000	0	CONCSN	
Sep-92	9/21/92	26	45	173000	178000	0	CONCSN	
Sep-92	9/30/92	21			5000	0	MISCADD/TRAN	
Sep-92	9/30/92	7			1000	0	MISCADD/TRAN	Thermal Exp./Contraction
Sep-92	9/30/92	25			1000	0	MISCADD/TRAN	Thermal Exp./Contraction
Sep-92	9/30/92	28			1000	0	MISCADD/TRAN	Thermal Exp./Contraction
Sep-92	9/30/92		34	1000		0	MISCADD/TRAN	Thermal Exp./Contraction
Sep-92	9/30/92	47			1000	0	MISCADD/TRAN	Thermal Exp./Contraction
Sep-92	9/30/92		4	1000		0	MISCADD/TRAN	Evaporation
Sep-92	9/30/92		33	1000		0	MISCADD/TRAN	Evaporation
Sep-92	9/30/92		4	1000		0	MISCADD/TRAN	RT Calib./Repl. or Inv.change
Sep-92	9/30/92	43	299H	2000	2000	0	MISCADD/TRAN	Decon Waste
Sep-92	9/30/92	21	44H-245	3000	3000	0	NONCANYWASTE	
Sep-92	9/30/92	50	ETF	12000	12000	0	MISCADD/TRAN	ETF stream
Sep-92	9/30/92	41			3000	0	MISCADD/TRAN	Flush Water
Sep-92	9/30/92	42			1000	0	MISCADD/TRAN	Flush Water
Sep-92	9/30/92	50			3000	0	MISCADD/TRAN	Flush Water
Sep-92	9/30/92	23			4000	0	MISCADD/TRAN	NaOH
Sep-92	9/30/92	43		8000		0	MISCADD/TRAN	
Sep-92	9/30/92	12			1000	0	MISCADD/TRAN	Chromate water
Sep-92	9/30/92		10	36000		0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Sep-92	9/30/92	38			1000	0	MISCADD/TRAN	H-DB-7
Sep-92	9/30/92	242-16	26	574000	596000	0	EVAPFEED	
Sep-92	9/30/92	45	242-16F	532000	545000	0	EVAPCONC	
Sep-92	9/30/92	42-16	43	453000	470000	0	EVAPFEED	
Sep-92	9/30/92	38	242-16H	299000	315000	0	EVAPCONC	
Oct-92	10/31/92	242-16	26	280000	300000	0	EVAPFEED	
Oct-92	10/31/92	45	242-16F	269000	276000	0	EVAPCONC	
Oct-92	10/31/92	42-16	43	158000	161000	0	EVAPFEED	
Oct-92	10/31/92	38	242-16H	114000	122000	0	EVAPCONC	
Oct-92	10/1/92	43	38	66000	68000	0	CONCSN	
Oct-92	10/4/92	26	45	143000	155000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Oct-92	10/28/92	26	45	156000	162000	0	CONCSN	
Oct-92	10/31/92	26	242-16F	2000	2000	0	OVERSPEC	
Oct-92	10/31/92		3	12000		0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-92	10/31/92		5	20000		0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-92	10/31/92	6			4000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-92	10/31/92		8	8000		0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-92	10/31/92		4	2000		0	MISCADD/TRAN	Evaporation loss
Oct-92	10/31/92		7	2000		0	MISCADD/TRAN	Evaporation loss
Oct-92	10/31/92	43	299H	2000	2000	0	MISCADD/TRAN	Decon Waste
Oct-92	10/31/92	21	44H-245	13000	13000	0	NONCANYWASTE	
Oct-92	10/31/92	23	44H-245	13000	13000	0	NONCANYWASTE	
Oct-92	10/31/92	50	ETF	15000	15000	0	MISCADD/TRAN	ETF stream
Oct-92	10/31/92	22			2000	0	MISCADD/TRAN	RT Calib./Repl. or Inv. change
Oct-92	10/31/92	30			1000	0	MISCADD/TRAN	CTS Pump tank
Oct-92	10/31/92	38			2000	0	MISCADD/TRAN	HDB-7 Sump and Flush water
Oct-92	10/31/92	43			6000	0	MISCADD/TRAN	
Oct-92	10/31/92	48			14000	0	MISCADD/TRAN	Simulated Waste
Oct-92	10/31/92	23			1000	0	OVERSPEC	Stored for later CRC proc.
Nov-92	11/6/92	26	45	157000	163000	0	CONCSN	
Nov-92	11/18/92	26	47	32000	36000	0	SNATE	
Nov-92	11/21/92	26	45	53000	54000	0	CONCSN	
Nov-92	11/24/92	43	38	264000	273000	0	CONCSN	
Nov-92	11/26/92	26	45	113000	114000	0	CONCSN	
Nov-92	11/30/92	242-16	26	299000	324000	0	EVAPFEED	
Nov-92	11/30/92	45	242-16F	307000	323000	0	EVAPCONC	
Nov-92	11/30/92	42-16	43	311000	321000	0	EVAPFEED	
Nov-92	11/30/92	38	242-16H	238000	257000	0	EVAPCONC	
Nov-92	11/30/92	26	242-16F	4000	4000	0	OVERSPEC	
Nov-92	11/30/92	26			8000	0	MISCADD/TRAN	Rainwater
Nov-92	11/30/92		4	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Nov-92	11/30/92		7	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Nov-92	11/30/92		19	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Nov-92	11/30/92		20	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Nov-92	11/30/92		33	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Nov-92	11/30/92		34	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Nov-92	11/30/92	43	299H	1000	1000	0	MISCADD/TRAN	Decon Waste
Nov-92	11/30/92	21	44H-245	9000	9000	0	NONCANYWASTE	
Nov-92	11/30/92	23	44H-245	10000	10000	0	NONCANYWASTE	
Nov-92	11/30/92	50	ETF	12000	12000	0	MISCADD/TRAN	ETF stream
Nov-92	11/30/92	48			2000	0	MISCADD/TRAN	Flush Water
Nov-92	11/30/92	39			3000	0	MISCADD/TRAN	HPT6 (rainwater)
Nov-92	11/30/92	43			1000	0	MISCADD/TRAN	HPT5 (rainwater)
Nov-92	11/30/92	38			1000	0	MISCADD/TRAN	HDB-7 Sump
Nov-92	11/30/92	43			1000	0	MISCADD/TRAN	Flush Water
Nov-92	11/30/92	48			14000	0	MISCADD/TRAN	Simulated Waste
Dec-92	12/8/92	26	45	115000	119000	0	CONCSN	
Dec-92	12/14/92	26	45	93000	97000	0	CONCSN	
Dec-92	12/18/92	43	38	275000	286000	0	CONCSN	
Dec-92	12/19/92	26	45	102000	106000	0	CONCSN	

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Dec-92	12/24/92	26	45	110000	115000	0	CONCSN	
Dec-92	12/30/92	26	45	117000	122000	0	CONCSN	
Dec-92	12/31/92	242-16	26	522000	546000	0	EVAPFEED	
Dec-92	12/31/92	45	242-16F	504000	514000	0	EVAPCONC	
Dec-92	12/31/92	42-16	43	248000	260000	0	EVAPFEED	
Dec-92	12/31/92	38	242-16H	199000	514000	0	EVAPCONC	
Dec-92	12/31/92	26	242-16F	1000	1000	0	OVERSPEC	
Dec-92	12/31/92	43	299H	1000	1000	0	MISCADD/TRAN	Decon Waste
Dec-92	12/31/92	23	44H-245	38000	38000	0	NONCANYWASTE	
Dec-92	12/31/92	50	ETF	9000	9000	0	MISCADD/TRAN	ETF stream
Jan-93	1/5/93	26	45	106000	111000	0	CONCSN	
Jan-93	1/11/93	26	45	114000	118000	0	CONCSN	
Jan-93	1/31/93	242-16	26	226000	237000	0	EVAPFEED	
Jan-93	1/31/93	45	242-16F	211000	217000	0	EVAPCONC	
Jan-93	1/31/93	42-16	43	57000	58000	0	EVAPFEED	
Jan-93	1/31/93	38	242-16H	45000	57000	0	EVAPCONC	
Jan-93	1/31/93	26			7000	0	MISCADD/TRAN	Rainwater
Jan-93	1/31/93	46			4000	0	MISCADD/TRAN	Inhibitors
Jan-93	1/31/93		4	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Jan-93	1/31/93		7	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Jan-93	1/31/93		19	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Jan-93	1/31/93		33	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Jan-93	1/31/93		1	5000		0	MISCADD/TRAN	Steel Tape Error
Jan-93	1/31/93		34	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Jan-93	1/31/93	21	44H-245	6000	6000	0	NONCANYWASTE	
Jan-93	1/31/93	23	44H-245	36000	36000	0	NONCANYWASTE	
Jan-93	1/31/93	50	ETF	36000	36000	0	MISCADD/TRAN	ETF stream
Jan-93	1/31/93	43			4000	0	MISCADD/TRAN	HPT3 (rainwater)
Jan-93	1/31/93	43			2000	0	MISCADD/TRAN	HPT5 (rainwater)
Jan-93	1/31/93	43			5000	0	MISCADD/TRAN	HPT2 (rainwater)
Jan-93	1/31/93		39	1000		0	MISCADD/TRAN	Thermal Contraction
Jan-93	1/31/93	43			1000	0	MISCADD/TRAN	Chromate Drain Tank
Jan-93	1/31/93	30			4000	0	MISCADD/TRAN	CTS Tank
Jan-93	1/31/93	48			16000	0	MISCADD/TRAN	Simulated Waste
Jan-93	1/31/93	38			2000	0	MISCADD/TRAN	HDB-7 Sump
Jan-93	1/31/93	13			1000	0	MISCADD/TRAN	1H Cell Sump and Flush Water
Jan-93	1/31/93	24			5000	0	MISCADD/TRAN	Sidewall Sump
Feb-93	2/28/93	242-16	26	28000	31000	0	EVAPFEED	
Feb-93	2/28/93	45	242-16F	33000	34000	0	EVAPCONC	
Feb-93	2/28/93	26			9000	0	MISCADD/TRAN	
Feb-93	2/28/93		4	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Feb-93	2/28/93		7	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Feb-93	2/28/93		19	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Feb-93	2/28/93		34	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Feb-93	2/28/93		46	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Feb-93	2/28/93	1			1000	0	MISCADD/TRAN	Steel Tape Error
Feb-93	2/28/93	23	44H-245	39000	39000	0	NONCANYWASTE	
Feb-93	2/28/93	50	ETF	15000	15000	0	MISCADD/TRAN	ETF stream
Feb-93	2/28/93	Z-area	50	12000	12000	0	MISCADD/TRAN	To Saltstone

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-93	2/28/93	50			2000	0	MISCADD/TRAN	Flush Water
Feb-93	2/28/93	43			2000	0	MISCADD/TRAN	HPT5 (rainwater)
Feb-93	2/28/93	31			2000	0	MISCADD/TRAN	HDB-7 Sump
Feb-93	2/28/93	30			3000	0	MISCADD/TRAN	CTS Tank
Feb-93	2/28/93	38			2000	0	MISCADD/TRAN	Evap. & HDB-7 Sump
Feb-93	2/28/93	13			100	0	MISCADD/TRAN	242-H Evap. Cell Sump
Feb-93	2/28/93	23			1000	0	MISCADD/TRAN	242-H Cold Runs Ovhds.
Mar-93	3/2/93	43	23	2000	1000	0	SNATE	
Mar-93	3/4/93	26	45	85000	87000	0	CONCSN	
Mar-93	3/10/93	26	45	67000	73000	0	CONCSN	
Mar-93	3/22/93	13	30	51000	53000	0	CONCSN	
Mar-93	3/29/93	13	30	65000	67000	0	CONCSN	
Mar-93	3/31/93	43	51	253000	263000	0	SLUDGEWW	
Mar-93	3/31/93	242-16	26	176000	192000	0	EVAPFEED	
Mar-93	3/31/93	45	242-16F	181000	185000	0	EVAPCONC	
Mar-93	3/31/93	42-16	43	188000	199000	0	EVAPFEED	
Mar-93	3/31/93	38	242-16H	138000	146000	0	EVAPCONC	
Mar-93	3/31/93	242-H	13	154000	154000	0	EVAPFEED	
Mar-93	3/31/93	30	242-H	123000	132000	0	EVAPCONC	
Mar-93	3/31/93	26	242-16F	8000	8000	0	OVERSPEC	
Mar-93	3/31/93	26			2000	0	MISCADD/TRAN	1F Evap. & Catch Tank
Mar-93	3/31/93		4	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Mar-93	3/31/93		27	1000		0	MISCADD/TRAN	Salt Interference w/ Reel Tape
Mar-93	3/31/93	46			1000	0	MISCADD/TRAN	Reel Tape Reparked
Mar-93	3/31/93		47	3000		0	MISCADD/TRAN	Reel Tape Reparked
Mar-93	3/31/93		1	3000		0	MISCADD/TRAN	Steel Tape Error
Mar-93	3/31/93	43	299H	2000	2000	0	MISCADD/TRAN	Decon Waste
Mar-93	3/31/93	23	44H-245	29000	29000	0	NONCANYWASTE	
Mar-93	3/31/93	50	ETF	14000	14000	0	MISCADD/TRAN	ETF stream
Mar-93	3/31/93	43			6000	0	MISCADD/TRAN	Rain & Leaked Chromate H2O
Mar-93	3/31/93	48			32000	0	MISCADD/TRAN	ITP Test Soln.
Mar-93	3/31/93	30			5000	0	MISCADD/TRAN	CTS Tank
Mar-93	3/31/93	38			1000	0	MISCADD/TRAN	HDB-7 Sump
Mar-93	3/31/93	13			1000	0	MISCADD/TRAN	242-H Evap. Cell Sump
Apr-93	4/5/93	13	30	105000	109000	0	CONCSN	
Apr-93	4/6/93	43	38	332000	345000	0	CONCSN	
Apr-93	4/24/93	43	41	17000	17000	0	LHWSN	
Apr-93	4/30/93	242-H	13	96000	96000	0	EVAPFEED	
Apr-93	4/30/93	30	242-H	76000	76000	0	EVAPCONC	
Apr-93	4/30/93	42-16	43	325000	339000	0	EVAPFEED	
Apr-93	4/30/93	38	242-16H	219000	235000	0	EVAPCONC	
Apr-93	4/30/93	26			9000	0	MISCADD/TRAN	1F Evap. & Catch Tank
Apr-93	4/30/93		4	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Apr-93	4/30/93		7	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Apr-93	4/30/93		45	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Apr-93	4/30/93	33			1000	0	MISCADD/TRAN	Thermal Expansion
Apr-93	4/30/93	34			1000	0	MISCADD/TRAN	Thermal Expansion
Apr-93	4/30/93	44			1000	0	MISCADD/TRAN	Thermal Expansion
Apr-93	4/30/93	47			6000	0	MISCADD/TRAN	Steel Tape Reparked

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-93	4/30/93	1			1000	0	MISCADD/TRAN	Steel Tape Error
Apr-93	4/30/93	23	44H-245	37000	37000	0	NONCANYWASTE	
Apr-93	4/30/93	50	ETF	7000	7000	0	MISCADD/TRAN	ETF stream
Apr-93	4/30/93	43			4000	0	MISCADD/TRAN	HPT3 (Rain & Chromate H2O)
Apr-93	4/30/93	51			38000	0	MISCADD/TRAN	NaNO3

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Apr-93	4/30/93	1			1000	0	MISCADD/TRAN	Steel Tape Error
Apr-93	4/30/93	23	44H-245	37000	37000	0	NONCANYWASTE	
Apr-93	4/30/93	50	ETF	7000	7000	0	MISCADD/TRAN	ETF stream
Apr-93	4/30/93	43			4000	0	MISCADD/TRAN	HPT3 (Rain & Chromate H2O)
Apr-93	4/30/93	51			38000	0	MISCADD/TRAN	NaNO3

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments
Feb-93	2/28/93	50			2000	0	MISCADD/TRAN	Flush Water
Feb-93	2/28/93	43			2000	0	MISCADD/TRAN	HPT5 (rainwater)
Feb-93	2/28/93	31			2000	0	MISCADD/TRAN	HDB-7 Sump
Feb-93	2/28/93	30			3000	0	MISCADD/TRAN	CTS Tank
Feb-93	2/28/93	38			2000	0	MISCADD/TRAN	Evap. & HDB-7 Sump
Feb-93	2/28/93	13			100	0	MISCADD/TRAN	242-H Evap. Cell Sump
Feb-93	2/28/93	23			1000	0	MISCADD/TRAN	242-H Cold Runs Ovhds.
Mar-93	3/2/93	43	23	2000	1000	0	SNATE	
Mar-93	3/4/93	26	45	85000	87000	0	CONCSN	
Mar-93	3/10/93	26	45	67000	73000	0	CONCSN	
Mar-93	3/22/93	13	30	51000	53000	0	CONCSN	
Mar-93	3/29/93	13	30	65000	67000	0	CONCSN	
Mar-93	3/31/93	43	51	253000	263000	0	SLUDGEWW	
Mar-93	3/31/93	242-16	26	176000	192000	0	EVAPFEED	
Mar-93	3/31/93	45	242-16F	181000	185000	0	EVAPCONC	
Mar-93	3/31/93	42-16	43	188000	199000	0	EVAPFEED	
Mar-93	3/31/93	38	242-16H	138000	146000	0	EVAPCONC	
Mar-93	3/31/93	242-H	13	154000	154000	0	EVAPFEED	
Mar-93	3/31/93	30	242-H	123000	132000	0	EVAPCONC	
Mar-93	3/31/93	26	242-16F	8000	8000	0	OVERSPEC	
Mar-93	3/31/93	26			2000	0	MISCADD/TRAN	1F Evap. & Catch Tank
Mar-93	3/31/93		4	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Mar-93	3/31/93		27	1000		0	MISCADD/TRAN	Salt Interference w/ Reel Tape
Mar-93	3/31/93	46			1000	0	MISCADD/TRAN	Reel Tape Reparked
Mar-93	3/31/93		47	3000		0	MISCADD/TRAN	Reel Tape Reparked
Mar-93	3/31/93		1	3000		0	MISCADD/TRAN	Steel Tape Error
Mar-93	3/31/93	43	299H	2000	2000	0	MISCADD/TRAN	Decon Waste
Mar-93	3/31/93	23	44H-245	29000	29000	0	NONCANYWASTE	
Mar-93	3/31/93	50	ETF	14000	14000	0	MISCADD/TRAN	ETF stream
Mar-93	3/31/93	43			6000	0	MISCADD/TRAN	Rain & Leaked Chromate H2O
Mar-93	3/31/93	48			32000	0	MISCADD/TRAN	ITP Test Soln.
Mar-93	3/31/93	30			5000	0	MISCADD/TRAN	CTS Tank
Mar-93	3/31/93	38			1000	0	MISCADD/TRAN	HDB-7 Sump
Mar-93	3/31/93	13			1000	0	MISCADD/TRAN	242-H Evap. Cell Sump
Apr-93	4/5/93	13	30	105000	109000	0	CONCSN	
Apr-93	4/6/93	43	38	332000	345000	0	CONCSN	
Apr-93	4/24/93	43	41	17000	17000	0	LHWSN	
Apr-93	4/30/93	242-H	13	96000	96000	0	EVAPFEED	
Apr-93	4/30/93	30	242-H	76000	76000	0	EVAPCONC	
Apr-93	4/30/93	42-16	43	325000	339000	0	EVAPFEED	
Apr-93	4/30/93	38	242-16H	219000	235000	0	EVAPCONC	
Apr-93	4/30/93	26			9000	0	MISCADD/TRAN	1F Evap. & Catch Tank
Apr-93	4/30/93		4	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Apr-93	4/30/93		7	2000		0	MISCADD/TRAN	Evap./Thermal Contraction
Apr-93	4/30/93		45	1000		0	MISCADD/TRAN	Evap./Thermal Contraction
Apr-93	4/30/93	33			1000	0	MISCADD/TRAN	Thermal Expansion
Apr-93	4/30/93	34			1000	0	MISCADD/TRAN	Thermal Expansion
Apr-93	4/30/93	44			1000	0	MISCADD/TRAN	Thermal Expansion
Apr-93	4/30/93	47			6000	0	MISCADD/TRAN	Steel Tape Reparked

Appendix A

Tank Transfers and Additions

Report Date	Actual Date	Receipt Tank	Sending Tank	Volume from Sending (gal)	Volume to Receipt (gal)	Sludge %	Type Waste	Description/Comments	
Apr-93	4/30/93	1			1000	0	MISCADD/TRAN	Steel Tape Error	
Apr-93	4/30/93	23	44H-245	37000	37000	0	NONCANYWASTE		
Apr-93	4/30/93	50	ETF	7000	7000	0	MISCADD/TRAN	ETF stream	
Apr-93	4/30/93	43			4000	0	MISCADD/TRAN	HPT3 (Rain & Chromate H2O)	
Apr-93	4/30/93	51			38000	0	MISCADD/TRAN	NaNO3	