

679928

WSRC-TR-93-425

Revision 1

APPROVED for Release for
Unlimited (Release to Public)

Keywords: Waste Management
Liquid Wastes
Radioactive Waste Mgmt.
Waste Storage

Retention: Permanent

Waste Transfers and Miscellaneous Additions (U)

January 21, 1994

Patent Status

This internal management report is being transmitted without DOE patent clearance, and no further dissemination or publication shall be made of the report without prior approval of the DOE patent counsel.

Westinghouse Savannah River Company
P. O. Box 616
Aiken, SC 29802

Prepared by the U. S. Department of Energy under Contract DE-AC09-88SR18035

Westinghouse Savannah River Company Document Approval Sheet

Document No. **WSRC-TR-93-425 REV. 1**
UC/C Number

679928

| | | | |
|--|--|--|---|
| Title WASTE TRANSFERS AND MISCELLANEOUS RECEIPTS Additions (4) | | | |
| Primary Author/Contact (Must be WSRC) W.S. CAVIN | Location 773-A/C-133 | Phone No. 55290 | Position JUNIOR ENGINEER |
| Organization Code L2640 | Organization (No Abbreviations) CHEMICAL AND HYDROGEN TECHNOLOGY SECTION | | |
| Other Authors A.T. CRUMM | | | |
| Keywords WASTE MANAGEMENT LIQUID WASTES | RADIOACTIVE WASTE MGMT. WASTE STORAGE | Retention Period PERMANENT | Type of Record <input checked="" type="checkbox"/> Lifetime <input type="checkbox"/> Nonpermanent |
| Intended Usage <input checked="" type="checkbox"/> Report <input type="checkbox"/> Conference/Mtg/Presentation <input type="checkbox"/> Software <input type="checkbox"/> Other | Document Type <input type="checkbox"/> Abstract <input type="checkbox"/> Paper <input type="checkbox"/> Technical | Conference/Meeting/Presentation <input type="checkbox"/> Published Proceedings <input type="checkbox"/> Other | |
| No. of Copies | Deadline | Meeting/Journal Title (No Abbreviations) | |
| Reports <input type="checkbox"/> Quarterly <input type="checkbox"/> Topical <input type="checkbox"/> Semiannual <input type="checkbox"/> Phase I <input type="checkbox"/> Annual <input type="checkbox"/> Phase II <input type="checkbox"/> Final <input type="checkbox"/> Other | | Meeting Address (City, State, Country) | |
| Report Dates | | Meeting Date(s) (m/d/y) thru (m/d/y) | |
| Sponsor | | Sponsor | |
| I understand that for the information in this paper to be given external distribution, approvals by both WSRC and, as appropriate, DOE-SR are required. Distribution (verbally or published) must be in accordance with policies set forth in WSRC management requirements and procedures (MRP 3.25) and in DOE-SR orders, and the content of the external distribution must be limited to that actually approved. Walter J. Corum Author's Signature 1/27/94 Date | | | |
| Approvals by Author's Organization | | | |
| Derivative Classifier PAUL D. D'ENTREMONT | Classification U | Topic | Distribution <input checked="" type="checkbox"/> Unlimited <input type="checkbox"/> Limited (Explain below.) |
| Explanations | | | |
| Manager's Name FRANK GRAMM | | Manager's Signature Frank Gramm | Date 2/6/94 |
| Classification Information (To be completed by Classification Reviewer) | | | |
| Classification (Check one for each) Overall <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> UCN <input checked="" type="checkbox"/> U Abstract <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> UCN <input type="checkbox"/> U Title <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> UCN <input checked="" type="checkbox"/> U Cover Letter <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> UCN <input checked="" type="checkbox"/> U | Classification Guide Topics Not OSTI Reportable Records Only | | |
| WSRC Classification Officer's Name R L Collins | WSRC Classification Officer's Signature Randy Collins | | Date 2/3/94 |
| Publications Use Only | | | |
| Date Received | Date Assigned | | |
| Publications Manager | Editor | | |

679928

January 24, 1994

To: A. L. Blancett, 773-A
S. D. Fink, 773-A
F. R. Graham, 773-A
Jean Sellers (2), 703-43A
R. A. Scaggs, 703-H
T. C. Temple, 703-H
HLWE Files, 703-H (file code 1.2.1)

M. C. Chandler, 703-H
J. S. Clemmons, 703-H
P. D. d'Entremont, 703-H
V. G. Dickert, 703-H
G. K. Georgetown, 703-H
J. E. Marra, 703-H
T. M. Monahan, 703-H

From: W. S. Cavin, 773-A

WSRC-TR-93-425 Revision 1

Corrections have been made in the appendix to the Report entitled *Waste Transfers and Miscellaneous Additions*. The body of the revised report contains a section (Changes in Revision 1) which lists the changes which have been made since Revision 0. Please destroy your copy of Revision 0 and replace it with Revision 1.

679928

Chemical Process Technology Department
Chemical Technology Section

WSRC-TR-93-425
Revision: 1

Keywords:
Waste Management
Liquid Wastes
Radioactive Waste Mgmt.
Waste Storage

Waste Transfers and Miscellaneous Additions (U)

By W. S. Cavin and A. T. Crumm

Issued: January 21, 1994

Retention:
Permanent

Classification: U

Paul D. d'Entremont 1/25/94
Authorized Derivative Classifier

Walter Cavin

W. S. Cavin, Author

J. S. Crumm

J. S. Crumm, Technical Reviewer

Date: 1/25/94

Date: 1/25/94

Introduction and Summary

A compilation of historical data related to waste transfers within and miscellaneous additions to various underground waste storage tanks was done by A. T. Crumm (co-op student) and described in a departmental report¹. This report serves as the formal documentation of this previously completed work.

Waste transfer and addition information was taken from Works Technical² and Waste Management³ monthly reports for the November 1954 through April 1993 time period. The data contained in this report will be combined with waste composition and fresh waste receipt information to construct predictive models for waste tank composition.

Discussion

Appendix A contains a hard copy of a spreadsheet which contains information related to the movement of separation process wastes within the underground waste storage tanks. In the spreadsheet, the first column is the Report Date, and is a direct reference to the monthly report from which the data were extracted (e.g. Mar-67 data are from the March 1967 Works Technical Monthly Report; DPSP-67-1-3). The data recorded in subsequent columns include: Actual Date, Receipt Tank, Sending Tank, Volume from Sending, Volume to Receipt, Sludge %, Type Waste, and Description/Comments. For intertank transfers and miscellaneous additions, Actual Date is the ending date of the transfer. For continuous transfers (e.g. evaporator feed), Actual Date is the end date of the report period. Receipt Tank identifies the tank or facility receiving the waste, and Sending Tank identifies the tank or facility from which the waste is transferred. Volume from Sending is the volume of waste transferred out based on actual volume loss in the sending tank or facility. Volume to Receipt is the actual volume received and is equal to sending volume plus any additions (e.g. jet dilution). Sludge % is the estimated percentage of the sludge in the sending tank which was moved to another tank during a sludge slurry (SLSLURRY) transfer. Type Waste is a descriptor of the type of waste, and the labels used are defined in Table I.

Table I. Type Waste Descriptors

| <u>Descriptor</u> | <u>Definition</u> | <u>Descriptor</u> | <u>Definition</u> |
|-------------------|---|-------------------|--|
| CONC | Evaporator Concentrate | HHWSN | High Heat Waste Supernate |
| CONCSN | Concentrated Supernate Recycled to Evap. Feed Tank | LHWCONC | Concentrated Low Heat Waste |
| CRC | Cesium Removal Column | LHWCONCSN | Remaining Supernate from Concentrated Low Heat Waste |
| DILCONC | Concentrated Supernate Diluted | LHWSN | Low Heat Waste Supernate |
| DILWASTE | Dilute Waste | MISCADD/TRAN | Miscellaneous Additions and Transfers |
| DISSALT | Dissolved Salt or Salt Slurry | MIXSNATE | Mixed Supernate |
| DISSALTSN | Dissolved Salt Supernate | NONCANYWAST | Waste from Other Sources |
| EVAPCONC | Bottoms Stream from Evaporator | OVERSPEC | Overheads/CRC Effluent |
| EVAPFEED | Feed Stream to Evaporator | | Recycled to Feed |
| FRHHW | Fresh High Heat Waste | RBOF-RRF | RBOF/RRF Stream |
| FRHHWSN | Fresh High Heat Waste Supernate | RBOFW | RBOF Waste |
| FRLHW | Fresh Low Heat Waste | SALTRW | Salt Removal Waste |
| FRLHWSN | Fresh Low Heat Waste Supernate | SLSLURRY | Sludge Slurry Transfer |
| HHWCONC | Concentrated High Heat Waste | SLUDGERW | Sludge Removal Waste |
| HHWCONCSN | Remaining Supernate from Concentrated High Heat Waste | SLUDGEWW | Sludge Wash Waste |
| | | SNATE | Supernate |

The percentage of the sludge in the sending tank which was moved to another tank during a sludge slurry (SLSLURRY) transfer (data in the Sludge % column) was estimated using data from the Works

Technical² and Waste Management³ monthly reports. In most instances, the estimated sludge content of slurry transfers was given directly in the reports. With this data, calculation of the Slurry % was simply a matter of calculating the percentages based on the amount of sludge originally in the sending tank (also given in the monthly reports). When slurry content estimates were not given directly in the monthly reports, engineering estimates were made based on the data which was available.

The remaining data in Appendix A was taken directly from the applicable monthly report except for a few instances in which the data was in error. In most of these cases (mistaken decimal places, tank transfers reversed, etc.) the error was obvious and was entered correctly into the spreadsheet. The only instance which required assumed data to be used was during the 4/84-5/84 period. These two monthly reports had one data table which was exactly the same for both months. This situation was handled by assuming that the actual data for the month with the replicated table would have been close to the incorrect (repeated) data which was shown. Therefore, the data from the replicated table was used for both months, even though one of the tables was obviously in error.

Changes in Revision 1

The following corrections have been included in Revision 1. All other data is identical to that which was published in Revision 0

| <u>Page #</u> | <u>Row Description</u> | <u>Change</u> |
|---------------|-----------------------------------|-------------------------------------|
| A-69 | Nov-80, MISCADD/TRAN, Flush Water | Volume to Receipt from 8000 to 3000 |
| A-83 | Jan-83, Tank 33 to 26 transfer | Type Waste from CONCSN to DISSALT |
| A-121 | Jun-88, Tank 40 to 43 transfer | Sending tank from 0 to 40 |

References

1. A. T. Crumm, "Tank History Project: History of the High Level Liquid Waste Tanks at SRS (U)", WER-HLE-921383, December 17, 1992.
2. Works Technical Monthly Reports, DPSP-54-1-11-S through DPSP-80-1-12 [secret] (all monthly volumes between November 1954 and December 1980)
3. Waste Management Monthly Reports, DPSP-81-21-1 through WSRC-RP-93-78-4 [U] (all monthly volumes between January 1981 and April 1993; the reports were numbered DPSP-81-21-1 through DPSP-84-21-12 and WSRC-RP-89-78-1 through WSRC-RP-93-78-4, the reports from 1985-1988 did not have a document number, but were stored as "WMT Monthly Data Report")

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| WASTE TRANSFERS AND ADDITIONS | | | | | | | | |
|--------------------------------------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-57 | 4/20/57 | 10 | | 0 | 19000 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Apr-57 | 4/20/57 | 12 | | 0 | 14800 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Apr-57 | 4/20/57 | 3 | | 0 | 24000 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Apr-57 | 4/20/57 | 12 | 10 | 48600 | 48600 | 0 | HHWSN | |
| Jul-57 | 7/20/57 | 10 | | 0 | 900 | 0 | MISCADD/TRAN | 5 wt% Caustic (NaOH) |
| Jul-57 | 7/20/57 | 10 | | 0 | 760 | 0 | MISCADD/TRAN | ReRun Waste |
| Sep-57 | 9/20/57 | 3 | | 0 | 12700 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Sep-57 | 9/20/57 | 10 | | 0 | 14000 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Sep-57 | 9/20/57 | 12 | | 0 | 19600 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Sep-57 | 9/20/57 | 14 | | 0 | 3500 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Sep-57 | 9/20/57 | 12 | 10 | 33000 | 33000 | 0 | HHWSN | |
| Dec-57 | 12/18/57 | 9 | | 0 | 11100 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Jan-58 | 1/20/58 | 9 | | 0 | 2710 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Jan-58 | 1/20/58 | 9 | | 0 | 2710 | 0 | MISCADD/TRAN | H2O |
| Jun-58 | 1/20/58 | 12 | 10 | 2710 | 2710 | 0 | HHWSN | |
| Aug-58 | 8/7/58 | 14 | 9 | 26040 | 26040 | 0 | HHWSN | |
| Nov-58 | 8/23/58 | 12 | 10 | 13500 | 13500 | 0 | HHWSN | |
| Mar-59 | 3/20/59 | 5 | | 0 | 984 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Apr-59 | 4/6/59 | 12 | 10 | 10500 | 10500 | 0 | HHWSN | |
| Jun-59 | 5/27/59 | 16 | | 0 | 3500 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Jul-59 | 7/20/59 | 18 | | 0 | 14160 | 0 | MISCADD/TRAN | H2O Heel |
| Jan-60 | 1/20/60 | 3 | | 0 | 6000 | 0 | MISCADD/TRAN | H2O |
| Mar-60 | 3/4/60 | 18 | 7 | 640000 | 640000 | 0 | LHWSN | |
| Mar-60 | 3/20/60 | 20 | 18 | 63720 | 63720 | 0 | LHWSN | |
| Mar-60 | 3/20/60 | 14 | | 0 | 8000 | 0 | MISCADD/TRAN | H2O for Leak Check |
| Apr-60 | 3/25/60 | 14 | | 0 | 8000 | 0 | MISCADD/TRAN | 50 wt% Caustic (NaOH) |
| Apr-60 | 4/20/60 | 7 | 8 | 670000 | 670000 | 0 | LHWSN | |
| Apr-60 | 4/20/60 | 242-1F | 18 | 435000 | 435000 | 0 | EVAPFEED | |
| Apr-60 | 4/20/60 | 20 | 242-1F | 146000 | 146000 | 0 | EVAPCONC | |
| May-60 | 5/20/60 | | 3 | 11653 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| May-60 | 5/20/60 | 242-1F | 18 | 347000 | 347000 | 0 | EVAPFEED | |
| May-60 | 5/20/60 | 20 | 242-1F | 127000 | 127000 | 0 | EVAPCONC | |
| Jun-60 | 6/20/60 | | 3 | 5420 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jun-60 | 6/20/60 | 242-1F | 18 | 432000 | 432000 | 0 | EVAPFEED | |
| Jun-60 | 6/20/60 | 20 | 242-1F | 137000 | 137000 | 0 | EVAPCONC | |
| Jul-60 | 7/20/60 | 242-1F | 18 | 122900 | 122900 | 0 | EVAPFEED | |
| Jul-60 | 7/20/60 | 20 | 242-1F | 43900 | 43900 | 0 | EVAPCONC | |
| Aug-60 | 8/20/60 | 242-1F | 18 | 252200 | 252200 | 0 | EVAPFEED | |
| Aug-60 | 8/20/60 | 20 | 242-1F | 84900 | 84900 | 0 | EVAPCONC | |
| Sep-60 | 9/20/60 | 14 | 16 | 70000 | 70000 | 0 | MISCADD/TRAN | Annulus Waste |
| Sep-60 | 9/20/60 | 242-1F | 18 | 288160 | 288160 | 0 | EVAPFEED | |
| Sep-60 | 9/20/60 | 20 | 242-1F | 91077 | 91077 | 0 | EVAPCONC | |
| Oct-60 | 10/12/60 | 15 | 16 | 350000 | 350000 | 0 | SNATE | |
| Oct-60 | 10/20/60 | 7 | | 0 | 10000 | 0 | MISCADD/TRAN | 7 wt% Oxalic Acid and FS |
| Oct-60 | 10/20/60 | 14 | 16 | 185000 | 185000 | 0 | MISCADD/TRAN | Tk 18 annulus Waste |
| Oct-60 | 10/20/60 | 242-1F | 18 | 192800 | 192800 | 0 | EVAPFEED | |
| Oct-60 | 10/20/60 | 20 | 242-1F | 52000 | 52000 | 0 | EVAPCONC | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-80 | 11/20/80 | 242-1F | 18 | 286200 | 286200 | 0 | EVAPFEED | |
| Nov-80 | 11/20/80 | 20 | 242-1F | 51330 | 51330 | 0 | EVAPCONC | |
| Dec-80 | 12/20/80 | 7 | | 0 | 12000 | 0 | NONCANYWASTE | 100 Area Heat Exch. Flushes |
| Dec-80 | 12/20/80 | 242-1F | 18 | 187200 | 187200 | 0 | EVAPFEED | |
| Dec-80 | 12/20/80 | 20 | 242-1F | 28300 | 28300 | 0 | EVAPCONC | |
| Jan-81 | 1/20/81 | 242-1F | 18 | 100900 | 100900 | 0 | EVAPFEED | |
| Jan-81 | 1/20/81 | 20 | 242-1F | 9700 | 9700 | 0 | EVAPCONC | |
| Feb-81 | 2/20/81 | 242-1F | 18 | 115000 | 115000 | 0 | EVAPFEED | |
| Feb-81 | 2/20/81 | 20 | 242-1F | 13100 | 13100 | 0 | EVAPCONC | |
| Mar-81 | 3/20/81 | 242-1F | 18 | 199300 | 199300 | 0 | EVAPFEED | |
| Mar-81 | 3/20/81 | 20 | 242-1F | 20300 | 20300 | 0 | EVAPCONC | |
| Apr-81 | 4/20/81 | | 8 | 47700 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Apr-81 | 4/20/81 | 5 | 8 | 20000 | 20000 | 0 | LHWSN | |
| Apr-81 | 4/20/81 | 242-1F | 18 | 168400 | 168400 | 0 | EVAPFEED | |
| Apr-81 | 4/20/81 | 20 | 242-1F | 11500 | 11500 | 0 | EVAPCONC | |
| May-81 | 5/1/81 | 18 | 7 | 86600 | 86600 | 0 | LHWSN | |
| May-81 | 5/3/81 | 17 | | 0 | 127400 | 0 | MISCADD/TRAN | H2O Heat |
| May-81 | 5/20/81 | 242-1F | 18 | 274800 | 274800 | 0 | EVAPFEED | |
| May-81 | 5/20/81 | 20 | 242-1F | 43400 | 43400 | 0 | EVAPCONC | |
| Jun-81 | 6/9/81 | 19 | 17 | 218770 | 218770 | 0 | FRLHW | Cascade of Waste |
| Jun-81 | 6/9/81 | 19 | | 0 | 129210 | 0 | MISCADD/TRAN | H2O Heat |
| Jun-81 | 6/20/81 | 9 | | 0 | 3500 | 0 | MISCADD/TRAN | Annulus Waste from leakage |
| Jun-81 | 6/20/81 | 242-1F | 18 | 243560 | 243560 | 0 | EVAPFEED | |
| Jun-81 | 6/20/81 | 20 | 242-1F | 37170 | 37170 | 0 | EVAPCONC | |
| Jul-81 | 7/20/81 | 19 | 17 | 320000 | 320000 | 0 | FRLHW | Cascade of Waste |
| Jul-81 | 7/20/81 | 242-1F | 18 | 289500 | 289500 | 0 | EVAPFEED | |
| Jul-81 | 7/20/81 | 20 | 242-1F | 47000 | 47000 | 0 | EVAPCONC | |
| Aug-81 | 8/20/81 | 20 | | 0 | 7000 | 0 | MISCADD/TRAN | Evaporator Flush Water |
| Aug-81 | 8/20/81 | 18 | 7 | 347000 | 347000 | 0 | SNATE | |
| Aug-81 | 8/20/81 | 15 | | 0 | 0 | 0 | MISCADD/TRAN | 4000 lb Unneut. 1AW Soln |
| Aug-81 | 8/20/81 | 15 | | 0 | 0 | 0 | MISCADD/TRAN | 2500 lbs 50 wt% NaOH |
| Aug-81 | 8/20/81 | 15 | 221-H | 31500 | 31500 | 0 | MISCADD/TRAN | Flush H2O and Decon |
| Aug-81 | 8/20/81 | 13 | 221-H | 1750 | 1750 | 0 | MISCADD/TRAN | Flush H2O and Decon |
| Aug-81 | 8/20/81 | 242-1F | 18 | 209000 | 209000 | 0 | EVAPFEED | |
| Aug-81 | 8/20/81 | 20 | 242-1F | 40000 | 40000 | 0 | EVAPCONC | |
| Sep-81 | 9/20/81 | 19 | 17 | 69500 | 69500 | 0 | FRLHW | Cascade of Waste |
| Sep-81 | 9/20/81 | 18 | 7 | 290000 | 290000 | 0 | LHWSN | |
| Sep-81 | 9/20/81 | 20 | | 0 | 14160 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-81 | 9/20/81 | 242-1F | 18 | 330000 | 330000 | 0 | EVAPFEED | |
| Sep-81 | 9/20/81 | 20 | 242-1F | 71000 | 71000 | 0 | EVAPCONC | |
| Oct-81 | 10/20/81 | 7 | 1 | 665000 | 665000 | 0 | LHWSN | |
| Oct-81 | 10/20/81 | 21 | 13 | 490000 | 490000 | 0 | LHWSN | |
| Oct-81 | 10/20/81 | 18 | 7 | 125000 | 125000 | 0 | MIXSNATE | |
| Oct-81 | 10/20/81 | 18 | 20 | 4000 | 4000 | 0 | MISCADD/TRAN | Evap. Conc. disc. to fd tk |
| Oct-81 | 10/20/81 | 242-1F | 18 | 194000 | 194000 | 0 | EVAPFEED | |
| Oct-81 | 10/20/81 | 20 | 242-1F | 35600 | 35600 | 0 | EVAPCONC | |
| Nov-81 | 11/20/81 | 19 | 17 | 51300 | 51300 | 0 | FRLHW | Cascade of Waste |
| Nov-81 | 11/20/81 | 18 | 7 | 136000 | 136000 | 0 | LHWSN | |
| Nov-81 | 11/20/81 | 7 | | 0 | 3000 | 0 | NONCANYWASTE | 100 Area Heat Exch. Flushes |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-61 | 11/20/61 | 242-1F | 18 | 333900 | 333900 | 0 | EVAPFEED | |
| Nov-61 | 11/20/61 | 20 | 242-1F | 72600 | 72600 | 0 | EVAPCONC | |
| Dec-61 | 12/20/61 | 19 | 17 | 26170 | 26170 | 0 | FRLHW | Cascade of Waste |
| Dec-61 | 12/20/61 | 13 | 11 | 718000 | 718000 | 0 | LHWSN | |
| Dec-61 | 12/20/61 | 21 | 13 | 791000 | 791000 | 0 | MIXSNATE | |
| Dec-61 | 12/20/61 | 18 | 7 | 92000 | 92000 | 0 | HHWSN | |
| Dec-61 | 12/20/61 | 18 | 19 | 511000 | 511000 | 0 | DILWASTE | |
| Dec-61 | 12/20/61 | 242-1F | 18 | 197000 | 197000 | 0 | EVAPFEED | |
| Dec-61 | 12/20/61 | 20 | 242-1F | 61500 | 61500 | 0 | EVAPCONC | |
| Jan-62 | 1/20/62 | 242-1F | 18 | 92000 | 92000 | 0 | EVAPFEED | |
| Jan-62 | 1/20/62 | 20 | 242-1F | 33000 | 33000 | 0 | EVAPCONC | |
| Feb-62 | 2/17/62 | 18 | 7 | 184000 | 192500 | 0 | MIXSNATE | |
| Feb-62 | 2/20/62 | 242-1F | 18 | 101000 | 101000 | 0 | EVAPFEED | |
| Feb-62 | 2/20/62 | 19 | 242-1F | 29000 | 29000 | 0 | EVAPCONC | |
| Mar-62 | 2/20/62 | 242-1F | 18 | 265000 | 265000 | 0 | EVAPFEED | |
| Mar-62 | 2/20/62 | 19 | 242-1F | 72000 | 72000 | 0 | EVAPCONC | |
| Apr-62 | 3/28/62 | 18 | 7 | 287000 | 275000 | 0 | MIXSNATE | |
| Apr-62 | 4/20/62 | 242-1F | 18 | 343000 | 343000 | 0 | EVAPFEED | |
| Apr-62 | 4/20/62 | 19 | 242-1F | 81500 | 81500 | 0 | EVAPCONC | |
| May-62 | 5/7/62 | 7 | | 0 | 2000 | 0 | NONCANYWASTE | Heat Exchanger Flush |
| May-62 | 5/14/62 | 18 | 7 | 640000 | 610000 | 0 | MIXSNATE | |
| May-62 | 5/20/62 | 242-1F | 18 | 365000 | 365000 | 0 | EVAPFEED | |
| May-62 | 5/20/62 | 19 | 242-1F | 93800 | 93800 | 0 | EVAPCONC | |
| Jun-62 | 6/20/62 | 242-1F | 18 | 382000 | 382000 | 0 | EVAPFEED | |
| Jun-62 | 6/20/62 | 19 | 242-1F | 105000 | 105000 | 0 | EVAPCONC | |
| Jul-62 | 7/15/62 | 18 | 7 | 359000 | 377000 | 0 | MIXSNATE | |
| Jul-62 | 7/17/62 | 13 | 11 | 88000 | 88000 | 0 | LHWSN | |
| Jul-62 | 7/20/62 | 242-1F | 18 | 262000 | 262000 | 0 | EVAPFEED | |
| Jul-62 | 7/20/62 | 19 | 242-1F | 72000 | 72000 | 0 | EVAPCONC | |
| Aug-62 | 8/10/62 | 18 | 19 | 74200 | 81200 | 0 | DILWASTE | |
| Aug-62 | 8/20/62 | | 11 | 4065 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Aug-62 | 8/20/62 | 242-1F | 18 | 330000 | 330000 | 0 | EVAPFEED | |
| Aug-62 | 8/20/62 | 19 | 242-1F | 112000 | 112000 | 0 | EVAPCONC | |
| Sep-62 | 8/20/62 | 18 | 7 | 54400 | 54400 | 0 | SNATE | |
| Sep-62 | 8/20/62 | 18 | 17 | 153000 | 153000 | 0 | SNATE | |
| Sep-62 | 8/20/62 | 18 | 17 | 177000 | 177000 | 0 | SNATE | |
| Sep-62 | 9/20/62 | 242-1F | 18 | 316500 | 316500 | 0 | EVAPFEED | |
| Sep-62 | 9/20/62 | 19 | 242-1F | 243900 | 243900 | 0 | EVAPCONC | |
| Oct-62 | 10/3/62 | 18 | 17 | 177000 | 177000 | 0 | MIXSNATE | |
| Oct-62 | 10/20/62 | 242-1F | 18 | 352000 | 352000 | 0 | EVAPFEED | |
| Oct-62 | 10/20/62 | 19 | 242-1F | 117000 | 117000 | 0 | EVAPCONC | |
| Nov-62 | 10/21/62 | 7 | 1 | 128200 | 128200 | 0 | LHWSN | |
| Nov-62 | 10/22/62 | 18 | 7 | 134700 | 134700 | 0 | MIXSNATE | |
| Nov-62 | 10/23/62 | 7 | 1 | 108350 | 108350 | 0 | LHWSN | |
| Nov-62 | 10/25/62 | 18 | 7 | 166900 | 166900 | 0 | MIXSNATE | |
| Nov-62 | 11/18/62 | 18 | 7 | 84500 | 84500 | 0 | MIXSNATE | |
| Nov-62 | 11/20/62 | 242-1F | 18 | 346300 | 346300 | 0 | EVAPFEED | |
| Nov-62 | 11/20/62 | 19 | 242-1F | 106200 | 106200 | 0 | EVAPCONC | |
| Dec-62 | 12/20/62 | 18 | 19 | 70800 | 70800 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-62 | 12/20/62 | 18 | 17 | 180500 | 180500 | 0 | MXSNATE | |
| Dec-62 | 12/20/62 | 242-1F | 18 | 295000 | 295000 | 0 | EVAPFEED | |
| Dec-62 | 12/20/62 | 19 | 242-1F | 90400 | 90400 | 0 | EVAPCONC | |
| Jan-63 | 1/20/63 | 18 | 17 | 550000 | 550000 | 0 | MXSNATE | |
| Jan-63 | 1/20/63 | 7 | | 0 | 9700 | 0 | NONCANYWASTE | Heat Exch. Flush 105C |
| Jan-63 | 1/20/63 | 242-1F | 18 | 350400 | 350400 | 0 | EVAPFEED | |
| Jan-63 | 1/20/63 | 19 | 242-1F | 116800 | 116800 | 0 | EVAPCONC | |
| Feb-63 | 2/10/63 | 18 | 7 | 218000 | 255000 | 0 | MXSNATE | |
| Feb-63 | 2/20/63 | 7 | | 0 | 14200 | 0 | NONCANYWASTE | Heat Exch. Flush 105C |
| Feb-63 | 2/20/63 | 7 | | 0 | 11300 | 0 | MISCADD/TRAN | Encasement Drainage -H20 |
| Feb-63 | 2/20/63 | 242-1F | 18 | 324000 | 324000 | 0 | EVAPFEED | |
| Feb-63 | 2/20/63 | 19 | 242-1F | 89000 | 89000 | 0 | EVAPCONC | |
| Mar-63 | 3/20/63 | 7 | | 0 | 9600 | 0 | NONCANYWASTE | Heat Exch. Flush 105C |
| Mar-63 | 3/20/63 | 242-1F | 18 | 250600 | 250600 | 0 | EVAPFEED | |
| Mar-63 | 3/20/63 | 19 | 242-1F | 65500 | 65500 | 0 | EVAPCONC | |
| Apr-63 | 4/3/63 | 7 | 1 | 63200 | 63200 | 0 | HHWSN | |
| Apr-63 | 4/20/63 | 18 | 7 | 324000 | 346000 | 0 | MXSNATE | |
| Apr-63 | 4/20/63 | 242-1F | 18 | 109700 | 109700 | 0 | EVAPFEED | |
| Apr-63 | 4/20/63 | 242-1H | 21 | 233600 | 233600 | 0 | EVAPFEED | |
| Apr-63 | 4/20/63 | 19 | 242-1F | 25700 | 25700 | 0 | EVAPCONC | |
| Apr-63 | 4/20/63 | 24 | 242-1H | 92000 | 92000 | 0 | EVAPCONC | |
| May-63 | 5/20/63 | 18 | 7 | 291000 | 309000 | 0 | MXSNATE | |
| May-63 | 5/20/63 | 21 | 244-245H | 79000 | 79000 | 0 | NONCANYWASTE | 1st RBOF-RRF Waste Trans. |
| May-63 | 5/20/63 | 242-1F | 18 | 241000 | 241000 | 0 | EVAPFEED | |
| May-63 | 5/20/63 | 242-1H | 21 | 444000 | 444000 | 0 | EVAPFEED | |
| May-63 | 5/20/63 | 19 | 242-1F | 59500 | 59500 | 0 | EVAPCONC | |
| May-63 | 5/20/63 | 24 | 242-1H | 169000 | 169000 | 0 | EVAPCONC | |
| Jun-63 | 6/20/63 | 242-1F | 18 | 63400 | 63400 | 0 | EVAPFEED | |
| Jun-63 | 6/20/63 | 242-1H | 21 | 3626000 | 3626000 | 0 | EVAPFEED | |
| Jun-63 | 6/20/63 | 19 | 242-1F | 19500 | 19500 | 0 | EVAPCONC | |
| Jun-63 | 6/20/63 | 24 | 242-1H | 129900 | 129900 | 0 | EVAPCONC | |
| Jul-63 | 7/20/63 | 7 | 221-F | 20000 | 20000 | 0 | MISCADD/TRAN | Canyon Decon Waste |
| Jul-63 | 7/20/63 | 7 | | 0 | 2300 | 0 | NONCANYWASTE | Heat Exchanger Flush 105C |
| Jul-63 | 7/20/63 | 7 | | 0 | 2300 | 0 | NONCANYWASTE | Heat Exchanger Flush 105C |
| Jul-63 | 7/20/63 | 242-1F | 18 | 82000 | 82000 | 0 | EVAPFEED | |
| Jul-63 | 7/20/63 | 242-1H | 21 | 150000 | 150000 | 0 | EVAPFEED | |
| Jul-63 | 7/20/63 | 19 | 242-1F | 30900 | 30900 | 0 | EVAPCONC | |
| Jul-63 | 7/20/63 | 24 | 242-1H | 51300 | 51300 | 0 | EVAPCONC | |
| Aug-63 | 8/20/63 | 18 | 7 | 548000 | 548000 | 0 | LHWSN | |
| Aug-63 | 8/20/63 | 21 | 13 | 371000 | 371000 | 0 | LHWSN | |
| Aug-63 | 8/20/63 | 13 | 12 | 629000 | 629000 | 0 | SNATE | |
| Aug-63 | 8/20/63 | 242-1F | 18 | 182000 | 182000 | 0 | EVAPFEED | |
| Aug-63 | 8/20/63 | 242-1H | 21 | 296000 | 296000 | 0 | EVAPFEED | |
| Aug-63 | 8/20/63 | 19 | 242-1F | 52000 | 52000 | 0 | EVAPCONC | |
| Aug-63 | 8/20/63 | 24 | 242-1H | 70000 | 70000 | 0 | EVAPCONC | |
| Sep-63 | 9/20/63 | 7 | 221-F | 21000 | 21000 | 0 | MISCADD/TRAN | Neutralized Acid |
| Sep-63 | 9/20/63 | 7 | 221-F | 14500 | 14500 | 0 | MISCADD/TRAN | Dilute Waste |
| Sep-63 | 9/20/63 | 242-1F | 18 | 263000 | 263000 | 0 | EVAPFEED | |
| Sep-63 | 9/20/63 | 242-1H | 21 | 183000 | 183000 | 0 | EVAPFEED | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|---------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-63 | 9/20/63 | 19 | 242-1F | 113000 | 113000 | 0 | EVAPCONC | | |
| Sep-63 | 9/20/63 | 24 | 242-1H | 71500 | 71500 | 0 | EVAPCONC | | |
| Oct-63 | 10/20/63 | 18 | 7 | 246000 | 288000 | 0 | LHWSN | | |
| Oct-63 | 10/20/63 | 242-1F | 18 | 299000 | 299000 | 0 | EVAPFEED | | |
| Oct-63 | 10/20/63 | 19 | 242-1F | 85400 | 85400 | 0 | EVAPCONC | | |
| Nov-63 | 11/20/63 | 7 | | 0 | 4700 | 0 | NONCANYWASTE | Heat Exchanger Flush 105C | |
| Nov-63 | 11/20/63 | 242-1F | 18 | 311000 | 311000 | 0 | EVAPFEED | | |
| Nov-63 | 11/20/63 | 19 | 242-1F | 77000 | 77000 | 0 | EVAPCONC | | |
| Dec-63 | 12/20/63 | 7 | | 0 | 2500 | 0 | NONCANYWASTE | Heat Exchanger Flush 105C | |
| Dec-63 | 12/20/63 | 18 | | 0 | 450 | 0 | MISCADD/TRAN | Rain H2O | |
| Dec-63 | 12/20/63 | 18 | 7 | 117000 | 136000 | 0 | LHWSN | | |
| Dec-63 | 12/20/63 | 242-1F | 18 | 342000 | 342000 | 0 | EVAPFEED | | |
| Dec-63 | 12/20/63 | 19 | 242-1F | 74300 | 74300 | 0 | EVAPCONC | | |
| Jan-64 | 12/22/63 | 18 | 7 | 117000 | 117000 | 0 | LHWSN | | |
| Jan-64 | 1/17/64 | 18 | 19 | 972400 | 972400 | 0 | CONCSN | | |
| Jan-64 | 1/20/64 | 21 | 244-245H | 25842 | 25842 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jan-64 | 1/20/64 | 242-1F | 18 | 100000 | 100000 | 0 | EVAPFEED | | |
| Jan-64 | 1/20/64 | 19 | 242-1F | 51300 | 51300 | 0 | EVAPCONC | | |
| Feb-64 | 2/6/64 | 18 | 19 | 259000 | 259000 | 0 | CONCSN | | |
| Feb-64 | 2/20/64 | 21 | 244-245H | 105138 | 105138 | 0 | NONCANYWASTE | RBOF-RRF | |
| Feb-64 | 2/20/64 | 7 | | 0 | 3600 | 0 | NONCANYWASTE | Heat Exchanger Flush | |
| Feb-64 | 2/20/64 | 18 | | 0 | 5000 | 0 | MISCADD/TRAN | Catch tank leakage | |
| Feb-64 | 2/20/64 | 242-1F | 18 | 430000 | 430000 | 0 | EVAPFEED | | |
| Feb-64 | 2/20/64 | 19 | 242-1F | 238000 | 238000 | 0 | EVAPCONC | | |
| Mar-64 | 3/20/64 | 21 | 244-245H | 497000 | 497000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Mar-64 | 3/20/64 | 7 | | 0 | 3600 | 0 | NONCANYWASTE | Heat Exchanger Flush | |
| Mar-64 | 3/20/64 | 242-1F | 18 | 484000 | 484000 | 0 | EVAPFEED | | |
| Mar-64 | 3/20/64 | 19 | 242-1F | 284000 | 284000 | 0 | EVAPCONC | | |
| Apr-64 | 4/20/64 | 18 | 7 | 565000 | 610200 | 0 | FRLHW | | |
| Apr-64 | 4/20/64 | 23 | | 0 | 77880 | 0 | MISCADD/TRAN | H2O Heel | |
| Apr-64 | 4/20/64 | 242-1F | 18 | 294000 | 294000 | 0 | EVAPFEED | | |
| Apr-64 | 4/20/64 | 242-1H | 21 | 150000 | 150000 | 0 | EVAPFEED | | |
| Apr-64 | 4/20/64 | 19 | 242-1F | 121000 | 121000 | 0 | EVAPCONC | | |
| Apr-64 | 4/20/64 | 24 | 242-1H | 20400 | 20400 | 0 | EVAPCONC | | |
| May-64 | 5/20/64 | 23 | 244-245H | 63720 | 63720 | 0 | NONCANYWASTE | RBOF-RRF | |
| May-64 | 5/20/64 | 7 | | 0 | 11400 | 0 | NONCANYWASTE | Heat Exchanger Flush | |
| May-64 | 5/20/64 | 242-1F | 18 | 456000 | 456000 | 0 | EVAPFEED | | |
| May-64 | 5/20/64 | 242-1H | 21 | 206000 | 206000 | 0 | EVAPFEED | | |
| May-64 | 5/20/64 | 17 | 242-1F | 138000 | 138000 | 0 | EVAPCONC | | |
| May-64 | 5/20/64 | 24 | 242-1H | 12400 | 12400 | 0 | EVAPCONC | | |
| Jun-64 | 5/29/64 | 18 | 7 | 320000 | 320000 | 0 | FRLHW | | |
| Jun-64 | 6/20/64 | 23 | 244-245H | 277536 | 277536 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jun-64 | 6/20/64 | 21 | 13 | 550000 | 570000 | 0 | MIXSNATE | | |
| Jun-64 | 6/20/64 | 13 | 15 | 330000 | 338000 | 0 | SNATE | | |
| Jun-64 | 6/20/64 | 21 | 13 | 550000 | 560000 | 0 | MIXSNATE | | |
| Jun-64 | 6/20/64 | 13 | 15 | 627000 | 641000 | 0 | SNATE | | |
| Jun-64 | 6/20/64 | 242-1F | 18 | 372000 | 372000 | 0 | EVAPFEED | | |
| Jun-64 | 6/20/64 | 242-1H | 21 | 81000 | 81000 | 0 | EVAPFEED | | |
| Jun-64 | 6/20/64 | 17 | 242-1F | 108000 | 108000 | 0 | EVAPCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-64 | 6/20/64 | 24 | 242-1H | 5600 | 5600 | 0 | EVAPCONC | |
| Jun-64 | 6/24/64 | 18 | 7 | 150000 | 150000 | 0 | FRLHW | |
| Jul-64 | 7/14/64 | 18 | 7 | 107000 | 107000 | 0 | LHWSN | |
| Jul-64 | 7/20/64 | 23 | 244-245H | 13806 | 13806 | 0 | NONCANYWASTE | RBOF-RRF |
| Jul-64 | 7/20/64 | 242-1F | 18 | 290000 | 290000 | 0 | EVAPFEED | |
| Jul-64 | 7/20/64 | 17 | 242-1F | 94000 | 94000 | 0 | EVAPCONC | |
| Aug-64 | 8/4/64 | 18 | 20 | 920000 | 920000 | 0 | CONCSN | |
| Aug-64 | 8/20/64 | 242-1F | 18 | 416000 | 416000 | 0 | EVAPFEED | |
| Aug-64 | 8/20/64 | 17 | 242-1F | 92000 | 92000 | 0 | EVAPCONC | |
| Aug-64 | 8/20/64 | 19 | 242-1F | 155000 | 155000 | 0 | EVAPCONC | |
| Sep-64 | 9/20/64 | 21 | 244-245H | 112200 | 112200 | 0 | NONCANYWASTE | RBOF-RRF |
| Sep-64 | 9/20/64 | 21 | 13 | 112000 | 112000 | 0 | LHWSN | |
| Sep-64 | 9/20/64 | 242-1F | 18 | 91000 | 91000 | 0 | EVAPFEED | |
| Sep-64 | 9/20/64 | 19 | 242-1F | 62000 | 62000 | 0 | EVAPCONC | |
| Oct-64 | 10/20/64 | 18 | 7 | 215000 | 215000 | 0 | LHWSN | |
| Oct-64 | 10/20/64 | 7 | 2 | 320000 | 320000 | 0 | HHWSN | |
| Oct-64 | 10/20/64 | 23 | 244-245H | 63700 | 63700 | 0 | NONCANYWASTE | RBOF-RRF |
| Oct-64 | 10/20/64 | 242-1F | 18 | 436000 | 436000 | 0 | EVAPFEED | |
| Oct-64 | 10/20/64 | 19 | 242-1F | 242000 | 242000 | 0 | EVAPCONC | |
| Nov-64 | 11/20/64 | 13 | | 0 | 330 | 0 | MISCADD/TRAN | 232H Neut. acid cleaning soln |
| Nov-64 | 11/20/64 | 18 | 7 | 450000 | 450000 | 0 | MIXSNATE | |
| Nov-64 | 11/20/64 | 23 | 244-245H | 82100 | 82100 | 0 | NONCANYWASTE | RBOF-RRF |
| Nov-64 | 11/20/64 | 242-1F | 18 | 447700 | 447700 | 0 | EVAPFEED | |
| Nov-64 | 11/20/64 | 19 | 242-1F | 221000 | 221000 | 0 | EVAPCONC | |
| Dec-64 | 12/20/64 | 23 | 244-245H | 19800 | 19800 | 0 | NONCANYWASTE | RBOF-RRF |
| Dec-64 | 12/20/64 | 7 | | 0 | 14500 | 0 | NONCANYWASTE | Heat Exchanger Flush |
| Dec-64 | 12/20/64 | 7 | 2 | 245000 | 245000 | 0 | HHWSN | |
| Dec-64 | 12/20/64 | 18 | 7 | 390000 | 390000 | 0 | MIXSNATE | |
| Dec-64 | 12/20/64 | 242-1F | 18 | 433000 | 433000 | 0 | EVAPFEED | |
| Dec-64 | 12/20/64 | 20 | 242-1F | 100800 | 100800 | 0 | EVAPCONC | |
| Dec-64 | 12/20/64 | 19 | 242-1F | 99200 | 99200 | 0 | EVAPCONC | |
| Jan-65 | 1/6/65 | 7 | 2 | 83500 | 83500 | 0 | HHWSN | |
| Jan-65 | 1/8/65 | 18 | 7 | 240000 | 240000 | 0 | MIXSNATE | |
| Jan-65 | 1/20/65 | 7 | | 0 | 2100 | 0 | NONCANYWASTE | Al Oxide sludge - 100L Mod. tk |
| Jan-65 | 1/20/65 | 242-1F | 18 | 406000 | 406000 | 0 | EVAPFEED | |
| Jan-65 | 1/20/65 | 20 | 242-1F | 198000 | 198000 | 0 | EVAPCONC | |
| Feb-65 | 2/19/65 | 18 | 17 | 965000 | 965000 | 0 | CONCSN | |
| Feb-65 | 2/20/65 | 7 | | 0 | 18600 | 0 | NONCANYWASTE | Heat Exchanger Flush |
| Feb-65 | 2/20/65 | 23 | 244-245H | 40000 | 40000 | 0 | NONCANYWASTE | RBOF-RRF |
| Feb-65 | 2/20/65 | 242-1F | 18 | 375000 | 375000 | 0 | EVAPFEED | |
| Feb-65 | 2/20/65 | 20 | 242-1F | 181000 | 181000 | 0 | EVAPCONC | |
| Mar-65 | 3/17/65 | 18 | 7 | 290000 | 290000 | 0 | MIXSNATE | |
| Mar-65 | 3/20/65 | 23 | 244-245H | 63700 | 63700 | 0 | NONCANYWASTE | RBOF-RRF |
| Mar-65 | 3/20/65 | 7 | | 0 | 8600 | 0 | NONCANYWASTE | Heat Exchanger Flush |
| Mar-65 | 3/20/65 | 242-1F | 18 | 390000 | 390000 | 0 | EVAPFEED | |
| Mar-65 | 3/20/65 | 20 | 242-1F | 286000 | 286000 | 0 | EVAPCONC | |
| Apr-65 | 4/5/65 | 15 | | 0 | 3500 | 0 | MISCADD/TRAN | ground H2O |
| Apr-65 | 4/20/65 | 23 | 244-245H | 21950 | 21950 | 0 | NONCANYWASTE | RBOF-RRF |
| Apr-65 | 4/20/65 | 242-1F | 18 | 256000 | 256000 | 0 | EVAPFEED | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-65 | 4/20/65 | 20 | 242-1F | 166000 | 166000 | 0 | EVAPCONC | | |
| May-65 | 5/10/65 | 18 | 7 | 286000 | 286000 | 0 | MIXSNATE | | |
| May-65 | 5/20/65 | 7 | | 0 | 9250 | 0 | NONCANYWASTE | Heat Exchanger Flush | |
| May-65 | 5/20/65 | 7 | | 0 | 2850 | 0 | MISCADD/TRAN | TURCO 4512A Phos. Acid | |
| May-65 | 5/20/65 | 6 | | 0 | 7600 | 0 | MISCADD/TRAN | Waste Header #3F Flush | |
| May-65 | 5/20/65 | 242-1F | 18 | 208000 | 208000 | 0 | EVAPFEED | | |
| May-65 | 5/20/65 | 242-1H | 23 | 80000 | 80000 | 0 | EVAPFEED | | |
| May-65 | 5/20/65 | 17 | 242-1F | 55360 | 55360 | 0 | EVAPCONC | | |
| May-65 | 5/20/65 | 20 | 242-1F | 56640 | 56640 | 0 | EVAPCONC | | |
| May-65 | 5/20/65 | 24 | 242-1H | 1700 | 1700 | 0 | EVAPCONC | | |
| Jun-65 | 6/9/65 | 18 | 19 | 420480 | 438000 | 0 | CONCSN | | |
| Jun-65 | 6/15/65 | 22 | 21 | 1099000 | 1135000 | 0 | HHWSN | | |
| Jun-65 | 6/15/65 | 21 | 13 | 939000 | 991000 | 0 | HHWSN | | |
| Jun-65 | 6/20/65 | 7 | | 0 | 10200 | 0 | NONCANYWASTE | Heat Exchanger Flush | |
| Jun-65 | 6/20/65 | 242-1F | 18 | 320000 | 320000 | 0 | EVAPFEED | | |
| Jun-65 | 6/20/65 | 242-1H | 23 | 324000 | 324000 | 0 | EVAPFEED | | |
| Jun-65 | 6/20/65 | 17 | 242-1F | 138000 | 138000 | 0 | EVAPCONC | | |
| Jun-65 | 6/20/65 | 24 | 242-1H | 8100 | 8100 | 0 | EVAPCONC | | |
| Jun-65 | 6/30/65 | 13 | 11 | 620000 | 640000 | 0 | SNATE | | |
| Jul-65 | 7/20/65 | 23 | 244-245H | 16284 | 16284 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jul-65 | 7/20/65 | 7 | | 0 | 16800 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Jul-65 | 7/20/65 | 18 | 7 | 168000 | 168000 | 0 | MIXSNATE | | |
| Jul-65 | 7/20/65 | 242-1F | 18 | 430000 | 430000 | 0 | EVAPFEED | | |
| Jul-65 | 7/20/65 | 242-1H | 21 | 461000 | 461000 | 0 | EVAPFEED | | |
| Jul-65 | 7/20/65 | 17 | 242-1F | 256000 | 256000 | 0 | EVAPCONC | | |
| Jul-65 | 7/20/65 | 24 | 242-1H | 229000 | 229000 | 0 | EVAPCONC | | |
| Aug-65 | 8/20/65 | 23 | 244-245H | 48000 | 46000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Aug-65 | 8/20/65 | 7 | | 0 | 17200 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Aug-65 | 8/20/65 | 242-1F | 18 | 205000 | 205000 | 0 | EVAPFEED | | |
| Aug-65 | 8/20/65 | 242-1H | 21 | 475000 | 475000 | 0 | EVAPFEED | | |
| Aug-65 | 8/20/65 | 17 | 242-1F | 115000 | 115000 | 0 | EVAPCONC | | |
| Aug-65 | 8/20/65 | 24 | 242-1H | 177000 | 177000 | 0 | EVAPCONC | | |
| Sep-65 | 9/14/65 | 21 | 22 | 1160000 | 1160000 | 0 | SNATE | | |
| Sep-65 | 9/20/65 | 23 | 244-245H | 99100 | 99100 | 0 | NONCANYWASTE | RBOF-RRF | |
| Sep-65 | 9/20/65 | 7 | | 0 | 16900 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Sep-65 | 9/20/65 | 242-1H | 21 | 290000 | 290000 | 0 | EVAPFEED | | |
| Sep-65 | 9/20/65 | 24 | 242-1H | 102000 | 102000 | 0 | EVAPCONC | | |
| Oct-65 | 10/20/65 | 23 | 244-245H | 42400 | 42400 | 0 | NONCANYWASTE | RBOF-RRF | |
| Oct-65 | 10/20/65 | 23 | 242-1H | 11400 | 11400 | 0 | OVERSPEC | | |
| Oct-65 | 10/20/65 | 242-1H | 21 | 462000 | 462000 | 0 | EVAPFEED | | |
| Oct-65 | 10/20/65 | 24 | 242-1H | 129000 | 129000 | 0 | EVAPCONC | | |
| Nov-65 | 11/2/65 | 21 | 22 | 97000 | 97000 | 0 | HHWSN | | |
| Nov-65 | 11/20/65 | 21 | 242-1H | 12800 | 12800 | 0 | OVERSPEC | | |
| Nov-65 | 11/20/65 | 242-1H | 23 | 84300 | 84300 | 0 | EVAPFEED | | |
| Nov-65 | 11/20/65 | 23 | 244-245H | 74700 | 74700 | 0 | NONCANYWASTE | RBOF-RRF | |
| Nov-65 | 11/20/65 | 242-1H | 21 | 241700 | 241700 | 0 | EVAPFEED | | |
| Nov-65 | 11/20/65 | 22 | 242-1H | 53000 | 53000 | 0 | EVAPCONC | | |
| Nov-65 | 11/20/65 | 24 | 242-1H | 17000 | 17000 | 0 | EVAPCONC | | |
| Dec-65 | 12/9/65 | 13 | 9 | 540000 | 540000 | 0 | HHWSN | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-65 | 12/20/65 | 7 | | 0 | 16400 | 0 | NONCANYWASTE | Heat Exch. Flush |
| Dec-65 | 12/20/65 | 23 | 242-1H | 3100 | 3100 | 0 | OVERSPEC | |
| Dec-65 | 12/20/65 | 21 | 242-1H | 5500 | 5500 | 0 | OVERSPEC | |
| Dec-65 | 12/20/65 | 23 | 244-245H | 186000 | 186000 | 0 | NONCANYWASTE | RBOF-RRF |
| Dec-65 | 12/20/65 | 242-1H | 21 | 360000 | 360000 | 0 | EVAPFEED | |
| Dec-65 | 12/20/65 | 24 | 242-1H | 122000 | 122000 | 0 | EVAPCONC | |
| Dec-65 | 12/21/65 | 21 | 13 | 1060000 | 1060000 | 0 | SNATE | |
| Jan-66 | 1/12/66 | 18 | 7 | 397000 | 407100 | 0 | MIXSNATE | |
| Jan-66 | 1/20/66 | 7 | | 0 | 17500 | 0 | NONCANYWASTE | Heat Exch. Flush |
| Jan-66 | 1/20/66 | 242-1H | 21 | 500000 | 500000 | 0 | EVAPFEED | |
| Jan-66 | 1/20/66 | 22 | 242-1H | 179000 | 179000 | 0 | EVAPCONC | |
| Jan-66 | 1/28/66 | 23 | 244-245H | 162000 | 162000 | 0 | NONCANYWASTE | RBOF-RRF |
| Feb-66 | 2/3/66 | | 24 | 14160 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-66 | 2/8/66 | 18 | 7 | 44715 | 50900 | 0 | MIXSNATE | |
| Feb-66 | 2/20/66 | 13 | 15 | 438000 | 452000 | 0 | HHWSN | |
| Feb-66 | 2/20/66 | 7 | | 0 | 5200 | 0 | NONCANYWASTE | Heat Exch. Flush |
| Feb-66 | 2/20/66 | 7 | 2 | 277870 | 277870 | 90 | SLSLURRY | Sludge Slurry Transfer |
| Feb-66 | 2/20/66 | 2 | | 0 | 237000 | 0 | MISCADD/TRAN | H2O - slurry H2O |
| Feb-66 | 2/20/66 | 23 | 244-245H | 84000 | 84000 | 0 | NONCANYWASTE | RBOF-RRF |
| Feb-66 | 2/20/66 | 21 | 242-1H | 5500 | 5500 | 0 | OVERSPEC | |
| Feb-66 | 2/20/66 | 242-1H | 21 | 397000 | 397000 | 0 | EVAPFEED | |
| Feb-66 | 2/20/66 | 22 | 242-1H | 147000 | 147000 | 0 | EVAPCONC | |
| Mar-66 | 3/15/66 | 21 | 13 | 762000 | 762000 | 0 | HHWSN | |
| Mar-66 | 3/20/66 | 7 | | 0 | 10400 | 0 | NONCANYWASTE | Heat Exch. Flush |
| Mar-66 | 3/20/66 | 21 | 242-1H | 26000 | 26000 | 0 | OVERSPEC | |
| Mar-66 | 3/20/66 | 242-1H | 21 | 387000 | 387000 | 0 | EVAPFEED | |
| Mar-66 | 3/20/66 | 22 | 242-1H | 136000 | 136000 | 0 | EVAPCONC | |
| Apr-66 | 4/20/66 | 7 | | 0 | 18100 | 0 | NONCANYWASTE | Heat Exch. Flush |
| Apr-66 | 4/20/66 | 23 | 244-245H | 117500 | 117500 | 0 | NONCANYWASTE | RBOF-RRF |
| Apr-66 | 4/20/66 | 21 | 242-1H | 11600 | 11600 | 0 | OVERSPEC | |
| Apr-66 | 4/20/66 | 242-1F | 18 | 48600 | 48600 | 0 | EVAPFEED | |
| Apr-66 | 4/20/66 | 242-1H | 21 | 294000 | 294000 | 0 | EVAPFEED | |
| Apr-66 | 4/20/66 | 17 | 242-1F | 19400 | 19400 | 0 | EVAPCONC | |
| Apr-66 | 4/20/66 | 22 | 242-1H | 113000 | 113000 | 0 | EVAPCONC | |
| Apr-66 | 4/21/66 | 13 | 15 | 463800 | 465000 | 0 | HHWSN | |
| May-66 | 5/20/66 | 23 | 244-245H | 140000 | 140000 | 0 | NONCANYWASTE | RBOF-RRF |
| May-66 | 5/20/66 | 13 | | 0 | 5050 | 0 | MISCADD/TRAN | Ground H2O |
| May-66 | 5/20/66 | 7 | | 0 | 31900 | 0 | NONCANYWASTE | Heat Exch. Flush |
| May-66 | 5/20/66 | 21 | 242-1H | 40000 | 40000 | 0 | OVERSPEC | |
| May-66 | 5/20/66 | 23 | 242-1H | 1500 | 1500 | 0 | OVERSPEC | |
| May-66 | 5/20/66 | 242-1F | 18 | 280000 | 280000 | 0 | EVAPFEED | |
| May-66 | 5/20/66 | 242-1H | 23 | 270000 | 270000 | 0 | EVAPFEED | |
| May-66 | 5/20/66 | 17 | 242-1F | 84200 | 84200 | 0 | EVAPCONC | |
| May-66 | 5/20/66 | 22 | 242-1H | 53000 | 53000 | 0 | EVAPCONC | |
| Jun-66 | 6/20/66 | 18 | 7 | 480000 | 480000 | 0 | MIXSNATE | Slurry water + LHWSN |
| Jun-66 | 6/20/66 | 21 | 13 | 630000 | 630000 | 0 | HHWSN | |
| Jun-66 | 6/20/66 | 23 | 244-245H | 415000 | 415000 | 0 | NONCANYWASTE | RBOF-RRF |
| Jun-66 | 6/20/66 | CRC | 23 | 146000 | 146000 | 0 | RBOF-RRF | RBOF-RRF |
| Jun-66 | 6/20/66 | 18 | 242-1F | 2250 | 2250 | 0 | OVERSPEC | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jun-66 | 6/20/66 | 21 | 242-1H | 30000 | 30000 | 0 | OVERSPEC | | |
| Jun-66 | 6/20/66 | 242-1H | 23 | 48000 | 48000 | 0 | EVAPFEED | | |
| Jun-66 | 6/20/66 | 7 | | 0 | 12200 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Jun-66 | 6/20/66 | 242-1F | 18 | 299000 | 299000 | 0 | EVAPFEED | | |
| Jun-66 | 6/20/66 | 242-1H | 21 | 275000 | 275000 | 0 | EVAPFEED | | |
| Jun-66 | 6/20/66 | 17 | 242-1F | 75000 | 75000 | 0 | EVAPCONC | | |
| Jun-66 | 6/20/66 | 22 | 242-1H | 145000 | 145000 | 0 | EVAPCONC | | |
| Jul-66 | 7/20/66 | 7 | | 0 | 11200 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Jul-66 | 7/20/66 | 23 | 244-245H | 127000 | 127000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jul-66 | 7/20/66 | CRC | 23 | 152000 | 152000 | 0 | RBOF-RRF | RBOF-RRF | |
| Jul-66 | 7/20/66 | 21 | 242-1H | 5500 | 5500 | 0 | OVERSPEC | | |
| Jul-66 | 7/20/66 | 18 | 242-1F | 40200 | 40200 | 0 | OVERSPEC | | |
| Jul-66 | 7/20/66 | 21 | 242-1H | 50000 | 50000 | 0 | OVERSPEC | | |
| Jul-66 | 7/20/66 | 242-1F | 18 | 237000 | 237000 | 0 | EVAPFEED | | |
| Jul-66 | 7/20/66 | 242-1H | 21 | 466000 | 466000 | 0 | EVAPFEED | | |
| Jul-66 | 7/20/66 | 17 | 242-1F | 54000 | 54000 | 0 | EVAPCONC | | |
| Jul-66 | 7/20/66 | 22 | 242-1H | 162000 | 162000 | 0 | EVAPCONC | | |
| Aug-66 | 7/19/66 | 9 | | 0 | 240000 | 0 | MISCADD/TRAN | H2O - slurry H2O | |
| Aug-66 | 7/21/66 | 13 | 9 | 376000 | 376000 | 90 | SLSLURRY | Sludge Slurry Trans. | |
| Aug-66 | 8/20/66 | 18 | 19 | 380000 | 380000 | 0 | CONCSN | | |
| Aug-66 | 8/20/66 | 9 | | 0 | 10000 | 0 | MISCADD/TRAN | Decon H2O | |
| Aug-66 | 8/20/66 | P Eva | 23 | 177000 | 177000 | 0 | RBOF-RRF | RBOF-RRF | |
| Aug-66 | 8/20/66 | CRC | 23 | 244000 | 244000 | 0 | RBOF-RRF | RBOF-RRF | |
| Aug-66 | 8/20/66 | 23 | 244-245H | 10000 | 97000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Aug-66 | 8/20/66 | 18 | 242-1F | 240000 | 4000 | 0 | OVERSPEC | | |
| Aug-66 | 8/20/66 | 21 | 242-1H | 25000 | 25000 | 0 | OVERSPEC | | |
| Aug-66 | 8/20/66 | 242-1F | 18 | 333000 | 333000 | 0 | EVAPFEED | | |
| Aug-66 | 8/20/66 | 242-1H | 21 | 314000 | 314000 | 0 | EVAPFEED | | |
| Aug-66 | 8/20/66 | 17 | 242-1F | 101000 | 101000 | 0 | EVAPCONC | | |
| Aug-66 | 8/20/66 | 22 | 242-1H | 100500 | 100500 | 0 | EVAPCONC | | |
| Sep-66 | 9/7/66 | 18 | 7 | 103000 | 103000 | 0 | LHWSN | | |
| Sep-66 | 9/20/66 | CRC | 23 | 260000 | 260000 | 0 | RBOF-RRF | RBOF-RRF | |
| Sep-66 | 9/20/66 | 23 | 244-245H | 145000 | 145000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Sep-66 | 9/20/66 | 7 | | 0 | 4700 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Sep-66 | 9/20/66 | 18 | 20 | 600000 | 600000 | 0 | CONCSN | | |
| Sep-66 | 9/20/66 | 21 | 13 | 318000 | 318000 | 0 | MIXSNATE | | |
| Sep-66 | 9/20/66 | 2 | | 0 | 1500 | 0 | MISCADD/TRAN | Cooling Coil Leak | |
| Sep-66 | 9/20/66 | 6 | 221-F | 1500 | 1500 | 0 | MISCADD/TRAN | Canyon Process solvent | |
| Sep-66 | 9/20/66 | 21 | 242-1H | 15000 | 15000 | 0 | OVERSPEC | | |
| Sep-66 | 9/20/66 | 242-1F | 18 | 427000 | 427000 | 0 | EVAPFEED | | |
| Sep-66 | 9/20/66 | 242-1H | 21 | 240000 | 240000 | 0 | EVAPFEED | | |
| Sep-66 | 9/20/66 | 19 | 242-1F | 105000 | 105000 | 0 | EVAPCONC | | |
| Sep-66 | 9/20/66 | 17 | 242-1F | 130000 | 130000 | 0 | EVAPCONC | | |
| Sep-66 | 9/20/66 | 22 | 242-1H | 83000 | 83000 | 0 | EVAPCONC | | |
| Oct-66 | 10/18/66 | 21 | 24 | 805000 | 828000 | 0 | CONCSN | | |
| Oct-66 | 10/20/66 | 18 | 7 | 172000 | 172000 | 0 | LHWSN | | |
| Oct-66 | 10/20/66 | 18 | | 0 | 4400 | 0 | MISCADD/TRAN | H2O Header Backflush | |
| Oct-66 | 10/20/66 | CRC | 23 | 461000 | 461000 | 0 | RBOF-RRF | RBOF-RRF | |
| Oct-66 | 10/20/66 | 23 | 244-245H | 159000 | 159000 | 0 | NONCANYWASTE | RBOF-RRF | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-66 | 10/20/66 | 242-1F | 18 | 471000 | 471000 | 0 | EVAPFEED | | |
| Oct-66 | 10/20/66 | 19 | 242-1F | 287000 | 287000 | 0 | EVAPCONC | | |
| Nov-66 | 10/28/66 | 7 | 5 | 295000 | 295000 | 0 | HHWSN | | |
| Nov-66 | 11/20/66 | 21 | 242-1H | 5500 | 5500 | 0 | OVERSPEC | | |
| Nov-66 | 11/20/66 | 23 | 244-245H | 47800 | 47800 | 0 | NONCANYWASTE | RBOF-RRF | |
| Nov-66 | 11/20/66 | 242-1F | 18 | 270000 | 270000 | 0 | EVAPFEED | | |
| Nov-66 | 11/20/66 | 242-1H | 21 | 369000 | 369000 | 0 | EVAPFEED | | |
| Nov-66 | 11/20/66 | 19 | 242-1F | 130000 | 130000 | 0 | EVAPCONC | | |
| Nov-66 | 11/20/66 | 24 | 242-1H | 196000 | 196000 | 0 | EVAPCONC | | |
| Dec-66 | 12/5/66 | 13 | 12 | 594000 | 594000 | 0 | HHWSN | | |
| Dec-66 | 12/20/66 | 18 | 7 | 218000 | 218000 | 0 | HHWSN | | |
| Dec-66 | 12/20/66 | 7 | 5 | 343000 | 343000 | 0 | HHWSN | | |
| Dec-66 | 12/20/66 | 21 | 242-1H | 17000 | 17000 | 0 | OVERSPEC | | |
| Dec-66 | 12/20/66 | 242-1H | 21 | 320000 | 320000 | 0 | EVAPFEED | | |
| Dec-66 | 12/20/66 | 24 | 242-1H | 148000 | 148000 | 0 | EVAPCONC | | |
| Jan-67 | 1/17/67 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | Rain H2O | |
| Jan-67 | 1/18/67 | 21 | 13 | 709000 | 709000 | 0 | HHWSN | | |
| Jan-67 | 1/20/67 | 18 | 7 | 41600 | 41600 | 0 | HHWSN | | |
| Jan-67 | 1/20/67 | 7 | | 0 | 13300 | 0 | NONCANYWASTE | Heat Exch. Flush | |
| Jan-67 | 1/20/67 | 23 | 244-245H | 50520 | 50520 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jan-67 | 1/20/67 | 242-1H | 21 | 387000 | 387000 | 0 | EVAPFEED | | |
| Jan-67 | 1/20/67 | 24 | 242-1H | 160000 | 160000 | 0 | EVAPCONC | | |
| Feb-67 | 1/25/67 | 13 | 10 | 620000 | 628000 | 0 | MIXSNATE | | |
| Feb-67 | 1/26/67 | 10 | | 5420 | 5420 | 0 | MISCADD/TRAN | Pipe flush water | |
| Feb-67 | 1/30/67 | 10 | | 232000 | 232000 | 0 | MISCADD/TRAN | H2O- sludge slurry water | |
| Feb-67 | 1/31/67 | 21 | 13 | 441000 | 441000 | 0 | MIXSNATE | | |
| Feb-67 | 2/1/67 | 13 | 10 | 285400 | 287000 | 99 | SLSLURRY | Sldg. Slurry | |
| Feb-67 | 2/20/67 | CRC | 23 | 169000 | 169000 | 0 | RBOF-RRF | RBOF-RRF | |
| Feb-67 | 2/20/67 | 23 | CRC | 48000 | 48000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Feb-67 | 2/20/67 | 21 | CRC | 2000 | 2000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Feb-67 | 2/20/67 | 23 | 244-245H | 100905 | 100905 | 0 | NONCANYWASTE | RBOF-RRF | |
| Feb-67 | 2/20/67 | 242-1F | 18 | 317000 | 317000 | 0 | EVAPFEED | | |
| Feb-67 | 2/20/67 | 242-1H | 21 | 398000 | 398000 | 0 | EVAPFEED | | |
| Feb-67 | 2/20/67 | 19 | 242-1F | 157000 | 157000 | 0 | EVAPCONC | | |
| Feb-67 | 2/20/67 | 24 | 242-1H | 162000 | 162000 | 0 | EVAPCONC | | |
| Mar-67 | 3/20/67 | CRC | 23 | 153000 | 153000 | 0 | RBOF-RRF | | |
| Mar-67 | 3/20/67 | 18 | 7 | 552200 | 552200 | 0 | HHWSN | | |
| Mar-67 | 3/20/67 | 7 | | 0 | 5400 | 0 | MISCADD/TRAN | Ground H2O | |
| Mar-67 | 3/20/67 | 23 | 244-245H | 145000 | 145000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Mar-67 | 3/20/67 | 242-1F | 18 | 215040 | 215040 | 0 | EVAPFEED | | |
| Mar-67 | 3/20/67 | 242-1H | 21 | 205300 | 205300 | 0 | EVAPFEED | | |
| Mar-67 | 3/20/67 | 19 | 242-1F | 113000 | 113000 | 0 | EVAPCONC | | |
| Mar-67 | 3/20/67 | 24 | 242-1H | 84400 | 84400 | 0 | EVAPCONC | | |
| Mar-67 | 3/20/67 | 21 | 242-1H | 5700 | 5700 | 0 | OVERSPEC | | |
| Apr-67 | 4/20/67 | 9 | | 0 | 1600 | 0 | MISCADD/TRAN | 1M HNO3 + 50m% NaOH | |
| Apr-67 | 4/20/67 | CRC | 23 | 196000 | 196000 | 0 | RBOF-RRF | RBOF-RRF | |
| Apr-67 | 4/20/67 | 2 | 242-1F | 16000 | 16000 | 0 | OVERSPEC | | |
| Apr-67 | 4/20/67 | 23 | 244-245H | 152000 | 152000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Apr-67 | 4/20/67 | 242-1F | 18 | 266000 | 266000 | 0 | EVAPFEED | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|---------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-67 | 4/20/67 | 19 | 242-1F | 124000 | 124000 | 0 | EVAPCONC | | |
| May-67 | 5/20/67 | 23 | 244-245H | 144486 | 144486 | 0 | NONCANYWASTE | RBOF-RRF | |
| May-67 | 5/20/67 | CRC | 23 | 22000 | 22000 | 0 | RBOF-RRF | RBOF-RRF | |
| May-67 | 5/20/67 | 18 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | | |
| May-67 | 5/20/67 | 242-1F | 18 | 164000 | 164000 | 0 | EVAPFEED | | |
| May-67 | 5/20/67 | 242-1H | 21 | 190500 | 190500 | 0 | EVAPFEED | | |
| May-67 | 5/20/67 | 19 | 242-1F | 104000 | 104000 | 0 | EVAPCONC | | |
| May-67 | 5/20/67 | 18 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | | |
| May-67 | 5/20/67 | 24 | 242-1H | 95900 | 95900 | 0 | EVAPCONC | | |
| Jun-67 | 6/14/67 | 21 | 24 | 288000 | 296000 | 0 | CONCSN | | |
| Jun-67 | 6/19/67 | 18 | 7 | 256000 | 256000 | 0 | MIXSNATE | | |
| Jun-67 | 6/20/67 | CRC | 23 | 224000 | 224000 | 0 | RBOF-RRF | RBOF-RRF | |
| Jun-67 | 6/20/67 | 9 | | 0 | 26600 | 0 | MISCADD/TRAN | Decon Waste - H2O | |
| Jun-67 | 6/20/67 | 5 | 242-1F | 4500 | 4500 | 0 | OVERSPEC | | |
| Jun-67 | 6/20/67 | 23 | 244-245H | 146536 | 146536 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jun-67 | 6/20/67 | 242-1F | 5 | 252000 | 252000 | 0 | EVAPFEED | | |
| Jun-67 | 6/20/67 | 242-1H | 21 | 107000 | 107000 | 0 | EVAPFEED | | |
| Jun-67 | 6/20/67 | 2 | 242-1F | 74000 | 74000 | 0 | EVAPCONC | | |
| Jun-67 | 6/20/67 | 24 | 242-1H | 52000 | 52000 | 0 | EVAPCONC | | |
| Jul-67 | 6/30/67 | 21 | 13 | 642000 | 642000 | 0 | SNATE | | |
| Jul-67 | 7/3/67 | 7 | 2 | 56000 | 56000 | 0 | MIXSNATE | | |
| Jul-67 | 7/13/67 | 13 | 11 | 553000 | 553000 | 0 | HHWSN | | |
| Jul-67 | 7/15/67 | 18 | 7 | 108000 | 108000 | 0 | MIXSNATE | | |
| Jul-67 | 7/20/67 | 23 | 244-245H | 157372 | 157372 | 0 | NONCANYWASTE | RBOF-RRF | |
| Jul-67 | 7/20/67 | 9 | | 0 | 18000 | 0 | MISCADD/TRAN | Decon Waste - H2O | |
| Jul-67 | 7/20/67 | CRC | 23 | 50000 | 50000 | 0 | RBOF-RRF | RBOF-RRF | |
| Jul-67 | 7/20/67 | 21 | 242-1H | 19900 | 19900 | 0 | OVERSPEC | | |
| Jul-67 | 7/20/67 | 242-1F | 18 | 310000 | 310000 | 0 | EVAPFEED | | |
| Jul-67 | 7/20/67 | 242-1H | 21 | 466000 | 466000 | 0 | EVAPFEED | | |
| Jul-67 | 7/20/67 | 19 | 242-1F | 102000 | 102000 | 0 | EVAPCONC | | |
| Jul-67 | 7/20/67 | 24 | 242-1H | 253000 | 253000 | 0 | EVAPCONC | | |
| Jul-67 | 7/21/92 | 18 | 20 | 433000 | 433000 | 0 | HHWSN | | |
| Aug-67 | 7/27/67 | 21 | 13 | 290000 | 290000 | 0 | SNATE | | |
| Aug-67 | 8/2/67 | 7 | 3 | 359000 | 359000 | 0 | HHWSN | | |
| Aug-67 | 8/6/67 | 18 | 7 | 402000 | 406000 | 0 | HHWSN | | |
| Aug-67 | 8/10/67 | 7 | 2 | 88000 | 88000 | 0 | CONCSN | | |
| Aug-67 | 8/17/67 | 7 | 3 | 21700 | 21700 | 0 | HHWSN | | |
| Aug-67 | 8/20/67 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | | |
| Aug-67 | 8/20/67 | CRC | 23 | 288000 | 288000 | 0 | RBOF-RRF | RBOF-RRF | |
| Aug-67 | 8/20/67 | 23 | 244-245H | 210000 | 210000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Aug-67 | 8/20/67 | 8 | | 0 | 2710 | 0 | MISCADD/TRAN | Reel Tape Adj. - New Tape | |
| Aug-67 | 8/20/67 | 242-1F | 18 | 378000 | 378000 | 0 | EVAPFEED | | |
| Aug-67 | 8/20/67 | 242-1H | 21 | 97000 | 97000 | 0 | EVAPFEED | | |
| Aug-67 | 8/20/67 | 2 | 242-1F | 272000 | 272000 | 0 | EVAPCONC | | |
| Aug-67 | 8/20/67 | 24 | 242-1H | 63000 | 63000 | 0 | EVAPCONC | | |
| Sep-67 | 8/24/67 | 18 | 7 | 356000 | 356000 | 0 | MIXSNATE | | |
| Sep-67 | 9/15/67 | 7 | 2 | 112000 | 112000 | 0 | CONCSN | | |
| Sep-67 | 9/20/67 | CRC | 23 | 313000 | 313000 | 0 | RBOF-RRF | RBOF-RRF | |
| Sep-67 | 9/20/67 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|----------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Sep-67 | 9/20/67 | 23 | 244-245H | 153000 | 153000 | 0 | NONCANYWASTE | RBOF-RRF |
| Sep-67 | 9/20/67 | 242-1F | 18 | 161000 | 161000 | 0 | EVAPFEED | |
| Sep-67 | 9/20/67 | 242-1H | 21 | 139000 | 139000 | 0 | EVAPFEED | |
| Sep-67 | 9/20/67 | 2 | 242-1F | 140000 | 140000 | 0 | EVAPCONC | |
| Sep-67 | 9/20/67 | 24 | 242-1H | 64500 | 64500 | 0 | EVAPCONC | |
| Sep-67 | 9/21/67 | 10 | 9 | 233000 | 233000 | 0 | CONCSN | |
| Oct-67 | 9/26/67 | 18 | 7 | 171000 | 171000 | 0 | MIXSNATE | |
| Oct-67 | 10/2/67 | 7 | 2 | 705000 | 705000 | 0 | CONCSN | |
| Oct-67 | 10/20/67 | 23 | 244-245H | 159000 | 159000 | 0 | NONCANYWASTE | RBOF-RRF |
| Oct-67 | 10/20/67 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | |
| Oct-67 | 10/20/67 | CRC | 23 | 171000 | 171000 | 0 | RBOF-RRF | RBOF-RRF |
| Oct-67 | 10/20/67 | 23 | 244-245H | 159 | 159 | 0 | NONCANYWASTE | RBOF-RRF |
| Oct-67 | 10/20/67 | 242-1F | 18 | 164000 | 164000 | 0 | EVAPFEED | |
| Oct-67 | 10/20/67 | 242-1H | 21 | 232000 | 232000 | 0 | EVAPFEED | |
| Oct-67 | 10/20/67 | 2 | 242-1F | 92500 | 92500 | 0 | EVAPCONC | |
| Oct-67 | 10/20/67 | 24 | 242-1H | 107000 | 107000 | 0 | EVAPCONC | |
| Nov-67 | 10/31/67 | 10 | 9 | 149000 | 149000 | 0 | CONCSN | |
| Nov-67 | 11/3/67 | 21 | 13 | 265000 | 265000 | 0 | HHWSN | |
| Nov-67 | 11/8/67 | 21 | 13 | 291000 | 291000 | 0 | HHWSN | |
| Nov-67 | 11/8/67 | 7 | 2 | 220000 | 220000 | 0 | CONCSN | |
| Nov-67 | 11/12/67 | 13 | 15 | 27300 | 27300 | 0 | HHWSN | |
| Nov-67 | 11/20/67 | CRC | 23 | 37000 | 37000 | 0 | RBOF-RRF | RBOF-RRF |
| Nov-67 | 11/20/67 | 23 | 244-245H | 112000 | 112000 | 0 | NONCANYWASTE | RBOF-RRF |
| Nov-67 | 11/20/67 | 21 | 242-1H | 15000 | 15000 | 0 | OVERSPEC | |
| Nov-67 | 11/20/67 | 242-1F | 18 | 226000 | 226000 | 0 | EVAPFEED | |
| Nov-67 | 11/20/67 | 242-1H | 21 | 423000 | 423000 | 0 | EVAPFEED | |
| Nov-67 | 11/20/67 | 2 | 242-1F | 91000 | 91000 | 0 | EVAPCONC | |
| Nov-67 | 11/20/67 | 24 | 242-1H | 155000 | 155000 | 0 | EVAPCONC | |
| Dec-67 | 11/21/67 | 21 | 13 | 43000 | 43000 | 0 | HHWSN | |
| Dec-67 | 12/1/67 | 13 | 9 | 137000 | 142000 | 0 | CONCSN | |
| Dec-67 | 12/13/67 | 13 | 10 | 537000 | 537000 | 0 | CONCSN | |
| Dec-67 | 12/17/67 | 21 | 13 | 496000 | 496000 | 0 | MIXSNATE | |
| Dec-67 | 12/20/67 | 23 | 244-245H | 52000 | 52000 | 0 | NONCANYWASTE | RBOF-RRF |
| Dec-67 | 12/20/67 | CRC | 23 | 114000 | 114000 | 0 | RBOF-RRF | RBOF-RRF |
| Dec-67 | 12/20/67 | 21 | 242-1H | 14000 | 14000 | 0 | OVERSPEC | |
| Dec-67 | 12/20/67 | 242-1F | 18 | 140000 | 140000 | 0 | EVAPFEED | |
| Dec-67 | 12/20/67 | 242-1H | 21 | 439000 | 439000 | 0 | EVAPFEED | |
| Dec-67 | 12/20/67 | 2 | 242-1F | 68900 | 68900 | 0 | EVAPCONC | |
| Dec-67 | 12/20/67 | 24 | 242-1H | 184000 | 184000 | 0 | EVAPCONC | |
| Jan-68 | 1/6/68 | 13 | 9 | 158000 | 159000 | 0 | CONCSN | |
| Jan-68 | 1/20/68 | 23 | 244-245H | 118828 | 118828 | 0 | NONCANYWASTE | RBOF-RRF |
| Jan-68 | 1/20/68 | 18 | 242-1F | 18000 | 18000 | 0 | OVERSPEC | |
| Jan-68 | 1/20/68 | 21 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | |
| Jan-68 | 1/20/68 | CRC | 23 | 196000 | 196000 | 0 | RBOF-RRF | RBOF-RRF |
| Jan-68 | 1/20/68 | 242-1F | 18 | 139000 | 139000 | 0 | EVAPFEED | |
| Jan-68 | 1/20/68 | 242-1H | 21 | 187000 | 187000 | 0 | EVAPFEED | |
| Jan-68 | 1/20/68 | 2 | 242-1F | 63800 | 63800 | 0 | EVAPCONC | |
| Jan-68 | 1/20/68 | 9 | 242-1H | 86000 | 86000 | 0 | EVAPCONC | |
| Feb-68 | 2/20/68 | 23 | 244-245H | 137000 | 137000 | 0 | NONCANYWASTE | RBOF-RRF |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|-------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-68 | 2/20/68 | CRC | 23 | 23000 | 23000 | 0 | RBOF-RRF | RBOF-RRF |
| Feb-68 | 2/20/68 | 18 | 7 | 476000 | 493000 | 0 | MIXSNATE | |
| Feb-68 | 2/20/68 | 18 | 242-1F | 800 | 800 | 0 | OVERSPEC | |
| Feb-68 | 2/20/68 | 21 | 242-1H | 19000 | 19000 | 0 | OVERSPEC | |
| Feb-68 | 2/20/68 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | |
| Feb-68 | 2/20/68 | 5 | SRL | 17200 | 17200 | 0 | NONCANYWASTE | SRL Waste - High Cl |
| Feb-68 | 2/20/68 | 18 | 242-1F | 26200 | 26200 | 0 | MISCADD/TRAN | Flush H2O |
| Feb-68 | 2/20/68 | 242-1F | 18 | 281600 | 281600 | 0 | EVAPFEED | |
| Feb-68 | 2/20/68 | 242-1H | 21 | 343000 | 343000 | 0 | EVAPFEED | |
| Feb-68 | 2/20/68 | 2 | 242-1F | 142000 | 142000 | 0 | EVAPCONC | |
| Feb-68 | 2/20/68 | 10 | 242-1H | 168000 | 168000 | 0 | EVAPCONC | |
| Mar-68 | 2/28/68 | 21 | 13 | 370300 | 373000 | 0 | CONCSN | |
| Mar-68 | 3/7/68 | 13 | 10 | 137000 | 141000 | 0 | CONCSN | |
| Mar-68 | 3/14/68 | 7 | 2 | 373000 | 373000 | 0 | CONCSN | |
| Mar-68 | 3/15/68 | 18 | 7 | 57000 | 57000 | 0 | MIXSNATE | |
| Mar-68 | 3/20/68 | 5 | SRL | 21000 | 21000 | 0 | NONCANYWASTE | SRL Waste - High Chloride |
| Mar-68 | 3/20/68 | 23 | 244-245H | 164000 | 164000 | 0 | NONCANYWASTE | RBOF-RRF |
| Mar-68 | 3/20/68 | CRC | 23 | 84000 | 84000 | 0 | RBOF-RRF | RBOF-RRF |
| Mar-68 | 3/20/68 | 7 | 2 | 40000 | 40000 | 0 | CONCSN | |
| Mar-68 | 3/20/68 | 18 | 242-1F | 4000 | 4000 | 0 | OVERSPEC | |
| Mar-68 | 3/20/68 | 21 | 242-1H | 17000 | 17000 | 0 | OVERSPEC | |
| Mar-68 | 3/20/68 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds |
| Mar-68 | 3/20/68 | 242-1F | 18 | 375000 | 375000 | 0 | EVAPFEED | |
| Mar-68 | 3/20/68 | 242-1H | 21 | 298000 | 298000 | 0 | EVAPFEED | |
| Mar-68 | 3/20/68 | 2 | 242-1F | 173000 | 173000 | 0 | EVAPCONC | |
| Mar-68 | 3/20/68 | 10 | 242-1H | 152000 | 152000 | 0 | EVAPCONC | |
| Mar-68 | 3/21/68 | 13 | 15 | 477000 | 477000 | 0 | HHWSN | |
| Apr-68 | 3/25/68 | 21 | 13 | 477000 | 477000 | 0 | MIXSNATE | |
| Apr-68 | 3/28/68 | 13 | 15 | 291000 | 291000 | 0 | HHWSN | |
| Apr-68 | 4/6/68 | 18 | 7 | 480000 | 485000 | 0 | MIXSNATE | |
| Apr-68 | 4/9/68 | 21 | 13 | 354000 | 354000 | 0 | HHWSN | |
| Apr-68 | 4/17/68 | 9 | 10 | 156000 | 156000 | 0 | CONC | 2-Stage Evap Conc Receipt |
| Apr-68 | 4/20/68 | 5 | SRL | 16800 | 16800 | 0 | NONCANYWASTE | SRL Waste - High Chloride |
| Apr-68 | 4/20/68 | 23 | 244-245H | 165000 | 165000 | 0 | NONCANYWASTE | RBOF-RRF |
| Apr-68 | 4/20/68 | CRC | 23 | 101000 | 101000 | 0 | RBOF-RRF | RBOF-RRF |
| Apr-68 | 4/20/68 | 18 | 242-1F | 10000 | 10000 | 0 | OVERSPEC | |
| Apr-68 | 4/20/68 | 21 | 242-1H | 15500 | 15500 | 0 | OVERSPEC | |
| Apr-68 | 4/20/68 | 23 | 242-1H | 5700 | 5700 | 0 | OVERSPEC | Off spec. overhds. |
| Apr-68 | 4/20/68 | 12 | | 0 | 14092 | 0 | MISCADD/TRAN | RT Calib/Repl. or Inv. change |
| Apr-68 | 4/20/68 | 242-1F | 18 | 419000 | 419000 | 0 | EVAPFEED | |
| Apr-68 | 4/20/68 | 242-1H | 21 | 490000 | 490000 | 0 | EVAPFEED | |
| Apr-68 | 4/20/68 | 2 | 242-1F | 214000 | 214000 | 0 | EVAPCONC | |
| Apr-68 | 4/20/68 | 10 | 242-1H | 210000 | 210000 | 0 | EVAPCONC | |
| May-68 | 4/24/68 | 9 | 10 | 130000 | 130000 | 0 | CONC | 2-Stage Evap Conc Receipt |
| May-68 | 5/8/68 | 21 | 13 | 69000 | 69000 | 0 | MIXSNATE | |
| May-68 | 5/11/68 | 18 | 7 | 71000 | 71000 | 0 | MIXSNATE | |
| May-68 | 5/14/68 | 7 | 2 | 320000 | 320000 | 0 | CONCSN | |
| May-68 | 5/18/68 | 18 | 7 | 330000 | 330000 | 0 | MIXSNATE | |
| May-68 | 5/20/68 | 24 | | 0 | 14160 | 0 | MISCADD/TRAN | RT Calib/Repl. or Inv. change |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-68 | 5/20/68 | 5 | SRL | 8100 | 8100 | 0 | NONCANYWASTE | |
| May-68 | 5/20/68 | CRC | 23 | 79000 | 79000 | 0 | RBOF-RRF | RBOF-RRF |
| May-68 | 5/20/68 | 23 | 244-245H | 176000 | 176000 | 0 | NONCANYWASTE | RBOF-RRF |
| May-68 | 5/20/68 | 23 | 242-1H | 11000 | 11000 | 0 | OVERSPEC | Off spec. overhds. |
| May-68 | 5/20/68 | 18 | 242-1F | 2400 | 2400 | 0 | OVERSPEC | |
| May-68 | 5/20/68 | 21 | 242-1H | 19000 | 19000 | 0 | OVERSPEC | |
| May-68 | 5/20/68 | 242-1F | 18 | 395000 | 395000 | 0 | EVAPFEED | |
| May-68 | 5/20/68 | 242-1H | 21 | 532000 | 532000 | 0 | EVAPFEED | |
| May-68 | 5/20/68 | 2 | 242-1F | 197000 | 197000 | 0 | EVAPCONC | |
| May-68 | 5/20/68 | 10 | 242-1H | 259000 | 259000 | 0 | EVAPCONC | |
| Jun-68 | 6/21/68 | 13 | 9 | 362000 | 362000 | 0 | CONCSN | |
| Jun-68 | 5/31/68 | 18 | 7 | 14000 | 14000 | 0 | LHWSN | |
| Jun-68 | 6/3/68 | 3 | | 0 | 322000 | 0 | MISCADD/TRAN | Slur. H2O; Tk3 to Tk7 Trans. |
| Jun-68 | 6/5/68 | 7 | 3 | 390000 | 390000 | 92 | SLSLURRY | Sludge Slurry |
| Jun-68 | 6/8/68 | 18 | 17 | 330000 | 330000 | 0 | SNATE | |
| Jun-68 | 6/20/68 | 18 | 7 | 335000 | 335000 | 0 | DILWASTE | |
| Jun-68 | 6/20/68 | 5 | SRL | 11500 | 11500 | 0 | NONCANYWASTE | SRL Waste - High Chloride |
| Jun-68 | 6/20/68 | 23 | 244-245H | 127000 | 127000 | 0 | NONCANYWASTE | RBOF-RRF |
| Jun-68 | 6/20/68 | CRC | 23 | 49000 | 49000 | 0 | RBOF-RRF | RBOF-RRF |
| Jun-68 | 6/20/68 | 18 | 242-1F | 22000 | 22000 | 0 | OVERSPEC | |
| Jun-68 | 6/20/68 | 21 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | |
| Jun-68 | 6/20/68 | 23 | 242-1H | 173000 | 173000 | 0 | OVERSPEC | Off spec. overhds. |
| Jun-68 | 6/20/68 | 18 | 2 | 18500 | 18500 | 0 | CONCSN | |
| Jun-68 | 6/20/68 | 242-1F | 18 | 555000 | 555000 | 0 | EVAPFEED | |
| Jun-68 | 6/20/68 | 242-1H | 21 | 451000 | 451000 | 0 | EVAPFEED | |
| Jun-68 | 6/20/68 | 3 | 242-1F | 80758 | 80758 | 0 | EVAPCONC | |
| Jun-68 | 6/20/68 | 2 | 242-1F | 213484 | 213484 | 0 | EVAPCONC | |
| Jun-68 | 6/20/68 | 10 | 242-1H | 197000 | 197000 | 0 | EVAPCONC | |
| Jul-68 | 6/24/68 | 21 | 13 | 368000 | 379000 | 0 | MIXSNATE | |
| Jul-68 | 6/25/68 | 7 | 2 | 233253 | 235000 | 0 | CONCSN | |
| Jul-68 | 7/4/68 | 9 | 10 | 225000 | 234000 | 0 | CONCSN | |
| Jul-68 | 7/10/68 | 21 | 24 | 152000 | 157000 | 0 | CONCSN | |
| Jul-68 | 7/17/68 | 13 | 14 | 6600 | 6900000 | 0 | SNATE | |
| Jul-68 | 7/17/68 | 16 | 14 | 14400 | 14700 | 0 | SNATE | |
| Jul-68 | 7/19/68 | 18 | 7 | 304268 | 307000 | 0 | MIXSNATE | |
| Jul-68 | 7/19/68 | 13 | 16 | 15700 | 16200 | 0 | SNATE | |
| Jul-68 | 7/20/68 | 5 | SRL | 11000 | 11000 | 0 | NONCANYWASTE | |
| Jul-68 | 7/20/68 | CRC | 23 | 285000 | 285000 | 0 | RBOF-RRF | |
| Jul-68 | 7/20/68 | 23 | 244-245H | 119000 | 119000 | 0 | NONCANYWASTE | |
| Jul-68 | 7/20/68 | 18 | 242-1F | 4500 | 4500 | 0 | OVERSPEC | |
| Jul-68 | 7/20/68 | 21 | 242-1H | 15000 | 15000 | 0 | OVERSPEC | |
| Jul-68 | 7/20/68 | 242-1F | 18 | 363000 | 363000 | 0 | EVAPFEED | |
| Jul-68 | 7/20/68 | 242-1H | 21 | 304000 | 304000 | 0 | EVAPFEED | |
| Jul-68 | 7/20/68 | 2 | 242-1F | 105982 | 105982 | 0 | EVAPCONC | |
| Jul-68 | 7/20/68 | 3 | 242-1F | 97018 | 97018 | 0 | EVAPCONC | |
| Jul-68 | 7/20/68 | 10 | 242-1H | 163000 | 163000 | 0 | EVAPCONC | |
| Aug-68 | 7/23/68 | 7 | 8 | 118000 | 118000 | 0 | HHWSN | |
| Aug-68 | 7/25/68 | 7 | 3 | 128000 | 128000 | 0 | CONCSN | |
| Aug-68 | 7/26/68 | 13 | 14 | 334000 | 334000 | 0 | SNATE | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|---------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Aug-68 | 8/1/68 | 13 | 9 | 206000 | 206000 | 0 | CONCSN | | |
| Aug-68 | 8/4/68 | 21 | 13 | 660000 | 660000 | 0 | MIXSNATE | | |
| Aug-68 | 8/5/68 | 18 | 7 | 292000 | 292000 | 0 | MIXSNATE | | |
| Aug-68 | 8/9/68 | 13 | 14 | 530000 | 530000 | 0 | SNATE | | |
| Aug-68 | 8/9/68 | 9 | 10 | 112000 | 112000 | 0 | CONC | | |
| Aug-68 | 8/15/68 | 7 | 8 | 259000 | 259000 | 0 | HHWSN | | |
| Aug-68 | 8/15/68 | 21 | 13 | 320000 | 320000 | 0 | MIXSNATE | | |
| Aug-68 | 8/18/68 | 18 | 7 | 300500 | 300500 | 0 | MIXSNATE | | |
| Aug-68 | 8/20/68 | 5 | SRL | 16000 | 16000 | 0 | NONCANYWASTE | SRL Waste - High Chloride | |
| Aug-68 | 8/20/68 | 23 | 244-245H | 125000 | 125000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Aug-68 | 8/20/68 | CRC | 23 | 237000 | 237000 | 0 | RBOF-RRF | RBOF-RRF | |
| Aug-68 | 8/20/68 | 18 | 242-1F | 2600 | 2600 | 0 | OVERSPEC | | |
| Aug-68 | 8/20/68 | 21 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | | |
| Aug-68 | 8/20/68 | 23 | 242-1H | 13000 | 13000 | 0 | OVERSPEC | Off spec. overhds. | |
| Aug-68 | 8/20/68 | 242-1F | 18 | 347000 | 347000 | 0 | EVAPFEED | | |
| Aug-68 | 8/20/68 | 242-1H | 21 | 462000 | 462000 | 0 | EVAPFEED | | |
| Aug-68 | 8/20/68 | 2 | 242-1F | 115900 | 115900 | 0 | EVAPCONC | | |
| Aug-68 | 8/20/68 | 3 | 242-1F | 46100 | 46100 | 0 | EVAPCONC | | |
| Aug-68 | 8/20/68 | 10 | 242-1H | 238000 | 238000 | 0 | EVAPCONC | | |
| Sep-68 | 8/21/68 | 7 | 8 | 231000 | 235000 | 0 | HHWSN | | |
| Sep-68 | 8/23/68 | 9 | 10 | 207000 | 215000 | 0 | CONC | | |
| Sep-68 | 8/26/68 | 18 | 7 | 246000 | 253000 | 0 | MIXSNATE | | |
| Sep-68 | 8/30/68 | 21 | 13 | 234000 | 241000 | 0 | MIXSNATE | | |
| Sep-68 | 9/5/68 | 7 | 3 | 125000 | 129000 | 0 | CONCSN | | |
| Sep-68 | 9/5/68 | 13 | 16 | 257000 | 264000 | 0 | MIXSNATE | | |
| Sep-68 | 9/12/68 | 21 | 13 | 173000 | 178000 | 0 | MIXSNATE | | |
| Sep-68 | 9/20/68 | 13 | 9 | 110000 | 117000 | 0 | CONCSN | | |
| Sep-68 | 9/20/68 | 5 | SRL | 4100 | 4100 | 0 | NONCANYWASTE | SRL Waste - High Chloride | |
| Sep-68 | 9/20/68 | 8 | SRL | 17900 | 17900 | 0 | NONCANYWASTE | SRL Waste - High Chloride | |
| Sep-68 | 9/20/68 | 23 | 244-245H | 136000 | 136000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Sep-68 | 9/20/68 | CRC | 23 | 162000 | 162000 | 0 | RBOF-RRF | RBOF-RRF | |
| Sep-68 | 9/20/68 | 18 | 242-1F | 14000 | 14000 | 0 | OVERSPEC | | |
| Sep-68 | 9/20/68 | 21 | 242-1H | 43000 | 43000 | 0 | OVERSPEC | | |
| Sep-68 | 9/20/68 | 23 | 242-1H | 12000 | 12000 | 0 | OVERSPEC | Off spec. overhds. | |
| Sep-68 | 9/20/68 | 242-1F | 18 | 342000 | 342000 | 0 | EVAPFEED | | |
| Sep-68 | 9/20/68 | 242-1H | 21 | 466000 | 466000 | 0 | EVAPFEED | | |
| Sep-68 | 9/20/68 | 2 | 242-1F | 81300 | 81300 | 0 | EVAPCONC | | |
| Sep-68 | 9/20/68 | 3 | 242-1F | 84700 | 84700 | 0 | EVAPCONC | | |
| Sep-68 | 9/20/68 | 10 | 242-1H | 234000 | 234000 | 0 | EVAPCONC | | |
| Oct-68 | 9/27/68 | 9 | 10 | 135000 | 142000 | 0 | CONC | | |
| Oct-68 | 10/2/68 | 21 | 13 | 266000 | 277000 | 0 | MIXSNATE | | |
| Oct-68 | 10/11/68 | 13 | 9 | 299000 | 313000 | 0 | CONCSN | | |
| Oct-68 | 10/18/68 | 9 | 10 | 157000 | 165000 | 0 | CONC | | |
| Oct-68 | 10/20/68 | 8 | SRL | 20200 | 20200 | 0 | NONCANYWASTE | SRL Waste - High Chloride | |
| Oct-68 | 10/20/68 | 23 | 244-245H | 96000 | 96000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Oct-68 | 10/20/68 | CRC | 23 | 162000 | 162000 | 0 | RBOF-RRF | RBOF-RRF | |
| Oct-68 | 10/20/68 | 21 | 242-1H | 22000 | 22000 | 0 | OVERSPEC | | |
| Oct-68 | 10/20/68 | 18 | 242-1F | 1600 | 1600 | 0 | OVERSPEC | | |
| Oct-68 | 10/20/68 | 23 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | Off spec. overhds. | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-88 | 10/20/88 | 242-1F | 18 | 163000 | 163000 | 0 | EVAPFEED | | |
| Oct-88 | 10/20/88 | 242-1H | 21 | 469000 | 469000 | 0 | EVAPFEED | | |
| Oct-88 | 10/20/88 | 3 | 242-1F | 76800 | 76800 | 0 | EVAPCONC | | |
| Oct-88 | 10/20/88 | 10 | 242-1H | 194000 | 194000 | 0 | EVAPCONC | | |
| Nov-88 | 11/1/88 | 21 | 13 | 435000 | 452000 | 0 | CONCSN | | |
| Nov-88 | 11/6/88 | 13 | 9 | 134000 | 138000 | 0 | CONCSN | | |
| Nov-88 | 11/8/88 | 9 | 10 | 108000 | 115000 | 0 | CONC | | |
| Nov-88 | 11/13/88 | 21 | 13 | 167000 | 175000 | 0 | CONCSN | | |
| Nov-88 | 11/14/88 | 9 | 10 | 131000 | 137000 | 0 | CONC | | |
| Nov-88 | 11/20/88 | 8 | SRL | 19500 | 19500 | 0 | NONCANYWASTE | SRL Waste - High Chloride | |
| Nov-88 | 11/20/88 | CRC | 23 | 198000 | 198000 | 0 | RBOF-RRF | RBOF-RRF | |
| Nov-88 | 11/20/88 | 23 | 244-245H | 116000 | 116000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Nov-88 | 11/20/88 | 18 | 242-1F | 6000 | 6000 | 0 | OVERSPEC | | |
| Nov-88 | 11/20/88 | 21 | 242-1H | 11000 | 11000 | 0 | OVERSPEC | | |
| Nov-88 | 11/20/88 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Off spec. overhds. | |
| Nov-88 | 11/20/88 | 242-1F | 18 | 321000 | 321000 | 0 | EVAPFEED | | |
| Nov-88 | 11/20/88 | 242-1H | 21 | 499000 | 499000 | 0 | EVAPFEED | | |
| Nov-88 | 11/20/88 | 3 | 242-1F | 117000 | 117000 | 0 | EVAPCONC | | |
| Nov-88 | 11/20/88 | 10 | 242-1H | 203000 | 203000 | 0 | EVAPCONC | | |
| Dec-88 | 12/20/88 | 8 | SRL | 17600 | 17600 | 0 | NONCANYWASTE | SRL Waste- High Chloride | |
| Dec-88 | 12/20/88 | CRC | 23 | 187000 | 187000 | 0 | RBOF-RRF | RBOF-RRF | |
| Dec-88 | 12/20/88 | 23 | 244-245H | 133000 | 133000 | 0 | NONCANYWASTE | RBOF-RRF | |
| Dec-88 | 12/20/88 | 18 | 242-1F | 10000 | 10000 | 0 | OVERSPEC | | |
| Dec-88 | 12/20/88 | 21 | 242-1H | 27000 | 27000 | 0 | OVERSPEC | | |
| Dec-88 | 12/20/88 | 23 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | Off spec. overhds. | |
| Dec-88 | 12/14/88 | 18 | 19 | 540000 | 555000 | 0 | CONCSN | | |
| Dec-88 | 11/22/88 | 13 | 9 | 236000 | 244000 | 0 | CONCSN | | |
| Dec-88 | 11/27/88 | 21 | 13 | 220000 | 227000 | 0 | CONCSN | | |
| Dec-88 | 12/20/88 | 9 | 10 | 131000 | 138000 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| Dec-88 | 12/20/88 | 9 | 10 | 80300 | 84800 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| Dec-88 | 12/6/88 | 13 | 9 | 94700 | 98700 | 0 | CONCSN | | |
| Dec-88 | 12/6/88 | 21 | 13 | 190000 | 195000 | 0 | CONCSN | | |
| Dec-88 | 12/20/88 | 9 | 10 | 84000 | 92000 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| Dec-88 | 12/12/88 | 13 | 14 | 452000 | 452000 | 85 | SLSLURRY | Sludge Slurry | |
| Dec-88 | 12/20/88 | 14 | | 0 | 377000 | 0 | MISCADD/TRAN | Slur. H2O; Tk14 to Tk13 Trans. | |
| Dec-88 | 12/20/88 | 242-1F | 18 | 287000 | 287000 | 0 | EVAPFEED | | |
| Dec-88 | 12/20/88 | 242-1H | 21 | 483000 | 483000 | 0 | EVAPFEED | | |
| Dec-88 | 12/20/88 | 3 | 242-1F | 119000 | 119000 | 0 | EVAPCONC | | |
| Dec-88 | 12/20/88 | 10 | 242-1H | 241000 | 241000 | 0 | EVAPCONC | | |
| Jan-69 | 12/20/88 | 7 | 2 | 149000 | 154000 | 0 | CONCSN | | |
| Jan-69 | 1/3/69 | 13 | 9 | 177000 | 185000 | 0 | CONCSN | | |
| Jan-69 | 1/8/69 | 9 | 10 | 138000 | 144000 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| Jan-69 | 1/15/69 | 18 | 7 | 355000 | 372000 | 0 | CONCSN | | |
| Jan-69 | 1/16/69 | 13 | 9 | 88000 | 90000 | 0 | SNATE | | |
| Jan-69 | 1/17/69 | 21 | 13 | 340000 | 357000 | 0 | EVAPFEED | | |
| Jan-69 | 1/20/69 | 8 | SRL | 0 | 12200 | 0 | NONCANYWASTE | | |
| Jan-69 | 1/20/69 | CRC | 23 | 0 | 124000 | 0 | RBOF-RRF | | |
| Jan-69 | 1/20/69 | 23 | 244-245H | 0 | 106000 | 0 | NONCANYWASTE | | |
| Jan-69 | 1/20/69 | 18 | 242-1F | 0 | 0 | 0 | OVERSPEC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jan-69 | 1/20/69 | 21 | 242-1H | 0 | 15000 | 0 | OVERSPEC | |
| Jan-69 | 1/20/69 | 2 | 242-1F | 130000 | 130000 | 0 | EVAPCONC | |
| Jan-69 | 1/20/69 | 7 | 3 | 355800 | 371000 | 0 | CONCSN | |
| Jan-69 | 1/20/69 | 242-1F | 18 | 434000 | 434000 | 0 | EVAPFEED | |
| Jan-69 | 1/20/69 | 242-1H | 21 | 627000 | 627000 | 0 | EVAPFEED | |
| Jan-69 | 1/20/69 | 3 | 242-1F | 117000 | 117000 | 0 | EVAPCONC | |
| Jan-69 | 1/20/69 | 10 | 242-1H | 326000 | 326000 | 0 | EVAPCONC | |
| Jan-69 | 1/21/69 | 9 | 10 | 189000 | 196000 | 0 | CONC | 2-Stage Evap Conc Receipt |
| Jan-69 | 12/30/69 | 21 | 13 | 362000 | 380000 | 0 | SLUDGERW | |
| Feb-69 | 2/3/69 | 13 | 9 | 184000 | 192000 | 0 | SNATE | |
| Feb-69 | 2/5/69 | 21 | 13 | 223000 | 235000 | 0 | EVAPFEED | |
| Feb-69 | 2/7/69 | 9 | 10 | 171000 | 182000 | 0 | CONC | 2-Stage Evap Conc Receipt |
| Feb-69 | 2/8/69 | 18 | 7 | 372000 | 390000 | 0 | CONCSN | |
| Feb-69 | 2/12/69 | 7 | 1 | 318000 | 326000 | 0 | HHWSN | |
| Feb-69 | 2/15/69 | 7 | 2 | 104000 | 108000 | 0 | CONCSN | |
| Feb-69 | 2/17/69 | 14 | 12 | 58000 | 62000 | 0 | HHWSN | |
| Feb-69 | 2/17/69 | 14 | 12 | 3000 | 3000 | 0 | SNATE | Sludge x-fered w/ s-nate |
| Feb-69 | 2/20/69 | 8 | SRL | 0 | 23800 | 0 | NONCANYWASTE | |
| Feb-69 | 2/20/69 | 23 | 244-245H | 0 | 181000 | 0 | NONCANYWASTE | |
| Feb-69 | 2/20/69 | CRC | 23 | 0 | 15000 | 0 | RBOF-RRF | |
| Feb-69 | 2/20/69 | 18 | 242-1F | 0 | 1000 | 0 | OVERSPEC | |
| Feb-69 | 2/20/69 | 21 | 242-1H | 0 | 4000 | 0 | OVERSPEC | |
| Feb-69 | 2/20/69 | 13 | 12 | 154000 | 160000 | 0 | SNATE | left only a sludge heel |
| Feb-69 | 2/20/69 | 242-1F | 18 | 493000 | 493000 | 0 | EVAPFEED | |
| Feb-69 | 2/20/69 | 242-1H | 21 | 336000 | 336000 | 0 | EVAPFEED | |
| Feb-69 | 2/20/69 | 3 | 242-1F | 333000 | 333000 | 0 | EVAPCONC | |
| Feb-69 | 2/20/69 | 10 | 242-1H | 144000 | 144000 | 0 | EVAPCONC | |
| Mar-69 | 2/21/69 | 21 | 13 | 194000 | 203000 | 0 | HHW | |
| Mar-69 | 2/23/69 | 13 | 12 | 321000 | 333000 | 0 | HHW | |
| Mar-69 | 2/24/69 | 18 | 7 | 319000 | 330000 | 0 | HHW | |
| Mar-69 | 2/27/69 | 13 | 9 | 159000 | 168000 | 0 | CONCSN | |
| Mar-69 | 3/2/69 | 7 | 3 | 288000 | 302500 | 0 | CONCSN | |
| Mar-69 | 3/13/69 | 21 | 13 | 238000 | 246000 | 0 | CONCSN | |
| Mar-69 | 3/19/69 | 18 | 7 | 95000 | 99000 | 0 | CONCSN | |
| Mar-69 | 3/20/69 | 8 | SRL | 29000 | 29000 | 0 | NONCANYWASTE | |
| Mar-69 | 3/20/69 | CRC | 23 | 141000 | 141000 | 0 | RBOF-RRF | |
| Mar-69 | 3/20/69 | 23 | 244-245H | 156000 | 156000 | 0 | NONCANYWASTE | |
| Mar-69 | 3/20/69 | 18 | 242-1F | 10000 | 10000 | 0 | OVERSPEC | |
| Mar-69 | 3/20/69 | 21 | 242-1H | 15000 | 15000 | 0 | OVERSPEC | |
| Mar-69 | 3/20/69 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Off spec. overhds. |
| Mar-69 | 3/20/69 | 19 | 17 | 94800 | 94800 | 0 | FRLHW | Cascade of Waste |
| Mar-69 | 3/20/69 | 9 | 10 | 153000 | 164000 | 0 | CONC | 2-Stage Evap Conc Receipt |
| Mar-69 | 3/20/69 | 242-1F | 18 | 412000 | 412000 | 0 | EVAPFEED | |
| Mar-69 | 3/20/69 | 242-1H | 21 | 399000 | 399000 | 0 | EVAPFEED | |
| Mar-69 | 3/20/69 | 2 | 242-1F | 121400 | 121400 | 0 | EVAPCONC | |
| Mar-69 | 3/20/69 | 3 | 242-1F | 168600 | 168600 | 0 | EVAPCONC | |
| Mar-69 | 3/20/69 | 10 | 242-1H | 137000 | 137000 | 0 | EVAPCONC | |
| Apr-69 | 3/25/69 | 7 | 2 | 85400 | 89000 | 0 | CONCSN | |
| Apr-69 | 4/2/69 | 21 | 13 | 303000 | 313000 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-69 | 4/9/69 | 13 | 9 | 142000 | 150000 | 0 | CONCSN | | |
| Apr-69 | 4/14/69 | 18 | 7 | 423000 | 444000 | 0 | MIXSNATE | | |
| Apr-69 | 4/16/69 | 7 | 3 | 235000 | 244000 | 0 | CONCSN | | |
| Apr-69 | 4/16/69 | 9 | 10 | 132000 | 142000 | 0 | CONCSN | | |
| Apr-69 | 4/20/69 | 8 | SRL | 26600 | 26600 | 0 | NONCANYWASTE | | |
| Apr-69 | 4/20/69 | CRC | 23 | 56000 | 56000 | 0 | RBOF-RRF | | |
| Apr-69 | 4/20/69 | 23 | 244-245H | 106000 | 106000 | 0 | NONCANYWASTE | | |
| Apr-69 | 4/20/69 | 18 | 242-1F | 9000 | 9000 | 0 | OVERSPEC | | |
| Apr-69 | 4/20/69 | 21 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | | |
| Apr-69 | 4/20/69 | 23 | 242-1H | 89000 | 89000 | 0 | OVERSPEC | Off spec. overhds. | |
| Apr-69 | 4/20/69 | 2 | 242-1F | 74700 | 74700 | 0 | EVAPCONC | | |
| Apr-69 | 4/20/69 | 19 | 17 | 90000 | 90000 | 0 | FRLHW | Cascade of Waste | |
| Apr-69 | 4/20/69 | 242-1F | 18 | 325000 | 325000 | 0 | EVAPFEED | | |
| Apr-69 | 4/20/69 | 242-1H | 21 | 477000 | 477000 | 0 | EVAPFEED | | |
| Apr-69 | 4/20/69 | 3 | 242-1F | 111300 | 111300 | 0 | EVAPCONC | | |
| Apr-69 | 4/20/69 | 10 | 242-1H | 191000 | 191000 | 0 | EVAPCONC | | |
| Apr-69 | 4/21/69 | 18 | 7 | 259000 | 274000 | 0 | EVAPFEED | | |
| May-69 | 4/24/69 | 2 | 1 | 336000 | 344000 | 0 | HHWSN | | |
| May-69 | 4/24/69 | 21 | 13 | 254000 | 264000 | 0 | SNATE | | |
| May-69 | 4/30/69 | 7 | 2 | 76400 | 80000 | 0 | CONCSN | | |
| May-69 | 4/30/69 | 13 | 9 | 110000 | 118000 | 0 | CONCSN | | |
| May-69 | 5/2/69 | 9 | 10 | 92000 | 102000 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| May-69 | 5/4/69 | 18 | 7 | 391000 | 404500 | 0 | CONCSN | | |
| May-69 | 5/6/69 | 13 | 14 | 80000 | 82000 | 0 | HHWSN | | |
| May-69 | 5/9/69 | 18 | 7 | 59600 | 61800 | 0 | CONCSN | | |
| May-69 | 5/15/69 | 7 | 3 | 136200 | 144000 | 0 | CONCSN | | |
| May-69 | 5/15/69 | 21 | 13 | 326000 | 340000 | 0 | CONCSN | | |
| May-69 | 5/15/69 | 13 | 9 | 70000 | 74000 | 0 | CONCSN | | |
| May-69 | 5/18/69 | 18 | 7 | 104500 | 111600 | 0 | CONCSN | | |
| May-69 | 5/19/69 | 1 | | 0 | 243600 | 0 | MISCADD/TRAN | Slurry H2O/Tk1 to Tk7 Trans. | |
| May-69 | 5/20/69 | 8 | SRL | 42300 | 42300 | 0 | NONCANYWASTE | | |
| May-69 | 5/20/69 | CRC | 23 | 50000 | 50000 | 0 | RBOF-RRF | | |
| May-69 | 5/20/69 | 23 | 244-245H | 81000 | 81000 | 0 | NONCANYWASTE | | |
| May-69 | 5/20/69 | 18 | 242-1F | 1800 | 1800 | 0 | OVERSPEC | | |
| May-69 | 5/20/69 | 21 | 242-1H | 29000 | 29000 | 0 | OVERSPEC | | |
| May-69 | 5/20/69 | 23 | 242-1H | 11000 | 11000 | 0 | OVERSPEC | Off spec. overhds. | |
| May-69 | 5/20/69 | 19 | 17 | 99000 | 99000 | 0 | FRLHW | Cascade of Waste | |
| May-69 | 5/20/69 | 7 | 1 | 330400 | 330400 | 77 | SLSLURRY | Sludge Slurry Transfer | |
| May-69 | 5/20/69 | 9 | 10 | 50000 | 60000 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| May-69 | 5/20/69 | 242-1F | 18 | 417000 | 417000 | 0 | EVAPFEED | | |
| May-69 | 5/20/69 | 242-1H | 21 | 495000 | 495000 | 0 | EVAPFEED | | |
| May-69 | 5/20/69 | 2 | 242-1F | 60000 | 60000 | 0 | EVAPCONC | | |
| May-69 | 5/20/69 | 3 | 242-1F | 220000 | 220000 | 0 | EVAPCONC | | |
| May-69 | 5/20/69 | 10 | 242-1H | 194000 | 194000 | 0 | EVAPCONC | | |
| Jun-69 | 5/21/69 | 13 | 9 | 75000 | 79000 | 0 | CONCSN | | |
| Jun-69 | 5/27/69 | 9 | 10 | 83000 | 91000 | 0 | CONC | 2-Stage Evap Conc Receipt | |
| Jun-69 | 5/28/69 | 13 | 9 | 8000 | 9000 | 0 | CONCSN | | |
| Jun-69 | 6/3/69 | 13 | 9 | 60000 | 63000 | 0 | CONCSN | | |
| Jun-69 | 6/4/69 | 9 | 10 | 55000 | 60000 | 0 | CONCSN | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-69 | 6/5/69 | 21 | 13 | 341000 | 355000 | 0 | CONCSN | |
| Jun-69 | 6/6/69 | 1 | 18 | 20400 | 51400 | 0 | MISCADD/TRAN | S-mate for Sludge Softening |
| Jun-69 | 6/10/69 | 13 | 9 | 60000 | 66000 | 0 | CONCSN | |
| Jun-69 | 6/11/69 | 18 | 7 | 216000 | 223000 | 0 | MISCADD/TRAN | |
| Jun-69 | 6/11/69 | 9 | 10 | 64000 | 68000 | 0 | CONCSN | |
| Jun-69 | 6/15/69 | 7 | 3 | 203000 | 210000 | 0 | CONCSN | |
| Jun-69 | 6/17/69 | 13 | 9 | 66000 | 70000 | 0 | CONCSN | |
| Jun-69 | 6/18/69 | 9 | 10 | 61000 | 65000 | 0 | CONCSN | |
| Jun-69 | 6/19/69 | 7 | 3 | 23200 | 24400 | 0 | CONCSN | |
| Jun-69 | 6/20/69 | 8 | SRL | 46200 | 46200 | 0 | NONCANYWASTE | |
| Jun-69 | 6/20/69 | CRC | 23 | 88000 | 88000 | 0 | RBOF-RRF | |
| Jun-69 | 6/20/69 | 23 | 244-245H | 77000 | 77000 | 0 | NONCANYWASTE | |
| Jun-69 | 6/20/69 | 18 | 242-1F | 4000 | 4000 | 0 | OVERSPEC | |
| Jun-69 | 6/20/69 | 21 | 242-1H | 29000 | 29000 | 0 | OVERSPEC | |
| Jun-69 | 6/20/69 | 23 | 242-1H | 36000 | 36000 | 0 | OVERSPEC | Off spec. overhds. |
| Jun-69 | 6/20/69 | 19 | 17 | 58500 | 58500 | 0 | FRLHW | Cascade of Waste |
| Jun-69 | 6/20/69 | 8 | | 0 | 12200 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jun-69 | 6/20/69 | 1 | | 0 | 124500 | 0 | MISCADD/TRAN | Sludge Slurry H2O |
| Jun-69 | 6/20/69 | 20 | | 0 | 10600 | 0 | MISCADD/TRAN | Condensation Water |
| Jun-69 | 6/20/69 | 242-1F | 18 | 317000 | 317000 | 0 | EVAPFEED | |
| Jun-69 | 6/20/69 | 242-1H | 21 | 529000 | 529000 | 0 | EVAPFEED | |
| Jun-69 | 6/20/69 | 2 | 242-1F | 23800 | 23800 | 0 | EVAPCONC | |
| Jun-69 | 6/20/69 | 3 | 242-1F | 189200 | 189200 | 0 | EVAPCONC | |
| Jun-69 | 6/20/69 | 10 | 242-1H | 260000 | 260000 | 0 | EVAPCONC | |
| Jul-69 | 6/24/69 | 14 | 9 | 62000 | 65000 | 0 | CONCSN | |
| Jul-69 | 6/25/69 | 9 | 10 | 58000 | 62000 | 0 | CONCSN | |
| Jul-69 | 6/25/69 | 21 | 13 | 196000 | 203000 | 0 | CONCSN | |
| Jul-69 | 6/28/69 | 13 | 9 | 46000 | 49000 | 0 | CONCSN | |
| Jul-69 | 7/1/69 | 9 | 10 | 44000 | 48000 | 0 | CONCSN | |
| Jul-69 | 7/8/69 | 13 | 9 | 48000 | 52000 | 0 | CONCSN | |
| Jul-69 | 7/9/69 | 18 | 7 | 197000 | 206000 | 0 | CONCSN | Some sludge removal water |
| Jul-69 | 7/10/69 | 9 | 10 | 45000 | 48000 | 0 | CONCSN | |
| Jul-69 | 7/13/69 | 7 | 3 | 184000 | 192000 | 0 | CONCSN | |
| Jul-69 | 7/15/69 | 13 | 9 | 36000 | 39000 | 0 | CONCSN | |
| Jul-69 | 7/16/69 | 9 | 10 | 33000 | 36000 | 0 | CONCSN | |
| Jul-69 | 7/20/69 | 8 | SRL | 33900 | 33900 | 0 | NONCANYWASTE | |
| Jul-69 | 7/20/69 | CRC | 23 | 142000 | 142000 | 0 | RBOF-RRF | |
| Jul-69 | 7/20/69 | 23 | 244-245H | 55000 | 55000 | 0 | NONCANYWASTE | |
| Jul-69 | 7/20/69 | 18 | 242-1F | 7000 | 7000 | 0 | OVERSPEC | |
| Jul-69 | 7/20/69 | 21 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | |
| Jul-69 | 7/20/69 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Off spec. overhds. |
| Jul-69 | 7/20/69 | 19 | 17 | 86100 | 86100 | 0 | FRLHW | Cascade of Waste |
| Jul-69 | 7/20/69 | 20 | | 0 | 7100 | 0 | MISCADD/TRAN | Condensation Water |
| Jul-69 | 7/20/69 | 18 | 7 | 136000 | 143000 | 0 | CONCSN | Some sludge removal water |
| Jul-69 | 7/20/69 | 242-1F | 18 | 389000 | 389000 | 0 | EVAPFEED | |
| Jul-69 | 7/20/69 | 242-1H | 21 | 509000 | 509000 | 0 | EVAPFEED | |
| Jul-69 | 7/20/69 | 3 | 242-1F | 225000 | 225000 | 0 | EVAPCONC | |
| Jul-69 | 7/20/69 | 10 | 242-1H | 269000 | 269000 | 0 | EVAPCONC | |
| Aug-69 | 7/23/69 | 18 | 7 | 208500 | 219500 | 0 | CONCSN | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-69 | 7/25/69 | 13 | 16 | 329000 | 339000 | 0 | HHW | HHW + LHW |
| Aug-69 | 8/1/69 | 7 | 1 | 40500 | 40500 | 0 | DILCONC | |
| Aug-69 | 8/1/69 | 21 | 13 | 383000 | 396000 | 0 | HHW | HHW + Fresh LHW |
| Aug-69 | 8/4/69 | 13 | 9 | 33000 | 35000 | 0 | CONCSN | |
| Aug-69 | 8/5/69 | 9 | 10 | 29000 | 31000 | 0 | CONCSN | |
| Aug-69 | 8/7/69 | 7 | 1 | 198000 | 198000 | 0 | MISCADD/TRAN | Slurry water from tk 1 to tk 7 |
| Aug-69 | 8/7/69 | 21 | 13 | 241000 | 250000 | 0 | CONCSN | |
| Aug-69 | 8/11/69 | 13 | 9 | 30000 | 32000 | 0 | CONCSN | |
| Aug-69 | 8/12/69 | 9 | 10 | 25000 | 27000 | 0 | CONCSN | |
| Aug-69 | 8/13/69 | 13 | 9 | 27000 | 29000 | 0 | CONCSN | |
| Aug-69 | 8/14/69 | 7 | 3 | 125500 | 131500 | 0 | CONCSN | |
| Aug-69 | 8/14/69 | 9 | 10 | 22000 | 24000 | 0 | CONCSN | |
| Aug-69 | 8/16/69 | 18 | 7 | 107000 | 110500 | 0 | CONCSN | Plus slurry water |
| Aug-69 | 8/18/69 | 13 | 9 | 22000 | 24000 | 0 | CONCSN | |
| Aug-69 | 8/18/69 | 9 | 10 | 28000 | 32000 | 0 | CONCSN | |
| Aug-69 | 8/19/69 | 7 | 2 | 44700 | 51700 | 0 | CONCSN | Plus slurry water |
| Aug-69 | 8/20/69 | 8 | SRL | 29400 | 29400 | 0 | NONCANYWASTE | |
| Aug-69 | 8/20/69 | CRC | 23 | 159000 | 159000 | 0 | RBOF-RRF | |
| Aug-69 | 8/20/69 | 23 | 244-245H | 55000 | 55000 | 0 | NONCANYWASTE | |
| Aug-69 | 8/20/69 | 18 | 242-1F | 7000 | 7000 | 0 | OVERSPEC | |
| Aug-69 | 8/20/69 | 21 | 242-1H | 8000 | 8000 | 0 | OVERSPEC | |
| Aug-69 | 8/20/69 | 23 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | Off spec. overhds. |
| Aug-69 | 8/20/69 | 19 | 17 | 89000 | 89000 | 0 | FRLHW | Cascade of Waste |
| Aug-69 | 8/20/69 | 1 | | 0 | 198000 | 0 | MISCADD/TRAN | Slurry Water |
| Aug-69 | 8/20/69 | 18 | 19 | 103600 | 106300 | 0 | LHW | |
| Aug-69 | 8/20/69 | 13 | 16 | 166000 | 174000 | 0 | HHW | HHW + LHW |
| Aug-69 | 8/20/69 | 13 | 9 | 12000 | 14000 | 0 | CONCSN | |
| Aug-69 | 8/20/69 | 242-1F | 18 | 330000 | 330000 | 0 | EVAPFEED | |
| Aug-69 | 8/20/69 | 242-1H | 21 | 602000 | 602000 | 0 | EVAPFEED | |
| Aug-69 | 8/20/69 | 3 | 242-1F | 202000 | 202000 | 0 | EVAPCONC | |
| Aug-69 | 8/20/69 | 10 | 242-1H | 359000 | 359000 | 0 | EVAPCONC | |
| Sep-69 | 8/21/69 | 13 | 9 | 26000 | 28000 | 0 | CONCSN | |
| Sep-69 | 8/22/69 | 21 | 13 | 166000 | 173000 | 0 | MIXSNATE | |
| Sep-69 | 8/22/69 | 9 | 10 | 41000 | 44000 | 0 | CONCSN | |
| Sep-69 | 8/22/69 | 16 | 11 | 47000 | 49000 | 0 | HHWSN | |
| Sep-69 | 8/26/69 | 13 | 9 | 37000 | 40000 | 0 | CONCSN | |
| Sep-69 | 8/26/69 | 9 | 10 | 15000 | 16000 | 0 | CONCSN | |
| Sep-69 | 8/27/69 | 16 | 11 | 39000 | 40000 | 0 | HHWSN | |
| Sep-69 | 8/28/69 | 21 | 13 | 142000 | 147000 | 0 | MIXSNATE | |
| Sep-69 | 8/28/69 | 13 | 9 | 15000 | 16000 | 0 | CONCSN | |
| Sep-69 | 8/29/69 | 9 | 10 | 13000 | 14000 | 0 | CONCSN | |
| Sep-69 | 8/29/69 | 16 | 11 | 43000 | 44000 | 0 | HHWSN | |
| Sep-69 | 9/2/69 | 18 | 7 | 146000 | 151000 | 0 | CONCSN | Plus slurry water |
| Sep-69 | 9/2/69 | 13 | 9 | 10000 | 11000 | 0 | CONCSN | |
| Sep-69 | 9/3/69 | 9 | 10 | 12000 | 13000 | 0 | CONCSN | |
| Sep-69 | 9/3/69 | 16 | 11 | 43000 | 44000 | 0 | HHWSN | |
| Sep-69 | 9/4/69 | 16 | 11 | 39000 | 40000 | 0 | HHWSN | |
| Sep-69 | 9/5/69 | 11 | 10 | 76000 | 79000 | 0 | CONCSN | |
| Sep-69 | 9/5/69 | 16 | 11 | 12000 | 13000 | 0 | HHWSN | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|----------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Sep-69 | 9/5/69 | 13 | 11 | 25000 | 26000 | 0 | CONCSN | |
| Sep-69 | 9/8/69 | 13 | 11 | 26000 | 28000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/9/69 | 21 | 13 | 154000 | 159000 | 0 | MIXSNATE | |
| Sep-69 | 9/9/69 | 16 | 11 | 33000 | 35000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/10/69 | 11 | 10 | 107000 | 117000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/10/69 | 16 | 11 | 28000 | 30000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/11/69 | 16 | 11 | 32000 | 34000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/12/69 | 16 | 11 | 31000 | 32000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/16/69 | 13 | 11 | 133000 | 139000 | 0 | CONCSN | HHW SNATE+CONC SNATE |
| Sep-69 | 9/16/69 | 21 | 13 | 139000 | 145000 | 0 | CONCSN | |
| Sep-69 | 9/20/69 | 8 | SRL | 28600 | 28600 | 0 | NONCANYWASTE | |
| Sep-69 | 9/20/69 | CRC | 23 | 24000 | 24000 | 0 | RBOF-RRF | |
| Sep-69 | 9/20/69 | 23 | 244-245H | 98000 | 98000 | 0 | NONCANYWASTE | |
| Sep-69 | 9/20/69 | 18 | 242-1F | 13000 | 13000 | 0 | OVERSPEC | |
| Sep-69 | 9/20/69 | 21 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | |
| Sep-69 | 9/20/69 | 23 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | Off spec. overhds. |
| Sep-69 | 9/20/69 | 19 | 17 | 78400 | 78400 | 0 | FRLHW | Cascade of Waste |
| Sep-69 | 9/20/69 | 20 | | 0 | 7100 | 0 | MISCADD/TRAN | Condensation Water |
| Sep-69 | 9/20/69 | 242-1F | 18 | 446000 | 446000 | 0 | EVAPFEED | |
| Sep-69 | 9/20/69 | 242-1H | 21 | 503000 | 503000 | 0 | EVAPFEED | |
| Sep-69 | 9/20/69 | 1 | 242-1F | 122000 | 122000 | 0 | EVAPCONC | |
| Sep-69 | 9/20/69 | 2 | 242-1F | 54200 | 54200 | 0 | EVAPCONC | |
| Sep-69 | 9/20/69 | 3 | 242-1F | 65500 | 65500 | 0 | EVAPCONC | |
| Sep-69 | 9/20/69 | 10 | 242-1H | 249000 | 249000 | 0 | EVAPCONC | |
| Oct-69 | 9/21/69 | 7 | 3 | 171000 | 177500 | 0 | CONCSN | |
| Oct-69 | 9/22/69 | 18 | 19 | 105000 | 107700 | 0 | LHW | |
| Oct-69 | 9/22/69 | 13 | 15 | 66000 | 68000 | 0 | HHWSN | |
| Oct-69 | 9/24/69 | 11 | 10 | 108000 | 117000 | 0 | CONCSN | |
| Oct-69 | 9/24/69 | 16 | 13 | 71000 | 71000 | 0 | HHWSN | |
| Oct-69 | 9/24/69 | 11 | 16 | 30000 | 33000 | 0 | HHWSN | |
| Oct-69 | 9/25/69 | 13 | 15 | 77000 | 79000 | 0 | HHWSN | |
| Oct-69 | 9/29/69 | 16 | 13 | 30000 | 30000 | 0 | HHWSN | |
| Oct-69 | 9/29/69 | 11 | 16 | 11000 | 12000 | 0 | HHWSN | |
| Oct-69 | 9/30/69 | 11 | 10 | 57000 | 62000 | 0 | CONCSN | |
| Oct-69 | 9/30/69 | 16 | 13 | 66000 | 66000 | 0 | HHWSN | |
| Oct-69 | 9/30/69 | 11 | 16 | 24000 | 26000 | 0 | HHWSN | |
| Oct-69 | 10/5/69 | 13 | 11 | 365000 | 382000 | 0 | HHWSN | |
| Oct-69 | 10/5/69 | 21 | 13 | 316000 | 329000 | 0 | HHWSN | |
| Oct-69 | 10/6/69 | 16 | 11 | 40000 | 42000 | 0 | HHWSN | |
| Oct-69 | 10/7/69 | 16 | 11 | 19000 | 19000 | 0 | HHWSN | |
| Oct-69 | 10/10/69 | 21 | 13 | 101000 | 105000 | 0 | HHWSN | |
| Oct-69 | 10/20/69 | 8 | SRL | 29100 | 29100 | 0 | NONCANYWASTE | |
| Oct-69 | 10/20/69 | CRC | 23 | 149000 | 149000 | 0 | RBOF-RRF | |
| Oct-69 | 10/20/69 | 23 | 244-245H | 5000 | 5000 | 0 | NONCANYWASTE | |
| Oct-69 | 10/20/69 | 18 | 242-1F | 6000 | 6000 | 0 | OVERSPEC | |
| Oct-69 | 10/20/69 | 21 | 242-1H | 18000 | 18000 | 0 | OVERSPEC | |
| Oct-69 | 10/20/69 | 23 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | Off spec. overhds. |
| Oct-69 | 10/20/69 | 19 | 17 | 53000 | 53000 | 0 | FRLHW | Cascade of Waste |
| Oct-69 | 10/20/69 | 11 | | 0 | 854000 | 0 | MISCADD/TRAN | Slurry Water |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|-------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Oct-69 | 10/20/69 | 13 | 11 | 1028000 | 1028000 | 76 | SLSLURRY | Sludge Slurry Transfer |
| Oct-69 | 10/20/69 | 14 | 13 | 658000 | 684000 | 0 | SNATE | Sludge Slurry Supernate |
| Oct-69 | 10/20/69 | 242-1F | 18 | 158000 | 158000 | 0 | EVAPFEED | |
| Oct-69 | 10/20/69 | 242-1H | 21 | 581000 | 581000 | 0 | EVAPFEED | |
| Oct-69 | 10/20/69 | 1 | 242-1F | 38700 | 38700 | 0 | EVAPCONC | |
| Oct-69 | 10/20/69 | 3 | 242-1F | 48300 | 48300 | 0 | EVAPCONC | |
| Oct-69 | 10/20/69 | 10 | 242-1H | 344000 | 344000 | 0 | EVAPCONC | |
| Nov-69 | 10/24/69 | 21 | 13 | 90400 | 94400 | 0 | HHWSN | |
| Nov-69 | 10/24/69 | 13 | 9 | 7100 | 8000 | 0 | CONCSN | |
| Nov-69 | 10/27/69 | 9 | 10 | 7200 | 6600 | 0 | CONCSN | |
| Nov-69 | 10/28/69 | 13 | 9 | 8600 | 9000 | 0 | CONCSN | |
| Nov-69 | 10/29/69 | 9 | 10 | 8400 | 8800 | 0 | CONCSN | |
| Nov-69 | 10/30/69 | 18 | 7 | 225000 | 236000 | 0 | CONCSN | |
| Nov-69 | 10/30/69 | 13 | 9 | 8800 | 9800 | 0 | CONCSN | |
| Nov-69 | 10/31/69 | 9 | 10 | 7200 | 7600 | 0 | CONCSN | |
| Nov-69 | 11/2/69 | 7 | 1 | 142000 | 148000 | 0 | CONCSN | |
| Nov-69 | 11/3/69 | 13 | 9 | 8100 | 8700 | 0 | CONCSN | |
| Nov-69 | 11/4/69 | 9 | 10 | 7000 | 7600 | 0 | CONCSN | |
| Nov-69 | 11/5/69 | 13 | 9 | 7600 | 7900 | 0 | CONCSN | |
| Nov-69 | 11/6/69 | 9 | 10 | 7000 | 7200 | 0 | CONCSN | |
| Nov-69 | 11/8/69 | 11 | 13 | 209000 | 216000 | 0 | MISCADD/TRAN | |
| Nov-69 | 11/10/69 | 18 | 19 | 49500 | 50700 | 0 | LHW | |
| Nov-69 | 11/12/69 | 13 | 14 | 305000 | 314000 | 0 | MISCADD/TRAN | Sludge Slurry water |
| Nov-69 | 11/13/69 | 21 | 13 | 161000 | 166400 | 0 | MISCADD/TRAN | Sludge Removal water |
| Nov-69 | 11/15/69 | 18 | 7 | 279000 | 293000 | 0 | CONCSN | |
| Nov-69 | 11/18/69 | 13 | 14 | 175000 | 184000 | 0 | MISCADD/TRAN | Sludge Slurry water |
| Nov-69 | 11/19/69 | 11 | 10 | 277000 | 294000 | 0 | CONCSN | |
| Nov-69 | 11/20/69 | 8 | SRL | 32600 | 32600 | 0 | NONCANYWASTE | |
| Nov-69 | 11/20/69 | CRC | 23 | 27000 | 27000 | 0 | RBOF-RRF | |
| Nov-69 | 11/20/69 | 23 | 244-245H | 123000 | 123000 | 0 | NONCANYWASTE | |
| Nov-69 | 11/20/69 | 18 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| Nov-69 | 11/20/69 | 21 | 242-1H | 219000 | 219000 | 0 | OVERSPEC | |
| Nov-69 | 11/20/69 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Off spec. overhds. |
| Nov-69 | 11/20/69 | 19 | 17 | 49000 | 49000 | 0 | FRLHW | Cascade of Waste |
| Nov-69 | 11/20/69 | 242-1F | 18 | 376000 | 376000 | 0 | EVAPFEED | |
| Nov-69 | 11/20/69 | 242-1H | 21 | 460000 | 460000 | 0 | EVAPFEED | |
| Nov-69 | 11/20/69 | 1 | 242-1F | 41300 | 41300 | 0 | EVAPCONC | |
| Nov-69 | 11/20/69 | 3 | 242-1F | 132700 | 132700 | 0 | EVAPCONC | |
| Nov-69 | 11/20/69 | 10 | 242-1H | 320000 | 320000 | 0 | EVAPCONC | |
| Nov-69 | 11/21/69 | 21 | 13 | 102000 | 108000 | 0 | HHWSN | |
| Dec-69 | 12/3/69 | 21 | 13 | 189000 | 195000 | 0 | MIXSNATE | |
| Dec-69 | 12/5/69 | 13 | 15 | 270000 | 275000 | 0 | HHWSN | |
| Dec-69 | 12/6/69 | 1 | 6 | 395000 | 395000 | 0 | HHWSN | |
| Dec-69 | 12/9/69 | 14 | 13 | 220000 | 226000 | 0 | MIXSNATE | |
| Dec-69 | 12/12/69 | 18 | 7 | 396000 | 412000 | 0 | HHWSN | |
| Dec-69 | 12/12/69 | 18 | 19 | 43000 | 44000 | 0 | LHWSN | |
| Dec-69 | 12/14/69 | 7 | 6 | 274000 | 271000 | 0 | HHWSN | |
| Dec-69 | 12/14/69 | 13 | 15 | 373000 | 380000 | 0 | HHWSN | |
| Dec-69 | 12/16/69 | 21 | 13 | 133000 | 137000 | 0 | MIXSNATE | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-69 | 12/17/69 | 13 | 15 | 72000 | 74000 | 0 | HHWSN | |
| Dec-69 | 12/20/69 | 8 | SRL | 27000 | 27000 | 0 | NONCANYWASTE | |
| Dec-69 | 12/20/69 | CRC | 23 | 1000 | 1000 | 0 | RBOF-RRF | |
| Dec-69 | 12/20/69 | 23 | 244-245H | 144000 | 144000 | 0 | NONCANYWASTE | |
| Dec-69 | 12/20/69 | 18 | 242-1F | 1000 | 1000 | 0 | OVERSPEC | |
| Dec-69 | 12/20/69 | 21 | 242-1H | 40000 | 40000 | 0 | OVERSPEC | |
| Dec-69 | 12/20/69 | 23 | 242-1H | 20000 | 20000 | 0 | OVERSPEC | Off spec. overhds |
| Dec-69 | 12/20/69 | 19 | 17 | 66000 | 66000 | 0 | FRLHW | Cascade of Waste |
| Dec-69 | 12/20/69 | 20 | | 0 | 10000 | 0 | MISCADD/TRAN | Condensation Water |
| Dec-69 | 12/20/69 | 11 | 10 | 41000 | 50000 | 0 | CONCSN | |
| Dec-69 | 12/20/69 | 242-1F | 18 | 530000 | 530000 | 0 | EVAPFEED | |
| Dec-69 | 12/20/69 | 242-1H | 21 | 453000 | 453000 | 0 | EVAPFEED | |
| Dec-69 | 12/20/69 | 1 | 242-1F | 276000 | 276000 | 0 | EVAPCONC | |
| Dec-69 | 12/20/69 | 10 | 242-1H | 215000 | 215000 | 0 | EVAPCONC | |
| Jan-70 | 12/25/69 | 18 | 7 | 217000 | 225000 | 0 | HHWSN | |
| Jan-70 | 12/25/69 | 11 | 10 | 95400 | 108400 | 0 | CONCSN | |
| Jan-70 | 12/27/69 | 7 | 3 | 128000 | 131000 | 0 | CONCSN | |
| Jan-70 | 1/2/70 | 18 | 19 | 42500 | 44000 | 0 | LHWSN | |
| Jan-70 | 1/2/70 | 21 | 11 | 230300 | 237000 | 0 | CONCSN | |
| Jan-70 | 1/5/70 | 11 | 10 | 59100 | 67700 | 0 | CONCSN | |
| Jan-70 | 1/8/70 | 18 | 7 | 142000 | 147500 | 0 | CONCSN | |
| Jan-70 | 1/9/70 | 7 | 1 | 48000 | 51000 | 0 | CONCSN | |
| Jan-70 | 1/12/70 | 18 | 7 | 60000 | 62500 | 0 | CONCSN | |
| Jan-70 | 1/14/70 | 11 | 10 | 28100 | 32500 | 0 | CONCSN | |
| Jan-70 | 1/17/70 | 7 | 1 | 305000 | 317000 | 0 | CONCSN | |
| Jan-70 | 1/18/70 | 18 | 7 | 62000 | 64000 | 0 | CONCSN | |
| Jan-70 | 1/18/70 | 11 | 10 | 46200 | 54200 | 0 | CONCSN | |
| Jan-70 | 1/19/70 | 7 | 1 | 14500 | 15000 | 0 | CONCSN | |
| Jan-70 | 1/20/70 | 6 | SRL | 19800 | 19800 | 0 | NONCANYWASTE | |
| Jan-70 | 1/20/70 | CRC | 23 | 45000 | 45000 | 0 | RBOF-RRF | |
| Jan-70 | 1/20/70 | 23 | 244-245H | 74000 | 74000 | 0 | NONCANYWASTE | |
| Jan-70 | 1/20/70 | 18 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Jan-70 | 1/20/70 | 21 | 242-1H | 42000 | 42000 | 0 | OVERSPEC | |
| Jan-70 | 1/20/70 | 23 | 242-1H | 107000 | 107000 | 0 | OVERSPEC | Off spec. overhds. |
| Jan-70 | 1/20/70 | 19 | 17 | 56600 | 56600 | 0 | FRLHW | Cascade of Waste |
| Jan-70 | 1/20/70 | | 5 | 12700 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jan-70 | 1/20/70 | 242-1H | 23 | 83000 | 83000 | 0 | EVAPFEED | |
| Jan-70 | 1/20/70 | 11 | 10 | 29700 | 33900 | 0 | CONCSN | |
| Jan-70 | 1/20/70 | 242-1F | 18 | 454000 | 454000 | 0 | EVAPFEED | |
| Jan-70 | 1/20/70 | 242-1H | 21 | 274000 | 274000 | 0 | EVAPFEED | |
| Jan-70 | 1/20/70 | 1 | 242-1F | 127800 | 127800 | 0 | EVAPCONC | |
| Jan-70 | 1/20/70 | 3 | 242-1F | 117200 | 117200 | 0 | EVAPCONC | |
| Jan-70 | 1/20/70 | 10 | 242-1H | 169000 | 169000 | 0 | EVAPCONC | |
| Feb-70 | 1/23/70 | 11 | 10 | 32900 | 39300 | 0 | CONCSN | |
| Feb-70 | 1/23/70 | 21 | 13 | 50300 | 52300 | 0 | MIXSNATE | |
| Feb-70 | 1/26/70 | 18 | 19 | 56300 | 57500 | 0 | LHWSN | |
| Feb-70 | 2/3/70 | 21 | 13 | 158500 | 164500 | 0 | MIXSNATE | |
| Feb-70 | 2/6/70 | 14 | 10 | 110300 | 116800 | 0 | CONCSN | |
| Feb-70 | 2/12/70 | 18 | 19 | 65000 | 66600 | 0 | LHWSN | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Feb-70 | 2/13/70 | 15 | 12 | 178000 | 183000 | 0 | H+WSN | | |
| Feb-70 | 2/18/70 | 15 | 12 | 314000 | 323000 | 0 | H+WSN | | |
| Feb-70 | 2/20/70 | 6 | SRL | 37400 | 37400 | 0 | NONCANYWASTE | | |
| Feb-70 | 2/20/70 | CRC | 23 | 160900 | 160900 | 0 | RBOF-RRF | | |
| Feb-70 | 2/20/70 | 23 | 244-245H | 149500 | 149500 | 0 | NONCANYWASTE | | |
| Feb-70 | 2/20/70 | 18 | 242-1F | 2400 | 2400 | 0 | OVERSPEC | | |
| Feb-70 | 2/20/70 | 21 | 242-1H | 9100 | 9100 | 0 | OVERSPEC | | |
| Feb-70 | 2/20/70 | 23 | 242-1H | 2100 | 2100 | 0 | OVERSPEC | Off spec. overhds. | |
| Feb-70 | 2/20/70 | 19 | 17 | 90000 | 90000 | 0 | FRLHW | Cascade of Waste | |
| Feb-70 | 2/20/70 | 20 | | 0 | 12400 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Feb-70 | 2/20/70 | 22 | | 0 | 4500 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Feb-70 | 2/20/70 | 24 | | 0 | 4500 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Feb-70 | 2/20/70 | 242-1F | 18 | 383000 | 383000 | 0 | EVAPFEED | | |
| Feb-70 | 2/20/70 | 242-1H | 21 | 486000 | 486000 | 0 | EVAPFEED | | |
| Feb-70 | 2/20/70 | 1 | 242-1F | 206800 | 206800 | 0 | EVAPCONC | | |
| Feb-70 | 2/20/70 | 10 | 242-1H | 195000 | 195000 | 0 | EVAPCONC | | |
| Mar-70 | 2/28/70 | 21 | 13 | 369000 | 382000 | 0 | MIXSNATE | | |
| Mar-70 | 2/27/70 | 14 | 10 | 175000 | 184000 | 0 | CONCSN | | |
| Mar-70 | 2/28/70 | 18 | 7 | 129500 | 135000 | 0 | CONCSN | | |
| Mar-70 | 3/6/70 | 7 | 3 | 107000 | 114000 | 0 | CONCSN | | |
| Mar-70 | 3/6/70 | 18 | 19 | 71000 | 73000 | 0 | LHWSN | | |
| Mar-70 | 3/20/70 | 6 | SRL | 28000 | 28000 | 0 | NONCANYWASTE | | |
| Mar-70 | 3/20/70 | 23 | 244-245H | 146000 | 146000 | 0 | NONCANYWASTE | | |
| Mar-70 | 3/20/70 | CRC | 23 | 144000 | 144000 | 0 | RBOF-RRF | | |
| Mar-70 | 3/20/70 | 18 | 242-1F | 1000 | 1000 | 0 | OVERSPEC | | |
| Mar-70 | 3/20/70 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | | |
| Mar-70 | 3/20/70 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Off spec. overhds. | |
| Mar-70 | 3/20/70 | 19 | 17 | 79000 | 79000 | 0 | FRLHW | Cascade of Waste | |
| Mar-70 | 3/20/70 | 20 | | 0 | 10000 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Mar-70 | 3/20/70 | 242-1F | 18 | 327000 | 327000 | 0 | EVAPFEED | | |
| Mar-70 | 3/20/70 | 242-1H | 21 | 414000 | 414000 | 0 | EVAPFEED | | |
| Mar-70 | 3/20/70 | 1 | 242-1F | 172000 | 172000 | 0 | EVAPCONC | | |
| Mar-70 | 3/20/70 | 10 | 242-1H | 152000 | 152000 | 0 | EVAPCONC | | |
| Apr-70 | 3/31/70 | 18 | 19 | 65000 | 66500 | 0 | LHWSN | | |
| Apr-70 | 4/6/70 | 18 | 7 | 363000 | 381000 | 0 | CONCSN | | |
| Apr-70 | 4/8/70 | 21 | 13 | 168500 | 173100 | 0 | MIXSNATE | | |
| Apr-70 | 4/9/70 | 14 | 10 | 169200 | 181200 | 0 | CONCSN | | |
| Apr-70 | 4/10/70 | 7 | 1 | 352000 | 364000 | 0 | CONCSN | | |
| Apr-70 | 4/17/70 | 13 | 14 | 36000 | 38500 | 0 | CONCSN | | |
| Apr-70 | 4/20/70 | 6 | SRL | 24000 | 24000 | 0 | NONCANYWASTE | | |
| Apr-70 | 4/20/70 | 23 | 244-245H | 147000 | 147000 | 0 | NONCANYWASTE | | |
| Apr-70 | 4/20/70 | CRC | 23 | 224000 | 224000 | 0 | RBOF-RRF | | |
| Apr-70 | 4/20/70 | 19 | 17 | 79000 | 79000 | 0 | FRLHW | Cascade of Waste | |
| Apr-70 | 4/20/70 | 20 | | 0 | 5000 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Apr-70 | 4/20/70 | 24 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Apr-70 | 4/20/70 | 7 | | 0 | 13000 | 0 | MISCADD/TRAN | H2O | |
| Apr-70 | 4/20/70 | 21 | 242-1H | 13000 | 13000 | 0 | OVERSPEC | | |
| Apr-70 | 4/20/70 | 23 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | Off spec. overhds. | |
| Apr-70 | 4/20/70 | 242-1F | 18 | 383000 | 383000 | 0 | EVAPFEED | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|----------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-70 | 4/20/70 | 242-1H | 21 | 380000 | 380000 | 0 | EVAPFEED | | |
| Apr-70 | 4/20/70 | 3 | 242-1F | 109000 | 109000 | 0 | EVAPCONC | | |
| Apr-70 | 4/20/70 | 1 | 242-1F | 86000 | 86000 | 0 | EVAPCONC | | |
| Apr-70 | 4/20/70 | 10 | 242-1H | 127000 | 127000 | 0 | EVAPCONC | | |
| May-70 | 4/23/70 | 18 | 19 | 73400 | 75000 | 0 | LHWSN | | |
| May-70 | 4/26/70 | 13 | 16 | 476000 | 485000 | 0 | MIXSNATE | | |
| May-70 | 5/1/70 | 21 | 13 | 603000 | 622000 | 0 | MIXSNATE | | |
| May-70 | 5/6/70 | 16 | 13 | 3500 | 3700 | 0 | MIXSNATE | | |
| May-70 | 5/7/70 | 16 | 10 | 52000 | 55000 | 0 | CONCSN | | |
| May-70 | 5/8/70 | 13 | 16 | 127000 | 130000 | 0 | CONCSN | | |
| May-70 | 5/13/70 | 21 | 13 | 176000 | 184000 | 0 | CONCSN | | |
| May-70 | 5/15/70 | 13 | 15 | 158000 | 160000 | 0 | HHWSN | | |
| May-70 | 5/20/70 | 6 | SRL | 20000 | 20000 | 0 | NONCANYWASTE | | |
| May-70 | 5/20/70 | 23 | 244-245H | 111000 | 111000 | 0 | NONCANYWASTE | | |
| May-70 | 5/20/70 | CRC | 23 | 103000 | 103000 | 0 | RBOF-RRF | | |
| May-70 | 5/20/70 | 19 | 17 | 45400 | 45400 | 0 | FRLHW | Cascade of Waste | |
| May-70 | 5/20/70 | 20 | | 0 | 8000 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| May-70 | 5/20/70 | 7 | | 0 | 2700 | 0 | NONCANYWASTE | 100 Area Sand Filter Flush | |
| May-70 | 5/20/70 | 21 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | | |
| May-70 | 5/20/70 | 23 | 242-1H | 12000 | 12000 | 0 | OVERSPEC | Off spec. overhds. | |
| May-70 | 5/20/70 | 242-1F | 18 | 364000 | 364000 | 0 | EVAPFEED | | |
| May-70 | 5/20/70 | 242-1H | 21 | 515000 | 515000 | 0 | EVAPFEED | | |
| May-70 | 5/20/70 | 1 | 242-1F | 195000 | 195000 | 0 | EVAPCONC | | |
| May-70 | 5/20/70 | 10 | 242-1H | 189000 | 189000 | 0 | EVAPCONC | | |
| May-70 | 5/21/70 | 16 | 10 | 84000 | 90000 | 0 | CONCSN | | |
| May-70 | 5/21/70 | 16 | 13 | 170000 | 176000 | 0 | HHWSN | | |
| Jun-70 | 5/21/70 | 13 | 15 | 21000 | 22100 | 0 | HHWSN | | |
| Jun-70 | 5/24/70 | 18 | 7 | 340600 | 359200 | 0 | CONCSN | | |
| Jun-70 | 5/26/70 | 7 | 3 | 123000 | 127200 | 0 | CONCSN | | |
| Jun-70 | 5/28/70 | 16 | 10 | 149000 | 156900 | 0 | CONCSN | | |
| Jun-70 | 5/28/70 | 16 | 13 | 47200 | 51600 | 0 | MIXSNATE | | |
| Jun-70 | 6/5/70 | 18 | 7 | 49000 | 51200 | 0 | CONCSN | | |
| Jun-70 | 6/7/70 | 18 | 17 | 43600 | 44600 | 0 | LHWSN | | |
| Jun-70 | 6/10/70 | 7 | 1 | 59700 | 62000 | 0 | CONCSN | | |
| Jun-70 | 6/15/70 | 7 | 1 | 293000 | 303200 | 0 | CONCSN | | |
| Jun-70 | 6/17/70 | 16 | 10 | 59800 | 63000 | 0 | CONCSN | | |
| Jun-70 | 6/18/70 | 18 | 7 | 55200 | 58000 | 0 | CONCSN | | |
| Jun-70 | 6/20/70 | 6 | SRL | 21100 | 21100 | 0 | NONCANYWASTE | | |
| Jun-70 | 6/20/70 | 23 | 244-245H | 136000 | 136000 | 0 | NONCANYWASTE | | |
| Jun-70 | 6/20/70 | CRC | 23 | 124000 | 124000 | 0 | RBOF-RRF | | |
| Jun-70 | 6/20/70 | 19 | 17 | 42800 | 42800 | 0 | FRLHW | Cascade of Waste | |
| Jun-70 | 6/20/70 | 20 | | 0 | 5300 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Jun-70 | 6/20/70 | 18 | 242-1F | 700 | 700 | 0 | OVERSPEC | | |
| Jun-70 | 6/20/70 | 21 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | | |
| Jun-70 | 6/20/70 | 23 | 242-1H | 28000 | 28000 | 0 | OVERSPEC | Off spec. overhds. | |
| Jun-70 | 6/20/70 | 242-1F | 18 | 433000 | 433000 | 0 | EVAPFEED | | |
| Jun-70 | 6/20/70 | 242-1H | 21 | 480000 | 480000 | 0 | EVAPFEED | | |
| Jun-70 | 6/20/70 | 1 | 242-1F | 252000 | 252000 | 0 | EVAPCONC | | |
| Jun-70 | 6/20/70 | 10 | 242-1H | 187000 | 187000 | 0 | EVAPCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jun-70 | 6/21/70 | 13 | 14 | 388800 | 392000 | 0 | CONCSN | | |
| Jul-70 | 6/25/70 | 21 | 13 | 431000 | 439000 | 0 | CONCSN | | |
| Jul-70 | 7/2/70 | 16 | 10 | 106000 | 116000 | 0 | CONCSN | | |
| Jul-70 | 7/7/70 | 16 | 10 | 38000 | 40000 | 0 | CONCSN | | |
| Jul-70 | 7/9/70 | 18 | 7 | 19000 | 20000 | 0 | CONCSN | | |
| Jul-70 | 7/20/70 | 6 | SRL | 6200 | 6200 | 0 | NONCANYWASTE | | |
| Jul-70 | 7/20/70 | 21 | 244-245H | 288000 | 288000 | 0 | NONCANYWASTE | | |
| Jul-70 | 7/20/70 | CRC | 23 | 46000 | 46000 | 0 | RBOF-RRF | | |
| Jul-70 | 7/20/70 | 19 | 17 | 53000 | 53000 | 0 | FRLHW | Cascade of Waste | |
| Jul-70 | 7/20/70 | 20 | | 0 | 5300 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Jul-70 | 7/20/70 | 21 | | 0 | 103000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jul-70 | 7/20/70 | 21 | 242-1H | 1000000 | 1000000 | 0 | OVERSPEC | | |
| Jul-70 | 7/20/70 | 23 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | Off spec. overhds. | |
| Jul-70 | 7/20/70 | 7 | | 0 | 10800 | 0 | NONCANYWASTE | 100 Area Sand filter Flushes | |
| Jul-70 | 7/20/70 | 4 | | 0 | 17400 | 0 | MISCADD/TRAN | CTS Flushes | |
| Jul-70 | 7/20/70 | 242-1F | 18 | 474000 | 474000 | 0 | EVAPFEED | | |
| Jul-70 | 7/20/70 | 242-1H | 21 | 461000 | 461000 | 0 | EVAPFEED | | |
| Jul-70 | 7/20/70 | 1 | 242-1F | 167000 | 167000 | 0 | EVAPCONC | | |
| Jul-70 | 7/20/70 | 20 | 242-1F | 113000 | 113000 | 0 | EVAPCONC | | |
| Jul-70 | 7/20/70 | 10 | 242-1H | 125000 | 125000 | 0 | EVAPCONC | | |
| Aug-70 | 7/22/70 | 18 | 17 | 53400 | 55500 | 0 | LHWSN | | |
| Aug-70 | 7/28/70 | 18 | 19 | 594000 | 618000 | 0 | LHWSN | | |
| Aug-70 | 7/30/70 | 16 | 10 | 56000 | 58000 | 0 | CONCSN | | |
| Aug-70 | 7/31/70 | 18 | 17 | 347500 | 356200 | 0 | LHWSN | | |
| Aug-70 | 8/20/70 | 6 | SRL | 15000 | 15000 | 0 | NONCANYWASTE | | |
| Aug-70 | 8/20/70 | 21 | 244-245H | 141000 | 141000 | 0 | NONCANYWASTE | | |
| Aug-70 | 8/20/70 | 19 | 17 | 52000 | 52000 | 0 | FRLHW | Cascade of Waste | |
| Aug-70 | 8/20/70 | 18 | 242-1F | 4000 | 4000 | 0 | OVERSPEC | | |
| Aug-70 | 8/20/70 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | | |
| Aug-70 | 8/20/70 | 23 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | Off spec. overhds. | |
| Aug-70 | 8/20/70 | 7 | | 0 | 7600 | 0 | NONCANYWASTE | 100 Area Sand filter Flushes | |
| Aug-70 | 8/20/70 | 242-1F | 18 | 401000 | 401000 | 0 | EVAPFEED | | |
| Aug-70 | 8/20/70 | 242-1H | 21 | 416000 | 416000 | 0 | EVAPFEED | | |
| Aug-70 | 8/20/70 | 19 | 242-1F | 140000 | 140000 | 0 | EVAPCONC | | |
| Aug-70 | 8/20/70 | 20 | 242-1F | 64000 | 64000 | 0 | EVAPCONC | | |
| Aug-70 | 8/20/70 | 10 | 242-1H | 86000 | 88000 | 0 | EVAPCONC | | |
| Aug-70 | 8/21/70 | 13 | 11 | 379000 | 386000 | 0 | CONCSN | | |
| Sep-70 | 8/31/70 | 21 | 13 | 22200 | 23000 | 0 | MIXSNATE | | |
| Sep-70 | 9/7/70 | 21 | 13 | 488600 | 505600 | 0 | MIXSNATE | | |
| Sep-70 | 9/9/70 | 13 | 15 | 50000 | 52500 | 0 | HHWSN | | |
| Sep-70 | 9/10/70 | 14 | 13 | 55700 | 58200 | 0 | MIXSNATE | | |
| Sep-70 | 9/11/70 | 14 | 10 | 147400 | 153600 | 0 | CONCSN | | |
| Sep-70 | 9/15/70 | 13 | 11 | 111000 | 115000 | 0 | CONCSN | | |
| Sep-70 | 9/17/70 | 18 | 17 | 96500 | 99000 | 0 | LHWSN | | |
| Sep-70 | 9/20/70 | 6 | SRL | 7600 | 7600 | 0 | NONCANYWASTE | | |
| Sep-70 | 9/20/70 | 23 | 244-245H | 61000 | 61000 | 0 | NONCANYWASTE | | |
| Sep-70 | 9/20/70 | 21 | 244-245H | 73000 | 73000 | 0 | NONCANYWASTE | | |
| Sep-70 | 9/20/70 | CRC | 23 | 73000 | 73000 | 0 | RBOF-RRF | | |
| Sep-70 | 9/20/70 | 19 | 17 | 52000 | 52000 | 0 | FRLHW | Cascade of Waste | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-70 | 9/20/70 | 18 | 242-1F | 5300 | 5300 | 0 | OVERSPEC | | |
| Sep-70 | 9/20/70 | 21 | 242-1H | 18000 | 18000 | 0 | OVERSPEC | | |
| Sep-70 | 9/20/70 | 23 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | Off spec. overhds. | |
| Sep-70 | 9/20/70 | 7 | | 0 | 5000 | 0 | NONCANYWASTE | 100 Area Sand filter Flushes | |
| Sep-70 | 9/20/70 | 242-1F | 18 | 437000 | 437000 | 0 | EVAPFEED | | |
| Sep-70 | 9/20/70 | 242-1H | 21 | 347000 | 347000 | 0 | EVAPFEED | | |
| Sep-70 | 9/20/70 | 19 | 242-1F | 149000 | 149000 | 0 | EVAPCONC | | |
| Sep-70 | 9/20/70 | 10 | 242-1H | 98000 | 98000 | 0 | EVAPCONC | | |
| Oct-70 | 9/24/70 | 13 | 11 | 139000 | 142000 | 0 | DILCONC | | |
| Oct-70 | 10/2/70 | 21 | 13 | 167000 | 173000 | 0 | DILCONC | | |
| Oct-70 | 10/6/70 | 21 | 13 | 112000 | 115000 | 0 | DILCONC | | |
| Oct-70 | 10/7/70 | 13 | 15 | 50500 | 52500 | 0 | HHWSN | | |
| Oct-70 | 10/8/70 | 14 | 13 | 79000 | 82000 | 0 | HHWSN | | |
| Oct-70 | 10/9/70 | 14 | 10 | 129000 | 135000 | 0 | CONCSN | | |
| Oct-70 | 10/14/70 | 13 | 15 | 35000 | 38000 | 0 | HHWSN | | |
| Oct-70 | 10/16/70 | 18 | 19 | 449000 | 465000 | 0 | CONCSN | | |
| Oct-70 | 10/18/70 | 13 | 15 | 180000 | 186000 | 0 | HHWSN | | |
| Oct-70 | 10/20/70 | 6 | SRL | 15000 | 15000 | 0 | NONCANYWASTE | | |
| Oct-70 | 10/20/70 | 23 | 244-245H | 62000 | 62000 | 0 | NONCANYWASTE | | |
| Oct-70 | 10/20/70 | 21 | 244-245H | 113000 | 113000 | 0 | NONCANYWASTE | | |
| Oct-70 | 10/20/70 | CRC | 23 | 40000 | 40000 | 0 | RBOF-RRF | | |
| Oct-70 | 10/20/70 | 19 | 17 | 75000 | 75000 | 0 | FRLHW | Cascade of Waste | |
| Oct-70 | 10/20/70 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-70 | 10/20/70 | 18 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | | |
| Oct-70 | 10/20/70 | 23 | 242-1H | 11000 | 11000 | 0 | OVERSPEC | Off spec. overhds. | |
| Oct-70 | 10/20/70 | 24 | | 0 | 8000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-70 | 10/20/70 | 14 | 10 | 13000 | 15000 | 0 | CONCSN | | |
| Oct-70 | 10/20/70 | 242-1F | 18 | 451000 | 451000 | 0 | EVAPFEED | | |
| Oct-70 | 10/20/70 | 242-1H | 21 | 509000 | 509000 | 0 | EVAPFEED | | |
| Oct-70 | 10/20/70 | 19 | 242-1F | 187000 | 187000 | 0 | EVAPCONC | | |
| Oct-70 | 10/20/70 | 10 | 242-1H | 242000 | 242000 | 0 | EVAPCONC | | |
| Nov-70 | 10/23/70 | 15 | 10 | 133000 | 138200 | 0 | CONCSN | | |
| Nov-70 | 11/6/70 | 18 | 17 | 137000 | 140000 | 0 | FRLHWSN | | |
| Nov-70 | 11/13/70 | 15 | 10 | 94000 | 97000 | 0 | CONCSN | | |
| Nov-70 | 11/20/70 | 23 | 244-245H | 120000 | 120000 | 0 | NONCANYWASTE | | |
| Nov-70 | 11/20/70 | 21 | 244-245H | 229000 | 229000 | 0 | NONCANYWASTE | | |
| Nov-70 | 11/20/70 | CRC | 23 | 134000 | 134000 | 0 | RBOF-RRF | | |
| Nov-70 | 11/20/70 | 19 | 17 | 79000 | 79000 | 0 | OVERSPEC | Cascade of Waste | |
| Nov-70 | 11/20/70 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Nov-70 | 11/20/70 | 18 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | | |
| Nov-70 | 11/20/70 | 23 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | Off spec. overhds. | |
| Nov-70 | 11/20/70 | 24 | | 0 | 7000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Nov-70 | 11/20/70 | 12 | | 0 | 4000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Nov-70 | 11/20/70 | 10 | | 0 | 5000 | 0 | MISCADD/TRAN | Acid Flush of Evaporator | |
| Nov-70 | 11/20/70 | 242-1F | 18 | 466000 | 466000 | 0 | EVAPFEED | | |
| Nov-70 | 11/20/70 | 242-1H | 21 | 260000 | 260000 | 0 | EVAPFEED | | |
| Nov-70 | 11/20/70 | 19 | 242-1F | 268000 | 268000 | 0 | EVAPCONC | | |
| Nov-70 | 11/20/70 | 10 | 242-1H | 118000 | 118000 | 0 | EVAPCONC | | |
| Dec-70 | 11/25/70 | 18 | 17 | 31100 | 31900 | 0 | FRLHW | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | Type Waste | Description/Comments |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | | |
| Dec-70 | 11/29/70 | 18 | 17 | 14200 | 14400 | 0 | FRLHW | |
| Dec-70 | 11/30/70 | 18 | 17 | 71500 | 73800 | 0 | FRLHW | |
| Dec-70 | 12/2/70 | 15 | 10 | 73000 | 78000 | 0 | CONCSN | |
| Dec-70 | 12/3/70 | 18 | 19 | 58400 | 61100 | 0 | CONCSN | |
| Dec-70 | 12/6/70 | 10 | 21 | 69000 | 83000 | 0 | RBOF-RRF | RBOF Waste |
| Dec-70 | 12/7/70 | 18 | 17 | 37400 | 38400 | 0 | FRLHWSN | |
| Dec-70 | 12/9/70 | 15 | 10 | 133000 | 137000 | 0 | DISSALT | |
| Dec-70 | 12/20/70 | 21 | 244-245H | 411000 | 411000 | 0 | NONCANYWASTE | |
| Dec-70 | 12/20/70 | CRC | 23 | 73000 | 73000 | 0 | RBOF-RRF | |
| Dec-70 | 12/20/70 | 19 | 17 | 173700 | 173700 | 0 | FRLHW | Cascade of Waste |
| Dec-70 | 12/20/70 | 18 | 242-1F | 800 | 800 | 0 | OVERSPEC | |
| Dec-70 | 12/20/70 | 23 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | Off spec. overhds. |
| Dec-70 | 12/20/70 | 242-1F | 18 | 379600 | 379600 | 0 | EVAPFEED | |
| Dec-70 | 12/20/70 | 242-1H | 21 | 309000 | 309000 | 0 | EVAPFEED | |
| Dec-70 | 12/20/70 | 19 | 242-1F | 194700 | 194700 | 0 | EVAPCONC | |
| Dec-70 | 12/20/70 | 10 | 242-1H | 81000 | 81000 | 0 | EVAPCONC | |
| Jan-71 | 12/30/70 | 18 | 17 | 78000 | 81000 | 0 | LHWSN | |
| Jan-71 | 1/8/71 | 18 | 20 | 434000 | 447000 | 0 | HHWCONCSN | |
| Jan-71 | 1/18/71 | 7 | 3 | 97000 | 100000 | 0 | HHWCONCSN | |
| Jan-71 | 1/20/71 | 20 | | 0 | 7000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Jan-71 | 1/20/71 | 21 | 244-245H | 366000 | 366000 | 0 | NONCANYWASTE | |
| Jan-71 | 1/20/71 | CRC | 23 | 2000 | 2000 | 0 | RBOF-RRF | |
| Jan-71 | 1/20/71 | 18 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | |
| Jan-71 | 1/20/71 | 23 | 242-1H | 24000 | 24000 | 0 | OVERSPEC | Off spec. overhds. |
| Jan-71 | 1/20/71 | 18 | 7 | 459000 | 486000 | 0 | HHWCONCSN | |
| Jan-71 | 1/20/71 | 242-1F | 18 | 410000 | 410000 | 0 | EVAPFEED | |
| Jan-71 | 1/20/71 | 242-1H | 21 | 356000 | 356000 | 0 | EVAPFEED | |
| Jan-71 | 1/20/71 | 3 | 242-1F | 90000 | 90000 | 0 | EVAPCONC | |
| Jan-71 | 1/20/71 | 19 | 242-1F | 139000 | 139000 | 0 | EVAPCONC | |
| Jan-71 | 1/20/71 | 10 | 242-1H | 36000 | 36000 | 0 | EVAPCONC | |
| Feb-71 | 1/21/71 | 18 | 7 | 66000 | 69000 | 0 | CONCSN | |
| Feb-71 | 1/29/71 | 7 | 1 | 251000 | 268000 | 0 | CONCSN | |
| Feb-71 | 2/11/71 | 18 | 7 | 83000 | 87000 | 0 | CONCSN | |
| Feb-71 | 2/19/71 | 7 | 4 | 421000 | 433000 | 0 | HHWSN | |
| Feb-71 | 2/20/71 | 20 | | 0 | 9000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Feb-71 | 2/20/71 | 21 | 244-245H | 285000 | 285000 | 0 | NONCANYWASTE | |
| Feb-71 | 2/20/71 | 23 | 244-245H | 128000 | 128000 | 0 | NONCANYWASTE | |
| Feb-71 | 2/20/71 | | 4 | 2700 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-71 | 2/20/71 | 7 | | 0 | 9500 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-71 | 2/20/71 | CRC | 23 | 21000 | 21000 | 0 | RBOF-RRF | |
| Feb-71 | 2/20/71 | 18 | 242-1F | 23000 | 23000 | 0 | OVERSPEC | |
| Feb-71 | 2/20/71 | 21 | 242-1H | 14000 | 14000 | 0 | OVERSPEC | |
| Feb-71 | 2/20/71 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Off spec. overhds. |
| Feb-71 | 2/20/71 | 18 | 7 | 332000 | 343000 | 0 | MIXSNATE | HHWSN + CONCSN |
| Feb-71 | 2/20/71 | 242-1F | 18 | 557000 | 557000 | 0 | EVAPFEED | |
| Feb-71 | 2/20/71 | 242-1H | 21 | 343000 | 343000 | 0 | EVAPFEED | |
| Feb-71 | 2/20/71 | 3 | 242-1F | 74000 | 74000 | 0 | EVAPCONC | |
| Feb-71 | 2/20/71 | 1 | 242-1F | 254000 | 254000 | 0 | EVAPCONC | |
| Feb-71 | 2/20/71 | 10 | 242-1H | 26000 | 26000 | 0 | EVAPCONC | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Mar-71 | 2/24/71 | 18 | 7 | 293000 | 308000 | 0 | LHWSN | |
| Mar-71 | 3/13/71 | 7 | 1 | 194000 | 202000 | 0 | CONCSN | |
| Mar-71 | 3/20/71 | 20 | | 0 | 6000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Mar-71 | 3/20/71 | 21 | 244-245H | 212000 | 212000 | 0 | NONCANYWASTE | |
| Mar-71 | 3/20/71 | 23 | 244-245H | 54000 | 54000 | 0 | NONCANYWASTE | |
| Mar-71 | 3/20/71 | CRC | 23 | 91000 | 91000 | 0 | RBOF-RRF | |
| Mar-71 | 3/20/71 | 18 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Mar-71 | 3/20/71 | 21 | 242-1H | 12000 | 12000 | 0 | OVERSPEC | |
| Mar-71 | 3/20/71 | 23 | 242-1H | 20000 | 20000 | 0 | OVERSPEC | Off spec. overhds. |
| Mar-71 | 3/20/71 | 12 | | 0 | 5000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Mar-71 | 3/20/71 | 242-1F | 18 | 478000 | 478000 | 0 | EVAPFEED | |
| Mar-71 | 3/20/71 | 242-1H | 21 | 263000 | 263000 | 0 | EVAPFEED | |
| Mar-71 | 3/20/71 | 4 | 242-1F | 287000 | 287000 | 0 | EVAPCONC | |
| Mar-71 | 3/20/71 | 1 | 242-1F | 22000 | 22000 | 0 | EVAPCONC | |
| Mar-71 | 3/20/71 | 10 | 242-1H | 13000 | 13000 | 0 | EVAPCONC | |
| Apr-71 | 4/7/71 | 10 | 21 | 64000 | 73000 | 0 | DILWASTE | DIL. RBOF-RRF |
| Apr-71 | 4/8/71 | 15 | 10 | 30000 | 31000 | 0 | DILCONC | |
| Apr-71 | 4/11/71 | 21 | 13 | 608000 | 626000 | 0 | MIXSNATE | LHW + Mixed Concentrate |
| Apr-71 | 4/16/71 | 13 | 15 | 456000 | 462000 | 0 | DILCONC | |
| Apr-71 | 4/20/71 | 20 | | 0 | 7100 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Apr-71 | 4/20/71 | 21 | 244-245H | 8000 | 8000 | 0 | NONCANYWASTE | |
| Apr-71 | 4/20/71 | 23 | 244-245H | 327000 | 327000 | 0 | NONCANYWASTE | |
| Apr-71 | 4/20/71 | CRC | 23 | 56000 | 56000 | 0 | RBOF-RRF | |
| Apr-71 | 4/20/71 | 18 | 242-1F | 4800 | 4800 | 0 | OVERSPEC | |
| Apr-71 | 4/20/71 | 21 | 242-1H | 17000 | 17000 | 0 | OVERSPEC | |
| Apr-71 | 4/20/71 | 23 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | Off spec. overhds. |
| Apr-71 | 4/20/71 | 7 | | 0 | 1400 | 0 | NONCANYWASTE | 100 Area Sludge |
| Apr-71 | 4/20/71 | 242-1F | 18 | 465000 | 465000 | 0 | EVAPFEED | |
| Apr-71 | 4/20/71 | 242-1H | 21 | 367000 | 367000 | 0 | EVAPFEED | |
| Apr-71 | 4/20/71 | 1 | 242-1F | 120000 | 120000 | 0 | EVAPCONC | |
| Apr-71 | 4/20/71 | 4 | 242-1F | 126000 | 126000 | 0 | EVAPCONC | |
| Apr-71 | 4/20/71 | 10 | 242-1H | 53000 | 53000 | 0 | EVAPCONC | |
| May-71 | 4/22/71 | 15 | 10 | 192000 | 200000 | 0 | CONCSN | |
| May-71 | 4/30/71 | 18 | 17 | 54000 | 55000 | 0 | LHWSN | |
| May-71 | 5/5/71 | 21 | 13 | 348000 | 357000 | 0 | MIXSNATE | |
| May-71 | 5/7/71 | 18 | 17 | 187000 | 192000 | 0 | LHWSN | |
| May-71 | 5/9/71 | 13 | 15 | 377000 | 390000 | 0 | DILCONC | |
| May-71 | 5/19/71 | 21 | 13 | 101000 | 104000 | 0 | MIXSNATE | |
| May-71 | 5/20/71 | 21 | 244-245H | 99000 | 99000 | 0 | NONCANYWASTE | |
| May-71 | 5/20/71 | 23 | 244-245H | 86000 | 86000 | 0 | NONCANYWASTE | |
| May-71 | 5/20/71 | CRC | 23 | 84000 | 84000 | 0 | RBOF-RRF | |
| May-71 | 5/20/71 | 18 | 242-1F | 8800 | 8800 | 0 | OVERSPEC | |
| May-71 | 5/20/71 | 21 | 242-1H | 15000 | 15000 | 0 | OVERSPEC | |
| May-71 | 5/20/71 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Off spec. overhds. |
| May-71 | 5/20/71 | | 22 | 2000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| May-71 | 5/20/71 | 18 | 19 | 209000 | 217000 | 0 | LHWCONC | |
| May-71 | 5/20/71 | 242-1F | 18 | 293000 | 293000 | 0 | EVAPFEED | |
| May-71 | 5/20/71 | 242-1H | 21 | 405000 | 405000 | 0 | EVAPFEED | |
| May-71 | 5/20/71 | 20 | 242-1F | 66000 | 66000 | 0 | EVAPCONC | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425

Revision I

| Report Date | Actual Date | Receipt Tank | Sending Tank | Volume from Sending (gal) | Volume to Receipt (gal) | Sludge % | Type Waste | Description/Comments |
|-------------|-------------|--------------|--------------|---------------------------|-------------------------|----------|--------------|--------------------------------|
| May-71 | 5/20/71 | 4 | 242-1F | 47000 | 47000 | 0 | EVAPCONC | |
| May-71 | 5/20/71 | 10 | 242-1H | 129000 | 129000 | 0 | EVAPCONC | |
| Jun-71 | 5/23/71 | 18 | 19 | 239000 | 249000 | 0 | LHWCONC | |
| Jun-71 | 5/25/71 | 21 | 13 | 86000 | 90000 | 0 | MIXSNATE | |
| Jun-71 | 5/28/71 | 13 | 10 | 86000 | 91000 | 0 | CONCSN | |
| Jun-71 | 6/4/71 | 7 | 1 | 142000 | 146000 | 0 | HHWCONC | |
| Jun-71 | 6/12/71 | 21 | 13 | 109000 | 113000 | 0 | MIXSNATE | |
| Jun-71 | 6/15/71 | 21 | 13 | 100000 | 102000 | 0 | MIXSNATE | |
| Jun-71 | 6/16/71 | 18 | 17 | 51000 | 53000 | 0 | FRLHW | |
| Jun-71 | 6/18/71 | 13 | 10 | 104000 | 111000 | 0 | CONCSN | |
| Jun-71 | 6/20/71 | 21 | 244-245H | 15000 | 15000 | 0 | NONCANYWASTE | |
| Jun-71 | 6/20/71 | 23 | 244-245H | 88000 | 88000 | 0 | NONCANYWASTE | |
| Jun-71 | 6/20/71 | CRC | 23 | 69000 | 69000 | 0 | RBOF-RRF | |
| Jun-71 | 6/20/71 | 21 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | |
| Jun-71 | 6/20/71 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds. |
| Jun-71 | 6/20/71 | 242-1F | 18 | 501000 | 501000 | 0 | EVAPFEED | |
| Jun-71 | 6/20/71 | 242-1H | 21 | 387000 | 387000 | 0 | EVAPFEED | |
| Jun-71 | 6/20/71 | 20 | 242-1F | 350000 | 350000 | 0 | EVAPCONC | |
| Jun-71 | 6/20/71 | 10 | 242-1H | 135000 | 135000 | 0 | EVAPCONC | |
| Jul-71 | 6/23/71 | 18 | 17 | 21000 | 22000 | 0 | FRLHW | |
| Jul-71 | 6/30/71 | 18 | 7 | 351000 | 368000 | 0 | CONCSN | |
| Jul-71 | 7/1/71 | 21 | 13 | 191000 | 196000 | 0 | MIXSNATE | |
| Jul-71 | 7/2/71 | 7 | 5 | 279000 | 286000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Jul-71 | 7/4/71 | 13 | 10 | 126000 | 132000 | 0 | CONCSN | |
| Jul-71 | 7/6/71 | 18 | 7 | 290000 | 303000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Jul-71 | 7/9/71 | 7 | 5 | 371000 | 381000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Jul-71 | 7/13/71 | 18 | 7 | 439000 | 455000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Jul-71 | 7/19/71 | 7 | 4 | 619000 | 638000 | 0 | CONCSN | |
| Jul-71 | 7/20/71 | 21 | 244-245H | 25000 | 25000 | 0 | NONCANYWASTE | |
| Jul-71 | 7/20/71 | 23 | 244-245H | 145000 | 145000 | 0 | NONCANYWASTE | |
| Jul-71 | 7/20/71 | CRC | 23 | 75000 | 75000 | 0 | RBOF-RRF | |
| Jul-71 | 7/20/71 | 21 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | |
| Jul-71 | 7/20/71 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Off spec. overhds. |
| Jul-71 | 7/20/71 | 7 | | 0 | 17600 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jul-71 | 7/20/71 | 24 | | 0 | 1000 | 0 | MISCADD/TRAN | CRC Flush Water |
| Jul-71 | 7/20/71 | 5 | 7 | 324000 | 337000 | 0 | CONCSN | |
| Jul-71 | 7/20/71 | 242-1F | 18 | 257000 | 257000 | 0 | EVAPFEED | |
| Jul-71 | 7/20/71 | 242-1H | 21 | 396000 | 396000 | 0 | EVAPFEED | |
| Jul-71 | 7/20/71 | 1 | 242-1F | 126000 | 126000 | 0 | EVAPCONC | |
| Jul-71 | 7/20/71 | 20 | 242-1F | 31000 | 31000 | 0 | EVAPCONC | |
| Jul-71 | 7/20/71 | 10 | 242-1H | 181000 | 181000 | 0 | EVAPCONC | |
| Aug-71 | 7/22/71 | 21 | 13 | 247000 | 252000 | 0 | MIXSNATE | |
| Aug-71 | 7/25/71 | 5 | 7 | 310000 | 331000 | 0 | CONC | |
| Aug-71 | 7/29/71 | 7 | 8 | 412000 | 420000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Aug-71 | 8/1/71 | 4 | 7 | 168000 | 184000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Aug-71 | 8/20/71 | 23 | 244-245H | 91000 | 91000 | 0 | NONCANYWASTE | |
| Aug-71 | 8/20/71 | CRC | 23 | 108000 | 108000 | 0 | RBOF-RRF | |
| Aug-71 | 8/20/71 | 18 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Aug-71 | 8/20/71 | 20 | | 0 | 2700 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-71 | 8/20/71 | | 8 | 18400 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Aug-71 | 8/20/71 | 19 | | 0 | 1800 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Aug-71 | 8/20/71 | 242-1F | 18 | 272000 | 272000 | 0 | EVAPFEED | |
| Aug-71 | 8/20/71 | 4 | 242-1F | 87000 | 87000 | 0 | EVAPCONC | |
| Sep-71 | 9/6/71 | 18 | 7 | 287000 | 298000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Sep-71 | 9/10/71 | 21 | 13 | 289000 | 295000 | 0 | MIXSNATE | |
| Sep-71 | 9/11/71 | 7 | 8 | 206000 | 207000 | 0 | MIXSNATE | Cm Waste + High Heat Waste |
| Sep-71 | 9/15/71 | 13 | 10 | 78000 | 81000 | 0 | CONCSN | |
| Sep-71 | 9/20/71 | 21 | 244-245H | 9000 | 9000 | 0 | NONCANYWASTE | |
| Sep-71 | 9/20/71 | 23 | 244-245H | 78000 | 78000 | 0 | NONCANYWASTE | |
| Sep-71 | 9/20/71 | CRC | 23 | 137000 | 137000 | 0 | RBOF-RRF | |
| Sep-71 | 9/20/71 | 18 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Sep-71 | 9/20/71 | 21 | 242-1H | 24000 | 24000 | 0 | OVERSPEC | |
| Sep-71 | 9/20/71 | 23 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | Off spec. overhds. |
| Sep-71 | 9/20/71 | 32 | 29 | 21000 | 21000 | 0 | CONC | Start-up Heel for Tank 32 |
| Sep-71 | 9/20/71 | | 5 | 6000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-71 | 9/20/71 | 8 | | 0 | 5000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-71 | 9/20/71 | 19 | | 0 | 7000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-71 | 9/20/71 | 20 | | 0 | 3000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Sep-71 | 9/20/71 | 242-1F | 18 | 310000 | 310000 | 0 | EVAPFEED | |
| Sep-71 | 9/20/71 | 242-1H | 21 | 533000 | 533000 | 0 | EVAPFEED | |
| Sep-71 | 9/20/71 | 4 | 242-1F | 100000 | 100000 | 0 | EVAPCONC | |
| Sep-71 | 9/20/71 | 29 | 242-1H | 299000 | 299000 | 0 | EVAPCONC | |
| Oct-71 | 10/15/71 | 21 | 13 | 202000 | 206000 | 0 | LHWSN | |
| Oct-71 | 10/20/71 | 21 | 244-245H | 5000 | 5000 | 0 | NONCANYWASTE | |
| Oct-71 | 10/20/71 | 23 | 244-245H | 77000 | 77000 | 0 | NONCANYWASTE | |
| Oct-71 | 10/20/71 | CRC | 23 | 132000 | 132000 | 0 | RBOF-RRF | |
| Oct-71 | 10/20/71 | 18 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Oct-71 | 10/20/71 | 21 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | |
| Oct-71 | 10/20/71 | 23 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | Off spec. overhds. |
| Oct-71 | 10/20/71 | 20 | | 0 | 4400 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Oct-71 | 10/20/71 | 19 | | 0 | 3200 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Oct-71 | 10/20/71 | 13 | 10 | 58000 | 61000 | 0 | CONC | |
| Oct-71 | 10/20/71 | 242-1F | 18 | 251000 | 251000 | 0 | EVAPFEED | |
| Oct-71 | 10/20/71 | 242-1H | 21 | 485000 | 485000 | 0 | EVAPFEED | |
| Oct-71 | 10/20/71 | 4 | 242-1F | 63000 | 63000 | 0 | EVAPCONC | |
| Oct-71 | 10/20/71 | 29 | 242-1H | 225000 | 225000 | 0 | EVAPCONC | |
| Oct-71 | 10/20/71 | 10 | 242-1H | 22000 | 22000 | 0 | EVAPCONC | |
| Nov-71 | 10/29/71 | 21 | 13 | 91000 | 94000 | 0 | LHWSN | |
| Nov-71 | 11/14/71 | 22 | 23 | 37000 | 39000 | 0 | RBOF-RRF | RBOF-RRF Waste |
| Nov-71 | 11/15/71 | 21 | 22 | 87000 | 87000 | 0 | DISSALT | |
| Nov-71 | 11/17/71 | 21 | 22 | 85000 | 87000 | 0 | DISSALT | |
| Nov-71 | 11/18/71 | 21 | 22 | 85000 | 87000 | 0 | DISSALT | |
| Nov-71 | 11/18/71 | 21 | 22 | 30000 | 31000 | 0 | DISSALT | |
| Nov-71 | 11/20/71 | 21 | 244-245H | 13000 | 13000 | 0 | NONCANYWASTE | |
| Nov-71 | 11/20/71 | 23 | 244-245H | 103000 | 103000 | 0 | NONCANYWASTE | |
| Nov-71 | 11/20/71 | CRC | 23 | 128000 | 128000 | 0 | RBOF-RRF | |
| Nov-71 | 11/20/71 | 18 | 242-1F | 4000 | 4000 | 0 | OVERSPEC | |
| Nov-71 | 11/20/71 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-71 | 11/20/71 | 23 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | |
| Nov-71 | 11/20/71 | 22 | 23 | 34000 | 37000 | 0 | RBOF-RRF | RBOF-RRF Waste. |
| Nov-71 | 11/20/71 | 242-1F | 18 | 249000 | 249000 | 0 | EVAPFEED | |
| Nov-71 | 11/20/71 | 242-1H | 21 | 570000 | 570000 | 0 | EVAPFEED | |
| Nov-71 | 11/20/71 | 4 | 242-1F | 54000 | 54000 | 0 | EVAPCONC | |
| Nov-71 | 11/20/71 | 29 | 242-1H | 304000 | 304000 | 0 | EVAPCONC | |
| Nov-71 | 11/21/71 | 21 | 22 | 78000 | 80000 | 0 | DISSALT | |
| Dec-71 | 11/23/71 | 21 | 22 | 87000 | 89000 | 0 | DISSALT | |
| Dec-71 | 11/24/71 | 21 | 22 | 83000 | 85000 | 0 | DISSALT | |
| Dec-71 | 12/1/71 | 18 | 7 | 61000 | 63000 | 0 | MXSNATE | Cm Waste + High Heat Waste |
| Dec-71 | 12/1/71 | 21 | 22 | 85000 | 87000 | 0 | DISSALT | |
| Dec-71 | 12/2/71 | 18 | 7 | 59900 | 62000 | 0 | MXSNATE | Cm Waste + High Heat Waste |
| Dec-71 | 12/3/71 | 18 | 7 | 25500 | 26500 | 0 | MXSNATE | Cm Waste + High Heat Waste |
| Dec-71 | 12/3/71 | 21 | 22 | 163000 | 167000 | 0 | DISSALT | |
| Dec-71 | 12/8/71 | 21 | 22 | 74000 | 76000 | 0 | DISSALT | |
| Dec-71 | 12/8/71 | 21 | 22 | 96000 | 98000 | 0 | DISSALT | |
| Dec-71 | 12/11/71 | 18 | 7 | 43900 | 45400 | 0 | MXSNATE | Cm Waste + High Heat Waste |
| Dec-71 | 12/13/71 | 22 | 23 | 47000 | 49000 | 0 | RBOF-RRF | |
| Dec-71 | 12/15/71 | 7 | 1 | 142000 | 146000 | 0 | CONCSN | |
| Dec-71 | 12/20/71 | 23 | 244-245H | 81000 | 81000 | 0 | NONCANYWASTE | |
| Dec-71 | 12/20/71 | CRC | 23 | 134000 | 134000 | 0 | RBOF-RRF | |
| Dec-71 | 12/20/71 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | |
| Dec-71 | 12/20/71 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Off spec. overhds. |
| Dec-71 | 12/20/71 | 20 | | 0 | 4400 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-71 | 12/20/71 | 19 | | 0 | 11000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-71 | 12/20/71 | 2 | | 0 | 1400 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-71 | 12/20/71 | 3 | | 0 | 1400 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-71 | 12/20/71 | 1 | | 0 | 1300 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-71 | 12/20/71 | | 7 | 1300 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-71 | 12/20/71 | 242-1F | 18 | 289000 | 289000 | 0 | EVAPFEED | |
| Dec-71 | 12/20/71 | 242-1H | 21 | 535000 | 535000 | 0 | EVAPFEED | |
| Dec-71 | 12/20/71 | 4 | 242-1F | 138000 | 138000 | 0 | EVAPCONC | |
| Dec-71 | 12/20/71 | 29 | 242-1H | 394000 | 394000 | 0 | EVAPCONC | |
| Jan-72 | 12/29/71 | 21 | 29 | 20000 | 21000 | 0 | CONCSN | |
| Jan-72 | 1/1/72 | 21 | 29 | 57000 | 60000 | 0 | CONCSN | |
| Jan-72 | 1/5/72 | 13 | 10 | 116000 | 122000 | 0 | CONCSN | |
| Jan-72 | 1/8/72 | 18 | 17 | 29000 | 30000 | 0 | FRLHW | |
| Jan-72 | 1/9/72 | 21 | 29 | 625000 | 648000 | 0 | CONCSN | |
| Jan-72 | 1/11/72 | 18 | 17 | 35000 | 36000 | 0 | FRLHW | |
| Jan-72 | 1/14/72 | 18 | 20 | 105000 | 108000 | 0 | LHWCONCSN | |
| Jan-72 | 1/18/72 | 18 | 20 | 376000 | 401000 | 0 | LHWCONCSN | |
| Jan-72 | 1/20/72 | 19 | 17 | 95000 | 95000 | 0 | FRLHW | Accidental Cascade of LHW |
| Jan-72 | 1/20/72 | 21 | 244-245H | 5000 | 5000 | 0 | NONCANYWASTE | |
| Jan-72 | 1/20/72 | 23 | 244-245H | 118000 | 118000 | 0 | NONCANYWASTE | |
| Jan-72 | 1/20/72 | CRC | 23 | 152000 | 152000 | 0 | RBOF-RRF | |
| Jan-72 | 1/20/72 | 21 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | |
| Jan-72 | 1/20/72 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Off spec. overhds. |
| Jan-72 | 1/20/72 | 1 | 242-1F | 61000 | 61000 | 0 | EVAPCONC | |
| Jan-72 | 1/20/72 | 20 | | 0 | 3000 | 0 | MISCADD/TRAN | Cond.H2O from CTS System |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|----------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jan-72 | 1/20/72 | 10 | | 0 | 1000 | 0 | MISCADD/TRAN | Cooling Coil Leak |
| Jan-72 | 1/20/72 | 20 | | 0 | 15000 | 0 | MISCADD/TRAN | Lift Jet Flush Water |
| Jan-72 | 1/20/72 | | 5 | 1000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jan-72 | 1/20/72 | 32 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jan-72 | 1/20/72 | 18 | 17 | 266000 | 272000 | 0 | FRLHW | |
| Jan-72 | 1/20/72 | 242-1F | 18 | 338000 | 338000 | 0 | EVAPFEED | |
| Jan-72 | 1/20/72 | 242-1H | 21 | 297000 | 297000 | 0 | EVAPFEED | |
| Jan-72 | 1/20/72 | 20 | 242-1F | 93000 | 93000 | 0 | EVAPCONC | |
| Jan-72 | 1/20/72 | 10 | 242-1H | 162000 | 162000 | 0 | EVAPCONC | |
| Jan-72 | 1/20/72 | 4 | 242-1F | 142000 | 203000 | 0 | EVAPCONC | |
| Jan-72 | 1/20/72 | 29 | 242-1H | 240000 | 240000 | 0 | EVAPCONC | |
| Feb-72 | 1/21/72 | 18 | 17 | 117000 | 120000 | 0 | FRLHW | |
| Feb-72 | 1/26/72 | 18 | 19 | 91000 | 94000 | 0 | FRLHW | Accidental Cascade Waste |
| Feb-72 | 2/12/72 | 13 | 10 | 111000 | 116000 | 0 | CONCSN | |
| Feb-72 | 2/18/72 | 21 | 13 | 309000 | 319000 | 0 | MIXSNATE | |
| Feb-72 | 2/20/72 | 23 | 244-245H | 93000 | 93000 | 0 | NONCANYWASTE | |
| Feb-72 | 2/20/72 | CRC | 23 | 129000 | 129000 | 0 | RBOF-RRF | |
| Feb-72 | 2/20/72 | 21 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | |
| Feb-72 | 2/20/72 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Off spec. overhds. |
| Feb-72 | 2/20/72 | 10 | 29 | 90000 | 90000 | 0 | EDT | |
| Feb-72 | 2/20/72 | 1 | | 0 | 1100 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-72 | 2/20/72 | 3 | | 0 | 1400 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-72 | 2/20/72 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Feb-72 | 2/20/72 | 19 | | 0 | 7000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Feb-72 | 2/20/72 | | 8 | 27000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-72 | 2/20/72 | 242-1F | 18 | 554000 | 554000 | 0 | EVAPFEED | |
| Feb-72 | 2/20/72 | 242-1H | 21 | 489000 | 489000 | 0 | EVAPFEED | |
| Feb-72 | 2/20/72 | 20 | 242-1F | 360000 | 360000 | 0 | EVAPCONC | |
| Feb-72 | 2/20/72 | 29 | 242-1H | 319000 | 319000 | 0 | EVAPCONC | |
| Feb-72 | 2/20/72 | 10 | 242-1H | 90000 | 90000 | 0 | EVAPCONC | |
| Mar-72 | 3/12/72 | 13 | 16 | 308000 | 318000 | 0 | DILCONC | |
| Mar-72 | 3/18/72 | 18 | 17 | 140000 | 144000 | 0 | FRLHW | |
| Mar-72 | 3/18/72 | 21 | 13 | 600000 | 617000 | 0 | MIXSNATE | |
| Mar-72 | 3/20/72 | 23 | 244-245H | 129000 | 129000 | 0 | NONCANYWASTE | |
| Mar-72 | 3/20/72 | CRC | 23 | 102000 | 102000 | 0 | RBOF-RRF | |
| Mar-72 | 3/20/72 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | |
| Mar-72 | 3/20/72 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds. |
| Mar-72 | 3/20/72 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | |
| Mar-72 | 3/20/72 | 18 | | 0 | 8000 | 0 | MISCADD/TRAN | |
| Mar-72 | 3/20/72 | 1 | | 0 | 1000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Mar-72 | 3/20/72 | 2 | | 0 | 1000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Mar-72 | 3/20/72 | 3 | | 0 | 4000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Mar-72 | 3/20/72 | 242-1F | 18 | 357000 | 357000 | 0 | EVAPFEED | |
| Mar-72 | 3/20/72 | 242-1H | 21 | 512000 | 512000 | 0 | EVAPFEED | |
| Mar-72 | 3/20/72 | 19 | 242-1F | 60000 | 60000 | 0 | EVAPCONC | |
| Mar-72 | 3/20/72 | 10 | 242-1H | 136000 | 136000 | 0 | EVAPCONC | |
| Mar-72 | 3/20/72 | 20 | 242-1F | 127000 | 127000 | 0 | EVAPCONC | |
| Mar-72 | 3/20/72 | 29 | 242-1H | 250000 | 250000 | 0 | EVAPCONC | |
| Mar-72 | 3/26/72 | 13 | 10 | 72000 | 76000 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|----------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-72 | 3/21/72 | 13 | 10 | 58000 | 61000 | 0 | CONCSN | |
| Apr-72 | 3/22/72 | 13 | 18 | 457000 | 471000 | 0 | DILCONC | |
| Apr-72 | 3/24/72 | 21 | 13 | 120000 | 123000 | 0 | MIXSNATE | |
| Apr-72 | 3/29/72 | 13 | 10 | 61000 | 64000 | 0 | CONCSN | |
| Apr-72 | 4/1/72 | 18 | 20 | 141000 | 148000 | 0 | CONCSN | |
| Apr-72 | 4/5/72 | 18 | 20 | 91000 | 100000 | 0 | CONCSN | |
| Apr-72 | 4/5/72 | 13 | 10 | 44000 | 46000 | 0 | CONCSN | |
| Apr-72 | 4/6/72 | 21 | 13 | 184000 | 189000 | 0 | MIXSNATE | |
| Apr-72 | 4/6/72 | 21 | 29 | 80000 | 82000 | 0 | CONCSN | |
| Apr-72 | 4/10/72 | 18 | 20 | 229000 | 239000 | 0 | CONCSN | |
| Apr-72 | 4/12/72 | 13 | 10 | 56000 | 58000 | 0 | CONCSN | |
| Apr-72 | 4/14/72 | 13 | 10 | 6000 | 7000 | 0 | CONCSN | |
| Apr-72 | 4/20/72 | 23 | 244-245H | 108000 | 108000 | 0 | NONCANYWASTE | |
| Apr-72 | 4/20/72 | CRC | 23 | 89000 | 89000 | 0 | RBOF-RRF | |
| Apr-72 | 4/20/72 | 21 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | |
| Apr-72 | 4/20/72 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Off spec. overhds. |
| Apr-72 | 4/20/72 | 2 | | 0 | 1000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Apr-72 | 4/20/72 | 7 | | 0 | 1000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Apr-72 | 4/20/72 | 20 | | 0 | 13000 | 0 | MISCADD/TRAN | Jet Fish During 20 to 18 Trans. |
| Apr-72 | 4/20/72 | 242-1F | 18 | 421000 | 421000 | 0 | EVAPFEED | |
| Apr-72 | 4/20/72 | 242-1H | 21 | 499000 | 499000 | 0 | EVAPFEED | |
| Apr-72 | 4/20/72 | 29 | 242-1H | 88000 | 88000 | 0 | EVAPCONC | |
| Apr-72 | 4/20/72 | 31 | 242-1H | 2000 | 2000 | 0 | EVAPCONC | |
| Apr-72 | 4/20/72 | 19 | 242-1F | 264000 | 264000 | 0 | EVAPCONC | |
| Apr-72 | 4/20/72 | 10 | 242-1H | 210000 | 210000 | 0 | EVAPCONC | |
| May-72 | 4/25/72 | 13 | 10 | 47000 | 49000 | 0 | CONCSN | |
| May-72 | 4/28/72 | 21 | 13 | 261000 | 267000 | 0 | MIXSNATE | |
| May-72 | 4/28/72 | 13 | 11 | 6000 | 6000 | 0 | HHWSN | |
| May-72 | 5/5/72 | 18 | 17 | 132000 | 135000 | 0 | FRLHW | |
| May-72 | 5/19/72 | 18 | 17 | 49000 | 51000 | 0 | LHW | |
| May-72 | 5/20/72 | 23 | 244-245H | 148000 | 148000 | 0 | NONCANYWASTE | |
| May-72 | 5/20/72 | CRC | 23 | 94000 | 94000 | 0 | RBOF-RRF | |
| May-72 | 5/20/72 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | |
| May-72 | 5/20/72 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Off spec. overhds. |
| May-72 | 5/20/72 | 7 | 1 | 38000 | 40000 | 0 | CONCSN | |
| May-72 | 5/20/72 | 242-1F | 18 | 361000 | 361000 | 0 | EVAPFEED | |
| May-72 | 5/20/72 | 242-1H | 21 | 495000 | 495000 | 0 | EVAPFEED | |
| May-72 | 5/20/72 | 10 | 242-1H | 4000 | 4000 | 0 | EVAPCONC | |
| May-72 | 5/20/72 | 20 | 242-1F | 83000 | 83000 | 0 | EVAPCONC | |
| May-72 | 5/20/72 | 29 | 242-1H | 32000 | 32000 | 0 | EVAPCONC | |
| May-72 | 5/20/72 | 19 | 242-1F | 128000 | 128000 | 0 | EVAPCONC | |
| May-72 | 5/20/72 | 31 | 242-1H | 306000 | 306000 | 0 | EVAPCONC | |
| Jun-72 | 5/31/72 | 21 | 22 | 39000 | 40000 | 0 | DISSALT | |
| Jun-72 | 6/2/72 | 21 | 13 | 125000 | 128000 | 0 | MIXSNATE | |
| Jun-72 | 6/5/72 | 22 | 23 | 42000 | 44000 | 0 | RBOF-RRF | |
| Jun-72 | 6/5/72 | 21 | 22 | 44000 | 46000 | 0 | DISSALT | |
| Jun-72 | 6/7/72 | 18 | 7 | 8000 | 56000 | 0 | CONCSN | |
| Jun-72 | 6/11/72 | 18 | 7 | 65000 | 71000 | 0 | CONCSN | |
| Jun-72 | 6/14/72 | 18 | 7 | 126000 | 140000 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|-------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-72 | 6/16/72 | 21 | 13 | 132000 | 135000 | 0 | MXSNATE | |
| Jun-72 | 6/20/72 | 23 | 244-245H | 129000 | 129000 | 0 | NONCANYWASTE | |
| Jun-72 | 6/20/72 | CRC | 23 | 83000 | 83000 | 0 | RBOF-RRF | |
| Jun-72 | 6/20/72 | 21 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | |
| Jun-72 | 6/20/72 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds. |
| Jun-72 | 6/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2o from CTS System |
| Jun-72 | 6/20/72 | 11 | | 0 | 4000 | 0 | MISCADD/TRAN | Transfer line Flush |
| Jun-72 | 6/20/72 | 16 | | 0 | 4000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv.change |
| Jun-72 | 6/20/72 | 9 | | 0 | 8000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv.change |
| Jun-72 | 6/20/72 | 7 | 4 | 614000 | 639000 | 0 | CONCSN | |
| Jun-72 | 6/20/72 | 18 | 7 | 553000 | 576000 | 0 | CONCSN | |
| Jun-72 | 6/20/72 | 242-1F | 18 | 135000 | 135000 | 0 | EVAPFEED | |
| Jun-72 | 6/20/72 | 242-1H | 21 | 534000 | 534000 | 0 | EVAPFEED | |
| Jun-72 | 6/20/72 | 1 | 242-1F | 44000 | 44000 | 0 | EVAPCONC | |
| Jun-72 | 6/20/72 | 29 | 242-1H | 21000 | 21000 | 0 | EVAPCONC | |
| Jun-72 | 6/20/72 | 20 | 242-1F | 39000 | 39000 | 0 | EVAPCONC | |
| Jun-72 | 6/20/72 | 31 | 242-1H | 305000 | 305000 | 0 | EVAPCONC | |
| Jul-72 | 6/21/72 | 18 | 7 | 84000 | 89000 | 0 | DILCONC | |
| Jul-72 | 6/22/72 | 21 | 13 | 73000 | 75000 | 0 | LHWSN | |
| Jul-72 | 6/24/72 | 7 | 6 | 171000 | 174000 | 0 | HHWSN | |
| Jul-72 | 6/29/72 | 4 | 7 | 179000 | 194000 | 0 | HHWSN | |
| Jul-72 | 6/29/72 | 22 | 23 | 41000 | 43000 | 0 | RBOF-RRF | |
| Jul-72 | 7/4/72 | 21 | 29 | 635000 | 651000 | 0 | CONCSN | |
| Jul-72 | 7/15/72 | 7 | 5 | 434000 | 443000 | 0 | DILCONC | |
| Jul-72 | 7/17/72 | 21 | 29 | 329000 | 336000 | 0 | CONCSN | |
| Jul-72 | 7/18/72 | 18 | 7 | 216000 | 225000 | 0 | DILCONC | |
| Jul-72 | 7/20/72 | 23 | 244-245H | 131000 | 131000 | 0 | NONCANYWASTE | |
| Jul-72 | 7/20/72 | CRC | 23 | 111000 | 111000 | 0 | RBOF-RRF | |
| Jul-72 | 7/20/72 | 18 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| Jul-72 | 7/20/72 | 21 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | |
| Jul-72 | 7/20/72 | 23 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | Off spec. overhds. |
| Jul-72 | 7/20/72 | 20 | | 0 | 9000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Jul-72 | 7/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Jul-72 | 7/20/72 | 4 | | 0 | 7000 | 0 | MISCADD/TRAN | IAL PT Flush Water |
| Jul-72 | 7/20/72 | 7 | | 0 | 6000 | 0 | MISCADD/TRAN | Catch Tank Water |
| Jul-72 | 7/20/72 | 18 | | 0 | 1000 | 0 | MISCADD/TRAN | CTS PT flush Water |
| Jul-72 | 7/20/72 | 18 | 7 | 179000 | 186000 | 0 | DILCONC | |
| Jul-72 | 7/20/72 | 242-1F | 18 | 437000 | 437000 | 0 | EVAPFEED | |
| Jul-72 | 7/20/72 | 242-1H | 21 | 521000 | 521000 | 0 | EVAPFEED | |
| Jul-72 | 7/20/72 | 1 | 242-1F | 65000 | 65000 | 0 | EVAPCONC | |
| Jul-72 | 7/20/72 | 4 | 242-1F | 243000 | 243000 | 0 | EVAPCONC | |
| Jul-72 | 7/20/72 | 31 | 242-1H | 414000 | 414000 | 0 | EVAPCONC | |
| Aug-72 | 7/21/72 | 18 | 7 | 50000 | 52000 | 0 | DILCONC | |
| Aug-72 | 7/23/72 | 7 | 5 | 232000 | 236000 | 0 | DILCONC | |
| Aug-72 | 7/25/72 | 7 | 1 | 92000 | 96000 | 0 | CONCSN | |
| Aug-72 | 7/27/72 | 18 | 7 | 331000 | 343000 | 0 | DILCONC | |
| Aug-72 | 8/2/72 | 21 | 22 | 98000 | 102000 | 0 | DISSALT | |
| Aug-72 | 8/3/72 | 22 | 23 | 32000 | 34000 | 0 | RBOF-RRF | |
| Aug-72 | 8/3/72 | 21 | 22 | 22000 | 24000 | 0 | DISSALT | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-72 | 8/6/72 | 22 | 23 | 38000 | 39000 | 0 | RBOF-RRF | |
| Aug-72 | 8/7/72 | 7 | 4 | 484000 | 497000 | 0 | DILCONC | |
| Aug-72 | 8/7/72 | 5 | 7 | 299000 | 306000 | 0 | DILCONC | |
| Aug-72 | 8/7/72 | 21 | 22 | 34000 | 35000 | 0 | DISSALT | |
| Aug-72 | 8/9/72 | 7 | 4 | 111000 | 117000 | 0 | DILCONC | |
| Aug-72 | 8/9/72 | 22 | 23 | 10000 | 11000 | 0 | RBOF-RRF | |
| Aug-72 | 8/11/72 | 7 | 1 | 41000 | 43000 | 0 | CONCSN | |
| Aug-72 | 8/12/72 | 5 | 7 | 335000 | 350000 | 0 | DILCONC | |
| Aug-72 | 8/14/72 | 7 | 6 | 182000 | 184000 | 0 | HHWSN | |
| Aug-72 | 8/14/72 | 7 | 5 | 9500 | 9800 | 0 | DILCONC | |
| Aug-72 | 8/16/72 | 4 | 7 | 172000 | 191000 | 0 | MXSNATE | |
| Aug-72 | 8/16/72 | 21 | 22 | 34000 | 35000 | 0 | DISSALT | |
| Aug-72 | 8/19/72 | 22 | 23 | 42000 | 44000 | 0 | RBOF-RRF | |
| Aug-72 | 8/20/72 | 23 | 244-245H | 169000 | 169000 | 0 | NONCANYWASTE | |
| Aug-72 | 8/20/72 | 21 | 244-245H | 17000 | 17000 | 0 | NONCANYWASTE | |
| Aug-72 | 8/20/72 | CRC | 23 | 120000 | 120000 | 0 | RBOF-RRF | |
| Aug-72 | 8/20/72 | 23 | 242-1H | 12000 | 12000 | 0 | OVERSPEC | Off spec. overhds. |
| Aug-72 | 8/20/72 | 20 | | 0 | 7000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Aug-72 | 8/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Aug-72 | 8/20/72 | 22 | | 0 | 7000 | 0 | MISCADD/TRAN | Tank 22 Lift Jet Flush water |
| Aug-72 | 8/20/72 | 242-1F | 18 | 374000 | 374000 | 0 | EVAPFEED | |
| Aug-72 | 8/20/72 | 242-1H | 21 | 506000 | 506000 | 0 | EVAPFEED | |
| Aug-72 | 8/20/72 | 1 | 242-1F | 113000 | 113000 | 0 | EVAPCONC | |
| Aug-72 | 8/20/72 | 31 | 242-1H | 9000 | 9000 | 0 | EVAPCONC | |
| Aug-72 | 8/20/72 | 4 | 242-1F | 154000 | 154000 | 0 | EVAPCONC | |
| Aug-72 | 8/20/72 | 29 | 242-1H | 376000 | 376000 | 0 | EVAPCONC | |
| Sep-72 | 8/25/72 | 21 | 13 | 172000 | 175000 | 0 | MXSNATE | |
| Sep-72 | 9/18/72 | 21 | 22 | 42000 | 44000 | 0 | DISSALT | |
| Sep-72 | 9/20/72 | 23 | 244-245H | 168000 | 168000 | 0 | NONCANYWASTE | |
| Sep-72 | 9/20/72 | 21 | 244-245H | 6000 | 6000 | 0 | NONCANYWASTE | |
| Sep-72 | 9/20/72 | CRC | 23 | 162000 | 162000 | 0 | RBOF-RRF | |
| Sep-72 | 9/20/72 | 23 | 242-1H | 8000 | 8000 | 0 | OVERSPEC | Off spec. overhds. |
| Sep-72 | 9/20/72 | 20 | | 0 | 7000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Sep-72 | 9/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System |
| Sep-72 | 9/20/72 | 242-1F | 18 | 21000 | 21000 | 0 | EVAPFEED | |
| Sep-72 | 9/20/72 | 242-1H | 21 | 291000 | 291000 | 0 | EVAPFEED | |
| Sep-72 | 9/20/72 | 4 | 242-1F | 15000 | 15000 | 0 | EVAPCONC | |
| Sep-72 | 9/20/72 | 29 | 242-1H | 177000 | 177000 | 0 | EVAPCONC | |
| Sep-72 | 9/21/72 | 22 | 23 | 43000 | 46000 | 0 | RBOF-RRF | |
| Sep-72 | 9/21/72 | 21 | 13 | 48000 | 50000 | 0 | MXSNATE | |
| Oct-72 | 9/28/72 | 21 | 31 | 105000 | 108000 | 0 | CONCSN | |
| Oct-72 | 10/1/72 | 4 | 18 | 373000 | 376000 | 0 | HHWSN | |
| Oct-72 | 10/2/72 | 13 | 11 | 112000 | 115000 | 0 | HHWSN | |
| Oct-72 | 10/3/72 | 7 | 4 | 385000 | 393000 | 0 | HHWSN | |
| Oct-72 | 10/5/72 | 4 | 18 | 292000 | 302000 | 0 | HHWSN | |
| Oct-72 | 10/5/72 | 21 | 13 | 112000 | 115000 | 0 | HHWSN | |
| Oct-72 | 10/7/72 | 21 | 31 | 133000 | 139000 | 0 | CONCSN | |
| Oct-72 | 10/10/72 | 13 | 12 | 442000 | 454000 | 0 | HHWSN | |
| Oct-72 | 10/11/72 | 6 | 18 | 207000 | 209000 | 0 | HHWSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-72 | 10/15/72 | 4 | 18 | 39000 | 40000 | 0 | HHWSN | | |
| Oct-72 | 10/15/72 | 18 | 17 | 25000 | 25000 | 0 | LHWSN | | |
| Oct-72 | 10/16/72 | 18 | 17 | 25000 | 26000 | 0 | LHWSN | | |
| Oct-72 | 10/18/72 | 4 | 18 | 48000 | 49000 | 0 | LHWSN | | |
| Oct-72 | 10/18/72 | 21 | 13 | 105000 | 107000 | 0 | HHWSN | | |
| Oct-72 | 10/19/72 | 18 | 17 | 137000 | 142000 | 0 | LHWSN | | |
| Oct-72 | 10/20/72 | 23 | 244-245H | 180000 | 180000 | 0 | NONCANYWASTE | | |
| Oct-72 | 10/20/72 | CRC | 23 | 153000 | 153000 | 0 | RBOF-RRF | | |
| Oct-72 | 10/20/72 | 23 | 242-1H | 24000 | 24000 | 0 | OVERSPEC | Off spec. overhds. | |
| Oct-72 | 10/20/72 | 20 | | 0 | 4500 | 0 | MISCADD/TRAN | Cond. H2O from CTS System | |
| Oct-72 | 10/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System | |
| Oct-72 | 10/20/72 | 18 | | 0 | 4500 | 0 | MISCADD/TRAN | Cond. H2O from CTS System | |
| Oct-72 | 10/20/72 | 11 | | 0 | 17000 | 0 | MISCADD/TRAN | | |
| Oct-72 | 10/20/72 | 31 | | 0 | 10000 | 0 | MISCADD/TRAN | | |
| Oct-72 | 10/20/72 | 242-1H | 21 | 555000 | 555000 | 0 | EVAPFEED | | |
| Oct-72 | 10/20/72 | 29 | 242-1H | 280000 | 280000 | 0 | EVAPCONC | | |
| Oct-72 | 10/21/72 | 21 | 31 | 211000 | 217000 | 0 | CONCSN | | |
| Nov-72 | 10/21/72 | 17 | 18 | 184100 | 199000 | 0 | FRLHW | | |
| Nov-72 | 10/24/72 | 13 | 21 | 105000 | 108000 | 0 | HHW | | |
| Nov-72 | 11/3/72 | 31 | 21 | 222000 | 231000 | 0 | CONCSN | | |
| Nov-72 | 11/8/72 | 19 | 18 | 371300 | 393700 | 0 | LHWCONCSN | | |
| Nov-72 | 11/17/72 | 23 | 22 | 36000 | 38000 | 0 | NONCANYWASTE | | |
| Nov-72 | 11/20/72 | 23 | 244-245H | 176000 | 176000 | 0 | NONCANYWASTE | | |
| Nov-72 | 11/20/72 | CRC | 23 | 145000 | 145000 | 0 | RBOF-RRF | | |
| Nov-72 | 11/20/72 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Off spec. overhds. | |
| Nov-72 | 11/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System | |
| Nov-72 | 11/20/72 | 21 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | | |
| Nov-72 | 11/20/72 | 242-1F | 18 | 544600 | 544600 | 0 | EVAPFEED | | |
| Nov-72 | 11/20/72 | 242-1H | 21 | 550000 | 550000 | 0 | EVAPFEED | | |
| Nov-72 | 11/20/72 | 10 | 242-1H | 14000 | 14000 | 0 | EVAPCONC | | |
| Nov-72 | 11/20/72 | 19 | 242-1F | 97200 | 97200 | 0 | EVAPCONC | | |
| Nov-72 | 11/20/72 | 31 | 242-1H | 166000 | 166000 | 0 | EVAPCONC | | |
| Nov-72 | 11/20/72 | 20 | 242-1F | 244000 | 244000 | 0 | EVAPCONC | | |
| Nov-72 | 11/20/72 | 29 | 242-1H | 165000 | 165000 | 0 | EVAPCONC | | |
| Dec-72 | 11/22/72 | 21 | 13 | 261000 | 265000 | 0 | HHW | | |
| Dec-72 | 11/23/72 | 18 | 17 | 91000 | 95000 | 0 | FRLHW | | |
| Dec-72 | 12/2/72 | 18 | 20 | 304000 | 314000 | 0 | LHWCONCSN | | |
| Dec-72 | 12/16/72 | 18 | 17 | 80000 | 82000 | 0 | FRLHW | | |
| Dec-72 | 12/19/72 | 21 | 29 | 8000 | 9000 | 0 | CONCSN | | |
| Dec-72 | 12/20/72 | 23 | 244-245H | 147000 | 147000 | 0 | NONCANYWASTE | | |
| Dec-72 | 12/20/72 | CRC | 23 | 215000 | 215000 | 0 | RBOF-RRF | | |
| Dec-72 | 12/20/72 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds. | |
| Dec-72 | 12/20/72 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. H2O from CTS System | |
| Dec-72 | 12/20/72 | 21 | 242-1H | 13000 | 13000 | 0 | OVERSPEC | | |
| Dec-72 | 12/20/72 | | 16 | 5000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Dec-72 | 12/20/72 | 242-1F | 18 | 564000 | 564000 | 0 | EVAPFEED | | |
| Dec-72 | 12/20/72 | 242-1H | 21 | 250000 | 250000 | 0 | EVAPFEED | | |
| Dec-72 | 12/20/72 | 19 | 242-1F | 270000 | 270000 | 0 | EVAPCONC | | |
| Dec-72 | 12/20/72 | 20 | 242-1F | 113000 | 113000 | 0 | EVAPCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Dec-72 | 12/20/72 | 31 | 242-1H | 191000 | 191000 | 0 | EVAPCONC | | |
| Jan-73 | 12/23/72 | 18 | 19 | 254000 | 262000 | 0 | LHWCONCSN | | |
| Jan-73 | 1/4/73 | 21 | 29 | 86000 | 89000 | 0 | CONCSN | | |
| Jan-73 | 1/8/73 | 18 | 17 | 69000 | 71000 | 0 | FRLHW | | |
| Jan-73 | 1/13/73 | 21 | 29 | 520000 | 536000 | 0 | CONCSN | | |
| Jan-73 | 1/15/73 | 18 | 7 | 232000 | 246000 | 0 | DILCONC | | |
| Jan-73 | 1/16/73 | 7 | 1 | 52000 | 54000 | 0 | HWCONCSN | | |
| Jan-73 | 1/16/73 | 7 | 1 | 34700 | 35200 | 0 | HWCONCSN | | |
| Jan-73 | 1/20/73 | 21 | 244-245H | 17000 | 17000 | 0 | NONCANYWASTE | | |
| Jan-73 | 1/20/73 | 23 | 244-245H | 129000 | 129000 | 0 | NONCANYWASTE | | |
| Jan-73 | 1/20/73 | CRC | 23 | 158000 | 158000 | 0 | RBOF-RRF | | |
| Jan-73 | 1/20/73 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | | |
| Jan-73 | 1/20/73 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Off spec. overhds. | |
| Jan-73 | 1/20/73 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Jan-73 | 1/20/73 | | 19 | 21000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-73 | 1/20/73 | | 9 | 19000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-73 | 1/20/73 | | 15 | 14000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-73 | 1/20/73 | 22 | | 0 | 12000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-73 | 1/20/73 | 18 | 7 | 290000 | 300000 | 0 | DILCONC | | |
| Jan-73 | 1/20/73 | 242-1F | 18 | 485000 | 485000 | 0 | EVAPFEED | | |
| Jan-73 | 1/20/73 | 242-1H | 21 | 511000 | 511000 | 0 | EVAPFEED | | |
| Jan-73 | 1/20/73 | 1 | 242-1F | 31000 | 31000 | 0 | EVAPCONC | | |
| Jan-73 | 1/20/73 | 20 | 242-1F | 318000 | 318000 | 0 | EVAPCONC | | |
| Jan-73 | 1/20/73 | 31 | 242-1H | 305000 | 305000 | 0 | EVAPCONC | | |
| Feb-73 | 1/20/73 | 18 | 7 | 14900 | 16300 | 0 | MXSNATE | | |
| Feb-73 | 1/26/73 | 7 | 2 | 54000 | 56100 | 0 | CONCSN | | |
| Feb-73 | 1/27/73 | 7 | 3 | 82700 | 85900 | 0 | CONCSN | | |
| Feb-73 | 1/28/73 | 7 | 1 | 102500 | 106600 | 0 | CONCSN | | |
| Feb-73 | 2/7/73 | 13 | 14 | 42000 | 43000 | 0 | DILCONC | | |
| Feb-73 | 2/8/73 | 7 | 2 | 23900 | 25200 | 0 | CONCSN | | |
| Feb-73 | 2/12/73 | 7 | 1 | 44000 | 46300 | 0 | CONCSN | | |
| Feb-73 | 2/17/73 | 21 | 29 | 468000 | 486000 | 0 | HHWCONCSN | | |
| Feb-73 | 2/19/73 | 18 | 7 | 349700 | 379100 | 0 | CONCSN | | |
| Feb-73 | 2/20/73 | 21 | 244-245H | 13000 | 13000 | 0 | NONCANYWASTE | | |
| Feb-73 | 2/20/73 | 23 | 244-245H | 143000 | 143000 | 0 | NONCANYWASTE | | |
| Feb-73 | 2/20/73 | CRC | 23 | 113000 | 113000 | 0 | RBOF-RRF | | |
| Feb-73 | 2/20/73 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | | |
| Feb-73 | 2/20/73 | 23 | 242-1H | 27000 | 27000 | 0 | OVERSPEC | Off spec. overhds. | |
| Feb-73 | 2/20/73 | 20 | | 0 | 1000 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Feb-73 | 2/20/73 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. Water from CTS | |
| Feb-73 | 2/20/73 | 11 | | 0 | 13000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Feb-73 | 2/20/73 | 13 | 10 | 32000 | 33000 | 0 | HHWCONCSN | | |
| Feb-73 | 2/20/73 | 242-1F | 18 | 439000 | 439000 | 0 | EVAPFEED | | |
| Feb-73 | 2/20/73 | 242-1H | 21 | 382000 | 382000 | 0 | EVAPFEED | | |
| Feb-73 | 2/20/73 | 2 | 242-1F | 46900 | 46900 | 0 | EVAPCONC | | |
| Feb-73 | 2/20/73 | 3 | 242-1F | 29700 | 29700 | 0 | EVAPCONC | | |
| Feb-73 | 2/20/73 | 1 | 242-1F | 174500 | 174500 | 0 | EVAPCONC | | |
| Feb-73 | 2/20/73 | 31 | 242-1H | 268000 | 268000 | 0 | EVAPCONC | | |
| Mar-73 | 2/26/73 | 7 | 1 | 5500 | 5700 | 0 | CONC | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Mar-73 | 2/26/73 | 7 | 2 | 27200 | 31200 | 0 | CONC | |
| Mar-73 | 2/27/73 | 7 | 3 | 42700 | 44700 | 0 | CONC | |
| Mar-73 | 3/3/73 | 7 | 1 | 102800 | 108100 | 0 | CONC | |
| Mar-73 | 3/9/73 | 7 | 2 | 34700 | 38000 | 0 | CONC | |
| Mar-73 | 3/10/73 | 7 | 3 | 59800 | 62100 | 0 | CONC | |
| Mar-73 | 3/10/73 | 21 | 13 | 354000 | 372000 | 0 | LHW | |
| Mar-73 | 3/13/73 | 7 | 1 | 96800 | 100000 | 0 | CONC | |
| Mar-73 | 3/15/73 | 18 | 7 | 391000 | 411000 | 0 | CONCSN | |
| Mar-73 | 3/15/73 | 13 | 10 | 24000 | 25000 | 0 | HHWCONCSN | |
| Mar-73 | 3/16/73 | 7 | 2 | 47700 | 51800 | 0 | CONC | |
| Mar-73 | 3/19/73 | 7 | 3 | 10200 | 10800 | 0 | CONC | |
| Mar-73 | 3/20/73 | 21 | 244-245H | 10000 | 10000 | 0 | NONCANYWASTE | |
| Mar-73 | 3/20/73 | 23 | 244-245H | 149000 | 149000 | 0 | NONCANYWASTE | |
| Mar-73 | 3/20/73 | CRC | 23 | 191000 | 191000 | 0 | RBOF-RRF | |
| Mar-73 | 3/20/73 | 21 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | |
| Mar-73 | 3/20/73 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds. |
| Mar-73 | 3/20/73 | 20 | | 0 | 6000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Mar-73 | 3/20/73 | 29 | | 0 | 3000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Mar-73 | 3/20/73 | 7 | | 0 | 1000 | 0 | NONCANYWASTE | 100 Area Filter Sludge |
| Mar-73 | 3/20/73 | 13 | 11 | 378000 | 400000 | 0 | HHWSN | |
| Mar-73 | 3/20/73 | 242-1F | 18 | 545000 | 545000 | 0 | EVAPFEED | |
| Mar-73 | 3/20/73 | 242-1H | 21 | 461000 | 461000 | 0 | EVAPFEED | |
| Mar-73 | 3/20/73 | 2 | 242-1F | 96600 | 96600 | 0 | EVAPCONC | |
| Mar-73 | 3/20/73 | 3 | 242-1F | 121500 | 121500 | 0 | EVAPCONC | |
| Mar-73 | 3/20/73 | 10 | 242-1H | 45000 | 45000 | 0 | EVAPCONC | |
| Mar-73 | 3/20/73 | 31 | 242-1H | 24000 | 24000 | 0 | EVAPCONC | |
| Mar-73 | 3/20/73 | 1 | 242-1F | 181900 | 181900 | 0 | EVAPCONC | |
| Mar-73 | 3/20/73 | 29 | 242-1H | 306000 | 306000 | 0 | EVAPCONC | |
| Apr-73 | 3/21/73 | 7 | 2 | 21000 | 22000 | 0 | CONCSN | |
| Apr-73 | 3/22/73 | 13 | 10 | 3000 | 4000 | 0 | CONCSN | |
| Apr-73 | 3/23/73 | 7 | 3 | 53000 | 55000 | 0 | CONCSN | |
| Apr-73 | 3/25/73 | 18 | 7 | 138000 | 144000 | 0 | CONCSN | |
| Apr-73 | 3/27/73 | 7 | 5 | 254000 | 264000 | 0 | DILCONC | |
| Apr-73 | 3/27/73 | 7 | 1 | 101000 | 105000 | 0 | CONCSN | |
| Apr-73 | 3/28/73 | 7 | 2 | 30000 | 31000 | 0 | CONCSN | |
| Apr-73 | 3/28/73 | 21 | 13 | 307000 | 324000 | 0 | MIXSNATE | |
| Apr-73 | 3/29/73 | 13 | 11 | 132000 | 139000 | 0 | LHW | |
| Apr-73 | 3/31/73 | 7 | 3 | 62000 | 64000 | 0 | CONCSN | |
| Apr-73 | 3/31/73 | 7 | 2 | 20600 | 21400 | 0 | CONCSN | |
| Apr-73 | 4/2/73 | 18 | 7 | 475000 | 495000 | 0 | MIXSNATE | |
| Apr-73 | 4/3/73 | 7 | 2 | 23000 | 24000 | 0 | CONCSN | |
| Apr-73 | 4/5/73 | 7 | 5 | 321000 | 331000 | 0 | DILCONC | |
| Apr-73 | 4/5/73 | 7 | 1 | 30000 | 32000 | 0 | CONCSN | |
| Apr-73 | 4/9/73 | 18 | 7 | 392000 | 412000 | 0 | MIXSNATE | |
| Apr-73 | 4/10/73 | 7 | 5 | 92000 | 95000 | 0 | DILCONC | |
| Apr-73 | 4/13/73 | 7 | 6 | 318000 | 324000 | 0 | HHWSN | |
| Apr-73 | 4/15/73 | 21 | 13 | 291000 | 306000 | 0 | MIXSNATE | |
| Apr-73 | 4/19/73 | 18 | 7 | 188000 | 198000 | 0 | MIXSNATE | |
| Apr-73 | 4/20/73 | 21 | 244-245H | 23000 | 23000 | 0 | NONCANYWASTE | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|---------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-73 | 4/20/73 | 23 | 244-245H | 153000 | 153000 | 0 | NONCANYWASTE | |
| Apr-73 | 4/20/73 | CRC | 23 | 39000 | 39000 | 0 | RBOF-RRF | |
| Apr-73 | 4/20/73 | 21 | 242-1H | 8000 | 8000 | 0 | OVERSPEC | |
| Apr-73 | 4/20/73 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Off spec. overhds. |
| Apr-73 | 4/20/73 | 20 | | 0 | 14000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Apr-73 | 4/20/73 | 29 | | 0 | 5000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Apr-73 | 4/20/73 | 4 | | 0 | 1000 | 0 | MISCADD/TRAN | RT Cellib./Repl. or Inv. change |
| Apr-73 | 4/20/73 | 242-1F | 18 | 478000 | 478000 | 0 | EVAPFEED | |
| Apr-73 | 4/20/73 | 242-1H | 21 | 617000 | 617000 | 0 | EVAPFEED | |
| Apr-73 | 4/20/73 | 2 | 242-1F | 103600 | 103600 | 0 | EVAPCONC | |
| Apr-73 | 4/20/73 | 3 | 242-1F | 117000 | 117000 | 0 | EVAPCONC | |
| Apr-73 | 4/20/73 | 1 | 242-1F | 282000 | 282000 | 0 | EVAPCONC | |
| Apr-73 | 4/20/73 | 29 | 242-1H | 297000 | 297000 | 0 | EVAPCONC | |
| May-73 | 4/19/73 | 7 | 6 | 13550 | 14090 | 0 | HHWSN | |
| May-73 | 4/27/73 | 7 | 6 | 169400 | 175600 | 0 | LHWSN | |
| May-73 | 4/30/73 | 34 | 18 | 10620 | 11250 | 0 | MIXSNATE | |
| May-73 | 5/11/73 | 21 | 31 | 88000 | 93000 | 0 | CONCSN | |
| May-73 | 5/14/73 | 21 | 31 | 214000 | 223000 | 0 | CONCSN | |
| May-73 | 5/17/73 | 21 | 31 | 196000 | 206000 | 0 | CONCSN | |
| May-73 | 5/20/73 | 21 | 244-245H | 3000 | 3000 | 0 | NONCANYWASTE | |
| May-73 | 5/20/73 | 23 | 244-245H | 162000 | 162000 | 0 | NONCANYWASTE | |
| May-73 | 5/20/73 | CRC | 23 | 182000 | 182000 | 0 | RBOF-RRF | |
| May-73 | 5/20/73 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Off spec. overhds. |
| May-73 | 5/20/73 | 20 | | 0 | 10600 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| May-73 | 5/20/73 | 29 | | 0 | 5000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| May-73 | 5/20/73 | 7 | | 0 | 6100 | 0 | NONCANYWASTE | 100 Area Sand Filter Flushes |
| May-73 | 5/20/73 | 18 | 242-1H | 800 | 800 | 0 | OVERSPEC | |
| May-73 | 5/20/73 | 242-1F | 18 | 361800 | 361800 | 0 | EVAPFEED | |
| May-73 | 5/20/73 | 242-1H | 21 | 542000 | 542000 | 0 | EVAPFEED | |
| May-73 | 5/20/73 | 31 | 242-1H | 38000 | 38000 | 0 | EVAPCONC | |
| May-73 | 5/20/73 | 34 | 242-1F | 287300 | 287300 | 0 | EVAPCONC | |
| May-73 | 5/20/73 | 29 | 242-1H | 268000 | 268000 | 0 | EVAPCONC | |
| Jun-73 | 5/30/73 | 21 | 24 | 42000 | 44000 | 0 | HHWCONCSN | |
| Jun-73 | 6/14/73 | 18 | 7 | 212000 | 219000 | 0 | SNATE | |
| Jun-73 | 6/20/73 | 21 | 244-245H | 16000 | 16000 | 0 | NONCANYWASTE | |
| Jun-73 | 6/20/73 | 23 | 244-245H | 159000 | 159000 | 0 | NONCANYWASTE | |
| Jun-73 | 6/20/73 | CRC | 23 | 35000 | 35000 | 0 | RBOF-RRF | |
| Jun-73 | 6/20/73 | 20 | | 0 | 13300 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Jun-73 | 6/20/73 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Jun-73 | 6/20/73 | 7 | | 0 | 4300 | 0 | NONCANYWASTE | 100 Area Sand Filter Flushes |
| Jun-73 | 6/20/73 | 22 | | 0 | 49000 | 0 | MISCADD/TRAN | Cond. of Circulation Steam |
| Jun-73 | 6/20/73 | 31 | | 0 | 8000 | 0 | MISCADD/TRAN | Drawoff Valve Flush |
| Jun-73 | 6/20/73 | 21 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | |
| Jun-73 | 6/20/73 | 242-1F | 18 | 642000 | 642000 | 0 | EVAPFEED | |
| Jun-73 | 6/20/73 | 242-1H | 21 | 506000 | 506000 | 0 | EVAPFEED | |
| Jun-73 | 6/20/73 | 29 | 242-1H | 69000 | 69000 | 0 | EVAPCONC | |
| Jun-73 | 6/20/73 | 34 | 242-1F | 424000 | 424000 | 0 | EVAPCONC | |
| Jun-73 | 6/20/73 | 31 | 242-1H | 281000 | 281000 | 0 | EVAPCONC | |
| Jun-73 | 6/21/73 | 11 | 31 | 64000 | 66000 | 0 | HHWCONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|----------|---------------|---------------|--------|--------------|----------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jul-73 | 6/28/73 | 13 | 10 | 31000 | 33000 | 0 | CONCSN | |
| Jul-73 | 7/1/73 | 18 | 7 | 222000 | 233000 | 0 | HHWSN | |
| Jul-73 | 7/2/73 | 21 | 31 | 524000 | 544000 | 0 | CONCSN | |
| Jul-73 | 7/13/73 | 21 | 29 | 131000 | 135000 | 0 | CONCSN | |
| Jul-73 | 7/18/73 | 7 | 3 | 5000 | 5400 | 0 | DILCONC | |
| Jul-73 | 7/18/73 | 13 | 9 | 13000 | 14000 | 0 | CONCSN | |
| Jul-73 | 7/19/73 | 18 | 20 | 14000 | 15000 | 0 | LHWCONCSN | |
| Jul-73 | 7/20/73 | 21 | 244-245H | 13000 | 13000 | 0 | NONCANYWASTE | |
| Jul-73 | 7/20/73 | 23 | 244-245H | 148000 | 148000 | 0 | NONCANYWASTE | |
| Jul-73 | 7/20/73 | CRC | 23 | 67000 | 67000 | 0 | RBOF-RRF | |
| Jul-73 | 7/20/73 | 20 | | 0 | 9700 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Jul-73 | 7/20/73 | 29 | | 0 | 5000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Jul-73 | 7/20/73 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | |
| Jul-73 | 7/20/73 | 18 | 242-1H | 9000 | 9000 | 0 | OVERSPEC | |
| Jul-73 | 7/20/73 | 7 | | 0 | 20000 | 0 | NONCANYWASTE | 100 Area Sludge and Water |
| Jul-73 | 7/20/73 | 22 | | 0 | 29000 | 0 | MISCADD/TRAN | Cond. of Circulation Steam |
| Jul-73 | 7/20/73 | 242-1F | 18 | 430000 | 430000 | 0 | EVAPFEED | |
| Jul-73 | 7/20/73 | 242-1H | 21 | 592000 | 592000 | 0 | EVAPFEED | |
| Jul-73 | 7/20/73 | 10 | 242-1H | 19000 | 19000 | 0 | EVAPCONC | |
| Jul-73 | 7/20/73 | 29 | 242-1H | 30000 | 30000 | 0 | EVAPCONC | |
| Jul-73 | 7/20/73 | 34 | 242-1F | 192000 | 192000 | 0 | EVAPCONC | |
| Jul-73 | 7/20/73 | 31 | 242-1H | 401000 | 401000 | 0 | EVAPCONC | |
| Aug-73 | 7/23/73 | 13 | 10 | 10000 | 11000 | 0 | CONCSN | |
| Aug-73 | 7/26/73 | 21 | 29 | 84000 | 88000 | 0 | CONCSN | |
| Aug-73 | 7/30/73 | 21 | 29 | 319000 | 335000 | 0 | CONCSN | |
| Aug-73 | 8/12/73 | 18 | 17 | 24800 | 25300 | 0 | FRLHW | |
| Aug-73 | 8/12/73 | 21 | 29 | 161000 | 169000 | 0 | CONCSN | |
| Aug-73 | 8/14/73 | 13 | 10 | 19000 | 21000 | 0 | CONCSN | |
| Aug-73 | 8/15/73 | 13 | 9 | 14000 | 16000 | 0 | CONCSN | |
| Aug-73 | 8/16/73 | 18 | 17 | 29200 | 30100 | 0 | FRLHW | |
| Aug-73 | 8/20/73 | 21 | 244-245H | 5000 | 5000 | 0 | NONCANYWASTE | |
| Aug-73 | 8/20/73 | 23 | 244-245H | 117000 | 117000 | 0 | NONCANYWASTE | |
| Aug-73 | 8/20/73 | CRC | 23 | 143000 | 143000 | 0 | RBOF-RRF | |
| Aug-73 | 8/20/73 | 20 | | 0 | 8000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Aug-73 | 8/20/73 | 29 | | 0 | 5000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Aug-73 | 8/20/73 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | |
| Aug-73 | 8/20/73 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Off spec. overhds. |
| Aug-73 | 8/20/73 | 7 | | 0 | 6200 | 0 | NONCANYWASTE | 100 Area Sludge and Water |
| Aug-73 | 8/20/73 | 9 | | 0 | 13000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Aug-73 | 8/20/73 | 24 | | 0 | 3000 | 0 | MISCADD/TRAN | CRC Flushes |
| Aug-73 | 8/20/73 | 12 | | 0 | 30000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Aug-73 | 8/20/73 | 21 | 22 | 321000 | 337000 | 0 | DISSALT | |
| Aug-73 | 8/20/73 | 242-1F | 18 | 256000 | 256000 | 0 | EVAPFEED | |
| Aug-73 | 8/20/73 | 242-1H | 21 | 858000 | 858000 | 0 | EVAPFEED | |
| Aug-73 | 8/20/73 | 10 | 242-1H | 31000 | 31000 | 0 | EVAPCONC | |
| Aug-73 | 8/20/73 | 29 | 242-1H | 299000 | 299000 | 0 | EVAPCONC | |
| Aug-73 | 8/20/73 | 34 | 242-1F | 78000 | 78000 | 0 | EVAPCONC | |
| Aug-73 | 8/20/73 | 31 | 242-1H | 340000 | 340000 | 0 | EVAPCONC | |
| Sep-73 | 8/27/73 | 18 | 20 | 451000 | 469000 | 0 | LHWCONCSN | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Sep-73 | 8/31/73 | 18 | 17 | 178000 | 184000 | 0 | LHW | |
| Sep-73 | 8/31/73 | 21 | 13 | 196000 | 205000 | 0 | CONCSN | |
| Sep-73 | 9/1/73 | 13 | 10 | 17000 | 18000 | 0 | CONCSN | |
| Sep-73 | 9/4/73 | 13 | 10 | 10000 | 11000 | 0 | CONCSN | |
| Sep-73 | 9/6/73 | 21 | 29 | 534000 | 561000 | 0 | CONCSN | |
| Sep-73 | 9/8/73 | 18 | 19 | 371000 | 380000 | 0 | CONCSN | |
| Sep-73 | 9/12/73 | 13 | 10 | 25000 | 27000 | 0 | CONCSN | |
| Sep-73 | 9/13/73 | 18 | 20 | 113000 | 117000 | 0 | LHWCONCSN | |
| Sep-73 | 9/17/73 | 22 | 23 | 63000 | 66000 | 0 | RBOF-RRF | |
| Sep-73 | 9/20/73 | 21 | 244-245H | 0 | 0 | 0 | NONCANYWASTE | |
| Sep-73 | 9/20/73 | 23 | 244-245H | 135000 | 135000 | 0 | NONCANYWASTE | |
| Sep-73 | 9/20/73 | CRC | 23 | 103000 | 103000 | 0 | RBOF-RRF | |
| Sep-73 | 9/20/73 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Sep-73 | 9/20/73 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| Sep-73 | 9/20/73 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Off spec. overhds. |
| Sep-73 | 9/20/73 | 7 | | 0 | 0 | 0 | NONCANYWASTE | 100 Area Sludge and Water |
| Sep-73 | 9/20/73 | 29 | | 0 | 3000 | 0 | MISCADD/TRAN | CRC Flushes |
| Sep-73 | 9/20/73 | | 1 | 16000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | | 2 | 7000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | 3 | | 0 | 22000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | | 4 | 8000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | 8 | | 0 | 24000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | | 5 | 1000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | 7 | | 0 | 1000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | | 34 | 1000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | 9 | | 0 | 7000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | | 18 | 35000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-73 | 9/20/73 | 242-1F | 18 | 602000 | 602000 | 0 | EVAPFEED | |
| Sep-73 | 9/20/73 | 242-1H | 21 | 756000 | 756000 | 0 | EVAPFEED | |
| Sep-73 | 9/20/73 | 10 | 242-1H | 57000 | 57000 | 0 | EVAPCONC | |
| Sep-73 | 9/20/73 | 20 | 242-1F | 429000 | 429000 | 0 | EVAPCONC | |
| Sep-73 | 9/20/73 | 29 | 242-1H | 524000 | 524000 | 0 | EVAPCONC | |
| Oct-73 | 9/21/73 | 13 | 10 | 15000 | 16000 | 0 | CONCSN | |
| Oct-73 | 9/24/73 | 7 | 3 | 22000 | 23000 | 0 | HHWCONCSN | |
| Oct-73 | 9/29/73 | 21 | 22 | 61000 | 64000 | 0 | DISSALT | |
| Oct-73 | 10/8/73 | 21 | 29 | 400000 | 419000 | 0 | CONCSN | |
| Oct-73 | 10/8/73 | 22 | 23 | 63000 | 66000 | 0 | DILWASTE | |
| Oct-73 | 10/11/73 | 21 | 31 | 20000 | 21000 | 0 | CONCSN | |
| Oct-73 | 10/12/73 | 18 | 17 | 338000 | 348000 | 0 | FRLHW | |
| Oct-73 | 10/16/73 | 21 | 31 | 279000 | 295000 | 0 | CONCSN | |
| Oct-73 | 10/19/73 | 13 | 9 | 20000 | 21000 | 0 | CONCSN | |
| Oct-73 | 10/20/73 | 21 | 244-245H | 4000 | 4000 | 0 | NONCANYWASTE | |
| Oct-73 | 10/20/73 | 23 | 244-245H | 109000 | 109000 | 0 | NONCANYWASTE | |
| Oct-73 | 10/20/73 | CRC | 23 | 22000 | 22000 | 0 | RBOF-RRF | |
| Oct-73 | 10/20/73 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Oct-73 | 10/20/73 | 18 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| Oct-73 | 10/20/73 | 21 | 242-1H | 8000 | 8000 | 0 | OVERSPEC | |
| Oct-73 | 10/20/73 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Off spec. overhds. |
| Oct-73 | 10/20/73 | 7 | | 0 | 1000 | 0 | NONCANYWASTE | 100 Area Sludge and Water |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|----------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Oct-73 | 10/20/73 | 22 | | 0 | 33000 | 0 | MISCADD/TRAN | Cond. of Circulation Steam |
| Oct-73 | 10/20/73 | 1 | | 0 | 7000 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 2 | 2000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | 3 | | 0 | 6000 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | 4 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 5 | 1000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 6 | 10000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 7 | 3000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 8 | 3000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 17 | 13000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 18 | 12000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 19 | 8000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 20 | 4000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 34 | 3000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | 9 | | 0 | 5000 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 12 | 2000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 14 | 1000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 15 | 1000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | | 32 | 5000 | 0 | 0 | MISCADD/TRAN | RT Adj. + Unk. Incr./Decr. |
| Oct-73 | 10/20/73 | 24 | | 0 | 1000 | 0 | MISCADD/TRAN | CRC Flushes |
| Oct-73 | 10/20/73 | 242-1F | 18 | 545000 | 545000 | 0 | EVAPFEED | |
| Oct-73 | 10/20/73 | 242-1H | 21 | 752000 | 752000 | 0 | EVAPFEED | |
| Oct-73 | 10/20/73 | 19 | 242-1F | 245000 | 245000 | 0 | EVAPCONC | |
| Oct-73 | 10/20/73 | 31 | 242-1H | 370000 | 370000 | 0 | EVAPCONC | |
| Oct-73 | 10/20/73 | 20 | 242-1F | 60000 | 60000 | 0 | EVAPCONC | |
| Oct-73 | 10/20/73 | 29 | 242-1H | 590000 | 590000 | 0 | EVAPCONC | |
| Oct-73 | 10/21/73 | 21 | 31 | 330000 | 347000 | 0 | CONCSN | |
| Nov-73 | 10/27/73 | 21 | 13 | 88000 | 92000 | 0 | LHW | |
| Nov-73 | 10/31/73 | 7 | 3 | 15100 | 15700 | 0 | HHWCONCSN | |
| Nov-73 | 10/31/73 | 18 | 20 | 5300 | 6600 | 0 | LHWCONCSN | |
| Nov-73 | 11/4/73 | 21 | 29 | 287000 | 301000 | 0 | CONCSN | |
| Nov-73 | 11/8/73 | 18 | 20 | 302000 | 314000 | 0 | LHWCONCSN | |
| Nov-73 | 11/20/73 | 21 | 244-245H | 8000 | 8000 | 0 | NONCANYWASTE | |
| Nov-73 | 11/20/73 | 23 | 244-245H | 113000 | 113000 | 0 | NONCANYWASTE | |
| Nov-73 | 11/20/73 | CRC | 23 | 2000 | 2000 | 0 | RBOF-RRF | |
| Nov-73 | 11/20/73 | 22 | | 0 | 18000 | 0 | MISCADD/TRAN | Cond. of Circulation Steam |
| Nov-73 | 11/20/73 | 29 | | 0 | 5000 | 0 | MISCADD/TRAN | Conde. Water from CTS |
| Nov-73 | 11/20/73 | 21 | 242-1H | 21000 | 21000 | 0 | OVERSPEC | |
| Nov-73 | 11/20/73 | 23 | 242-1H | 69000 | 69000 | 0 | OVERSPEC | Off spec. overhds. |
| Nov-73 | 11/20/73 | 24 | | 0 | 4000 | 0 | MISCADD/TRAN | CRC Flushes |
| Nov-73 | 11/20/73 | 242-1F | 18 | 600000 | 600000 | 0 | EVAPFEED | |
| Nov-73 | 11/20/73 | 242-1H | 21 | 980000 | 980000 | 0 | EVAPFEED | |
| Nov-73 | 11/20/73 | 19 | 242-1F | 127000 | 127000 | 0 | EVAPCONC | |
| Nov-73 | 11/20/73 | 23 | 242-1H | 180000 | 180000 | 0 | EVAPCONC | |
| Nov-73 | 11/20/73 | 31 | 242-1H | 382000 | 382000 | 0 | EVAPCONC | |
| Nov-73 | 11/20/73 | 20 | 242-1F | 222000 | 222000 | 0 | EVAPCONC | |
| Nov-73 | 11/20/73 | 29 | 242-1H | 191000 | 191000 | 0 | EVAPCONC | |
| Dec-73 | 11/21/73 | 18 | 17 | 132000 | 136000 | 0 | FRLHW | |
| Dec-73 | 11/28/73 | 18 | 20 | 88000 | 91000 | 0 | LHWCONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|----------|---------------|---------------|--------|--------------|----------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-73 | 12/7/73 | 18 | 19 | 375000 | 387000 | 0 | LHWCONCSN | |
| Dec-73 | 12/10/73 | 21 | 31 | 812000 | 854000 | 0 | HWWCONCSN | |
| Dec-73 | 12/12/73 | 21 | 22 | 219000 | 230000 | 0 | DISSALT | |
| Dec-73 | 12/17/73 | 22 | 23 | 72000 | 76000 | 0 | RBOF-RRF | |
| Dec-73 | 12/18/73 | 21 | 13 | 114000 | 119000 | 0 | FRLHW | |
| Dec-73 | 12/20/73 | 21 | 244-245H | 6000 | 6000 | 0 | NONCANYWASTE | |
| Dec-73 | 12/20/73 | 23 | 244-245H | 133000 | 133000 | 0 | NONCANYWASTE | |
| Dec-73 | 12/20/73 | CRC | 23 | 84000 | 84000 | 0 | RBOF-RRF | |
| Dec-73 | 12/20/73 | 22 | | 0 | 4000 | 0 | MISCADD/TRAN | Cond. of Circulation Steam |
| Dec-73 | 12/20/73 | 29 | | 0 | 2000 | 0 | MISCADD/TRAN | Cond. Water from CTS |
| Dec-73 | 12/20/73 | 21 | 242-1H | 7000 | 7000 | 0 | OVERSPEC | |
| Dec-73 | 12/20/73 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Off spec. overhds. |
| Dec-73 | 12/20/73 | 24 | | 0 | 2000 | 0 | MISCADD/TRAN | CRC Flushes |
| Dec-73 | 12/20/73 | | 32 | 8000 | 0 | 0 | MISCADD/TRAN | Loss Vol. due to Tk Cooling |
| Dec-73 | 12/20/73 | | 15 | 10000 | 0 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Dec-73 | 12/20/73 | 242-1F | 18 | 549000 | 549000 | 0 | EVAPFEED | |
| Dec-73 | 12/20/73 | 242-1H | 21 | 956000 | 956000 | 0 | EVAPFEED | |
| Dec-73 | 12/20/73 | 19 | 242-1F | 212000 | 212000 | 0 | EVAPCONC | |
| Dec-73 | 12/20/73 | 31 | 242-1H | 466000 | 466000 | 0 | EVAPCONC | |
| Dec-73 | 12/20/73 | 20 | 242-1F | 170000 | 170000 | 0 | EVAPCONC | |
| Dec-73 | 12/20/73 | 29 | 242-1H | 261000 | 261000 | 0 | EVAPCONC | |
| Jan-74 | 12/21/73 | 18 | 17 | 77000 | 79000 | 0 | FRLHW | |
| Jan-74 | 12/31/73 | 18 | 17 | 12500 | 13000 | 0 | FRLHW | |
| Jan-74 | 1/3/74 | 18 | 19 | 76000 | 79000 | 0 | LHWCONCSN | |
| Jan-74 | 1/8/74 | 18 | 19 | 184000 | 191000 | 0 | LHWCONCSN | |
| Jan-74 | 1/14/74 | 18 | 17 | 32000 | 33000 | 0 | FRLHW | |
| Jan-74 | 1/19/74 | 18 | 34 | 55000 | 56000 | 0 | HWWCONCSN | |
| Jan-74 | 1/20/74 | 18 | 34 | 88000 | 91000 | 0 | HWWCONCSN | |
| Jan-74 | 12/28/73 | 21 | 29 | 196000 | 206000 | 0 | CONCSN | |
| Jan-74 | 1/4/74 | 21 | 29 | 353000 | 370000 | 0 | CONCSN | |
| Jan-74 | 1/20/74 | 30 | 32 | 551000 | 562000 | 0 | LHW | |
| Jan-74 | 1/17/74 | 13 | 10 | 13000 | 14000 | 0 | CONCSN | |
| Jan-74 | 1/17/74 | 21 | 22 | 110000 | 116000 | 0 | DILCONC | |
| Jan-74 | 1/19/74 | 21 | 22 | 25000 | 28000 | 0 | DILCONC | |
| Jan-74 | 1/20/74 | 22 | 23 | 10000 | 10000 | 0 | RBOF | |
| Jan-74 | 1/20/74 | 29 | | 0 | 5000 | 0 | MISCADD/TRAN | CTS Condensation |
| Jan-74 | 1/20/74 | 22 | | 0 | 9000 | 0 | MISCADD/TRAN | Recirc. Jet Condensation |
| Jan-74 | 1/20/74 | 23 | 44H-245 | 0 | 102000 | 0 | RBF-RRF | |
| Jan-74 | 1/20/74 | | 1 | 1000 | 0 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | 3 | | 0 | 2000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | | 4 | 1000 | 0 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | | 5 | 1000 | 0 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | 6 | | 0 | 3000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | 34 | | 0 | 5000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | | 16 | 8000 | 0 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | 10 | | 0 | 15000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jan-74 | 1/20/74 | 30 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl.-Inv.change |
| Jan-74 | 1/20/74 | 242-1F | 18 | 562000 | 562000 | 0 | EVAPFEED | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jan-74 | 1/20/74 | 242-1H | 21 | 691000 | 691000 | 0 | EVAPFEED | |
| Jan-74 | 1/20/74 | 10 | 242-1H | 16000 | 16000 | 0 | EVAPCONC | |
| Jan-74 | 1/20/74 | 29 | 242-1H | 176000 | 176000 | 0 | EVAPCONC | |
| Jan-74 | 1/20/74 | 31 | 242-1H | 380000 | 380000 | 0 | EVAPCONC | |
| Jan-74 | 1/20/74 | 19 | 242-1F | 409000 | 409000 | 0 | EVAPCONC | |
| Jan-74 | 1/20/74 | CRC | 23 | 122000 | 122000 | 0 | RBF-RRF | |
| Jan-74 | 1/20/74 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | |
| Jan-74 | 1/20/74 | 23 | 242-1H | 5000 | 5000 | 0 | RBF-RRF | Tk 23 Stor. for CRC proc. |
| Feb-74 | 1/26/74 | 18 | 34 | 696000 | 718000 | 0 | HHWCONCSN | |
| Feb-74 | 2/9/74 | 7 | 4 | 263000 | 271000 | 0 | DILCONC | |
| Feb-74 | 2/20/74 | 18 | 7 | 88000 | 91000 | 0 | DILCONC | |
| Feb-74 | 1/24/74 | 30 | 32 | 514000 | 529000 | 0 | HHW | |
| Feb-74 | 1/22/74 | 22 | 23 | 46000 | 47000 | 0 | RBOF | |
| Feb-74 | 1/22/74 | 21 | 13 | 103000 | 109000 | 0 | FRLHW | |
| Feb-74 | 2/4/74 | 21 | 31 | 512000 | 537000 | 0 | CONCSN | |
| Feb-74 | 2/20/74 | 23 | 44H-245 | 93000 | 93000 | 0 | RBF-RRF | |
| Feb-74 | 2/20/74 | 242-1F | 18 | 788000 | 797000 | 0 | EVAPFEED | |
| Feb-74 | 2/20/74 | 242-1H | 21 | 761000 | 767000 | 0 | EVAPFEED | |
| Feb-74 | 2/20/74 | 34 | 242-1F | 712000 | 712000 | 0 | | |
| Feb-74 | 2/20/74 | 29 | 242-1H | 353000 | 353000 | 0 | | |
| Feb-74 | 2/20/74 | 31 | 242-1H | 232000 | 232000 | 0 | | |
| Feb-74 | 2/20/74 | 23 | 242-1H | 13000 | 13000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Feb-74 | 2/20/74 | CRC | 23 | 100000 | 100000 | 0 | RBF-RRF | |
| Feb-74 | 2/20/74 | 21 | CRC | 6000 | 6000 | 0 | OVERSPEC | |
| Feb-74 | 2/20/74 | 23 | CRC | 6000 | 6000 | 0 | OVERSPEC | |
| Mar-74 | 2/23/74 | 18 | 7 | 267000 | 278000 | 0 | DILCONC | |
| Mar-74 | 2/28/74 | 7 | 4 | 332000 | 335000 | 0 | DILCONC | |
| Mar-74 | 2/22/74 | 21 | 13 | 71000 | 75000 | 0 | FRLHW | |
| Mar-74 | 3/1/74 | 21 | 22 | 96000 | 100000 | 0 | DISSALT | |
| Mar-74 | 3/10/74 | 21 | 29 | 406000 | 422000 | 0 | CONCSN | |
| Mar-74 | 3/17/74 | 22 | 23 | 59000 | 61000 | 0 | RBOF | |
| Mar-74 | 3/20/74 | 242-1F | 18 | 112000 | 126000 | 0 | EVAPFEED | |
| Mar-74 | 3/20/74 | 34 | 242-1F | 121000 | 121000 | 0 | EVAPCONC | |
| Mar-74 | 3/20/74 | 242-1H | 21 | 258000 | 278000 | 0 | EVAPFEED | |
| Mar-74 | 3/20/74 | 31 | 242-1H | 218000 | 238000 | 0 | EVAPCONC | |
| Mar-74 | 3/20/74 | 23 | 44H-245 | 116000 | 116000 | 0 | RBF-RRF | |
| Mar-74 | 3/20/74 | 18 | 242-1F | 1000 | 1000 | 0 | OVERSPEC | |
| Mar-74 | 3/20/74 | 21 | 242-1H | 11000 | 11000 | 0 | OVERSPEC | |
| Mar-74 | 3/20/74 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Mar-74 | 3/20/74 | CRC | 23 | 94000 | 94000 | 0 | RBF-RRF | |
| Mar-74 | 3/20/74 | 22 | | 12000 | 12000 | 0 | MISCADD/TRAN | Circulation Jet Condensation |
| Apr-74 | 4/1/74 | 18 | 7 | 24000 | 25000 | 0 | DILCONC | |
| Apr-74 | 4/2/74 | 18 | 7 | 67000 | 69000 | 0 | DILCONC | |
| Apr-74 | 4/3/74 | 18 | 7 | 237000 | 246000 | 0 | DILCONC | |
| Apr-74 | 4/9/74 | 7 | 2 | 30000 | 31000 | 0 | CONCSN | |
| Apr-74 | 4/11/74 | 7 | 3 | 22000 | 23000 | 0 | CONCSN | |
| Apr-74 | 3/28/74 | 13 | 10 | 8000 | 9000 | 0 | CONCSN | |
| Apr-74 | 4/5/74 | 21 | 29 | 333000 | 349000 | 0 | CONCSN | |
| Apr-74 | 4/19/74 | 21 | 13 | 136000 | 143000 | 0 | LHW | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-74 | 4/20/74 | 242-1F | 18 | 451000 | 484000 | 0 | EVAPFEED | |
| Apr-74 | 4/20/74 | 34 | 242-1F | 293000 | 293000 | 0 | EVAPCONC | |
| Apr-74 | 4/20/74 | 242-1H | 21 | 571000 | 573000 | 0 | EVAPFEED | |
| Apr-74 | 4/20/74 | 31 | 242-1H | 51000 | 51000 | 0 | EVAPCONC | |
| Apr-74 | 4/20/74 | 29 | 242-1H | 363000 | 393000 | 0 | EVAPCONC | |
| Apr-74 | 4/20/74 | 23 | 44H-245 | 77000 | 77000 | 0 | RBF-RRF | |
| Apr-74 | 4/20/74 | 21 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | |
| Apr-74 | 4/20/74 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Apr-74 | 4/20/74 | CRC | 23 | 96000 | 96000 | 0 | RBF-RRF | |
| Apr-74 | 4/20/74 | 17 | | 0 | 5000 | 0 | MISCADD/TRAN | 100 Area Trailer waste |
| Apr-74 | 4/20/74 | 22 | | 0 | 23000 | 0 | MISCADD/TRAN | Circulation Jet Condensation |
| May-74 | 5/2/74 | 33 | 18 | 10200 | 10500 | 0 | HHWSN | |
| May-74 | 4/27/74 | 21 | 29 | 258000 | 271000 | 0 | CONCSN | |
| May-74 | 4/27/74 | 21 | 13 | 46000 | 48000 | 0 | FRLHW | |
| May-74 | 5/8/74 | 18 | 30 | 699000 | 719000 | 0 | HHW | |
| May-74 | 5/13/74 | 7 | 30 | 370000 | 382000 | 0 | HHW | |
| May-74 | 5/8/74 | 13 | 30 | 16000 | 17000 | 0 | HHW | |
| May-74 | 5/15/74 | 21 | 22 | 113000 | 119000 | 0 | DSSALT | |
| May-74 | 5/20/74 | 21 | 29 | 289000 | 304000 | 0 | CONCSN | |
| May-74 | 5/20/74 | 242-1F | 18 | 244000 | 265000 | 0 | EVAPFEED | |
| May-74 | 5/20/74 | 33 | 242-1F | 122500 | 122500 | 0 | EVAPCONC | |
| May-74 | 5/20/74 | 34 | 242-1F | 12000 | 12000 | 0 | EVAPCONC | |
| May-74 | 5/20/74 | 242-1H | 21 | 897000 | 898000 | 0 | EVAPFEED | |
| May-74 | 5/20/74 | 29 | 242-1H | 674000 | 695000 | 0 | EVAPCONC | |
| May-74 | 5/20/74 | 23 | 44H-245 | 109000 | 109000 | 0 | RBF-RRF | |
| May-74 | 5/20/74 | 18 | 242-1F | 4000 | 4000 | 0 | OVERSPEC | |
| May-74 | 5/20/74 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| May-74 | 5/20/74 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| May-74 | 5/20/74 | CRC | 23 | 109000 | 109000 | 0 | RBF-RRF | |
| May-74 | 5/20/74 | 23 | CRC | 4000 | 4000 | 0 | RBF-RRF | |
| May-74 | 5/20/74 | 17 | | 0 | 3000 | 0 | MISCADD/TRAN | 100 Area Sludge Slurry |
| May-74 | 5/20/74 | 22 | | 0 | 7000 | 0 | MISCADD/TRAN | Circulation Jet Condensation |
| Jun-74 | 6/13/74 | 33 | 18 | 295000 | 305000 | 0 | HHW | |
| Jun-74 | 6/13/74 | 18 | 17 | 27000 | 27000 | 0 | FRLHW | |
| Jun-74 | 6/14/74 | 33 | 18 | 34000 | 35000 | 0 | LHW | Mixed FRLHW + HHW |
| Jun-74 | 6/14/74 | 18 | 17 | 23000 | 23000 | 0 | FRLHW | |
| Jun-74 | 6/14/74 | 33 | 18 | 23000 | 31000 | 0 | FRLHW | Mixed FRLHW + HHW |
| Jun-74 | 6/14/74 | 18 | 17 | 24000 | 25000 | 0 | FRLHW | |
| Jun-74 | 6/15/74 | 33 | 18 | 25000 | 25000 | 0 | FRLHW | Mixed FRLHW + HHW |
| Jun-74 | 6/19/74 | 18 | 19 | 462000 | 476000 | 0 | LHWCONCSN | Mixed FRLHW+LHWCONCSN |
| Jun-74 | 5/29/74 | 21 | 29 | 431000 | 453000 | 0 | CONCSN | |
| Jun-74 | 6/18/74 | 21 | 29 | 201000 | 211000 | 0 | CONCSN | |
| Jun-74 | 6/20/74 | 242-1F | 18 | 543000 | 557000 | 0 | EVAPFEED | |
| Jun-74 | 6/20/74 | 33 | 242-1F | 194000 | 194000 | 0 | EVAPCONC | |
| Jun-74 | 6/20/74 | 19 | 242-1F | 79000 | 100000 | 0 | EVAPCONC | |
| Jun-74 | 6/20/74 | 242-1H | 21 | 912000 | 914000 | 0 | EVAPFEED | |
| Jun-74 | 6/20/74 | 29 | 242-1H | 677000 | 713000 | 0 | EVAPCONC | |
| Jun-74 | 6/20/74 | 23 | 44H-245 | 111000 | 111000 | 0 | RBF-RRF | |
| Jun-74 | 6/20/74 | 18 | 242-1F | 4000 | 4000 | 0 | OVERSPEC | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-74 | 6/20/74 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| Jun-74 | 6/20/74 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Jun-74 | 6/20/74 | CRC | 23 | 112000 | 112000 | 0 | RBF-RRF | |
| Jun-74 | 6/20/74 | 23 | CRC | 6000 | 6000 | 0 | RBF-RRF | |
| Jun-74 | 6/20/74 | 17 | | 0 | 3000 | 0 | MISCADD/TRAN | 100 Area Trailer Waste |
| Jul-74 | 6/24/74 | 18 | 19 | 25000 | 26000 | 0 | LHWCONCSN | Mixed FRLHW+LHWCONCSN |
| Jul-74 | 6/29/74 | 18 | 20 | 444000 | 457000 | 0 | LHWCONCSN | |
| Jul-74 | 7/1/74 | 18 | 17 | 334000 | 344000 | 0 | LHW | |
| Jul-74 | 7/5/74 | 33 | 7 | 33000 | 34000 | 0 | HHWSN | |
| Jul-74 | 7/10/74 | 21 | 31 | 946000 | 993000 | 0 | HHWCONCSN | |
| Jul-74 | 7/20/74 | 242-1F | 18 | 623000 | 646000 | 0 | EVAPFEED | |
| Jul-74 | 7/20/74 | 19 | 242-1F | 504000 | 509000 | 0 | EVAPCONC | |
| Jul-74 | 7/20/74 | 20 | 242-1F | 504000 | 509000 | 0 | EVAPCONC | |
| Jul-74 | 7/20/74 | 242-1H | 21 | 968000 | 969000 | 0 | EVAPFEED | |
| Jul-74 | 7/20/74 | 29 | 242-1H | 188000 | 188000 | 0 | EVAPCONC | |
| Jul-74 | 7/20/74 | 31 | 242-1H | 579000 | 631000 | 0 | EVAPCONC | |
| Jul-74 | 7/20/74 | 23 | 44H-245 | 54000 | 54000 | 0 | RBF-RRF | |
| Jul-74 | 7/20/74 | 21 | 44H-245 | 21000 | 21000 | 0 | RBF-RRF | |
| Jul-74 | 7/20/74 | 18 | 242-1F | 1000 | 1000 | 0 | OVERSPEC | |
| Jul-74 | 7/20/74 | 23 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Jul-74 | 7/20/74 | CRC | 23 | 121000 | 121000 | 0 | RBF-RRF | |
| Jul-74 | 7/20/74 | 23 | CRC | 9000 | 9000 | 0 | RBF-RRF | |
| Jul-74 | 7/20/74 | 17 | | 0 | 2000 | 0 | MISCADD/TRAN | 100 Area Trailer Waste |
| Jul-74 | 7/20/74 | 33 | | 0 | 5000 | 0 | MISCADD/TRAN | |
| Aug-74 | 7/26/74 | 22 | 10 | 4800 | 5000 | 0 | CONCSN | |
| Aug-74 | 8/1/74 | 21 | 29 | 662000 | 695000 | 0 | CONCSN | |
| Aug-74 | 8/20/74 | 21 | 29 | 267000 | 280000 | 0 | CONCSN | |
| Aug-74 | 8/20/74 | 242-1F | 18 | 427000 | 448000 | 0 | EVAPFEED | |
| Aug-74 | 8/20/74 | 20 | 242-1F | 164000 | 169000 | 0 | EVAPCONC | |
| Aug-74 | 8/20/74 | 242-1H | 21 | 1050000 | 1051000 | 0 | EVAPFEED | |
| Aug-74 | 8/20/74 | 29 | 242-1H | 502000 | 555000 | 0 | EVAPCONC | |
| Aug-74 | 8/20/74 | 31 | 242-1H | 321000 | 321000 | 0 | EVAPCONC | |
| Aug-74 | 8/20/74 | 23 | 44H-245 | 87000 | 87000 | 0 | RBF-RRF | |
| Aug-74 | 8/20/74 | 21 | 44H-245 | 21000 | 21000 | 0 | RBF-RRF | |
| Aug-74 | 8/20/74 | 18 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | |
| Aug-74 | 8/20/74 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| Aug-74 | 8/20/74 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Aug-74 | 8/20/74 | CRC | 23 | 129000 | 129000 | 0 | RBF-RRF | |
| Aug-74 | 8/20/74 | 23 | CRC | 11000 | 11000 | 0 | RBF-RRF | |
| Sep-74 | 8/23/74 | 18 | 19 | 149000 | 154000 | 0 | LHWCONCSN | |
| Sep-74 | 9/3/74 | 18 | 20 | 475000 | 497000 | 0 | LHWCONCSN | |
| Sep-74 | 9/5/74 | 18 | 19 | 24000 | 26000 | 0 | LHWCONCSN | |
| Sep-74 | 9/13/74 | 18 | 20 | 7000 | 7000 | 0 | LHWCONCSN | |
| Sep-74 | 9/15/74 | 18 | 20 | 44000 | 45000 | 0 | LHWCONCSN | |
| Sep-74 | 8/25/74 | 21 | 29 | 221000 | 232000 | 0 | CONCSN | |
| Sep-74 | 9/11/74 | 21 | 29 | 294000 | 309000 | 0 | CONCSN | |
| Sep-74 | 9/16/74 | 21 | 29 | 140000 | 147000 | 0 | CONCSN | |
| Sep-74 | 9/20/74 | 242-1F | 18 | 690000 | 705000 | 0 | EVAPFEED | |
| Sep-74 | 9/20/74 | 20 | 242-1F | 563000 | 563000 | 0 | EVAPCONC | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-74 | 9/20/74 | 242-1H | 21 | 975000 | 978000 | 0 | EVAPFEED | | |
| Sep-74 | 9/20/74 | 29 | 242-1H | 765000 | 810000 | 0 | EVAPCONC | | |
| Sep-74 | 9/20/74 | 23 | 44H-245 | 21000 | 21000 | 0 | RBF-RRF | | |
| Sep-74 | 9/20/74 | 21 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | | |
| Sep-74 | 9/20/74 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Sep-74 | 9/20/74 | CRC | 23 | 119000 | 119000 | 0 | RBF-RRF | | |
| Sep-74 | 9/20/74 | 17 | | 0 | 2000 | 0 | MISCADD/TRAN | 100 C-Area Trailer Waste | |
| Sep-74 | 9/20/74 | 8 | | 0 | 6000 | 0 | MISCADD/TRAN | Drain Heat Exchangers | |
| Oct-74 | 9/22/74 | 18 | 17 | 171000 | 176000 | 0 | FRLHW | | |
| Oct-74 | 10/9/74 | 18 | 17 | 55000 | 56000 | 0 | FRLHW | | |
| Oct-74 | 10/20/74 | 18 | 33 | 408000 | 420000 | 0 | HHWCONCSN | Mixed HHW + HHWCONCSN | |
| Oct-74 | 9/24/74 | 21 | 29 | 222000 | 233000 | 0 | CONCSN | | |
| Oct-74 | 10/6/74 | 21 | 31 | 53000 | 56000 | 0 | CONCSN | | |
| Oct-74 | 10/18/74 | 21 | 24 | 55000 | 56000 | 0 | HHWSN | | |
| Oct-74 | 10/20/74 | 242-1F | 18 | 369000 | 392000 | 0 | EVAPFEED | | |
| Oct-74 | 10/20/74 | 33 | 242-1F | 15000 | 15000 | 0 | EVAPCONC | | |
| Oct-74 | 10/20/74 | 19 | 242-1F | 170000 | 170000 | 0 | EVAPCONC | | |
| Oct-74 | 10/20/74 | 242-1H | 21 | 261000 | 263000 | 0 | EVAPFEED | | |
| Oct-74 | 10/20/74 | 29 | 242-1H | 228000 | 244000 | 0 | EVAPCONC | | |
| Oct-74 | 10/20/74 | 23 | 44H-245 | 51000 | 51000 | 0 | RBF-RRF | | |
| Oct-74 | 10/20/74 | 21 | 44H-245 | 5000 | 5000 | 0 | RBF-RRF | | |
| Oct-74 | 10/20/74 | 18 | 242-1F | 1000 | 1000 | 0 | OVERSPEC | | |
| Oct-74 | 10/20/74 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | | |
| Oct-74 | 10/20/74 | CRC | 23 | 105000 | 105000 | 0 | RBF-RRF | | |
| Oct-74 | 10/20/74 | 23 | CRC | 9000 | 9000 | 0 | RBF-RRF | | |
| Oct-74 | 10/20/74 | 17 | | 0 | 2000 | 0 | MISCADD/TRAN | 100 Area Trailer Waste | |
| Nov-74 | 10/23/74 | 18 | 33 | 321000 | 331000 | 0 | HHWCONCSN | Mixed HHW + HHWCONCSN | |
| Nov-74 | 11/9/74 | 18 | 7 | 421000 | 435000 | 0 | HHW | | |
| Nov-74 | 11/9/74 | 21 | 29 | 578000 | 607000 | 0 | CONC | | |
| Nov-74 | 11/20/74 | 242-1F | 18 | 554000 | 583000 | 0 | EVAPFEED | | |
| Nov-74 | 11/20/74 | 33 | 242-1F | 308000 | 310000 | 0 | EVAPCONC | | |
| Nov-74 | 11/20/74 | 242-1H | 21 | 378000 | 379000 | 0 | EVAPFEED | | |
| Nov-74 | 11/20/74 | 29 | 242-1H | 246000 | 264000 | 0 | EVAPCONC | | |
| Nov-74 | 11/20/74 | 31 | 242-1H | 65000 | 65000 | 0 | EVAPCONC | | |
| Nov-74 | 11/20/74 | 23 | 44H-245 | 58000 | 58000 | 0 | RBF-RRF | | |
| Nov-74 | 11/20/74 | 18 | 242-1F | 21000 | 21000 | 0 | OVERSPEC | | |
| Nov-74 | 11/20/74 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Nov-74 | 11/20/74 | CRC | 23 | 130000 | 130000 | 0 | RBF-RRF | | |
| Nov-74 | 11/20/74 | 23 | CRC | 110000 | 110000 | 0 | RBF-RRF | | |
| Nov-74 | 11/20/74 | 17 | | 0 | 8000 | 0 | MISCADD/TRAN | 100 Area Trailer Waste | |
| Dec-74 | 12/20/74 | 242-1F | 18 | 408000 | 426000 | 0 | EVAPFEED | | |
| Dec-74 | 12/20/74 | 33 | 242-1F | 161000 | 162000 | 0 | EVAPCONC | | |
| Dec-74 | 12/20/74 | 242-1H | 21 | 510000 | 518000 | 0 | EVAPFEED | | |
| Dec-74 | 12/20/74 | 29 | 242-1H | 433000 | 467000 | 0 | EVAPCONC | | |
| Dec-74 | 12/20/74 | 23 | 44H-245 | 44000 | 44000 | 0 | RBF-RRF | | |
| Dec-74 | 12/20/74 | 18 | 242-1F | 7000 | 7000 | 0 | OVERSPEC | | |
| Dec-74 | 12/20/74 | 21 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | | |
| Dec-74 | 12/20/74 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Dec-74 | 12/20/74 | CRC | 23 | 84000 | 84000 | 0 | RBF-RRF | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-74 | 12/20/74 | 23 | CRC | 3000 | 3000 | 0 | RBF-RRF | |
| Jan-75 | 1/20/75 | 242-1F | 18 | 202000 | 231000 | 0 | EVAPFEED | |
| Jan-75 | 1/20/75 | 33 | 242-1F | 66000 | 67000 | 0 | EVAPCONC | |
| Jan-75 | 1/20/75 | 23 | 44H-245 | 58000 | 58000 | 0 | RBF-RRF | |
| Jan-75 | 1/20/75 | 21 | 44H-245 | 8000 | 8000 | 0 | RBF-RRF | |
| Jan-75 | 1/20/75 | 7 | 242-1F | 6000 | 6000 | 0 | OVERSPEC | |
| Jan-75 | 1/20/75 | CRC | 23 | 1000 | 1000 | 0 | RBF-RRF | |
| Feb-75 | 2/17/75 | 18 | 13 | 485000 | 510500 | 0 | MIXSNATE | |
| Feb-75 | 2/20/75 | 23 | 44H-245 | 38000 | 38000 | 0 | RBF-RRF | |
| Feb-75 | 2/20/75 | CRC | 23 | 122000 | 122000 | 0 | RBF-RRF | |
| Feb-75 | 2/20/75 | 23 | CRC | 3000 | 3000 | 0 | RBF-RRF | |
| Feb-75 | 2/20/75 | 7 | | 0 | 10000 | 0 | MISCADD/TRAN | Catch Tank |
| Mar-75 | 3/20/75 | 242-1F | 18 | 384000 | 390000 | 0 | EVAPFEED | |
| Mar-75 | 3/20/75 | 33 | 242-1F | 174000 | 192000 | 0 | EVAPCONC | |
| Mar-75 | 3/20/75 | 23 | 44H-245 | 86000 | 86000 | 0 | RBF-RRF | |
| Mar-75 | 3/20/75 | 7 | 242-1F | 9000 | 9000 | 0 | OVERSPEC | |
| Mar-75 | 3/20/75 | CRC | 23 | 127000 | 127000 | 0 | RBF-RRF | |
| Apr-75 | 4/20/75 | 242-1F | 18 | 151000 | 157000 | 0 | EVAPFEED | |
| Apr-75 | 4/20/75 | 33 | 242-1F | 56000 | 60000 | 0 | EVAPCONC | |
| Apr-75 | 4/12/75 | 21 | 31 | 87000 | 94000 | 0 | HHWSN | |
| Apr-75 | 4/20/75 | 23 | 44H-245 | 99000 | 99000 | 0 | RBF-RRF | |
| Apr-75 | 4/20/75 | 7 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | |
| Apr-75 | 4/20/75 | CRC | 23 | 138000 | 138000 | 0 | RBF-RRF | |
| Apr-75 | 4/20/75 | 23 | CRC | 7000 | 7000 | 0 | RBF-RRF | |
| Apr-75 | 4/20/75 | 17 | | 0 | 3000 | 0 | NONCANYWASTE | 100 Area Trailer Waste |
| Apr-75 | 4/20/75 | 31 | | 0 | 45000 | 0 | MISCADD/TRAN | |
| May-75 | 4/26/75 | 21 | 31 | 83000 | 87000 | 0 | HHWSN | |
| May-75 | 5/20/75 | 23 | 44H-245 | 87000 | 87000 | 0 | RBF-RRF | |
| May-75 | 5/20/75 | 7 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| May-75 | 5/20/75 | CRC | 23 | 65000 | 65000 | 0 | RBF-RRF | |
| May-75 | 5/20/75 | 23 | CRC | 2000 | 2000 | 0 | RBF-RRF | |
| May-75 | 5/20/75 | 7 | | 0 | 8000 | 0 | MISCADD/TRAN | Catch Tank Water |
| May-75 | 5/20/75 | 31 | | 0 | 86000 | 0 | MISCADD/TRAN | H2O to seat cooler in tk |
| Jun-75 | 6/20/75 | 242-1H | 21 | 130000 | 131000 | 0 | EVAPFEED | |
| Jun-75 | 6/20/75 | 31 | 242-1H | 101000 | 111000 | 0 | EVAPCONC | |
| Jun-75 | 6/17/75 | 7 | 18 | 19000 | 19000 | 0 | MIXSNATE | |
| Jun-75 | 6/17/75 | 18 | 17 | 21000 | 21000 | 0 | FRLHW | |
| Jun-75 | 6/18/75 | 7 | 18 | 21000 | 23000 | 0 | MIXSNATE | |
| Jun-75 | 6/18/75 | 18 | 17 | 19000 | 20000 | 0 | FRLHW | |
| Jun-75 | 6/19/75 | 7 | 18 | 21000 | 22000 | 0 | MIXSNATE | |
| Jun-75 | 6/20/75 | 18 | 19 | 150000 | 154000 | 0 | MIXSNATE | |
| Jun-75 | 6/8/75 | 21 | 31 | 564000 | 594000 | 0 | HHW | |
| Jun-75 | 6/8/75 | 21 | 29 | 123000 | 129000 | 0 | HHW | |
| Jun-75 | 6/20/75 | 23 | 44H-245 | 165000 | 165000 | 0 | RBF-RRF | |
| Jun-75 | 6/20/75 | 21 | 44H-245 | 15000 | 15000 | 0 | RBF-RRF | |
| Jun-75 | 6/20/75 | 18 | 242-1F | 0 | 0 | 0 | OVERSPEC | |
| Jun-75 | 6/20/75 | 13 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | |
| Jun-75 | 6/20/75 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Jun-75 | 6/20/75 | CRC | 23 | 8000 | 8000 | 0 | RBF-RRF | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-75 | 6/20/75 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Jun-75 | 6/20/75 | 13 | | 0 | 8000 | 0 | MISCADD/TRAN | Evaporator Flush |
| Jun-75 | 6/20/75 | 31 | | 0 | 3000 | 0 | MISCADD/TRAN | Line Flush Water |
| Jul-75 | 6/21/75 | 18 | 19 | 37000 | 38000 | 0 | MXSNATE | |
| Jul-75 | 6/23/75 | 18 | 17 | 340000 | 350000 | 0 | FRLHW | |
| Jul-75 | 7/10/75 | 21 | 29 | 78000 | 800000 | 0 | CONCSN | |
| Jul-75 | 7/14/75 | 21 | 29 | 325000 | 341000 | 0 | CONCSN | |
| Jul-75 | 7/20/75 | 242-1F | 18 | 172000 | 181000 | 0 | EVAPFEED | |
| Jul-75 | 7/20/75 | 19 | 242-1F | 130000 | 130000 | 0 | EVAPCONC | |
| Jul-75 | 7/20/75 | 242-1H | 21 | 585000 | 586000 | 0 | EVAPFEED | |
| Jul-75 | 7/20/75 | 31 | 242-1H | 432000 | 448000 | 0 | EVAPCONC | |
| Jul-75 | 7/20/75 | 23 | 44H-245 | 132000 | 132000 | 0 | RBF-RRF | |
| Jul-75 | 7/20/75 | 21 | 44H-245 | 0 | 0 | 0 | RBF-RRF | |
| Jul-75 | 7/20/75 | 18 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Jul-75 | 7/20/75 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| Jul-75 | 7/20/75 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Jul-75 | 7/20/75 | CRC | 23 | 52000 | 52000 | 0 | RBF-RRF | |
| Jul-75 | 7/20/75 | 23 | CRC | 3000 | 3000 | 0 | RBF-RRF | |
| Jul-75 | 7/20/75 | 13 | | 0 | 7000 | 0 | MISCADD/TRAN | Flush water |
| Aug-75 | 8/16/75 | 18 | 17 | 58000 | 60000 | 0 | LHW | |
| Aug-75 | 8/20/75 | 18 | 20 | 154000 | 157000 | 0 | CONCSN | |
| Aug-75 | 8/14/75 | 21 | 24 | 51000 | 55000 | 0 | CONCSN | |
| Aug-75 | 8/20/75 | 242-1F | 18 | 384000 | 387000 | 0 | EVAPFEED | |
| Aug-75 | 8/20/75 | 19 | 242-1F | 148000 | 148000 | 0 | EVAPCONC | |
| Aug-75 | 8/20/75 | 20 | 242-1F | 16000 | 16000 | 0 | EVAPCONC | |
| Aug-75 | 8/20/75 | 242-1H | 21 | 41000 | 41000 | 0 | EVAPFEED | |
| Aug-75 | 8/20/75 | 31 | 242-1H | 10000 | 34000 | 0 | EVAPCONC | |
| Aug-75 | 8/20/75 | 23 | 44H-245 | 196000 | 196000 | 0 | RBF-RRF | |
| Aug-75 | 8/20/75 | 21 | 44H-245 | 0 | 0 | 0 | RBF-RRF | |
| Aug-75 | 8/20/75 | 18 | 242-1F | 12000 | 12000 | 0 | OVERSPEC | |
| Aug-75 | 8/20/75 | 21 | 242-1H | 0 | 0 | 0 | OVERSPEC | |
| Aug-75 | 8/20/75 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Aug-75 | 8/20/75 | CRC | 23 | 150000 | 150000 | 0 | RBF-RRF | |
| Aug-75 | 8/20/75 | 23 | CRC | 10000 | 10000 | 0 | RBF-RRF | |
| Sep-75 | 9/20/75 | 242-1F | 18 | 201000 | 201000 | 0 | EVAPFEED | |
| Sep-75 | 9/20/75 | 20 | 242-1F | 127000 | 132000 | 0 | EVAPCONC | |
| Sep-75 | 9/20/75 | 23 | 44H-245 | 133000 | 133000 | 0 | RBF-RRF | |
| Sep-75 | 9/20/75 | 21 | 44H-245 | 7000 | 7000 | 0 | RBF-RRF | |
| Sep-75 | 9/20/75 | 18 | 242-1F | 3000 | 3000 | 0 | OVERSPEC | |
| Sep-75 | 9/20/75 | CRC | 23 | 199000 | 199000 | 0 | RBF-RRF | |
| Sep-75 | 9/20/75 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Oct-75 | 10/20/75 | 23 | 44H-245 | 92000 | 92000 | 0 | RBF-RRF | |
| Oct-75 | 10/20/75 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | |
| Oct-75 | 10/20/75 | CRC | 23 | 332000 | 332000 | 0 | RBF-RRF | |
| Oct-75 | 10/20/75 | 23 | CRC | 10000 | 10000 | 0 | RBF-RRF | |
| Nov-75 | 11/20/75 | 7 | 34 | 165000 | 170000 | 0 | HHWCONCSN | |
| Nov-75 | 11/11/75 | 33 | 11 | 413000 | 429000 | 0 | HHW | |
| Nov-75 | 11/21/75 | 21 | 31 | 69000 | 73000 | 0 | CONC | |
| Nov-75 | 11/20/75 | 242-1H | 21 | 692000 | 694000 | 0 | EVAPFEED | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Nov-75 | 11/20/75 | 29 | 242-1H | 493000 | 493000 | 0 | EVAPCONC | | |
| Nov-75 | 11/20/75 | 31 | 242-1H | 32000 | 32000 | 0 | EVAPCONC | | |
| Nov-75 | 11/20/75 | 23 | 44H-245 | 121000 | 121000 | 0 | RBF-RRF | | |
| Nov-75 | 11/20/75 | 23 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Nov-75 | 11/20/75 | CRC | 23 | 169000 | 169000 | 0 | RBF-RRF | | |
| Nov-75 | 11/20/75 | 23 | CRC | 11000 | 11000 | 0 | RBF-RRF | | |
| Nov-75 | 11/20/75 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | Catch tank/leak check water | |
| Nov-75 | 11/20/75 | 17 | | 0 | 4000 | 0 | MISCADD/TRAN | 100 Area trailer waste | |
| Dec-75 | 11/26/75 | 18 | 20 | 137000 | 141000 | 0 | LHWCONCSN | | |
| Dec-75 | 11/28/75 | 18 | 17 | 208000 | 214000 | 0 | LHW | | |
| Dec-75 | 12/4/75 | 18 | 19 | 370000 | 386000 | 0 | CONCSN | | |
| Dec-75 | 11/24/75 | 21 | 13 | 28000 | 29000 | 0 | HHWCONC | | |
| Dec-75 | 11/27/75 | 13 | 31 | 11500 | 12000 | 0 | HHWCONC | | |
| Dec-75 | 12/5/75 | 13 | 31 | 303000 | 318000 | 0 | HHWCONC | | |
| Dec-75 | 12/11/75 | 13 | 24 | 30000 | 32000 | 0 | HHWSN | | |
| Dec-75 | 12/20/75 | 242-1F | 18 | 288000 | 288000 | 0 | EVAPFEED | | |
| Dec-75 | 12/20/75 | 19 | 242-1F | 23000 | 23000 | 0 | EVAPCONC | | |
| Dec-75 | 12/20/75 | 20 | 242-1F | 193000 | 201000 | 0 | EVAPCONC | | |
| Dec-75 | 12/20/75 | 242-1H | 21 | 235000 | 269000 | 0 | EVAPFEED | | |
| Dec-75 | 12/20/75 | 29 | 242-1H | 17000 | 17000 | 0 | EVAPCONC | | |
| Dec-75 | 12/20/75 | 31 | 242-1H | 158000 | 175000 | 0 | EVAPCONC | | |
| Dec-75 | 12/20/75 | 23 | 44H-245 | 112000 | 112000 | 0 | RBF-RRF | | |
| Dec-75 | 12/20/75 | 18 | 242-1F | 1000 | 1000 | 0 | OVERSPEC | | |
| Dec-75 | 12/20/75 | 21 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | | |
| Dec-75 | 12/20/75 | 23 | 242-1H | 14000 | 14000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Dec-75 | 12/20/75 | CRC | 23 | 82000 | 82000 | 0 | RBF-RRF | | |
| Dec-75 | 12/20/75 | 23 | CRC | 12000 | 12000 | 0 | RBF-RRF | | |
| Dec-75 | 12/20/75 | 17 | | 0 | 3000 | 0 | MISCADD/TRAN | 100 Area trailer waste | |
| Jan-76 | 1/20/76 | 242-1F | 18 | 433000 | 433000 | 0 | EVAPFEED | | |
| Jan-76 | 1/20/76 | 19 | 242-1F | 320000 | 323000 | 0 | EVAPCONC | | |
| Jan-76 | 1/20/76 | 242-1H | 21 | 20000 | 82000 | 0 | EVAPFEED | | |
| Jan-76 | 1/20/76 | 31 | 242-1H | 12000 | 17000 | 0 | EVAPCONC | | |
| Jan-76 | 12/29/75 | 7 | 33 | 41000 | 42000 | 0 | HHWCONCSN | | |
| Jan-76 | 1/20/76 | 23 | 44H-245 | 145000 | 145000 | 0 | RBF-RRF | | |
| Jan-76 | 1/20/76 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Jan-76 | 1/20/76 | CRC | 23 | 112000 | 112000 | 0 | RBF-RRF | | |
| Jan-76 | 1/20/76 | 23 | CRC | 3000 | 3000 | 0 | RBF-RRF | | |
| Jan-76 | 1/20/76 | 17 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area Trailer | |
| Jan-76 | 1/20/76 | 34 | | 0 | 55000 | 0 | MISCADD/TRAN | Cooler installation flush water | |
| Jan-76 | 1/20/76 | 13 | | 0 | 2000 | 0 | MISCADD/TRAN | Flush Water | |
| Feb-76 | 2/20/76 | 242-1H | 21 | 428000 | 428000 | 0 | EVAPFEED | | |
| Feb-76 | 2/20/76 | 31 | 242-1H | 281000 | 289000 | 0 | EVAPCONC | | |
| Feb-76 | 2/17/76 | 13 | 31 | 366000 | 384000 | 0 | HHWCONCSN | | |
| Feb-76 | 2/20/76 | 23 | 44H-245 | 132000 | 132000 | 0 | RBF-RRF | | |
| Feb-76 | 2/20/76 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. | |
| Feb-76 | 2/20/76 | CRC | 23 | 95000 | 95000 | 0 | RBF-RRF | | |
| Feb-76 | 2/20/76 | 17 | | 3000 | 3000 | 0 | NONCANYWASTE | 100 Area sludge | |
| Feb-76 | 2/20/76 | 33 | | 0 | 6000 | 0 | MISCADD/TRAN | Wash in deployable coolers | |
| Mar-76 | 3/20/76 | 242-1H | 13 | 667000 | 699000 | 0 | EVAPFEED | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|---------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Mar-76 | 3/20/76 | 29 | 242-1H | 278000 | 295000 | 0 | EVAPCONC | |
| Mar-76 | 3/20/76 | 31 | 242-1H | 278000 | 278000 | 0 | EVAPCONC | |
| Mar-76 | 2/25/76 | 13 | 29 | 225000 | 237000 | 0 | HHWCONCSN | |
| Mar-76 | 3/6/76 | 13 | 29 | 147000 | 154000 | 0 | HHWCONCSN | |
| Mar-76 | 3/20/76 | 13 | 31 | 269000 | 282000 | 0 | HHWCONCSN | |
| Mar-76 | 3/20/76 | 23 | 44H-245 | 87000 | 87000 | 0 | RBF-RRF | |
| Mar-76 | 3/20/76 | 21 | 44H-245 | 24000 | 24000 | 0 | RBF-RRF | |
| Mar-76 | 3/20/76 | 23 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Mar-76 | 3/20/76 | CRC | 23 | 160000 | 160000 | 0 | RBF-RRF | |
| Mar-76 | 3/20/76 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Mar-76 | 3/20/76 | 17 | | 0 | 4500 | 0 | NONCANYWASTE | 100 Area Sand Filter Flush |
| Mar-76 | 3/20/76 | 34 | | 0 | 7000 | 0 | MISCADD/TRAN | Cooler installation flush water |
| Mar-76 | 3/20/76 | | 17 | 5000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl.-inv. change |
| Apr-76 | 4/20/76 | 242-1H | 13 | 860000 | 894000 | 0 | EVAPFEED | |
| Apr-76 | 4/20/76 | 29 | 242-1H | 205000 | 205000 | 0 | EVAPCONC | |
| Apr-76 | 4/20/76 | 31 | 242-1H | 489000 | 491000 | 0 | EVAPCONC | |
| Apr-76 | 3/27/76 | 13 | 12 | 150000 | 157000 | 0 | HHWSN | |
| Apr-76 | 4/1/76 | 13 | 31 | 223000 | 234000 | 0 | HHWCONCSN | |
| Apr-76 | 4/7/76 | 13 | 12 | 91000 | 94000 | 0 | HHWSN | |
| Apr-76 | 4/12/76 | 13 | 29 | 265000 | 278000 | 0 | HHWCONCSN | |
| Apr-76 | 4/20/76 | 23 | 44H-245 | 75000 | 75000 | 0 | RBF-RRF | |
| Apr-76 | 4/20/76 | 21 | 44H-245 | 8000 | 8000 | 0 | RBF-RRF | |
| Apr-76 | 4/20/76 | 23 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Apr-76 | 4/20/76 | CRC | 23 | 173000 | 173000 | 0 | RBF-RRF | |
| Apr-76 | 4/20/76 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Apr-76 | 4/20/76 | 17 | | 0 | 18000 | 0 | NONCANYWASTE | |
| Apr-76 | 4/20/76 | 34 | | 0 | 5000 | 0 | MISCADD/TRAN | Cooler installation flush water |
| Apr-76 | 4/20/76 | 33 | | 0 | 1000 | 0 | MISCADD/TRAN | |
| Apr-76 | 4/20/76 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | Cooling H2O leak in cond. cell |
| May-76 | 5/20/76 | 242-1H | 13 | 335000 | 378000 | 0 | EVAPFEED | |
| May-76 | 5/20/76 | 29 | 242-1H | 68000 | 68000 | 0 | EVAPCONC | |
| May-76 | 5/20/76 | 22 | 242-1H | 112000 | 126000 | 0 | EVAPCONC | |
| May-76 | 3/29/76 | 18 | 17 | 364000 | 381000 | 0 | FRLHW | |
| May-76 | 5/11/76 | 21 | 22 | 766000 | 804000 | 0 | LHWSN | |
| May-76 | 5/20/76 | 23 | 44H-245 | 122000 | 122000 | 0 | RBF-RRF | |
| May-76 | 5/20/76 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| May-76 | 5/20/76 | CRC | 23 | 34000 | 34000 | 0 | RBF-RRF | |
| May-76 | 5/20/76 | 23 | CRC | 11000 | 11000 | 0 | RBF-RRF | |
| May-76 | 5/20/76 | 34 | | 0 | 4000 | 0 | MISCADD/TRAN | Cooler installation flush water |
| Jun-76 | 6/20/76 | 242-1H | 21 | 576000 | 576000 | 0 | EVAPFEED | |
| Jun-76 | 6/20/76 | 22 | 242-1H | 214000 | 222000 | 0 | EVAPCONC | |
| Jun-76 | 6/20/76 | 13 | 29 | 186000 | 195000 | 0 | HHWCONC | |
| Jun-76 | 6/20/76 | 23 | 44H-245 | 113000 | 113000 | 0 | RBF-RRF | |
| Jun-76 | 6/20/76 | 21 | 44H-245 | 4000 | 4000 | 0 | RBF-RRF | |
| Jun-76 | 6/20/76 | 23 | 242-1H | 3000 | 3000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Jun-76 | 6/20/76 | CRC | 23 | 91000 | 91000 | 0 | RBF-RRF | |
| Jun-76 | 6/20/76 | 23 | CRC | 9000 | 9000 | 0 | RBF-RRF | |
| Jun-76 | 6/20/76 | 17 | | 0 | 10800 | 0 | NONCANYWASTE | |
| Jun-76 | 6/20/76 | 7 | | 0 | 11000 | 0 | MISCADD/TRAN | IAPT, Catch Tank, Evap. Cell |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-76 | 6/20/76 | 13 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush Water |
| Jul-76 | 7/20/76 | 242-1H | 13 | 148000 | 178000 | 0 | EVAPFEED | |
| Jul-76 | 7/20/76 | 242-1H | 21 | 502000 | 502000 | 0 | EVAPFEED | |
| Jul-76 | 7/20/76 | 29 | 242-1H | 151000 | 151000 | 0 | EVAPCONC | |
| Jul-76 | 7/20/76 | 22 | 242-1H | 314000 | 335000 | 0 | EVAPCONC | |
| Jul-76 | 6/24/76 | 13 | 29 | 117000 | 122000 | 0 | HHWCONCSN | |
| Jul-76 | 6/25/76 | 21 | 22 | 197000 | 208000 | 0 | LHWCONC | |
| Jul-76 | 7/5/76 | 21 | 22 | 245000 | 260000 | 0 | LHWCONC | |
| Jul-76 | 7/20/76 | 23 | 44H-245 | 104000 | 104000 | 0 | RBF-RRF | |
| Jul-76 | 7/20/76 | 23 | 242-1H | 11000 | 11000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Jul-76 | 7/20/76 | CRC | 23 | 103000 | 103000 | 0 | RBF-RRF | |
| Jul-76 | 7/20/76 | 23 | CRC | 10000 | 10000 | 0 | RBF-RRF | |
| Jul-76 | 7/20/76 | 17 | | 0 | 10000 | 0 | NONCANYWASTE | |
| Jul-76 | 7/20/76 | 20 | | 0 | 8000 | 0 | MISCADD/TRAN | CTS pit |
| Aug-76 | 8/20/76 | 242-1F | 18 | 80000 | 82000 | 0 | EVAPFEED | |
| Aug-76 | 8/20/76 | 19 | 242-1F | 39000 | 44000 | 0 | EVAPCONC | |
| Aug-76 | 8/20/76 | 242-1H | 13 | 222000 | 224000 | 0 | EVAPFEED | |
| Aug-76 | 8/20/76 | 29 | 242-1H | 171000 | 181000 | 0 | EVAPCONC | |
| Aug-76 | 8/1/76 | 18 | 17 | 241000 | 253000 | 0 | FRLHW | |
| Aug-76 | 8/6/76 | 18 | 19 | 299000 | 312000 | 0 | LHWCONCSN | |
| Aug-76 | 8/20/76 | 18 | 20 | 205000 | 215000 | 0 | LHWCONCSN | |
| Aug-76 | 8/20/76 | 23 | 44H-245 | 92000 | 92000 | 0 | RBF-RRF | |
| Aug-76 | 8/20/76 | 7 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| Aug-76 | 8/20/76 | 23 | 242-1H | 40000 | 40000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Aug-76 | 8/20/76 | CRC | 23 | 127000 | 127000 | 0 | RBF-RRF | |
| Aug-76 | 8/20/76 | 23 | CRC | 12000 | 12000 | 0 | RBF-RRF | |
| Aug-76 | 8/20/76 | 20 | | 0 | 12000 | 0 | MISCADD/TRAN | CTS pit |
| Sep-76 | 9/20/76 | 242-1F | 18 | 498000 | 498000 | 0 | EVAPFEED | |
| Sep-76 | 9/20/76 | 19 | 242-1F | 278000 | 283000 | 0 | EVAPCONC | |
| Sep-76 | 9/14/76 | 18 | 20 | 27000 | 28000 | 0 | LHWCONCSN | |
| Sep-76 | 9/16/76 | 18 | 17 | 101000 | 106000 | 0 | FRLHW | |
| Sep-76 | 9/1/76 | 13 | 31 | 176000 | 183000 | 0 | HHWCONCSN | |
| Sep-76 | 9/4/76 | 13 | 29 | 143000 | 149000 | 0 | HHWCONCSN | |
| Sep-76 | 9/20/76 | 23 | 44H-245 | 0 | 82000 | 0 | RBF-RRF | |
| Sep-76 | 9/20/76 | CRC | 23 | 0 | 166000 | 0 | RBF-RRF | |
| Sep-76 | 9/20/76 | 23 | CRC | 0 | 2000 | 0 | RBF-RRF | |
| Sep-76 | 9/20/76 | 20 | | 0 | 25000 | 0 | MISCADD/TRAN | CTS pit |
| Sep-76 | 9/20/76 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | 1A pump pit |
| Oct-76 | 10/20/76 | 242-1H | 13 | 354000 | 354000 | 0 | EVAPFEED | |
| Oct-76 | 10/20/76 | 29 | 242-1H | 137000 | 137000 | 0 | EVAPCONC | |
| Oct-76 | 10/20/76 | 31 | 242-1H | 154000 | 167000 | 0 | EVAPCONC | |
| Oct-76 | 10/20/76 | 242-1F | 18 | 504000 | 504000 | 0 | EVAPFEED | |
| Oct-76 | 10/20/76 | 17 | 242-1F | 53000 | 53000 | 0 | EVAPCONC | |
| Oct-76 | 10/20/76 | 20 | 242-1F | 172000 | 182000 | 0 | EVAPCONC | |
| Oct-76 | 10/7/76 | 13 | 32 | 202000 | 209000 | 0 | HHWSN | |
| Oct-76 | 10/20/76 | 23 | 44H-245 | 94000 | 94000 | 0 | RBF-RRF | |
| Oct-76 | 10/20/76 | 21 | 44H-245 | 4000 | 4000 | 0 | RBF-RRF | |
| Oct-76 | 10/20/76 | 18 | 242-1F | 14000 | 14000 | 0 | OVERSPEC | |
| Oct-76 | 10/20/76 | 23 | CRC | 2000 | 2000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Oct-76 | 10/20/76 | CRC | 23 | 189000 | 189000 | 0 | RBF-RRF | |
| Oct-76 | 10/20/76 | 17 | | 8000 | 8000 | 0 | NONCANYWASTE | 100 Area sludge |
| Oct-76 | 10/20/76 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | Catch Tank |
| Nov-76 | 11/20/76 | 242-1F | 18 | 340000 | 340000 | 0 | EVAPFEED | |
| Nov-76 | 11/20/76 | 17 | 242-1F | 137000 | 145000 | 0 | EVAPCONC | |
| Nov-76 | 11/20/76 | 23 | 44H-245 | 104000 | 104000 | 0 | RBF-RRF | |
| Nov-76 | 11/20/76 | CRC | 23 | 144000 | 144000 | 0 | RBF-RRF | |
| Nov-76 | 11/20/76 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Nov-76 | 11/20/76 | 17 | | 7000 | 7000 | 0 | NONCANYWASTE | 100 Area sludge |
| Dec-76 | 12/16/76 | 34 | 7 | 69000 | 72000 | 0 | HHW | |
| Dec-76 | 12/20/76 | 23 | 44H-245 | 74000 | 74000 | 0 | RBF-RRF | |
| Dec-76 | 12/20/76 | CRC | 23 | 80000 | 80000 | 0 | RBF-RRF | |
| Dec-76 | 12/20/76 | 23 | CRC | 2000 | 2000 | 0 | RBF-RRF | |
| Dec-76 | 12/20/76 | 7 | | 0 | 79000 | 0 | MISCADD/TRAN | Rain H2O inleak and Catch tk |
| Jan-77 | 1/20/77 | 23 | 44H-245 | 81000 | 81000 | 0 | RBF-RRF | |
| Feb-77 | 2/5/77 | 13 | 29 | 205000 | 212000 | 0 | CONCSN | |
| Feb-77 | 2/20/77 | 23 | 44H-245 | 83000 | 83000 | 0 | RBF-RRF | |
| Feb-77 | 2/20/77 | CRC | 23 | 98000 | 98000 | 0 | RBF-RRF | |
| Feb-77 | 2/20/77 | 23 | CRC | 2000 | 2000 | 0 | RBF-RRF | |
| Mar-77 | 3/17/77 | 35 | 31 | 28000 | 30000 | 0 | CONCSN | |
| Mar-77 | 3/19/77 | 13 | 31 | 129000 | 138000 | 0 | CONCSN | |
| Mar-77 | 3/20/77 | 242-1H | 13 | 331000 | 331000 | 0 | EVAPFEED | |
| Mar-77 | 3/20/77 | 29 | 242-1H | 229000 | 239000 | 0 | EVAPCONC | |
| Mar-77 | 3/20/77 | 23 | 44H-245 | 70000 | 70000 | 0 | RBF-RRF | |
| Mar-77 | 3/20/77 | 23 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | Tk 23 Stor. for CRC proc. |
| Mar-77 | 3/20/77 | CRC | 23 | 54000 | 54000 | 0 | RBF-RRF | |
| Mar-77 | 3/20/77 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Mar-77 | 3/20/77 | 17 | | 0 | 10000 | 0 | MISCADD/TRAN | |
| Mar-77 | 3/20/77 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | IAL pit |
| Mar-77 | 3/20/77 | 20 | | 0 | 4000 | 0 | MISCADD/TRAN | CTS pit flush |
| Mar-77 | 3/20/77 | 24 | | 0 | 1000 | 0 | MISCADD/TRAN | Flush HDB-S sump |
| Apr-77 | 4/8/77 | 18 | 17 | 289500 | 299800 | 0 | FRLHW | |
| Apr-77 | 4/20/77 | 23 | 44H-245 | 94000 | 94000 | 0 | RBF-RRF | |
| Apr-77 | 4/20/77 | 21 | 44H-245 | 8000 | 8000 | 0 | RBF-RRF | |
| Apr-77 | 4/20/77 | CRC | 23 | 133000 | 133000 | 0 | RBF-RRF | |
| Apr-77 | 4/20/77 | 17 | | 0 | 3000 | 0 | MISCADD/TRAN | |
| Apr-77 | 4/20/77 | 20 | | 0 | 2000 | 0 | MISCADD/TRAN | CTS pit sump |
| Apr-77 | 4/20/77 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | Catch tank |
| Apr-77 | 4/20/77 | 31 | | 0 | 9000 | 0 | MISCADD/TRAN | Flush H2O; install cooler in 31 |
| May-77 | 5/20/77 | 7 | 33 | 98000 | 103000 | 0 | SNATE | |
| May-77 | 5/11/77 | 18 | 20 | 36500 | 37500 | 0 | SNATE | |
| May-77 | 5/13/77 | 13 | 29 | 111000 | 116000 | 0 | SNATE | |
| May-77 | 5/14/77 | 21 | 22 | 168000 | 174000 | 0 | SNATE | |
| May-77 | 5/19/77 | 16 | 22 | 13000 | 14000 | 0 | SNATE | |
| May-77 | 5/20/77 | 242-1F | 7 | 76000 | 76000 | 0 | EVAPFEED | |
| May-77 | 5/20/77 | 34 | 242-1F | 30000 | 33000 | 0 | EVAPCONC | |
| May-77 | 5/20/77 | 242-1H | 13 | 60000 | 60000 | 0 | EVAPFEED | |
| May-77 | 5/20/77 | 29 | 242-1H | 46000 | 47000 | 0 | EVAPCONC | |
| May-77 | 5/20/77 | 23 | 44H-245 | 35000 | 35000 | 0 | RBF-RRF | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-77 | 5/20/77 | 7 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| May-77 | 5/20/77 | 17 | | 0 | 2500 | 0 | MISCADD/TRAN | |
| May-77 | 5/20/77 | 34 | | 0 | 9000 | 0 | MISCADD/TRAN | CTS pit sump |
| May-77 | 5/20/77 | 31 | | 0 | 19000 | 0 | MISCADD/TRAN | Flush H2O install cooler in 31 |
| Jun-77 | 5/25/77 | 7 | 33 | 83000 | 85500 | 0 | SNATE | |
| Jun-77 | 6/19/77 | 7 | 34 | 357000 | 368000 | 0 | SNATE | |
| Jun-77 | 6/6/77 | 13 | 29 | 49000 | 51000 | 0 | CONCSN | |
| Jun-77 | 6/20/77 | 242-1F | 7 | 466500 | 466500 | 0 | EVAPFEED | |
| Jun-77 | 6/20/77 | 33 | 242-1F | 180000 | 199000 | 0 | EVAPCONC | |
| Jun-77 | 6/20/77 | 34 | 242-1F | 53000 | 53000 | 0 | EVAPCONC | |
| Jun-77 | 6/20/77 | 242-1H | 13 | 226000 | 226000 | 0 | EVAPFEED | |
| Jun-77 | 6/20/77 | 29 | 242-1H | 84000 | 84000 | 0 | EVAPCONC | |
| Jun-77 | 6/20/77 | 31 | 242-1H | 97000 | 103000 | 0 | EVAPCONC | |
| Jun-77 | 6/20/77 | 23 | 44H-245 | 36000 | 36000 | 0 | RBF-RRF | |
| Jun-77 | 6/20/77 | 7 | 242-1F | 23000 | 23000 | 0 | OVERSPEC | |
| Jun-77 | 6/20/77 | 14 | | 0 | 1000 | 0 | MISCADD/TRAN | Annulus waste from tank 16 |
| Jun-77 | 6/20/77 | | 34 | 8000 | 0 | 0 | MISCADD/TRAN | RT Calib/Repl.-inv.change |
| Jul-77 | 7/2/77 | 7 | 8 | 226000 | 235000 | 0 | HHW | |
| Jul-77 | 7/20/77 | 242-1F | 7 | 468000 | 468000 | 0 | EVAPFEED | |
| Jul-77 | 7/20/77 | 34 | 242-1F | 251500 | 269000 | 0 | EVAPCONC | |
| Jul-77 | 7/20/77 | 23 | 44H-245 | 0 | 20000 | 0 | RBF-RRF | |
| Jul-77 | 7/20/77 | 7 | 242-1F | 0 | 7500 | 0 | OVERSPEC | |
| Jul-77 | 7/20/77 | 16 | | 0 | 2000 | 0 | MISCADD/TRAN | Steam cond. from annulus jet |
| Jul-77 | 7/20/77 | 14 | | 0 | 9000 | 0 | MISCADD/TRAN | Annulus waste from tank 16 |
| Aug-77 | 7/23/77 | 7 | 33 | 322000 | 332000 | 0 | CONCSN | |
| Aug-77 | 8/5/77 | 7 | 8 | 89000 | 92000 | 0 | HHW | |
| Aug-77 | 8/18/77 | 18 | 17 | 142000 | 147000 | 0 | LHWSN | |
| Aug-77 | 8/20/77 | 242-1F | 7 | 331000 | 331000 | 0 | EVAPFEED | |
| Aug-77 | 8/20/77 | 33 | 242-1F | 122000 | 143000 | 0 | EVAPCONC | |
| Aug-77 | 8/20/77 | 34 | 242-1F | 69000 | 69000 | 0 | EVAPCONC | |
| Aug-77 | 8/20/77 | 23 | 44H-245 | 44000 | 44000 | 0 | RBF-RRF | |
| Aug-77 | 8/20/77 | 7 | 242-1F | 8000 | 8000 | 0 | OVERSPEC | |
| Sep-77 | 9/1/77 | 7 | 8 | 205000 | 211000 | 0 | HHW | |
| Sep-77 | 8/26/77 | 13 | 31 | 237000 | 246000 | 0 | CONCSN | |
| Sep-77 | 9/10/77 | 13 | 29 | 284000 | 295000 | 0 | CONCSN | |
| Sep-77 | 9/20/77 | 242-1F | 7 | 252000 | 252000 | 0 | EVAPFEED | |
| Sep-77 | 9/20/77 | 33 | 242-1F | 98000 | 114000 | 0 | EVAPCONC | |
| Sep-77 | 9/20/77 | 242-1H | 13 | 346000 | 350000 | 0 | EVAPFEED | |
| Sep-77 | 9/20/77 | 29 | 242-1H | 24000 | 24000 | 0 | EVAPCONC | |
| Sep-77 | 9/20/77 | 31 | 242-1H | 228000 | 232000 | 0 | EVAPCONC | |
| Sep-77 | 9/20/77 | 23 | 44H-245 | 43000 | 43000 | 0 | RBF-RRF | |
| Sep-77 | 9/20/77 | 7 | 242-1F | 5000 | 5000 | 0 | OVERSPEC | |
| Oct-77 | 10/1/77 | 13 | 31 | 216000 | 230000 | 0 | CONCSN | |
| Oct-77 | 10/4/77 | 13 | 29 | 39000 | 42000 | 0 | CONCSN | |
| Oct-77 | 10/6/77 | 13 | 14 | 95000 | 102000 | 0 | CONCSN | |
| Oct-77 | 10/20/77 | 242-1H | 13 | 601000 | 601000 | 0 | EVAPFEED | |
| Oct-77 | 10/20/77 | 29 | 242-1H | 298000 | 307000 | 0 | EVAPCONC | |
| Oct-77 | 10/20/77 | 31 | 242-1H | 183000 | 183000 | 0 | EVAPCONC | |
| Oct-77 | 10/20/77 | 23 | 44H-245 | 76000 | 76000 | 0 | RBF-RRF | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report Date | Actual Date | Receipt Tank | Sending Tank | Volume from Sending (gal) | Volume to Receipt (gal) | Sludge % | Type Waste | Description/Comments |
|-------------|-------------|--------------|--------------|---------------------------|-------------------------|----------|--------------|-------------------------------|
| Oct-77 | 10/20/77 | 21 | 44H-245 | 6000 | 6000 | 0 | RBF-RRF | |
| Oct-77 | 10/20/77 | 23 | 242-1H | 29000 | 29000 | 0 | OVERSPEC | Tank 23 Stor. later CRC proc. |
| Oct-77 | 10/20/77 | CRC | 23 | 29000 | 29000 | 0 | RBF-RRF | |
| Oct-77 | 10/20/77 | 17 | | 0 | 4000 | 0 | NONCANYWASTE | 100 Area sludge |
| Nov-77 | 11/20/77 | 23 | 44H-245 | 25000 | 25000 | 0 | RBF-RRF | |
| Nov-77 | 11/20/77 | CRC | 23 | 59000 | 59000 | 0 | RBF-RRF | |
| Nov-77 | 11/20/77 | 23 | CRC | 5000 | 5000 | 0 | RBF-RRF | |
| Dec-77 | 12/7/77 | 7 | 34 | 164000 | 176000 | 0 | CONCSN | |
| Dec-77 | 12/5/77 | 13 | 16 | 2400 | 2800 | 0 | LHWSN | |
| Dec-77 | 12/20/77 | CRC | 23 | 229000 | 229000 | 0 | RBF-RRF | |
| Jan-78 | 12/22/77 | 13 | 14 | 219000 | 226000 | 0 | DILCONC | |
| Jan-78 | 12/31/77 | 36 | 29 | 241000 | 250000 | 0 | CONCSN | |
| Jan-78 | 12/30/77 | 13 | 14 | 2000 | 2100 | 0 | DILCONC | |
| Jan-78 | 1/4/78 | 35 | 31 | 34000 | 35000 | 0 | CONCSN | |
| Jan-78 | 1/7/78 | 37 | 31 | 150000 | 155000 | 0 | CONCSN | |
| Jan-78 | 1/20/78 | 242-1H | 13 | 29000 | 29000 | 0 | EVAPFEED | |
| Jan-78 | 1/20/78 | 29 | 242-1H | 15000 | 32000 | 0 | EVAPCONC | |
| Jan-78 | 1/20/78 | 23 | 44H-245 | 53000 | 53000 | 0 | RBF-RRF | |
| Jan-78 | 1/20/78 | 17 | | 0 | 9000 | 0 | MISCADD/TRAN | 100 Area Sludge Slurry |
| Jan-78 | 1/20/78 | 14 | | 0 | 14000 | 0 | MISCADD/TRAN | Tk 16 Annulus waste |
| Feb-78 | 2/5/78 | 34 | 7 | 15000 | 20000 | 0 | SNATE | |
| Feb-78 | 2/3/78 | 13 | 14 | 94000 | 97000 | 0 | DILCONC | |
| Feb-78 | 2/10/78 | 13 | 15 | 263000 | 271000 | 0 | H-W | |
| Feb-78 | 2/20/78 | 242-1H | 13 | 375000 | 379000 | 0 | EVAPFEED | |
| Feb-78 | 2/20/78 | 29 | 242-1H | 207000 | 214000 | 0 | EVAPCONC | |
| Feb-78 | 2/20/78 | 31 | 242-1H | 43000 | 43000 | 0 | EVAPCONC | |
| Feb-78 | 2/20/78 | 23 | 44H-245 | 54000 | 54000 | 0 | RBF-RRF | |
| Feb-78 | 2/20/78 | 23 | 242-1H | 12000 | 12000 | 0 | OVERSPEC | Tank 23 Stor. later CRC proc. |
| Feb-78 | 2/20/78 | 17 | | 0 | 2000 | 0 | MISCADD/TRAN | 100 Area Sludge Slurry |
| Feb-78 | 2/20/78 | 14 | | 0 | 18000 | 0 | MISCADD/TRAN | Tk 16 Annulus waste |
| Feb-78 | 2/20/78 | 7 | | 0 | 14000 | 0 | MISCADD/TRAN | Catch tank |
| Feb-78 | 2/20/78 | 22 | | 0 | 17000 | 0 | MISCADD/TRAN | 20% NaOH added |
| Mar-78 | 3/10/78 | 13 | 16 | 3700 | 3800 | 0 | LHWSN | |
| Mar-78 | 3/13/78 | 37 | 29 | 238000 | 250000 | 0 | CONCSN | |
| Mar-78 | 3/15/78 | 13 | 16 | 9300 | 9500 | 0 | LHWSN | |
| Mar-78 | 3/20/78 | 242-1F | 7 | 24000 | 24100 | 0 | EVAPFEED | |
| Mar-78 | 3/20/78 | 33 | 242-1F | 10000 | 10000 | 0 | EVAPCONC | |
| Mar-78 | 3/20/78 | 34 | 242-1F | 5000 | 11000 | 0 | EVAPCONC | |
| Mar-78 | 3/20/78 | 23 | 44H-245 | 48000 | 48000 | 0 | RBF-RRF | |
| Mar-78 | 3/20/78 | 21 | 44H-245 | 3000 | 3000 | 0 | RBF-RRF | |
| Mar-78 | 3/20/78 | 7 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| Mar-78 | 3/20/78 | CRC | 23 | 62000 | 62000 | 0 | RBF-RRF | |
| Mar-78 | 3/20/78 | 34 | | 0 | 2000 | 0 | MISCADD/TRAN | Salt diss. from tank walls |
| Mar-78 | 3/20/78 | 14 | | 0 | 13000 | 0 | MISCADD/TRAN | Tk 16 Annulus waste |
| Apr-78 | 4/7/78 | 7 | 34 | 95000 | 98000 | 0 | CONCSN | |
| Apr-78 | 4/11/78 | 7 | 34 | 26000 | 28000 | 0 | CONCSN | |
| Apr-78 | 4/18/78 | 7 | 8 | 119000 | 123000 | 0 | LHW | |
| Apr-78 | 4/3/78 | 13 | 16 | 7500 | 7700 | 0 | LHWSN | |
| Apr-78 | 4/20/78 | 242-1F | 7 | 253000 | 263000 | 0 | EVAPFEED | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-78 | 4/20/78 | 33 | 242-1F | 60000 | 60000 | 0 | EVAPCONC | | |
| Apr-78 | 4/20/78 | 34 | 242-1F | 84000 | 97000 | 0 | EVAPCONC | | |
| Apr-78 | 4/20/78 | 242-1H | 13 | 18000 | 19000 | 0 | EVAPFEED | | |
| Apr-78 | 4/20/78 | 29 | 242-1H | 3000 | 3000 | 0 | EVAPCONC | | |
| Apr-78 | 4/20/78 | 31 | 242-1H | 9000 | 13000 | 0 | EVAPCONC | | |
| Apr-78 | 4/20/78 | 23 | 44H-245 | 64000 | 64000 | 0 | RBF-RRF | | |
| Apr-78 | 4/20/78 | 21 | 44H-245 | 3000 | 3000 | 0 | RBF-RRF | | |
| Apr-78 | 4/20/78 | CRC | 23 | 199000 | 199000 | 0 | RBF-RRF | | |
| Apr-78 | 4/20/78 | 23 | CRC | 2000 | 2000 | 0 | RBF-RRF | | |
| Apr-78 | 4/20/78 | 34 | | 0 | 2000 | 0 | MISCADD/TRAN | Salt diss. from tank walls | |
| Apr-78 | 4/20/78 | 14 | | 0 | 6000 | 0 | MISCADD/TRAN | Tk 16 Annulus waste | |
| May-78 | 4/21/78 | 7 | 34 | 44000 | 50000 | 0 | CONCSN | | |
| May-78 | 4/24/78 | 7 | 33 | 38000 | 42000 | 0 | CONCSN | | |
| May-78 | 5/5/78 | 7 | 33 | 37000 | 38000 | 0 | CONCSN | | |
| May-78 | 5/8/78 | 7 | 8 | 26000 | 28000 | 0 | LHW | | |
| May-78 | 5/10/78 | 7 | 33 | 36000 | 37000 | 0 | CONCSN | | |
| May-78 | 5/14/78 | 7 | 8 | 33000 | 34000 | 0 | LHW | | |
| May-78 | 5/15/78 | 7 | 33 | 34000 | 35000 | 0 | CONCSN | | |
| May-78 | 5/17/78 | 7 | 33 | 58000 | 58000 | 0 | CONCSN | | |
| May-78 | 5/18/78 | 18 | 19 | 35000 | 36000 | 0 | SNATE | | |
| May-78 | 5/19/78 | 7 | 34 | 43000 | 48000 | 0 | CONCSN | | |
| May-78 | 5/14/78 | 13 | 24 | 188000 | 195000 | 0 | HHWCONCSN | | |
| May-78 | 5/20/78 | 242-1F | 7 | 314000 | 350000 | 0 | EVAPFEED | | |
| May-78 | 5/20/78 | 33 | 242-1F | 16000 | 16000 | 0 | EVAPCONC | | |
| May-78 | 5/20/78 | 34 | 242-1F | 162000 | 203000 | 0 | EVAPCONC | | |
| May-78 | 5/20/78 | 242-1H | 13 | 287000 | 293000 | 0 | EVAPFEED | | |
| May-78 | 5/20/78 | 29 | 242-1H | 30000 | 30000 | 0 | EVAPCONC | | |
| May-78 | 5/20/78 | 31 | 242-1H | 135000 | 158000 | 0 | EVAPCONC | | |
| May-78 | 5/20/78 | 23 | 44H-245 | 57000 | 57000 | 0 | RBF-RRF | | |
| May-78 | 5/20/78 | 18 | 242-1F | 25000 | 25000 | 0 | OVERSPEC | | |
| May-78 | 5/20/78 | 21 | 242-1H | 6000 | 6000 | 0 | OVERSPEC | | |
| May-78 | 5/20/78 | 23 | 242-1H | 13000 | 13000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| May-78 | 5/20/78 | 17 | | 0 | 1000 | 0 | MISCADD/TRAN | 100 Area Sludge Slurry | |
| Jun-78 | 5/25/78 | 7 | 33 | 48000 | 49000 | 0 | CONCSN | | |
| Jun-78 | 5/26/78 | 7 | 8 | 32000 | 33000 | 0 | LHW | | |
| Jun-78 | 6/7/78 | 7 | 8 | 168000 | 173000 | 0 | LHW | | |
| Jun-78 | 6/14/78 | 7 | 33 | 108000 | 119000 | 0 | CONCSN | | |
| Jun-78 | 6/19/78 | 7 | 34 | 48000 | 53000 | 0 | CONCSN | | |
| Jun-78 | 5/25/78 | 13 | 24 | 172000 | 179000 | 0 | CONCSN | | |
| Jun-78 | 5/28/78 | 36 | 31 | 215000 | 223000 | 0 | CONCSN | | |
| Jun-78 | 6/10/78 | 13 | 24 | 280000 | 291000 | 0 | CONCSN | | |
| Jun-78 | 6/15/78 | 13 | 24 | 31000 | 32000 | 0 | CONCSN | | |
| Jun-78 | 6/20/78 | 37 | 29 | 49000 | 51000 | 0 | CONCSN | | |
| Jun-78 | 6/20/78 | 242-1F | 7 | 425000 | 425000 | 0 | EVAPFEED | | |
| Jun-78 | 6/20/78 | 33 | 242-1F | 49000 | 49000 | 0 | EVAPCONC | | |
| Jun-78 | 6/20/78 | 34 | 242-1F | 195000 | 238000 | 0 | EVAPCONC | | |
| Jun-78 | 6/20/78 | 242-1H | 13 | 504000 | 524000 | 0 | EVAPFEED | | |
| Jun-78 | 6/20/78 | 29 | 242-1H | 201000 | 201000 | 0 | EVAPCONC | | |
| Jun-78 | 6/20/78 | 31 | 242-1H | 179000 | 179000 | 0 | EVAPCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-78 | 6/20/78 | 23 | 44H-245 | 29000 | 29000 | 0 | RBF-RRF | |
| Jun-78 | 6/20/78 | 18 | 242-1F | 21000 | 21000 | 0 | OVERSPEC | |
| Jun-78 | 6/20/78 | 23 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. |
| Jun-78 | 6/20/78 | CRC | 23 | 54000 | 54000 | 0 | RBF-RRF | |
| Jun-78 | 6/20/78 | 23 | CRC | 10000 | 10000 | 0 | RBF-RRF | |
| Jul-78 | 6/24/78 | 7 | 34 | 58000 | 58000 | 0 | CONCSN | |
| Jul-78 | 7/4/78 | 7 | 33 | 118000 | 136000 | 0 | CONCSN | |
| Jul-78 | 7/7/78 | 18 | 20 | 34000 | 36000 | 0 | SNATE | |
| Jul-78 | 7/12/78 | 7 | 18 | 102000 | 111000 | 0 | SNATE | |
| Jul-78 | 7/17/78 | 7 | 33 | 79000 | 87000 | 0 | CONCSN | |
| Jul-78 | 6/22/78 | 37 | 29 | 186000 | 194000 | 0 | CONCSN | |
| Jul-78 | 6/25/78 | 38 | 31 | 121000 | 128000 | 0 | CONCSN | |
| Jul-78 | 7/1/78 | 13 | 11 | 306000 | 318000 | 0 | HHW | |
| Jul-78 | 7/18/78 | 13 | 11 | 149000 | 155000 | 0 | HHW | |
| Jul-78 | 7/19/78 | 36 | 29 | 9000 | 9000 | 0 | CONCSN | |
| Jul-78 | 7/20/78 | 242-1F | 7 | 424000 | 424000 | 0 | EVAPFEED | |
| Jul-78 | 7/20/78 | 33 | 242-1F | 229000 | 261000 | 0 | EVAPCONC | |
| Jul-78 | 7/20/78 | 34 | 242-1F | 6000 | 6000 | 0 | EVAPCONC | |
| Jul-78 | 7/20/78 | 242-1H | 13 | 527000 | 551000 | 0 | EVAPFEED | |
| Jul-78 | 7/20/78 | 29 | 242-1H | 234000 | 247000 | 0 | EVAPCONC | |
| Jul-78 | 7/20/78 | 31 | 242-1H | 42000 | 42000 | 0 | EVAPCONC | |
| Jul-78 | 7/20/78 | 23 | 44H-245 | 39000 | 39000 | 0 | RBF-RRF | |
| Jul-78 | 7/20/78 | 21 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | |
| Jul-78 | 7/20/78 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. |
| Jul-78 | 7/20/78 | CRC | 23 | 13000 | 13000 | 0 | RBF-RRF | |
| Jul-78 | 7/20/78 | 23 | CRC | 12000 | 12000 | 0 | RBF-RRF | |
| Jul-78 | 7/20/78 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | Jet Flush water |
| Aug-78 | 7/25/78 | 7 | 33 | 122000 | 126000 | 0 | CONCSN | |
| Aug-78 | 8/2/78 | 7 | 34 | 148000 | 153000 | 0 | CONCSN | |
| Aug-78 | 8/15/78 | 7 | 34 | 162000 | 167000 | 0 | CONCSN | |
| Aug-78 | 7/24/78 | 36 | 29 | 229000 | 238000 | 0 | CONCSN | |
| Aug-78 | 7/27/78 | 13 | 15 | 253000 | 263000 | 0 | HHWSN | |
| Aug-78 | 8/11/78 | 13 | 14 | 263000 | 273000 | 0 | CONCSN | |
| Aug-78 | 8/16/78 | 37 | 31 | 217000 | 226000 | 0 | CONCSN | |
| Aug-78 | 8/16/78 | 13 | 14 | 105000 | 110000 | 0 | CONCSN | |
| Aug-78 | 8/20/78 | 242-1F | 7 | 731000 | 731000 | 0 | EVAPFEED | |
| Aug-78 | 8/20/78 | 33 | 242-1F | 164000 | 164000 | 0 | EVAPCONC | |
| Aug-78 | 8/20/78 | 34 | 242-1F | 364000 | 387000 | 0 | EVAPCONC | |
| Aug-78 | 8/20/78 | 242-1H | 13 | 494000 | 541000 | 0 | EVAPFEED | |
| Aug-78 | 8/20/78 | 29 | 242-1H | 138000 | 138000 | 0 | EVAPCONC | |
| Aug-78 | 8/20/78 | 31 | 242-1H | 163000 | 179000 | 0 | EVAPCONC | |
| Aug-78 | 8/20/78 | 23 | 44H-245 | 23000 | 23000 | 0 | RBF-RRF | |
| Aug-78 | 8/20/78 | 21 | 242-1H | 13000 | 13000 | 0 | OVERSPEC | |
| Aug-78 | 8/20/78 | 23 | 242-1H | 45000 | 45000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. |
| Aug-78 | 8/20/78 | CRC | 23 | 58000 | 58000 | 0 | RBF-RRF | |
| Aug-78 | 8/20/78 | 23 | CRC | 21000 | 21000 | 0 | RBF-RRF | |
| Aug-78 | 8/20/78 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | IAL Pump Tank |
| Sep-78 | 8/21/78 | 7 | 33 | 219000 | 226000 | 0 | CONCSN | |
| Sep-78 | 8/25/78 | 7 | 8 | 41000 | 42000 | 0 | FRLHW | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-78 | 8/21/78 | 13 | 14 | 11000 | 12000 | 0 | HHWCONCSN | | |
| Sep-78 | 8/31/78 | 13 | 12 | 106000 | 110000 | 0 | HHWSN | | |
| Sep-78 | 9/6/78 | 36 | 29 | 212000 | 221000 | 0 | HHWCONCSN | | |
| Sep-78 | 9/14/78 | 13 | 21 | 332000 | 345000 | 0 | LHWSN | Plus some RBOF | |
| Sep-78 | 9/20/78 | 242-1F | 7 | 306000 | 306000 | 0 | EVAPFEED | | |
| Sep-78 | 9/20/78 | 33 | 242-1F | 203000 | 213000 | 0 | EVAPCONC | | |
| Sep-78 | 9/20/78 | 34 | 242-1F | 12000 | 12000 | 0 | EVAPCONC | | |
| Sep-78 | 9/20/78 | 242-1H | 13 | 411000 | 431000 | 0 | EVAPFEED | | |
| Sep-78 | 9/20/78 | 29 | 242-1H | 113000 | 113000 | 0 | EVAPCONC | | |
| Sep-78 | 9/20/78 | 31 | 242-1H | 163000 | 163000 | 0 | EVAPCONC | | |
| Sep-78 | 9/20/78 | 23 | 44H-245 | 39000 | 39000 | 0 | RBF-RRF | | |
| Sep-78 | 9/20/78 | 21 | 44H-245 | 3000 | 3000 | 0 | RBF-RRF | | |
| Sep-78 | 9/20/78 | 21 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | | |
| Sep-78 | 9/20/78 | 23 | 242-1H | 10000 | 10000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| Sep-78 | 9/20/78 | CRC | 23 | 38000 | 38000 | 0 | RBF-RRF | | |
| Sep-78 | 9/20/78 | 23 | CRC | 12000 | 12000 | 0 | RBF-RRF | | |
| Sep-78 | 9/20/78 | 16 | | 0 | 7000 | 0 | MISCADD/TRAN | Sludge Mining water | |
| Oct-78 | 10/11/78 | 36 | 31 | 191000 | 202000 | 0 | CONCSN | | |
| Oct-78 | 10/20/78 | 242-1H | 13 | 108000 | 108000 | 0 | EVAPFEED | | |
| Oct-78 | 10/20/78 | 31 | 242-1H | 79000 | 79000 | 0 | EVAPCONC | | |
| Oct-78 | 10/20/78 | 23 | 44H-245 | 120000 | 120000 | 0 | RBF-RRF | | |
| Oct-78 | 10/20/78 | 23 | 242-1H | 12000 | 12000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| Oct-78 | 10/20/78 | CRC | 23 | 26000 | 26000 | 0 | RBF-RRF | | |
| Oct-78 | 10/20/78 | 23 | CRC | 7000 | 7000 | 0 | RBF-RRF | | |
| Oct-78 | 10/20/78 | | 34 | 24000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl.-Inv. change | |
| Nov-78 | 10/24/78 | 13 | 36 | 6000 | 6000 | 0 | CONCSN | | |
| Nov-78 | 11/2/78 | 13 | 37 | 409000 | 425000 | 0 | CONCSN | | |
| Nov-78 | 11/9/78 | 36 | 31 | 11000 | 11000 | 0 | CONCSN | | |
| Nov-78 | 11/9/78 | 37 | 31 | 219000 | 219000 | 0 | CONCSN | | |
| Nov-78 | 11/20/78 | 242-1H | 13 | 516000 | 532000 | 0 | EVAPFEED | | |
| Nov-78 | 11/20/78 | 29 | 242-1H | 179000 | 179000 | 0 | EVAPCONC | | |
| Nov-78 | 11/20/78 | 31 | 242-1H | 169000 | 169000 | 0 | EVAPCONC | | |
| Nov-78 | 11/20/78 | 23 | 44H-245 | 47000 | 47000 | 0 | RBF-RRF | | |
| Nov-78 | 11/20/78 | 23 | 242-1H | 27000 | 27000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| Nov-78 | 11/20/78 | CRC | 23 | 115000 | 115000 | 0 | RBF-RRF | | |
| Nov-78 | 11/20/78 | 23 | CRC | 6000 | 6000 | 0 | RBF-RRF | | |
| Nov-78 | 11/20/78 | 24 | | 0 | 2000 | 0 | MISCADD/TRAN | Zeolite Flushes | |
| Dec-78 | 12/14/78 | 7 | 8 | 126000 | 129000 | 0 | FRLHWSN | | |
| Dec-78 | 11/16/78 | 13 | 32 | 313000 | 325000 | 0 | HHWSN | | |
| Dec-78 | 11/23/78 | 37 | 29 | 242000 | 252000 | 0 | CONCSN | | |
| Dec-78 | 11/29/78 | 37 | 31 | 128000 | 133000 | 0 | CONCSN | | |
| Dec-78 | 12/8/78 | 13 | 32 | 432000 | 450000 | 0 | HHWSN | | |
| Dec-78 | 12/11/78 | 15 | 16 | 23000 | 23000 | 19 | SLSLURRY | 16K Sludge moved in 22K Slur. | |
| Dec-78 | 12/20/78 | 242-1H | 13 | 649000 | 679000 | 0 | EVAPFEED | | |
| Dec-78 | 12/20/78 | 29 | 242-1H | 211000 | 211000 | 0 | EVAPCONC | | |
| Dec-78 | 12/20/78 | 31 | 242-1H | 136000 | 136000 | 0 | EVAPCONC | | |
| Dec-78 | 12/20/78 | 23 | 44H-245 | 42000 | 42000 | 0 | RBF-RRF | | |
| Dec-78 | 12/20/78 | 23 | 242-1H | 21000 | 21000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| Dec-78 | 12/20/78 | CRC | 23 | 110000 | 110000 | 0 | RBF-RRF | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-78 | 12/20/78 | 23 | CRC | 38000 | 38000 | 0 | RBF-RRF | |
| Dec-78 | 12/20/78 | 17 | | 0 | 5000 | 0 | MISCADD/TRAN | 100 Area Sludge Slurry |
| Dec-78 | 12/20/78 | 16 | | 0 | 10000 | 0 | MISCADD/TRAN | Sludge Mining water |
| Dec-78 | 12/20/78 | 24 | | 0 | 6000 | 0 | MISCADD/TRAN | Zeolite Flushes |
| Jan-79 | 12/20/78 | 13 | 32 | 281000 | 292000 | 0 | HHWSN | |
| Jan-79 | 12/31/78 | 13 | 32 | 65000 | 67000 | 0 | HHWSN | |
| Jan-79 | 1/2/79 | 16 | 21 | 22000 | 23000 | 0 | LHWSN | |
| Jan-79 | 1/2/79 | 35 | 21 | 5000 | 5000 | 0 | LHWSN | |
| Jan-79 | 1/5/79 | 16 | 21 | 6000 | 7000 | 0 | LHWSN | |
| Jan-79 | 1/5/79 | 35 | 21 | 5000 | 5000 | 0 | LHWSN | |
| Jan-79 | 1/11/79 | 13 | 37 | 213000 | 221000 | 0 | CONCSN | |
| Jan-79 | 1/11/79 | 15 | 16 | 56000 | 56000 | 26 | SLSLURRY | |
| Jan-79 | 1/19/79 | 37 | 29 | 247000 | 261000 | 0 | CONCSN | |
| Jan-79 | 1/19/79 | 35 | 29 | 2000 | 2000 | 0 | CONCSN | |
| Jan-79 | 1/20/79 | 13 | 36 | 92000 | 96000 | 0 | CONCSN | |
| Jan-79 | 1/20/79 | 37 | 31 | 108000 | 118000 | 0 | CONCSN | |
| Jan-79 | 1/20/79 | 35 | 31 | 5000 | 5000 | 0 | CONCSN | |
| Jan-79 | 1/20/79 | 242-1H | 13 | 591000 | 591000 | 0 | EVAPFEED | |
| Jan-79 | 1/20/79 | 29 | 242-1H | 62000 | 62000 | 0 | EVAPCONC | |
| Jan-79 | 1/20/79 | 31 | 242-1H | 226000 | 239000 | 0 | EVAPCONC | |
| Jan-79 | 1/20/79 | 23 | 44H-245 | 38000 | 38000 | 0 | RBF-RRF | |
| Jan-79 | 1/20/79 | 21 | 44H-245 | 6000 | 6000 | 0 | RBF-RRF | |
| Jan-79 | 1/20/79 | 23 | 242-1H | 16000 | 16000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. |
| Jan-79 | 1/20/79 | CRC | 23 | 74000 | 74000 | 0 | RBF-RRF | |
| Jan-79 | 1/20/79 | 23 | CRC | 4000 | 4000 | 0 | RBF-RRF | |
| Jan-79 | 1/20/79 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | IAL Pump tank |
| Jan-79 | 1/20/79 | 17 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area Trailers |
| Jan-79 | 1/20/79 | 16 | | 0 | 16000 | 0 | MISCADD/TRAN | Seal water additions |
| Feb-79 | 1/21/79 | 37 | 31 | 46000 | 48000 | 0 | CONCSN | |
| Feb-79 | 1/22/79 | 13 | 36 | 100000 | 104000 | 0 | CONCSN | |
| Feb-79 | 1/23/79 | 36 | 31 | 41000 | 43000 | 0 | CONCSN | |
| Feb-79 | 1/23/79 | 35 | 31 | 2000 | 2000 | 0 | CONCSN | |
| Feb-79 | 1/29/79 | 16 | 22 | 16000 | 16000 | 0 | LHWSN | |
| Feb-79 | 1/29/79 | 35 | 22 | 2000 | 2000 | 0 | LHWSN | |
| Feb-79 | 2/4/79 | 13 | 36 | 260000 | 271000 | 0 | CONCSN | |
| Feb-79 | 2/6/79 | 15 | 16 | 98000 | 98000 | 46 | SLSLURRY | |
| Feb-79 | 2/16/79 | 13 | 36 | 194000 | 204000 | 0 | CONCSN | |
| Feb-79 | 2/19/79 | 36 | 29 | 247000 | 256000 | 0 | CONCSN | |
| Feb-79 | 2/19/79 | 35 | 29 | 2000 | 2000 | 0 | CONCSN | |
| Feb-79 | 2/20/79 | 242-1H | 13 | 579000 | 579000 | 0 | EVAPFEED | |
| Feb-79 | 2/20/79 | 29 | 242-1H | 237000 | 237000 | 0 | EVAPCONC | |
| Feb-79 | 2/20/79 | 31 | 242-1H | 129000 | 137000 | 0 | EVAPCONC | |
| Feb-79 | 2/20/79 | 23 | 44H-245 | 20000 | 20000 | 0 | RBF-RRF | |
| Feb-79 | 2/20/79 | 23 | 242-1H | 2000 | 2000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. |
| Feb-79 | 2/20/79 | CRC | 23 | 145000 | 145000 | 0 | RBF-RRF | |
| Feb-79 | 2/20/79 | 23 | CRC | 3000 | 3000 | 0 | RBF-RRF | |
| Feb-79 | 2/20/79 | 16 | | 0 | 55000 | 0 | MISCADD/TRAN | Seal water additions |
| Feb-79 | 2/20/79 | | 16 | 9000 | 0 | 0 | MISCADD/TRAN | Filling of tk 16 sludge space |
| Feb-79 | 2/20/79 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | Catch tank + evaporation |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Mar-79 | 2/27/79 | 7 | 8 | 54000 | 56000 | 0 | LHWSN | | |
| Mar-79 | 3/20/79 | 7 | 8 | 65000 | 67000 | 0 | LHWSN | | |
| Mar-79 | 2/24/79 | 36 | 31 | 166000 | 173000 | 0 | CONCSN | | |
| Mar-79 | 2/24/79 | 35 | 31 | 3000 | 3000 | 0 | CONCSN | | |
| Mar-79 | 2/26/79 | 16 | 22 | 36000 | 38000 | 0 | LHWSN | | |
| Mar-79 | 2/26/79 | 13 | 22 | 2000 | 2000 | 0 | LHWSN | | |
| Mar-79 | 3/2/79 | 15 | 16 | 76000 | 76000 | 8 | SLSLURRY | | |
| Mar-79 | 3/15/79 | 13 | 37 | 411000 | 432000 | 0 | CONCSN | | |
| Mar-79 | 3/20/79 | 36 | 29 | 36000 | 37000 | 0 | CONCSN | | |
| Mar-79 | 3/20/79 | 35 | 29 | 2000 | 2000 | 0 | CONCSN | | |
| Mar-79 | 3/20/79 | 242-1H | 13 | 470000 | 470000 | 0 | EVAPFEED | | |
| Mar-79 | 3/20/79 | 29 | 242-1H | 234000 | 243000 | 0 | EVAPCONC | | |
| Mar-79 | 3/20/79 | 31 | 242-1H | 101000 | 101000 | 0 | EVAPCONC | | |
| Mar-79 | 3/20/79 | 23 | 44H-245 | 46000 | 46000 | 0 | RBF-RRF | | |
| Mar-79 | 3/20/79 | 21 | 44H-245 | 2000 | 2000 | 0 | RBF-RRF | | |
| Mar-79 | 3/20/79 | 23 | 242-1H | 5000 | 5000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| Mar-79 | 3/20/79 | CRC | 23 | 98000 | 98000 | 0 | RBF-RRF | | |
| Mar-79 | 3/20/79 | 23 | CRC | 10000 | 10000 | 0 | RBF-RRF | | |
| Mar-79 | 3/20/79 | 23 | | 0 | 11000 | 0 | MISCADD/TRAN | H-area catch tank | |
| Mar-79 | 3/20/79 | 16 | | 0 | 28000 | 0 | MISCADD/TRAN | slurry pump seal water | |
| Mar-79 | 3/20/79 | 16 | | 0 | 3000 | 0 | MISCADD/TRAN | flush water | |
| Mar-79 | 3/20/79 | 7 | | 0 | 11000 | 0 | MISCADD/TRAN | Catch tank + evaporation | |
| Apr-79 | 4/10/79 | 7 | 8 | 55000 | 56000 | 0 | LHWSN | | |
| Apr-79 | 3/22/79 | 36 | 29 | 144000 | 148000 | 0 | CONCSN | | |
| Apr-79 | 3/23/79 | 37 | 29 | 42000 | 43000 | 0 | CONCSN | | |
| Apr-79 | 3/27/79 | 37 | 10 | 11000 | 11000 | 0 | CONCSN | | |
| Apr-79 | 4/3/79 | 13 | 37 | 424000 | 445000 | 0 | CONCSN | | |
| Apr-79 | 4/13/79 | 37 | 31 | 219000 | 226000 | 0 | CONCSN | | |
| Apr-79 | 4/13/79 | 35 | 31 | 2000 | 2000 | 0 | CONCSN | | |
| Apr-79 | 4/20/79 | 37 | 29 | 121000 | 125000 | 0 | CONCSN | | |
| Apr-79 | 4/20/79 | 35 | 29 | 2000 | 2000 | 0 | CONCSN | | |
| Apr-79 | 4/20/79 | 13 | 36 | 29000 | 30000 | 0 | CONCSN | | |
| Apr-79 | 4/20/79 | 242-1H | 13 | 633000 | 633000 | 0 | EVAPFEED | | |
| Apr-79 | 4/20/79 | 29 | 242-1H | 225000 | 225000 | 0 | EVAPCONC | | |
| Apr-79 | 4/20/79 | 31 | 242-1H | 214000 | 225000 | 0 | EVAPCONC | | |
| Apr-79 | 4/20/79 | 23 | 44H-245 | 57000 | 57000 | 0 | RBF-RRF | | |
| Apr-79 | 4/20/79 | 23 | 242-1H | 17000 | 17000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. | |
| Apr-79 | 4/20/79 | 23 | CRC | 8000 | 8000 | 0 | RBF-RRF | | |
| Apr-79 | 4/20/79 | 23 | | 0 | 17000 | 0 | MISCADD/TRAN | H-area catch tank | |
| Apr-79 | 4/20/79 | 16 | | 0 | 1000 | 0 | MISCADD/TRAN | flush water | |
| May-79 | 4/26/79 | 7 | 8 | 25000 | 26000 | 0 | LHWSN | | |
| May-79 | 5/3/79 | 7 | 8 | 6300 | 6500 | 0 | LHWSN | | |
| May-79 | 5/4/79 | 7 | 8 | 11000 | 11400 | 0 | LHWSN | | |
| May-79 | 5/6/79 | 7 | 33 | 16300 | 16800 | 0 | CONCSN | | |
| May-79 | 5/7/79 | 7 | 8 | 7900 | 8100 | 0 | LHWSN | | |
| May-79 | 5/9/79 | 7 | 8 | 13800 | 14200 | 0 | LHWSN | | |
| May-79 | 5/14/79 | 7 | 34 | 16600 | 17100 | 0 | CONCSN | | |
| May-79 | 5/15/79 | 7 | 8 | 21300 | 22000 | 0 | LHWSN | | |
| May-79 | 5/16/79 | 7 | 34 | 16300 | 16800 | 0 | CONCSN | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-79 | 5/17/79 | 7 | 8 | 13700 | 14100 | 0 | LHWSN | |
| May-79 | 5/18/79 | 7 | 34 | 18100 | 18700 | 0 | CONCSN | |
| May-79 | 5/20/79 | 7 | 8 | 13700 | 14200 | 0 | LHWSN | |
| May-79 | 4/22/79 | 37 | 29 | 119000 | 123000 | 0 | CONCSN | |
| May-79 | 4/22/79 | 13 | 36 | 92000 | 97000 | 0 | CONCSN | |
| May-79 | 4/26/79 | 10 | 23 | 17000 | 18000 | 0 | RBOFW | |
| May-79 | 4/27/79 | 13 | 10 | 16000 | 16000 | 0 | DISSALT | |
| May-79 | 4/30/79 | 13 | 36 | 212000 | 223000 | 0 | CONCSN | |
| May-79 | 5/3/79 | 10 | 23 | 83000 | 85000 | 0 | RBOFW | |
| May-79 | 5/3/79 | 13 | 10 | 124000 | 128000 | 0 | DISSALT | |
| May-79 | 5/12/79 | 36 | 31 | 199000 | 206000 | 0 | CONCSN | |
| May-79 | 5/12/79 | 35 | 31 | 5000 | 5000 | 0 | CONCSN | |
| May-79 | 5/11/79 | 10 | 23 | 64000 | 66000 | 0 | RBOFW | |
| May-79 | 5/11/79 | 13 | 10 | 48000 | 50000 | 0 | DISSALT | |
| May-79 | 5/16/79 | 10 | 23 | 21000 | 22000 | 0 | RBOFW | |
| May-79 | 5/16/79 | 13 | 10 | 27000 | 28000 | 0 | CONCSN | |
| May-79 | 5/17/79 | 36 | 29 | 126000 | 129000 | 0 | CONCSN | |
| May-79 | 5/17/79 | 13 | 29 | 8000 | 9000 | 0 | CONCSN | |
| May-79 | 5/18/79 | 13 | 29 | 52000 | 6000 | 0 | CONCSN | |
| May-79 | 5/18/79 | 37 | 29 | 6000 | 54000 | 0 | CONCSN | |
| May-79 | 5/20/79 | 242-1F | 7 | 150000 | 185000 | 0 | EVAPFEED | |
| May-79 | 5/20/79 | 33 | 242-1F | 30300 | 30300 | 0 | EVAPCONC | |
| May-79 | 5/20/79 | 34 | 242-1F | 16700 | 35000 | 0 | EVAPCONC | |
| May-79 | 5/20/79 | 242-1H | 13 | 416000 | 416000 | 0 | EVAPFEED | |
| May-79 | 5/20/79 | 29 | 242-1H | 214000 | 226000 | 0 | EVAPCONC | |
| May-79 | 5/20/79 | 31 | 242-1H | 106000 | 106000 | 0 | EVAPCONC | |
| May-79 | 5/20/79 | 23 | 44H-245 | 110000 | 110000 | 0 | RBF-RRF | |
| May-79 | 5/20/79 | 18 | 242-1F | 23000 | 23000 | 0 | OVERSPEC | |
| May-79 | 5/20/79 | 23 | 242-1H | 1000 | 1000 | 0 | OVERSPEC | Tank 23 Stor.; later CRC proc. |
| May-79 | 5/20/79 | 18 | | 0 | 17000 | 0 | MISCADD/TRAN | Flush water |
| May-79 | 5/20/79 | 10 | | 0 | 6000 | 0 | MISCADD/TRAN | Flush water |
| May-79 | 5/20/79 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | IAPT transfer |
| Jun-79 | 5/22/79 | 7 | 34 | 29300 | 30300 | 0 | CONCSN | |
| Jun-79 | 5/25/79 | 7 | 8 | 27000 | 27900 | 0 | LHWSN | |
| Jun-79 | 5/29/79 | 7 | 33 | 55400 | 57100 | 0 | CONCSN | |
| Jun-79 | 6/5/79 | 7 | 33 | 66200 | 68300 | 0 | CONCSN | |
| Jun-79 | 6/9/79 | 7 | 8 | 48800 | 50400 | 0 | LHWSN | |
| Jun-79 | 5/24/79 | 10 | 23 | 53000 | 55000 | 0 | RBOFW | |
| Jun-79 | 5/25/79 | 13 | 10 | 90000 | 93000 | 0 | DISSALT | |
| Jun-79 | 6/1/79 | 10 | 23 | 8000 | 8000 | 0 | RBOFW | |
| Jun-79 | 6/20/79 | 242-1F | 7 | 286000 | 288000 | 0 | EVAPFEED | |
| Jun-79 | 6/20/79 | 33 | 242-1F | 34000 | 56700 | 0 | EVAPCONC | |
| Jun-79 | 6/20/79 | 34 | 242-1F | 46000 | 79300 | 0 | EVAPCONC | |
| Jun-79 | 6/20/79 | 23 | 44H-245 | 137000 | 137000 | 0 | RBF-RRF | |
| Jun-79 | 6/20/79 | 17 | | 0 | 6000 | 0 | NONCANYWASTE | 100 Area trailer waste |
| Jun-79 | 6/20/79 | 23 | | 0 | 6000 | 0 | MISCADD/TRAN | H-area catch tank |
| Jun-79 | 6/20/79 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | IAPT transfer |
| Jul-79 | 7/10/79 | 7 | 8 | 57000 | 58800 | 0 | LHWSN | |
| Jul-79 | 7/20/79 | 23 | 44H-245 | 36000 | 36000 | 0 | RBF-RRF | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jul-79 | 7/20/79 | 10 | | 0 | 5000 | 0 | MISCADD/TRAN | tk 10 mining |
| Aug-79 | 7/31/79 | 7 | 7 | 34700 | 36200 | 0 | FRLHW | |
| Aug-79 | 8/2/79 | 8 | 8 | 32800 | 33900 | 0 | FRLHW | |
| Aug-79 | 8/17/79 | 34 | 34 | 36300 | 37400 | 0 | CONCSN | |
| Aug-79 | 8/18/79 | 37 | 11 | 9000 | 10000 | 0 | LHW | |
| Aug-79 | 8/18/79 | 35 | 11 | 3000 | 3000 | 0 | LHW | |
| Aug-79 | 8/20/79 | 242-1F | 7 | 85000 | 85000 | 0 | EVAPFEED | |
| Aug-79 | 8/20/79 | 33 | 242-1F | 16000 | 21000 | 0 | EVAPCONC | |
| Aug-79 | 8/20/79 | 34 | 242-1F | 16000 | 21000 | 0 | EVAPCONC | |
| Aug-79 | 8/20/79 | 23 | 44H-245 | 60000 | 60000 | 0 | RBF-RRF | |
| Aug-79 | 8/20/79 | 18 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| Aug-79 | 8/20/79 | 23 | | 0 | 5000 | 0 | MISCADD/TRAN | H-area catch tank |
| Aug-79 | 8/20/79 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | IAPT transfer |
| Sep-79 | 8/21/79 | 7 | 8 | 55800 | 57500 | 0 | FRLHWSN | |
| Sep-79 | 8/23/79 | 7 | 34 | 31200 | 32200 | 0 | CONCSN | |
| Sep-79 | 8/28/79 | 7 | 18 | 9600 | 9800 | 0 | LHWSN | |
| Sep-79 | 8/29/79 | 7 | 34 | 69000 | 71000 | 0 | CONCSN | |
| Sep-79 | 9/17/79 | 7 | 8 | 67300 | 69400 | 0 | FRLHWSN | |
| Sep-79 | 9/19/79 | 7 | 34 | 67300 | 69400 | 0 | CONCSN | |
| Sep-79 | 9/17/79 | 32 | 35 | 270000 | 283000 | 0 | HHW | |
| Sep-79 | 9/20/79 | 242-1F | 7 | 262000 | 262000 | 0 | EVAPFEED | |
| Sep-79 | 9/20/79 | 33 | 242-1F | 72000 | 72000 | 0 | EVAPCONC | |
| Sep-79 | 9/20/79 | 34 | 242-1F | 23000 | 66000 | 0 | EVAPCONC | |
| Sep-79 | 9/20/79 | 23 | 44H-245 | 102000 | 102000 | 0 | RBF-RRF | |
| Sep-79 | 9/20/79 | 18 | 242-1F | 7000 | 7000 | 0 | OVERSPEC | |
| Sep-79 | 9/20/79 | 23 | | 0 | 6000 | 0 | MISCADD/TRAN | H-area catch tank |
| Sep-79 | 9/20/79 | 7 | | 0 | 10000 | 0 | MISCADD/TRAN | IAPT transfer |
| Oct-79 | 9/22/79 | 7 | 18 | 20000 | 23000 | 0 | LHWSN | |
| Oct-79 | 9/24/79 | 7 | 33 | 60000 | 62000 | 0 | CONCSN | |
| Oct-79 | 9/28/79 | 7 | 34 | 49000 | 51000 | 0 | CONCSN | |
| Oct-79 | 10/5/79 | 7 | 8 | 25000 | 26000 | 0 | FRLHWSN | |
| Oct-79 | 10/10/79 | 7 | 34 | 142000 | 147000 | 0 | CONCSN | |
| Oct-79 | 10/17/79 | 7 | 8 | 24000 | 25000 | 0 | FRLHWSN | |
| Oct-79 | 9/28/79 | 32 | 35 | 639000 | 658000 | 0 | HHWSN | |
| Oct-79 | 10/20/79 | 242-1F | 7 | 442000 | 442000 | 0 | EVAPFEED | |
| Oct-79 | 10/20/79 | 33 | 242-1F | 53000 | 53000 | 0 | EVAPCONC | |
| Oct-79 | 10/20/79 | 34 | 242-1F | 154000 | 205000 | 0 | EVAPCONC | |
| Oct-79 | 10/20/79 | 23 | 44H-245 | 54000 | 54000 | 0 | RBF-RRF | |
| Oct-79 | 10/20/79 | 23 | | 0 | 6000 | 0 | MISCADD/TRAN | H-area catch tank |
| Oct-79 | 10/20/79 | 17 | | 0 | 4000 | 0 | NONCANYWASTE | 100 Area trailer waste |
| Oct-79 | 10/20/79 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | IAPT transfer |
| Nov-79 | 10/24/79 | 7 | 18 | 30000 | 31000 | 0 | LHWSN | |
| Nov-79 | 10/25/79 | 7 | 34 | 165000 | 170000 | 0 | CONCSN | |
| Nov-79 | 10/30/79 | 7 | 8 | 40000 | 41000 | 0 | FRLHWSN | |
| Nov-79 | 11/2/79 | 7 | 33 | 59000 | 61000 | 0 | CONCSN | |
| Nov-79 | 11/12/79 | 7 | 8 | 43000 | 44000 | 0 | FRLHWSN | |
| Nov-79 | 11/21/79 | 7 | 33 | 195000 | 201000 | 0 | CONCSN | |
| Nov-79 | 11/5/79 | 16 | 22 | 57000 | 58000 | 0 | LHWSN | |
| Nov-79 | 11/10/79 | 21 | 16 | 80000 | 84000 | 1 | SLSLURRY | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|-------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-79 | 11/20/79 | 21 | 16 | 76000 | 84000 | 0 | SLUDGEWW | |
| Nov-79 | 11/20/79 | 242-1F | 7 | 415000 | 415000 | 0 | EVAPFEED | |
| Nov-79 | 11/20/79 | 33 | 242-1F | 75000 | 75000 | 0 | EVAPCONC | |
| Nov-79 | 11/20/79 | 34 | 242-1F | 150000 | 196000 | 0 | EVAPCONC | |
| Nov-79 | 11/20/79 | 242-16 | 26 | 8800 | 8800 | 0 | EVAPFEED | |
| Nov-79 | 11/20/79 | 33 | 242-16F | 2700 | 2900 | 0 | EVAPCONC | |
| Nov-79 | 11/20/79 | 23 | 44H-245 | 50000 | 50000 | 0 | RBF-RRF | |
| Nov-79 | 11/20/79 | CRC | 23 | 50000 | 50000 | 0 | RBF-RRF | |
| Nov-79 | 11/20/79 | 23 | | 0 | 7000 | 0 | MISCADD/TRAN | H-area catch tank |
| Nov-79 | 11/20/79 | 17 | | 0 | 9000 | 0 | NONCANYWASTE | 100 Area trailer waste |
| Nov-79 | 11/20/79 | 16 | | 0 | 4000 | 0 | MISCADD/TRAN | Seal water addition |
| Dec-79 | 11/29/79 | 7 | 34 | 135000 | 139000 | 0 | CONCSN | |
| Dec-79 | 12/4/79 | 7 | 18 | 15000 | 17000 | 0 | LHWSN | |
| Dec-79 | 12/5/79 | 7 | 33 | 116000 | 120000 | 0 | CONCSN | |
| Dec-79 | 12/14/79 | 7 | 18 | 22000 | 23000 | 0 | LHWSN | |
| Dec-79 | 12/14/79 | 7 | 8 | 28000 | 29000 | 0 | FRLHWSN | |
| Dec-79 | 12/15/79 | 7 | 18 | 15000 | 16000 | 0 | LHWSN | |
| Dec-79 | 12/12/79 | 21 | 16 | 81000 | 104000 | 0 | SLUDGEWW | |
| Dec-79 | 12/20/79 | 242-1F | 7 | 494000 | 494000 | 0 | EVAPFEED | |
| Dec-79 | 12/20/79 | 33 | 242-1F | 245000 | 304000 | 0 | EVAPCONC | |
| Dec-79 | 12/20/79 | 34 | 242-1F | 56000 | 56000 | 0 | EVAPCONC | |
| Dec-79 | 12/20/79 | 23 | 44H-245 | 28000 | 28000 | 0 | RBF-RRF | |
| Dec-79 | 12/20/79 | 7 | 242-1F | 2000 | 2000 | 0 | OVERSPEC | |
| Dec-79 | 12/20/79 | CRC | 23 | 96000 | 96000 | 0 | RBF-RRF | |
| Dec-79 | 12/20/79 | 23 | | 0 | 10000 | 0 | MISCADD/TRAN | H-area catch tank |
| Dec-79 | 12/20/79 | 16 | | 0 | 31000 | 0 | MISCADD/TRAN | Seal and flush water |
| Dec-79 | 12/20/79 | 16 | | 0 | 89000 | 0 | MISCADD/TRAN | Slurry water |
| Dec-79 | 12/20/79 | 16 | | 0 | 7000 | 0 | MISCADD/TRAN | Caustic and flush water |
| Jan-80 | 12/21/79 | 7 | 18 | 37000 | 38000 | 0 | LHWSN | |
| Jan-80 | 12/22/79 | 7 | 8 | 92000 | 95000 | 0 | FRLHWSN | |
| Jan-80 | 12/27/79 | 27 | 34 | 474000 | 488000 | 0 | CONCSN | |
| Jan-80 | 12/30/79 | 7 | 33 | 118000 | 122000 | 0 | CONCSN | |
| Jan-80 | 1/2/80 | 34 | 18 | 457000 | 471000 | 0 | LHWSN | |
| Jan-80 | 1/8/80 | 34 | 18 | 474000 | 488000 | 0 | LHWSN | |
| Jan-80 | 1/8/80 | 27 | 34 | 500000 | 515000 | 0 | LHWSN | |
| Jan-80 | 1/9/80 | 18 | 20 | 191000 | 196000 | 0 | CONCSN | |
| Jan-80 | 1/10/80 | 27 | 34 | 229000 | 236000 | 0 | LHWSN | |
| Jan-80 | 1/10/80 | 7 | 8 | 63000 | 65000 | 0 | FRLHWSN | |
| Jan-80 | 1/11/80 | 7 | 33 | 111000 | 114000 | 0 | CONCSN | |
| Jan-80 | 1/12/80 | 18 | 19 | 187000 | 193000 | 0 | CONCSN | |
| Jan-80 | 1/13/80 | 26 | 27 | 25000 | 26000 | 0 | CONCSN | |
| Jan-80 | 1/17/80 | 18 | 17 | 204000 | 211000 | 0 | FRLHWSN | |
| Jan-80 | 1/21/80 | 26 | 34 | 667000 | 688000 | 0 | LHWSN | |
| Jan-80 | 1/20/80 | 242-1F | 7 | 403000 | 403000 | 0 | EVAPFEED | |
| Jan-80 | 1/20/80 | 33 | 242-1F | 174000 | 174000 | 0 | EVAPCONC | |
| Jan-80 | 1/20/80 | 34 | 242-1F | 25000 | 77000 | 0 | EVAPCONC | |
| Jan-80 | 1/20/80 | 23 | 44H-245 | 33000 | 33000 | 0 | RBF-RRF | |
| Jan-80 | 1/20/80 | 23 | | 0 | 6000 | 0 | MISCADD/TRAN | H-area catch tank |
| Jan-80 | 1/20/80 | 28 | | 0 | 5000 | 0 | MISCADD/TRAN | FPP-2 |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jan-80 | 1/20/80 | 18 | | 0 | 2000 | 0 | MISCADD/TRAN | Flush water |
| Jan-80 | 1/20/80 | | 16 | 2000 | 0 | 0 | MISCADD/TRAN | Evaporation |
| Feb-80 | 1/23/80 | 28 | 18 | 566000 | 583000 | 0 | CONSN | |
| Feb-80 | 1/23/80 | 7 | 33 | 155000 | 160000 | 0 | CONSN | |
| Feb-80 | 2/6/80 | 7 | 8 | 125000 | 129000 | 0 | FRLHWSN | |
| Feb-80 | 2/12/80 | 7 | 33 | 127000 | 131000 | 0 | CONSN | |
| Feb-80 | 2/17/80 | 26 | 27 | 113000 | 117000 | 0 | CONSN | |
| Feb-80 | 1/23/80 | 31 | 10 | 21000 | 22000 | 0 | CONSN | |
| Feb-80 | 1/15/80 | 21 | 16 | 80000 | 85000 | 0 | SLUDGERW | Oxalic Acid cleaning solution |
| Feb-80 | 2/20/80 | 242-1F | 7 | 403000 | 412000 | 0 | EVAPFEED | |
| Feb-80 | 2/20/80 | 33 | 242-1F | 213000 | 273000 | 0 | EVAPCONC | |
| Feb-80 | 2/20/80 | 242-16 | 26 | 1500 | 1500 | 0 | EVAPFEED | |
| Feb-80 | 2/20/80 | 28 | 242-16F | 600 | 2800 | 0 | EVAPCONC | |
| Feb-80 | 2/20/80 | 23 | 44H-245 | 60000 | 60000 | 0 | RBF-RRF | |
| Feb-80 | 2/20/80 | 7 | 242-1F | 6000 | 6000 | 0 | OVERSPEC | |
| Feb-80 | 2/20/80 | 26 | 242-16F | 900 | 900 | 0 | OVERSPEC | |
| Feb-80 | 2/20/80 | 23 | | 0 | 7000 | 0 | MISCADD/TRAN | H-area catch tank |
| Feb-80 | 2/20/80 | 16 | | 0 | 85000 | 0 | MISCADD/TRAN | Oxalic acid solution |
| Feb-80 | 2/20/80 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | CATCH TK + IAL PUMP TK |
| Feb-80 | 2/20/80 | 16 | | 0 | 11000 | 0 | MISCADD/TRAN | Clean out program |
| Mar-80 | 2/23/80 | 18 | 19 | 31000 | 32000 | 0 | CONCSN | |
| Mar-80 | 2/24/80 | 18 | 17 | 133000 | 137000 | 0 | LHWSN | |
| Mar-80 | 2/27/80 | 7 | 33 | 47000 | 49000 | 0 | CONCSN | |
| Mar-80 | 2/29/80 | 26 | 28 | 417000 | 430000 | 0 | CONCSN | |
| Mar-80 | 3/9/80 | 7 | 18 | 242000 | 250000 | 0 | CONCSN | |
| Mar-80 | 3/13/80 | 26 | 28 | 131000 | 135000 | 0 | CONCSN | |
| Mar-80 | 3/14/80 | 7 | 8 | 47000 | 49000 | 0 | FRLHWSN | |
| Mar-80 | 2/29/80 | 21 | 16 | 83000 | 85500 | 0 | SLUDGERW | Oxalic Acid cleaning solution |
| Mar-80 | 3/20/80 | 242-1F | 7 | 246000 | 250000 | 0 | EVAPFEED | |
| Mar-80 | 3/20/80 | 25 | 242-1F | 35000 | 66000 | 0 | EVAPCONC | |
| Mar-80 | 3/20/80 | 33 | 242-1F | 110000 | 110000 | 0 | EVAPCONC | |
| Mar-80 | 3/20/80 | 242-16 | 26 | 308000 | 308000 | 0 | EVAPFEED | |
| Mar-80 | 3/20/80 | 28 | 242-16F | 132000 | 138000 | 0 | EVAPCONC | |
| Mar-80 | 3/20/80 | 23 | 44H-245 | 43100 | 43100 | 0 | RBF-RRF | |
| Mar-80 | 3/20/80 | 7 | | 0 | 7000 | 0 | MISCADD/TRAN | CATCH TK + IAL PUMP TK |
| Mar-80 | 3/20/80 | 23 | | 0 | 20900 | 0 | MISCADD/TRAN | H-area catch tank |
| Mar-80 | 3/20/80 | 16 | | 0 | 85500 | 0 | MISCADD/TRAN | Clean out program |
| Mar-80 | 3/20/80 | 17 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area trailer waste |
| Mar-80 | 3/20/80 | 16 | | 0 | 22000 | 0 | MISCADD/TRAN | Cleaning for new wash |
| Apr-80 | 3/30/80 | 27 | 7 | 86000 | 97000 | 0 | LHWSN | |
| Apr-80 | 3/28/80 | 7 | 8 | 52000 | 54000 | 0 | FRLHWSN | |
| Apr-80 | 4/3/80 | 26 | 28 | 116000 | 120000 | 0 | CONCSN | |
| Apr-80 | 4/3/80 | 18 | 19 | 22000 | 23000 | 0 | DILW | Flush H2O from mining ops |
| Apr-80 | 4/5/80 | 26 | 27 | 198000 | 204000 | 0 | CONCSN | |
| Apr-80 | 4/8/80 | 27 | 7 | 48000 | 49000 | 0 | LHWSN | |
| Apr-80 | 4/8/80 | 7 | 8 | 82000 | 84000 | 0 | FRLHWSN | |
| Apr-80 | 4/9/80 | 7 | 8 | 21000 | 22000 | 0 | FRLHWSN | |
| Apr-80 | 4/9/80 | 27 | 7 | 121000 | 125000 | 0 | LHWSN | |
| Apr-80 | 4/20/80 | 26 | 27 | 224000 | 231000 | 0 | LHWSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-80 | 3/21/80 | 22 | 16 | 77300 | 80360 | 0 | SLUDGERW | Oxalic Acid cleaning solution |
| Apr-80 | 4/1/80 | 31 | 10 | 3794 | 4357 | 0 | CONCSN | |
| Apr-80 | 4/6/80 | 31 | 10 | 84624 | 87142 | 0 | CONCSN | |
| Apr-80 | 4/6/80 | 10 | 23 | 42130 | 42750 | 0 | RBOFW | |
| Apr-80 | 4/8/80 | 31 | 10 | 20690 | 21020 | 0 | CONCSN | |
| Apr-80 | 4/9/80 | 10 | 23 | 33280 | 35430 | 0 | RBOFW | |
| Apr-80 | 4/10/80 | 31 | 10 | 8640 | 9227 | 0 | CONCSN | |
| Apr-80 | 4/11/80 | 10 | 23 | 7080 | 7580 | 0 | RBOFW | |
| Apr-80 | 4/16/80 | 10 | 23 | 10300 | 10664 | 0 | RBOFW | |
| Apr-80 | 4/11/80 | 31 | | 0 | 4613 | 0 | MISCADD/TRAN | |
| Apr-80 | 4/20/80 | 242-16 | 26 | 438000 | 438000 | 0 | EVAPFEED | |
| Apr-80 | 4/20/80 | 28 | 242-16F | 198000 | 222000 | 0 | EVAPCONC | |
| Apr-80 | 4/20/80 | 23 | 44H-245 | 14000 | 14000 | 0 | RBF-RRF | |
| Apr-80 | 4/20/80 | 26 | 242-16F | 3000 | 3000 | 0 | OVERSPEC | |
| Apr-80 | 4/20/80 | 16 | | 0 | 30000 | 0 | MISCADD/TRAN | Neut. Oxalic:sump seal H2O |
| Apr-80 | 4/20/80 | 7 | | 0 | 10000 | 0 | MISCADD/TRAN | IAPT tank + Catch tank |
| Apr-80 | 4/20/80 | 19 | | 0 | 37000 | 0 | MISCADD/TRAN | Flush water |
| May-80 | 4/29/80 | 18 | 19 | 37000 | 39000 | 0 | CONCSN | |
| May-80 | 5/6/80 | 7 | 8 | 107000 | 110000 | 0 | LHWSN | |
| May-80 | 5/6/80 | 27 | 7 | 6800 | 7000 | 0 | LHWSN | |
| May-80 | 5/14/80 | 7 | 33 | 102000 | 106000 | 0 | CONCSN | |
| May-80 | 5/18/80 | 26 | 27 | 497000 | 513000 | 0 | CONCSN | |
| May-80 | 4/26/80 | 10 | 23 | 19725 | 20317 | 0 | RBOFW | |
| May-80 | 4/26/80 | 31 | 10 | 10840 | 33236 | 0 | CONCSN | |
| May-80 | 5/2/80 | 10 | 23 | 32568 | 33545 | 0 | RBOFW | |
| May-80 | 5/2/80 | 29 | 10 | 15176 | 52345 | 0 | CONCSN | |
| May-80 | 5/7/80 | 10 | 23 | 13452 | 13856 | 0 | RBOFW | |
| May-80 | 5/13/80 | 10 | 23 | 4713 | 4854 | 0 | RBOFW | |
| May-80 | 5/13/80 | 29 | 10 | 3523 | 8387 | 0 | CONCSN | |
| May-80 | 5/14/80 | 10 | 23 | 9912 | 11303 | 0 | RBOFW | |
| May-80 | 5/14/80 | 29 | 10 | 4607 | 16195 | 0 | CONCSN | |
| May-80 | 5/15/80 | 10 | 23 | 10804 | 11128 | 0 | RBOFW | |
| May-80 | 5/15/80 | 29 | 10 | 4336 | 15328 | 0 | CONCSN | |
| May-80 | 5/20/80 | 29 | 10 | 5420 | 53962 | 0 | CONCSN | |
| May-80 | 5/20/80 | 242-1F | 7 | 141000 | 141000 | 0 | EVAPFEED | |
| May-80 | 5/20/80 | 25 | 242-1F | 44000 | 63000 | 0 | EVAPCONC | |
| May-80 | 5/20/80 | 242-16 | 26 | 541000 | 541000 | 0 | EVAPFEED | |
| May-80 | 5/20/80 | 28 | 242-16F | 319000 | 338000 | 0 | EVAPCONC | |
| May-80 | 5/20/80 | 23 | 44H-245 | 30000 | 30000 | 0 | RBF-RRF | |
| May-80 | 5/20/80 | 21 | 44H-245 | 5000 | 5000 | 0 | RBF-RRF | |
| May-80 | 5/20/80 | 23 | | 0 | 7000 | 0 | MISCADD/TRAN | H-area catch tank |
| May-80 | 5/20/80 | 13 | | 0 | 7000 | 0 | MISCADD/TRAN | Flush water |
| May-80 | 5/20/80 | 16 | | 0 | 1000 | 0 | MISCADD/TRAN | Tank 11 Annulus transfer |
| May-80 | 5/20/80 | 20 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush water |
| May-80 | 5/20/80 | 19 | | 0 | 37000 | 0 | MISCADD/TRAN | RT Calib./Repl.-Inv. change |
| Jun-80 | 6/4/80 | 26 | 27 | 281000 | 290000 | 0 | MIXSNATE | |
| Jun-80 | 6/5/80 | 7 | 18 | 98000 | 101000 | 0 | LHWCONCSN | |
| Jun-80 | 6/16/80 | 18 | 20 | 108000 | 112000 | 0 | LHWCONCSN | |
| Jun-80 | 6/19/80 | 7 | 18 | 16700 | 17200 | 0 | LHWCONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jun-80 | 5/24/80 | 10 | 23 | 17300 | 17346 | 0 | RBOFW | | |
| Jun-80 | 5/24/80 | 29 | 10 | 16100 | 16100 | 0 | CONCSN | | |
| Jun-80 | 5/25/80 | 10 | 23 | 9900 | 9900 | 0 | RBOFW | | |
| Jun-80 | 5/25/80 | 29 | 10 | 15100 | 16300 | 0 | CONCSN | | |
| Jun-80 | 5/26/80 | 10 | 23 | 8100 | 9100 | 0 | RBOFW | | |
| Jun-80 | 5/27/80 | 29 | 10 | 14600 | 14700 | 0 | CONCSN | | |
| Jun-80 | 6/1/80 | 37 | 31 | 214000 | 222000 | 0 | CONCSN | | |
| Jun-80 | 6/1/80 | 37 | 29 | 26000 | 27000 | 0 | CONCSN | | |
| Jun-80 | 6/6/80 | 29 | 10 | 4600 | 3000 | 0 | CONCSN | | |
| Jun-80 | 6/9/80 | 29 | 10 | 5400 | 6900 | 0 | CONCSN | | |
| Jun-80 | 6/10/80 | 29 | 10 | 7600 | 7700 | 0 | CONCSN | | |
| Jun-80 | 6/11/80 | 29 | 10 | 7300 | 5600 | 0 | CONCSN | | |
| Jun-80 | 6/12/80 | 29 | 10 | 7300 | 7400 | 0 | CONCSN | | |
| Jun-80 | 6/17/80 | 10 | 23 | 6300 | 6400 | 0 | RBOFW | | |
| Jun-80 | 6/20/80 | 242-1F | 7 | 354000 | 340000 | 0 | EVAPFEED | | |
| Jun-80 | 6/20/80 | 25 | 242-1F | 119000 | 171000 | 0 | EVAPCONC | | |
| Jun-80 | 6/20/80 | 242-16 | 28 | 642000 | 642000 | 0 | EVAPFEED | | |
| Jun-80 | 6/20/80 | 28 | 242-16F | 402000 | 413000 | 0 | EVAPCONC | | |
| Jun-80 | 6/20/80 | 23 | 44H-245 | 54000 | 54000 | 0 | RBF-RRF | | |
| Jun-80 | 6/20/80 | 7 | 242-1F | 6000 | 6000 | 0 | OVERSPEC | | |
| Jun-80 | 6/20/80 | 32 | | 0 | 3000 | 0 | MISCADD/TRAN | Transfer CTS Pump | |
| Jun-80 | 6/20/80 | 10 | | 0 | 6000 | 0 | MISCADD/TRAN | Flush water | |
| Jun-80 | 6/20/80 | 20 | | 0 | 8000 | 0 | MISCADD/TRAN | Flush water | |
| Jul-80 | 6/25/80 | 7 | 8 | 100000 | 103000 | 0 | FRLHWSN | | |
| Jul-80 | 6/28/80 | 18 | 20 | 43000 | 45000 | 0 | CONCSN | | |
| Jul-80 | 6/30/80 | 7 | 10 | 149000 | 154000 | 0 | CONCSN | | |
| Jul-80 | 7/3/80 | 18 | 20 | 57000 | 59000 | 0 | CONCSN | | |
| Jul-80 | 7/12/80 | 7 | 33 | 221000 | 228000 | 0 | CONCSN | | |
| Jul-80 | 7/20/80 | 242-1F | 7 | 393000 | 393000 | 0 | EVAPFEED | | |
| Jul-80 | 7/20/80 | 25 | 242-1F | 180000 | 211000 | 0 | EVAPCONC | | |
| Jul-80 | 7/20/80 | 242-16 | 26 | 257000 | 257000 | 0 | EVAPFEED | | |
| Jul-80 | 7/20/80 | 28 | 242-16F | 147000 | 159000 | 0 | EVAPCONC | | |
| Jul-80 | 7/20/80 | 23 | 44H-245 | 55000 | 55000 | 0 | RBF-RRF | | |
| Jul-80 | 7/20/80 | 21 | 44H-245 | 12000 | 12000 | 0 | RBF-RRF | | |
| Jul-80 | 7/20/80 | 20 | | 0 | 70000 | 0 | MISCADD/TRAN | Inhibited water addition | |
| Jul-80 | 7/20/80 | 19 | | 0 | 163000 | 0 | MISCADD/TRAN | Inhibited water addition | |
| Jul-80 | 7/20/80 | 16 | | 0 | 22000 | 0 | MISCADD/TRAN | Flush water | |
| Aug-80 | 7/26/80 | 18 | 19 | 407000 | 420000 | 0 | DISSALTSN | | |
| Aug-80 | 7/27/80 | 26 | 28 | 376000 | 388000 | 0 | CONCSN | | |
| Aug-80 | 7/27/80 | 7 | 8 | 83000 | 86000 | 0 | FRLHWSN | | |
| Aug-80 | 7/29/80 | 18 | 20 | 96000 | 99000 | 0 | DISSALTSN | | |
| Aug-80 | 8/4/80 | 7 | 18 | 317000 | 327000 | 0 | DISSALTSN | | |
| Aug-80 | 8/9/80 | 18 | 20 | 107000 | 110000 | 0 | DISSALTSN | | |
| Aug-80 | 8/15/80 | 18 | 20 | 37000 | 38000 | 0 | DISSALTSN | | |
| Aug-80 | 8/18/80 | 18 | 20 | 27000 | 28000 | 0 | DISSALTSN | | |
| Aug-80 | 8/20/80 | 7 | 18 | 121000 | 125000 | 0 | DISSALTSN | | |
| Aug-80 | 8/22/80 | 27 | 7 | 92000 | 98000 | 0 | DISSALTSN | | |
| Aug-80 | 7/22/80 | 31 | 13 | 10200 | 12600 | 0 | CONCSN | | |
| Aug-80 | 8/12/80 | 15 | 16 | 109000 | 196000 | 0 | SLUDGERW | Tank 16 wash | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|-------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-80 | 8/20/80 | 242-1F | 7 | 359000 | 360000 | 0 | EVAPFEED | |
| Aug-80 | 8/20/80 | 25 | 242-1F | 196000 | 212000 | 0 | EVAPCONC | |
| Aug-80 | 8/20/80 | 242-16 | 26 | 421000 | 421000 | 0 | EVAPFEED | |
| Aug-80 | 8/20/80 | 28 | 242-16F | 239000 | 256000 | 0 | EVAPCONC | |
| Aug-80 | 8/20/80 | 23 | 44H-245 | 3000 | 3000 | 0 | RBF-RRF | |
| Aug-80 | 8/20/80 | 20 | | 0 | 138000 | 0 | MISCADD/TRAN | Inhibited water addition |
| Aug-80 | 8/20/80 | 19 | | 0 | 393000 | 0 | MISCADD/TRAN | Inhibited water addition |
| Aug-80 | 8/20/80 | 16 | | 0 | 27000 | 0 | MISCADD/TRAN | Flush water |
| Sep-80 | 8/25/80 | 27 | 7 | 109000 | 125000 | 0 | SALTRW | |
| Sep-80 | 8/26/80 | 7 | 8 | 53000 | 54000 | 0 | LHWSN | |
| Sep-80 | 8/27/80 | 18 | 20 | 128000 | 132000 | 0 | SALTRW | |
| Sep-80 | 8/29/80 | 27 | 7 | 83000 | 87000 | 0 | SALTRW | |
| Sep-80 | 8/31/80 | 26 | 27 | 320000 | 330000 | 0 | SALTRW | |
| Sep-80 | 9/5/80 | 18 | 20 | 75000 | 77000 | 0 | SALTRW | |
| Sep-80 | 9/6/80 | 7 | 8 | 77000 | 82000 | 0 | LHWSN | |
| Sep-80 | 9/6/80 | 18 | 19 | 64000 | 66000 | 0 | SALTRW | |
| Sep-80 | 9/9/80 | 7 | 18 | 212000 | 218000 | 0 | SALTRW | |
| Sep-80 | 9/13/80 | 26 | 28 | 401000 | 413000 | 0 | CONCSN | |
| Sep-80 | 9/18/80 | 7 | 18 | 294000 | 304000 | 0 | SALTRW | |
| Sep-80 | 9/18/80 | 27 | 7 | 402000 | 441000 | 0 | SALTRW | |
| Sep-80 | 9/21/80 | 18 | 19 | 398000 | 411600 | 0 | CONCSN | |
| Sep-80 | 9/16/80 | 32 | 21 | 99000 | 104000 | 0 | SLUDGERW | Tank 16 wash |
| Sep-80 | 9/20/80 | 242-16 | 26 | 485000 | 504000 | 0 | EVAPFEED | |
| Sep-80 | 9/20/80 | 28 | 242-16F | 321000 | 347000 | 0 | EVAPCONC | |
| Sep-80 | 9/20/80 | 23 | 44H-245 | 82000 | 82000 | 0 | RBF-RRF | |
| Sep-80 | 9/20/80 | 26 | 242-16F | 24000 | 24000 | 0 | OVERSPEC | |
| Sep-80 | 9/20/80 | 20 | | 0 | 143000 | 0 | MISCADD/TRAN | Inhibited water addition |
| Sep-80 | 9/20/80 | 19 | | 0 | 68000 | 0 | MISCADD/TRAN | Inhibited water addition |
| Sep-80 | 9/20/80 | 16 | | 0 | 18000 | 0 | MISCADD/TRAN | Flush water |
| Oct-80 | 9/23/80 | 18 | 19 | 93000 | 96000 | 0 | SALTRW | |
| Oct-80 | 9/24/80 | 18 | 19 | 85000 | 88000 | 0 | SALTRW | |
| Oct-80 | 9/27/80 | 7 | 8 | 64000 | 66000 | 0 | LHWSN | |
| Oct-80 | 9/27/80 | 18 | 19 | 100000 | 103000 | 0 | SALTRW | |
| Oct-80 | 10/1/80 | 18 | 20 | 98000 | 101000 | 0 | SALTRW | |
| Oct-80 | 10/1/80 | 7 | 8 | 109000 | 112000 | 0 | LHWSN | |
| Oct-80 | 10/6/80 | 27 | 7 | 536000 | 589000 | 0 | SALTRW | |
| Oct-80 | 10/9/80 | 26 | 27 | 325000 | 335000 | 0 | SALTRW | |
| Oct-80 | 10/13/80 | 26 | 28 | 392000 | 395000 | 0 | CONCSN | |
| Oct-80 | 9/27/80 | 10 | 23 | 35000 | 36000 | 0 | RBOFW | |
| Oct-80 | 10/7/80 | 10 | 23 | 20000 | 21000 | 0 | RBOFW | |
| Oct-80 | 10/19/80 | 13 | 37 | 71000 | 78000 | 0 | CONCSN | |
| Oct-80 | 10/20/80 | 242-16 | 26 | 441000 | 444000 | 0 | EVAPFEED | |
| Oct-80 | 10/20/80 | 28 | 242-16F | 281000 | 315000 | 0 | EVAPCONC | |
| Oct-80 | 10/20/80 | 242-1H | 13 | 152000 | 162000 | 0 | EVAPFEED | |
| Oct-80 | 10/20/80 | 31 | 242-1H | 85800 | 99000 | 0 | EVAPCONC | |
| Oct-80 | 10/20/80 | 23 | 44H-245 | 67000 | 67000 | 0 | RBF-RRF | |
| Oct-80 | 10/20/80 | 23 | 242-1H | 17000 | 17000 | 0 | OVERSPEC | Tank 23 Stor. later CRC proc. |
| Oct-80 | 10/20/80 | CRC | 23 | 80000 | 80000 | 0 | RBF-RRF | |
| Oct-80 | 10/20/80 | 26 | 242-16F | 3000 | 3000 | 0 | OVERSPEC | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Oct-80 | 10/20/80 | 20 | | 0 | 81000 | 0 | MISCADD/TRAN | Inhibited water addition |
| Oct-80 | 10/20/80 | 19 | | 0 | 410000 | 0 | MISCADD/TRAN | Inhibited water addition |
| Nov-80 | 10/23/80 | 26 | 27 | 236000 | 244000 | 0 | SALTRW | |
| Nov-80 | 11/2/80 | 26 | 27 | 220000 | 227000 | 0 | LHWSN | |
| Nov-80 | 11/7/80 | 18 | 20 | 1987 | 2049 | 0 | SALTRW | |
| Nov-80 | 11/12/80 | 26 | 28 | 207000 | 214000 | 0 | CONCSN | |
| Nov-80 | 11/12/80 | 7 | 8 | 105000 | 109000 | 0 | FRLHW | |
| Nov-80 | 10/23/80 | 13 | 37 | 90000 | 99000 | 0 | CONSN | |
| Nov-80 | 10/31/80 | 37 | 29 | 156000 | 164000 | 0 | CONSN | |
| Nov-80 | 11/2/80 | 13 | 37 | 70000 | 77000 | 0 | CONSN | |
| Nov-80 | 11/6/80 | 37 | 31 | 61000 | 67000 | 0 | CONSN | |
| Nov-80 | 11/7/80 | 13 | 21 | 87000 | 90000 | 0 | FRLHWSN | |
| Nov-80 | 11/12/80 | 13 | 37 | 91000 | 100000 | 0 | CONSN | |
| Nov-80 | 11/16/80 | 37 | 31 | 85000 | 91000 | 0 | CONSN | |
| Nov-80 | 11/20/80 | 242-16 | 26 | 666000 | 666000 | 0 | EVAPFEED | |
| Nov-80 | 11/20/80 | 28 | 242-16F | 450000 | 467000 | 0 | EVAPCONC | |
| Nov-80 | 11/20/80 | 242-1H | 13 | 494000 | 502000 | 0 | EVAPFEED | |
| Nov-80 | 11/20/80 | 29 | 242-1H | 218000 | 241000 | 0 | EVAPCONC | |
| Nov-80 | 11/20/80 | 31 | 242-1H | 104000 | 104000 | 0 | EVAPCONC | |
| Nov-80 | 11/20/80 | 23 | 44H-245 | 43000 | 43000 | 0 | RBF-RRF | |
| Nov-80 | 11/20/80 | 21 | 44H-245 | 5000 | 5000 | 0 | RBF-RRF | |
| Nov-80 | 11/20/80 | 26 | 242-16F | 3500 | 3500 | 0 | OVERSPEC | |
| Nov-80 | 11/20/80 | 13 | 242-1H | 4000 | 4000 | 0 | OVERSPEC | |
| Nov-80 | 11/20/80 | 23 | 242-1H | 3500 | 3500 | 0 | OVERSPEC | Tank 23 Stor., later CRC proc. |
| Nov-80 | 11/20/80 | CRC | 23 | 108500 | 108500 | 0 | RBF-RRF | |
| Nov-80 | 11/20/80 | 9 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Nov-80 | 11/20/80 | 19 | | 0 | 74000 | 0 | MISCADD/TRAN | Inhibited Water additions |
| Dec-80 | 11/23/80 | 27 | 18 | 705000 | 775000 | 0 | SALTRW | |
| Dec-80 | 11/23/80 | 18 | 19 | 128000 | 132000 | 0 | SALTRW | |
| Dec-80 | 11/21/80 | 7 | 4 | 26000 | 27000 | 0 | HHW | |
| Dec-80 | 11/24/80 | 18 | 19 | 4000 | 4000 | 0 | SALTRW | |
| Dec-80 | 11/26/80 | 26 | 28 | 142000 | 151000 | 0 | CONCSN | |
| Dec-80 | 11/26/80 | 26 | 27 | 126000 | 132000 | 0 | SALTRW | |
| Dec-80 | 11/28/80 | 18 | 19 | 97000 | 100000 | 0 | SALTRW | |
| Dec-80 | 11/28/80 | 18 | 20 | 63000 | 65000 | 0 | SALTRW | |
| Dec-80 | 12/3/80 | 18 | 19 | 20000 | 21000 | 0 | SALTRW | |
| Dec-80 | 12/4/80 | 18 | 20 | 62000 | 64000 | 0 | SALTRW | |
| Dec-80 | 12/6/80 | 26 | 28 | 234000 | 241000 | 0 | CONCSN | |
| Dec-80 | 12/5/80 | 18 | 19 | 54000 | 56000 | 0 | SALTRW | |
| Dec-80 | 12/13/80 | 26 | 27 | 77000 | 80000 | 0 | SALTRW | |
| Dec-80 | 12/16/80 | 18 | 20 | 97000 | 103000 | 0 | SALTRW | |
| Dec-80 | 12/19/80 | 26 | 28 | 194000 | 202000 | 0 | CONCSN | |
| Dec-80 | 12/20/80 | 27 | 18 | 156000 | 171000 | 0 | SALTRW | |
| Dec-80 | 12/18/80 | 18 | 19 | 224000 | 231000 | 0 | SALTRW | |
| Dec-80 | 12/20/80 | 18 | 19 | 92000 | 95000 | 0 | SALTRW | |
| Dec-80 | 11/23/80 | 13 | 36 | 225000 | 247000 | 0 | CONCSN | |
| Dec-80 | 11/28/80 | 36 | 29 | 218000 | 230000 | 0 | CONCSN | |
| Dec-80 | 12/7/80 | 13 | 37 | 262000 | 288000 | 0 | CONCSN | |
| Dec-80 | 12/11/80 | 37 | 31 | 208000 | 223000 | 0 | CONCSN | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|-------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Dec-80 | 12/14/80 | 13 | 36 | 171000 | 182000 | 0 | CONCSN | | |
| Dec-80 | 12/18/80 | 36 | 29 | 157000 | 174000 | 0 | CONCSN | | |
| Dec-80 | 12/20/80 | 242-16 | 26 | 644000 | 650000 | 0 | EVAPFEED | | |
| Dec-80 | 12/20/80 | 28 | 242-16F | 436000 | 453000 | 0 | EVAPCONC | | |
| Dec-80 | 12/20/80 | 242-1H | 13 | 643000 | 643000 | 0 | EVAPFEED | | |
| Dec-80 | 12/20/80 | 29 | 242-1H | 215000 | 215000 | 0 | EVAPCONC | | |
| Dec-80 | 12/20/80 | 31 | 242-1H | 214000 | 214000 | 0 | EVAPCONC | | |
| Dec-80 | 12/20/80 | 23 | 44H-245 | 40000 | 40000 | 0 | RBF-RRF | | |
| Dec-80 | 12/20/80 | 26 | 242-16F | 5600 | 5600 | 0 | OVERSPEC | | |
| Dec-80 | 12/20/80 | 23 | 242-1H | 14000 | 14000 | 0 | OVERSPEC | Tank 23 Stor. later CRC proc. | |
| Dec-80 | 12/20/80 | CRC | 23 | 14000 | 14000 | 0 | RBF-RRF | | |
| Dec-80 | 12/20/80 | 17 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area Trailer | |
| Dec-80 | 12/20/80 | 19 | | 0 | 99000 | 0 | MISCADD/TRAN | Inhibited Water additions | |
| Dec-80 | 12/20/80 | 20 | | 0 | 119000 | 0 | MISCADD/TRAN | Inhibited Water additions | |
| Jan-81 | 12/22/80 | 13 | 37 | 126000 | 142000 | 0 | CONCSN | | |
| Jan-81 | 12/23/80 | 26 | 27 | 92000 | 95000 | 0 | SALTRW | | |
| Jan-81 | 12/24/80 | 37 | 29 | 92000 | 92000 | 0 | CONCSN | | |
| Jan-81 | 12/26/80 | 37 | 31 | 69000 | 73000 | 0 | CONCSN | | |
| Jan-81 | 12/30/80 | 26 | 27 | 106000 | 109000 | 0 | SALTRW | | |
| Jan-81 | 1/1/81 | 27 | 18 | 22000 | 25000 | 0 | SALTRW | | |
| Jan-81 | 1/3/81 | 13 | 36 | 219000 | 236000 | 0 | CONCSN | | |
| Jan-81 | 1/4/81 | 26 | 28 | 81000 | 83000 | 0 | CONCSN | | |
| Jan-81 | 1/5/81 | 36 | 31 | 61000 | 64000 | 0 | CONCSN | | |
| Jan-81 | 1/8/81 | 27 | 18 | 151000 | 163000 | 0 | SALTRW | | |
| Jan-81 | 1/9/81 | 18 | 19 | 183000 | 189000 | 0 | SALTRW | | |
| Jan-81 | 1/11/81 | 18 | 20 | 18500 | 19000 | 0 | SALTRW | | |
| Jan-81 | 1/12/81 | 26 | 28 | 108000 | 111000 | 0 | CONCSN | | |
| Jan-81 | 1/12/81 | 13 | 37 | 193000 | 208000 | 0 | CONCSN | | |
| Jan-81 | 1/17/81 | 26 | 28 | 67000 | 69000 | 0 | CONCSN | | |
| Jan-81 | 1/19/81 | 13 | 37 | 121000 | 130000 | 0 | CONCSN | | |
| Jan-81 | 1/20/81 | 17 | | 0 | 4280 | 0 | NONCANYWASTE | 100 Area Waste | |
| Jan-81 | 1/20/81 | 19 | | 0 | 269000 | 0 | MISCADD/TRAN | Inhibited Water Addition | |
| Jan-81 | 1/20/81 | 20 | | 0 | 20000 | 0 | MISCADD/TRAN | Inhibited Water Addition | |
| Jan-81 | 1/20/81 | 25 | | 0 | 29000 | 0 | MISCADD/TRAN | Evaporator Flush Water | |
| Jan-81 | 1/20/81 | 23 | 44H-245 | 0 | 70000 | 0 | NONCANYWASTE | | |
| Jan-81 | 1/20/81 | 23 | 242-1H | 0 | 19000 | 0 | OVERSPEC | | |
| Jan-81 | 1/20/81 | CRC | 23 | 0 | 64000 | 0 | RBF-RRF | | |
| Jan-81 | 1/20/81 | 23 | CRC | 0 | 5000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Jan-81 | 1/20/81 | 242-1F | 7 | 54000 | 54000 | 0 | EVAPFEED | | |
| Jan-81 | 1/20/81 | 242-16 | 26 | 528000 | 529000 | 0 | EVAPFEED | | |
| Jan-81 | 1/20/81 | 242-1H | 13 | 635000 | 635000 | 0 | EVAPFEED | | |
| Jan-81 | 1/20/81 | 28 | 242-16F | 339000 | 366000 | 0 | EVAPCONC | | |
| Jan-81 | 1/20/81 | 25 | 242-1F | 20000 | 24000 | 0 | EVAPCONC | | |
| Jan-81 | 1/20/81 | 31 | 242-1H | 210000 | 210000 | 0 | EVAPCONC | | |
| Jan-81 | 1/20/81 | 29 | 242-1H | 185000 | 210000 | 0 | EVAPCONC | | |
| Feb-81 | 1/22/81 | 37 | 29 | 186000 | 190000 | 0 | CONCSN | | |
| Feb-81 | 1/24/81 | 26 | 28 | 88000 | 91000 | 0 | CONCSN | | |
| Feb-81 | 1/25/81 | 7 | 8 | 82000 | 85000 | 0 | FRLHW | | |
| Feb-81 | 1/25/81 | 37 | 29 | 82000 | 86000 | 0 | CONCSN | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-81 | 1/28/81 | 36 | 31 | 116000 | 123000 | 0 | CONCSN | |
| Feb-81 | 1/29/81 | 26 | 18 | 98000 | 101000 | 0 | SALTRW | |
| Feb-81 | 1/30/81 | 13 | 21 | 176000 | 181000 | 0 | LHW | |
| Feb-81 | 2/1/81 | 26 | 28 | 85000 | 87000 | 0 | CONCSN | |
| Feb-81 | 2/1/81 | 18 | 20 | 78000 | 82000 | 0 | SALTRW | |
| Feb-81 | 2/2/81 | 7 | 8 | 60000 | 62000 | 0 | FRLHW | |
| Feb-81 | 2/6/81 | 7 | 26 | 276000 | 285000 | 0 | DISSALT | |
| Feb-81 | 2/6/81 | 26 | 27 | 17000 | 18000 | 0 | SALTRW | |
| Feb-81 | 2/8/81 | 7 | 18 | 64000 | 67000 | 0 | SALTRW | |
| Feb-81 | 2/9/81 | 18 | 20 | 41000 | 42000 | 0 | SALTRW | |
| Feb-81 | 2/9/81 | 27 | 28 | 228000 | 235000 | 0 | CONCSN | |
| Feb-81 | 2/10/81 | 13 | 37 | 162000 | 178000 | 0 | CONCSN | |
| Feb-81 | 2/11/81 | 26 | 18 | 127000 | 133000 | 0 | SALTRW | |
| Feb-81 | 2/19/81 | 7 | 18 | 64000 | 66000 | 0 | SALTRW | |
| Feb-81 | 2/20/81 | 7 | 18 | 70000 | 71000 | 0 | SALTRW | |
| Feb-81 | 2/20/81 | 23 | 44H-245 | 0 | 63000 | 0 | NONCANYWASTE | |
| Feb-81 | 2/20/81 | CRC | 23 | 0 | 113000 | 0 | RBOF-RRF | |
| Feb-81 | 2/20/81 | 19 | | 0 | 106000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-81 | 2/20/81 | 20 | | 0 | 100000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Feb-81 | 2/20/81 | 242-1F | 7 | 341000 | 342000 | 0 | EVAPFEED | |
| Feb-81 | 2/20/81 | 242-16 | 26 | 622000 | 622000 | 0 | EVAPFEED | |
| Feb-81 | 2/20/81 | 242-1H | 13 | 468000 | 468000 | 0 | EVAPFEED | |
| Feb-81 | 2/20/81 | 28 | 242-16F | 408000 | 477000 | 0 | EVAPCONC | |
| Feb-81 | 2/20/81 | 25 | 242-1F | 157000 | 183000 | 0 | EVAPCONC | |
| Feb-81 | 2/20/81 | 31 | 242-1H | 57000 | 57000 | 0 | EVAPCONC | |
| Feb-81 | 2/20/81 | 29 | 242-1H | 190000 | 231000 | 0 | EVAPCONC | |
| Feb-81 | 12/26/81 | 37 | 31 | 62000 | 67000 | 0 | CONCSN | |
| Mar-81 | 2/12/81 | 26 | 28 | 123000 | 127000 | 0 | CONCSN | |
| Mar-81 | 2/25/81 | 13 | 37 | 211000 | 224000 | 0 | CONCSN | |
| Mar-81 | 2/26/81 | 26 | 18 | 126000 | 130000 | 0 | SALTRW | |
| Mar-81 | 3/2/81 | 26 | 27 | 25000 | 25000 | 0 | MISCADD/TRAN | Cond. of Evaporator Vent |
| Mar-81 | 3/3/81 | 26 | 28 | 104000 | 108000 | 0 | CONCSN | |
| Mar-81 | 3/4/81 | 7 | 18 | 19000 | 23000 | 0 | SALTRW | |
| Mar-81 | 3/5/81 | 37 | 29 | 179000 | 187000 | 0 | CONCSN | |
| Mar-81 | 3/6/81 | 7 | 18 | 12000 | 13000 | 0 | SALTRW | |
| Mar-81 | 3/7/81 | 26 | 28 | 36000 | 38000 | 0 | CONCSN | |
| Mar-81 | 3/8/81 | 7 | 18 | 43000 | 45000 | 0 | SALTRW | |
| Mar-81 | 3/8/81 | 26 | 28 | 54000 | 55000 | 0 | CONCSN | |
| Mar-81 | 3/9/81 | 13 | 36 | 196000 | 211000 | 0 | CONCSN | |
| Mar-81 | 3/11/81 | 7 | 18 | 35000 | 36000 | 0 | SALTRW | |
| Mar-81 | 3/14/81 | 26 | 28 | 72000 | 74000 | 0 | CONCSN | |
| Mar-81 | 3/15/81 | 7 | 18 | 90000 | 92000 | 0 | SALTRW | |
| Mar-81 | 3/17/81 | 37 | 31 | 177000 | 186000 | 0 | CONCSN | |
| Mar-81 | 3/18/81 | 36 | 31 | 18000 | 20000 | 0 | CONCSN | |
| Mar-81 | 3/20/81 | 36 | 29 | 158000 | 168000 | 0 | CONCSN | |
| Mar-81 | 3/20/81 | 23 | 44H-245 | 0 | 28000 | 0 | NONCANYWASTE | |
| Mar-81 | 3/20/81 | 23 | 242-1H | 0 | 8000 | 0 | OVERSPEC | |
| Mar-81 | 3/20/81 | CRC | 23 | 0 | 157000 | 0 | RBOF-RRF | |
| Mar-81 | 3/20/81 | 23 | CRC | 0 | 5000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Mar-81 | 3/20/81 | 28 | | 0 | 2000 | 0 | MISCADD/TRAN | Evaporator Flush Water |
| Mar-81 | 3/20/81 | 19 | | 0 | 246000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Mar-81 | 3/20/81 | 1 | | 0 | 12000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Mar-81 | 3/20/81 | 242-1F | 7 | 305000 | 305000 | 0 | EVAPFEED | |
| Mar-81 | 3/20/81 | 242-16 | 26 | 665000 | 665000 | 0 | EVAPFEED | |
| Mar-81 | 3/20/81 | 242-1H | 13 | 535000 | 535000 | 0 | EVAPFEED | |
| Mar-81 | 3/20/81 | 28 | 242-16F | 440000 | 478000 | 0 | EVAPCONC | |
| Mar-81 | 3/20/81 | 25 | 242-1F | 167000 | 191000 | 0 | EVAPCONC | |
| Mar-81 | 3/20/81 | 31 | 242-1H | 224000 | 224000 | 0 | EVAPCONC | |
| Mar-81 | 3/20/81 | 29 | 242-1H | 108000 | 130000 | 0 | EVAPCONC | |
| Mar-81 | 3/21/81 | 28 | 28 | 156000 | 161000 | 0 | CONCSN | |
| Apr-81 | 3/23/81 | 28 | 27 | 15000 | 16000 | 0 | SALTRW | |
| Apr-81 | 3/23/81 | 13 | 32 | 312000 | 322000 | 0 | HHW | |
| Apr-81 | 3/25/81 | 7 | 18 | 154000 | 158000 | 0 | SALTRW | |
| Apr-81 | 3/29/81 | 28 | 27 | 162000 | 167000 | 0 | CONCSN | |
| Apr-81 | 3/30/81 | 18 | 19 | 660000 | 680000 | 0 | SALTRW | |
| Apr-81 | 4/1/81 | 13 | 32 | 160000 | 163000 | 0 | HHW | |
| Apr-81 | 4/8/81 | 7 | 26 | 143000 | 148000 | 0 | SALTRW | |
| Apr-81 | 4/10/81 | 13 | 36 | 170000 | 183000 | 0 | CONCSN | |
| Apr-81 | 4/11/81 | 28 | 28 | 278000 | 286000 | 0 | CONCSN | |
| Apr-81 | 4/14/81 | 28 | 25 | 177000 | 182000 | 0 | CONCSN | |
| Apr-81 | 4/14/81 | 36 | 31 | 180000 | 193000 | 0 | CONCSN | |
| Apr-81 | 4/16/81 | 26 | 27 | 18000 | 19000 | 0 | SALTRW | |
| Apr-81 | 4/19/81 | 13 | 37 | 211000 | 233000 | 0 | CONCSN | |
| Apr-81 | 4/20/81 | 23 | 44H-245 | 0 | 30000 | 0 | NONCANYWASTE | |
| Apr-81 | 4/20/81 | 26 | 242-16F | 0 | 14000 | 0 | OVERSPEC | |
| Apr-81 | 4/20/81 | CRC | 23 | 0 | 9000 | 0 | RBOF-RRF | |
| Apr-81 | 4/20/81 | 23 | CRC | 0 | 8000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Apr-81 | 4/20/81 | 23 | 242-1H | 0 | 20000 | 0 | OVERSPEC | |
| Apr-81 | 4/20/81 | 19 | | 0 | 285000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-81 | 4/20/81 | 1 | | 0 | 5000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Apr-81 | 4/20/81 | 242-1F | 7 | 397000 | 397000 | 0 | EVAPFEED | |
| Apr-81 | 4/20/81 | 242-16 | 26 | 790000 | 804000 | 0 | EVAPFEED | |
| Apr-81 | 4/20/81 | 242-1H | 13 | 689000 | 689000 | 0 | EVAPFEED | |
| Apr-81 | 4/20/81 | 28 | 242-16F | 536000 | 571000 | 0 | EVAPCONC | |
| Apr-81 | 4/20/81 | 25 | 242-1F | 161000 | 192000 | 0 | EVAPCONC | |
| Apr-81 | 4/20/81 | 31 | 242-1H | 181000 | 181000 | 0 | EVAPCONC | |
| Apr-81 | 4/20/81 | 29 | 242-1H | 201000 | 221000 | 0 | EVAPCONC | |
| May-81 | 4/22/81 | 37 | 29 | 22000 | 24000 | 0 | CONCSN | |
| May-81 | 4/25/81 | 28 | 28 | 271000 | 280000 | 0 | CONCSN | |
| May-81 | 4/27/81 | 7 | 26 | 256000 | 264000 | 0 | CONCSN | |
| May-81 | 4/29/81 | 13 | 37 | 200000 | 221000 | 0 | CONCSN | |
| May-81 | 5/1/81 | 37 | 29 | 184000 | 198000 | 0 | CONCSN | |
| May-81 | 5/4/81 | 26 | 28 | 293000 | 302000 | 0 | CONCSN | |
| May-81 | 5/4/81 | 26 | 27 | 16000 | 16600 | 0 | SALTRW | |
| May-81 | 5/4/81 | 18 | 19 | 36000 | 37000 | 0 | SALTRW | |
| May-81 | 5/4/81 | 37 | 31 | 151000 | 153000 | 0 | CONCSN | |
| May-81 | 5/7/81 | 26 | 25 | 170000 | 175000 | 0 | CONCSN | |
| May-81 | 5/9/81 | 13 | 32 | 194000 | 207000 | 0 | HHW | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| May-81 | 5/9/81 | 37 | 32 | 35000 | 36000 | 0 | HFW | | |
| May-81 | 5/14/81 | 7 | 26 | 223000 | 230000 | 0 | CONCSN | | |
| May-81 | 5/18/81 | 13 | 36 | 189000 | 202000 | 0 | CONCSN | | |
| May-81 | 5/20/81 | 21 | 44H-245 | 0 | 4000 | 0 | NONCANYWASTE | | |
| May-81 | 5/20/81 | 23 | 44H-245 | 0 | 39000 | 0 | NONCANYWASTE | | |
| May-81 | 5/20/81 | 7 | 242-1F | 0 | 2000 | 0 | OVERSPEC | | |
| May-81 | 5/20/81 | 26 | 242-16F | 0 | 5000 | 0 | OVERSPEC | | |
| May-81 | 5/20/81 | 23 | 242-1H | 0 | 1000 | 0 | OVERSPEC | | |
| May-81 | 5/20/81 | 242-1F | 7 | 454000 | 454000 | 0 | EVAPFEED | | |
| May-81 | 5/20/81 | 242-16 | 26 | 750000 | 864000 | 0 | EVAPFEED | | |
| May-81 | 5/20/81 | 242-1H | 13 | 664000 | 664000 | 0 | EVAPFEED | | |
| May-81 | 5/20/81 | 28 | 242-16F | 636000 | 679000 | 0 | EVAPCONC | | |
| May-81 | 5/20/81 | 25 | 242-1F | 263000 | 309000 | 0 | EVAPCONC | | |
| May-81 | 5/20/81 | 31 | 242-1H | 226000 | 226000 | 0 | EVAPCONC | | |
| May-81 | 5/20/81 | 29 | 242-1H | 144000 | 169000 | 0 | EVAPCONC | | |
| May-81 | 5/21/81 | 26 | 28 | 217000 | 224000 | 0 | CONCSN | | |
| Jun-81 | 5/15/81 | 26 | 25 | 156000 | 161000 | 0 | CONCSN | | |
| Jun-81 | 5/22/81 | 26 | 27 | 116000 | 120000 | 0 | SALTRW | | |
| Jun-81 | 5/27/81 | 7 | 26 | 229000 | 236000 | 0 | SNATE | | |
| Jun-81 | 5/27/81 | 13 | 11 | 1000 | 1100 | 0 | LHW | | |
| Jun-81 | 5/28/81 | 26 | 28 | 54000 | 56000 | 0 | CONCSN | | |
| Jun-81 | 5/31/81 | 26 | 18 | 57000 | 59000 | 0 | SALTRW | | |
| Jun-81 | 6/1/81 | 26 | 28 | 22000 | 23000 | 0 | CONCSN | | |
| Jun-81 | 6/2/81 | 26 | 28 | 206000 | 212000 | 0 | CONCSN | | |
| Jun-81 | 6/5/81 | 13 | 11 | 313000 | 323000 | 0 | LHW | | |
| Jun-81 | 6/6/81 | 26 | 25 | 202000 | 208000 | 0 | CONCSN | | |
| Jun-81 | 6/7/81 | 7 | 18 | 134000 | 138000 | 0 | SALTRW | | |
| Jun-81 | 6/9/81 | 26 | 28 | 76000 | 77000 | 0 | CONCSN | | |
| Jun-81 | 6/15/81 | 26 | 28 | 288000 | 297000 | 0 | CONCSN | | |
| Jun-81 | 6/16/81 | 13 | 36 | 142000 | 155000 | 0 | CONCSN | | |
| Jun-81 | 6/17/81 | 13 | 22 | 66000 | 67000 | 0 | LHW | | |
| Jun-81 | 6/20/81 | 47 | 26 | 97000 | 100000 | 0 | SNATE | | |
| Jun-81 | 6/20/81 | 23 | 44H-245 | 0 | 39000 | 0 | NONCANYWASTE | | |
| Jun-81 | 6/20/81 | 23 | 242-1H | 0 | 4000 | 0 | OVERSPEC | | |
| Jun-81 | 6/20/81 | CRC | 23 | 0 | 22000 | 0 | RBOF-RRF | | |
| Jun-81 | 6/20/81 | 23 | CRC | 0 | 3000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Jun-81 | 6/20/81 | 7 | | 0 | 7800 | 0 | MISCADD/TRAN | FDB-1 Catch Tank | |
| Jun-81 | 6/20/81 | 242-1F | 7 | 469000 | 477000 | 0 | EVAPFEED | | |
| Jun-81 | 6/20/81 | 242-16 | 26 | 911000 | 911000 | 0 | EVAPFEED | | |
| Jun-81 | 6/20/81 | 242-1H | 13 | 538000 | 538000 | 0 | EVAPFEED | | |
| Jun-81 | 6/20/81 | 28 | 242-16F | 688000 | 724000 | 0 | EVAPCONC | | |
| Jun-81 | 6/20/81 | 25 | 242-1F | 317000 | 345000 | 0 | EVAPCONC | | |
| Jun-81 | 6/20/81 | 31 | 242-1H | 74000 | 74000 | 0 | EVAPCONC | | |
| Jun-81 | 6/20/81 | 36 | 242-1H | 231000 | 241000 | 0 | EVAPCONC | | |
| Jul-81 | 6/23/81 | 26 | 25 | 185000 | 191000 | 0 | CONCSN | | |
| Jul-81 | 6/24/81 | 13 | 37 | 84000 | 91000 | 0 | CONCSN | | |
| Jul-81 | 6/25/81 | 47 | 18 | 350000 | 360000 | 0 | SALTRW | | |
| Jul-81 | 6/26/81 | 47 | 18 | 41000 | 42000 | 0 | SALTRW | | |
| Jul-81 | 6/27/81 | 13 | 36 | 119000 | 130000 | 0 | CONCSN | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jul-81 | 6/28/81 | 7 | 18 | 168000 | 173000 | 0 | SALTRW | | |
| Jul-81 | 6/28/81 | 26 | 28 | 337000 | 348000 | 0 | CONCSN | | |
| Jul-81 | 6/29/81 | 24 | 23 | 208000 | 223000 | 0 | RBOF-RRF | | |
| Jul-81 | 7/7/81 | 18 | 19 | 342000 | 353000 | 0 | SALTRW | | |
| Jul-81 | 7/11/81 | 7 | 18 | 181000 | 186000 | 0 | SALTRW | | |
| Jul-81 | 7/11/81 | 26 | 28 | 242000 | 249000 | 0 | CONCSN | | |
| Jul-81 | 7/13/81 | 13 | 36 | 244000 | 260000 | 0 | CONCSN | | |
| Jul-81 | 7/16/81 | 18 | 19 | 155000 | 160000 | 0 | SALTRW | | |
| Jul-81 | 7/18/81 | 18 | 19 | 163000 | 168000 | 0 | SALTRW | | |
| Jul-81 | 7/19/81 | 47 | 26 | 327000 | 337000 | 0 | DILCONC | | |
| Jul-81 | 7/20/81 | 13 | 37 | 146000 | 156000 | 0 | CONCSN | | |
| Jul-81 | 7/20/81 | 13 | 36 | 9000 | 10000 | 0 | CONCSN | | |
| Jul-81 | 7/20/81 | 23 | 44H-245 | 0 | 26000 | 0 | NONCANYWASTE | | |
| Jul-81 | 7/20/81 | 23 | 242-1H | 0 | 6000 | 0 | OVERSPEC | | |
| Jul-81 | 7/20/81 | CRC | 23 | 0 | 150000 | 0 | RBOF-RRF | | |
| Jul-81 | 7/20/81 | 23 | CRC | 0 | 11000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Jul-81 | 7/20/81 | 19 | | 0 | 188000 | 0 | MISCADD/TRAN | Inhibited Water Addition | |
| Jul-81 | 7/20/81 | 24 | | 0 | 43000 | 0 | MISCADD/TRAN | Inhibited Water Addition | |
| Jul-81 | 7/20/81 | 9 | | 0 | 3000 | 0 | MISCADD/TRAN | Cooling Coil Water Leak | |
| Jul-81 | 7/20/81 | 242-1F | 7 | 277000 | 277000 | 0 | EVAPFEED | | |
| Jul-81 | 7/20/81 | 242-16 | 26 | 742000 | 742000 | 0 | EVAPFEED | | |
| Jul-81 | 7/20/81 | 242-1H | 13 | 640000 | 640000 | 0 | EVAPFEED | | |
| Jul-81 | 7/20/81 | 28 | 242-16F | 539000 | 612000 | 0 | EVAPCONC | | |
| Jul-81 | 7/20/81 | 25 | 242-1F | 106000 | 136000 | 0 | EVAPCONC | | |
| Jul-81 | 7/20/81 | 36 | 242-1H | 422000 | 442000 | 0 | EVAPCONC | | |
| Aug-81 | 7/22/81 | 18 | 19 | 113000 | 117000 | 0 | SALTRW | | |
| Aug-81 | 7/22/81 | 13 | 36 | 94000 | 100000 | 0 | CONCSN | | |
| Aug-81 | 7/24/81 | 7 | 18 | 129000 | 135000 | 0 | SALTRW | | |
| Aug-81 | 7/27/81 | 26 | 28 | 383000 | 395000 | 0 | CONCSN | | |
| Aug-81 | 7/29/81 | 13 | 36 | 150000 | 162000 | 0 | CONCSN | | |
| Aug-81 | 7/30/81 | 47 | 18 | 205000 | 211000 | 0 | SALTRW | | |
| Aug-81 | 7/31/81 | 18 | 19 | 22000 | 23000 | 0 | SALTRW | | |
| Aug-81 | 8/2/81 | 26 | 27 | 345000 | 355000 | 0 | SALTRW | | |
| Aug-81 | 8/6/81 | 13 | 36 | 176000 | 194000 | 0 | CONCSN | | |
| Aug-81 | 8/8/81 | 26 | 28 | 334000 | 354000 | 0 | CONCSN | | |
| Aug-81 | 8/10/81 | 18 | 20 | 130000 | 138000 | 0 | SALTRW | | |
| Aug-81 | 8/15/81 | 18 | 20 | 52000 | 54000 | 0 | SALTRW | | |
| Aug-81 | 8/20/81 | 26 | 25 | 184000 | 190000 | 0 | CONCSN | | |
| Aug-81 | 8/20/81 | 23 | 44H-245 | 0 | 32000 | 0 | NONCANYWASTE | | |
| Aug-81 | 8/20/81 | 23 | 242-1H | 0 | 5000 | 0 | OVERSPEC | | |
| Aug-81 | 8/20/81 | CRC | 23 | 0 | 27000 | 0 | RBOF-RRF | | |
| Aug-81 | 8/20/81 | 23 | CRC | 0 | 18000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Aug-81 | 8/20/81 | 17 | | 0 | 2900 | 0 | NONCANYWASTE | 100 Area Waste | |
| Aug-81 | 8/20/81 | 19 | | 0 | 44000 | 0 | MISCADD/TRAN | Inhibited Water Addition | |
| Aug-81 | 8/20/81 | 24 | | 0 | 14000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Aug-81 | 8/20/81 | | 15 | 5000 | 0 | 0 | MISCADD/TRAN | Cooling | |
| Aug-81 | 8/20/81 | | 30 | 5000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Aug-81 | 8/20/81 | 242-1F | 7 | 244000 | 244000 | 0 | EVAPFEED | | |
| Aug-81 | 8/20/81 | 242-16 | 26 | 732000 | 732000 | 0 | EVAPFEED | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-81 | 8/20/81 | 242-1H | 13 | 451000 | 451000 | 0 | EVAPFEED | |
| Aug-81 | 8/20/81 | 28 | 242-16F | 553000 | 603000 | 0 | EVAPCONC | |
| Aug-81 | 8/20/81 | 25 | 242-1F | 112000 | 138000 | 0 | EVAPCONC | |
| Aug-81 | 8/20/81 | 38 | 242-1H | 309000 | 358000 | 0 | EVAPCONC | |
| Sep-81 | 8/23/81 | 7 | 8 | 225000 | 227000 | 0 | LHW | |
| Sep-81 | 8/24/81 | 26 | 47 | 170000 | 175000 | 0 | SALTRW | |
| Sep-81 | 9/2/81 | 26 | 28 | 10000 | 12000 | 0 | CONCSN | |
| Sep-81 | 9/2/81 | 38 | 13 | 107000 | 121000 | 0 | CONCSN | |
| Sep-81 | 9/3/81 | 18 | 20 | 160000 | 168000 | 0 | SALTRW | |
| Sep-81 | 9/4/81 | 26 | 28 | 61000 | 72000 | 0 | CONCSN | |
| Sep-81 | 9/6/81 | 7 | 18 | 328000 | 245000 | 0 | SALTRW | |
| Sep-81 | 9/9/81 | 18 | 20 | 44000 | 47000 | 0 | SALTRW | |
| Sep-81 | 9/10/81 | 13 | 38 | 295000 | 320000 | 0 | CONCSN | |
| Sep-81 | 9/10/81 | 38 | 13 | 5000 | 6000 | 0 | CONCSN | |
| Sep-81 | 9/12/81 | 26 | 28 | 306000 | 316000 | 0 | CONCSN | |
| Sep-81 | 9/15/81 | 38 | 13 | 5000 | 6000 | 0 | CONCSN | |
| Sep-81 | 9/18/81 | 38 | 13 | 4000 | 5000 | 0 | CONCSN | |
| Sep-81 | 9/20/81 | 23 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | |
| Sep-81 | 9/20/81 | 23 | 242-1H | 0 | 7000 | 0 | OVERSPEC | |
| Sep-81 | 9/20/81 | CRC | 23 | 0 | 19000 | 0 | RBOF-RRF | |
| Sep-81 | 9/20/81 | 23 | CRC | 0 | 2000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Sep-81 | 9/20/81 | 17 | | 0 | 4600 | 0 | NONCANYWASTE | 100 Area Waste |
| Sep-81 | 9/20/81 | 24 | | 0 | 71000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Sep-81 | 9/20/81 | 17 | | 0 | 12000 | 0 | MISCADD/TRAN | RTClib./Repl. or Inv. change |
| Sep-81 | 9/20/81 | | 35 | 3000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Sep-81 | 9/20/81 | 242-1F | 7 | 315000 | 315000 | 0 | EVAPFEED | |
| Sep-81 | 9/20/81 | 242-16 | 26 | 698000 | 698000 | 0 | EVAPFEED | |
| Sep-81 | 9/20/81 | 242-1H | 13 | 520000 | 520000 | 0 | EVAPFEED | |
| Sep-81 | 9/20/81 | 28 | 242-16F | 504000 | 547000 | 0 | EVAPCONC | |
| Sep-81 | 9/20/81 | 25 | 242-1F | 121300 | 150000 | 0 | EVAPCONC | |
| Sep-81 | 9/20/81 | 37 | 242-1H | 24000 | 24000 | 0 | EVAPCONC | |
| Sep-81 | 9/20/81 | 36 | 242-1H | 400000 | 452000 | 0 | EVAPCONC | |
| Oct-81 | 9/21/81 | 26 | 28 | 206000 | 212000 | 0 | CONCSN | |
| Oct-81 | 9/23/81 | 13 | 37 | 257000 | 277000 | 0 | CONCSN | |
| Oct-81 | 9/23/81 | 38 | 13 | 5000 | 6000 | 0 | CONCSN | |
| Oct-81 | 9/24/81 | 7 | 26 | 75000 | 76000 | 0 | SNATE | |
| Oct-81 | 9/26/81 | 26 | 47 | 161000 | 166000 | 0 | SALTRW | |
| Oct-81 | 10/6/81 | 26 | 28 | 293000 | 306000 | 0 | CONCSN | |
| Oct-81 | 10/12/81 | 26 | 25 | 163000 | 168000 | 0 | CONCSN | |
| Oct-81 | 10/19/81 | 26 | 28 | 187000 | 193000 | 0 | CONCSN | |
| Oct-81 | 10/20/81 | 23 | 44H-245 | 0 | 37000 | 0 | NONCANYWASTE | |
| Oct-81 | 10/20/81 | 26 | 242-16F | 0 | 25000 | 0 | OVERSPEC | |
| Oct-81 | 10/20/81 | CRC | 23 | 0 | 131000 | 0 | RBOF-RRF | |
| Oct-81 | 10/20/81 | 23 | CRC | 0 | 22000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Oct-81 | 10/20/81 | | 35 | 5000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Oct-81 | 10/20/81 | 24 | | 0 | 92000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Oct-81 | 10/20/81 | 9 | | 0 | 6000 | 0 | MISCADD/TRAN | RTClib./Repl. or Inv. change |
| Oct-81 | 10/20/81 | 242-1F | 7 | 81000 | 81000 | 0 | EVAPFEED | |
| Oct-81 | 10/20/81 | 242-16 | 26 | 804000 | 828000 | 0 | EVAPFEED | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-81 | 10/20/81 | 28 | 242-16F | 635000 | 669000 | 0 | EVAPCONC | | |
| Oct-81 | 10/20/81 | 25 | 242-1F | 26000 | 35000 | 0 | EVAPCONC | | |
| Nov-81 | 10/26/81 | 26 | 28 | 186000 | 192000 | 0 | CONCSN | | |
| Nov-81 | 11/2/81 | 7 | 28 | 270000 | 278000 | 0 | SNATE | | |
| Nov-81 | 11/4/81 | 26 | 47 | 224000 | 231000 | 0 | SALTRW | | |
| Nov-81 | 11/9/81 | 26 | 25 | 187000 | 193000 | 0 | CONCSN | | |
| Nov-81 | 11/12/81 | 26 | 28 | 93000 | 100000 | 0 | CONCSN | | |
| Nov-81 | 11/15/81 | 37 | 29 | 192000 | 196000 | 0 | CONCSN | | |
| Nov-81 | 11/17/81 | 7 | 26 | 107000 | 109000 | 0 | SNATE | | |
| Nov-81 | 11/18/81 | 37 | 31 | 93000 | 96000 | 0 | CONCSN | | |
| Nov-81 | 11/20/81 | 26 | 28 | 128000 | 135000 | 0 | CONCSN | | |
| Nov-81 | 11/20/81 | 23 | 44H-245 | 0 | 33000 | 0 | NONCANYWASTE | | |
| Nov-81 | 11/20/81 | CRC | 23 | 0 | 214000 | 0 | RBOF-RRF | | |
| Nov-81 | 11/20/81 | 23 | CRC | 0 | 18000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Nov-81 | 11/20/81 | 17 | | 0 | 5800 | 0 | NONCANYWASTE | 100 Area Waste | |
| Nov-81 | 11/20/81 | | 35 | 3000 | 0 | 0 | MISCADD/TRAN | Cooling | |
| Nov-81 | 11/20/81 | 24 | | 0 | 45000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Nov-81 | 11/20/81 | 242-1F | 7 | 420000 | 420000 | 0 | EVAPFEED | | |
| Nov-81 | 11/20/81 | 242-16 | 26 | 787000 | 787000 | 0 | EVAPFEED | | |
| Nov-81 | 11/20/81 | 28 | 242-16F | 615000 | 651000 | 0 | EVAPCONC | | |
| Nov-81 | 11/20/81 | 25 | 242-1F | 238000 | 273000 | 0 | EVAPCONC | | |
| Nov-81 | 11/26/81 | 26 | 28 | 225000 | 230000 | 0 | CONCSN | | |
| Dec-81 | 11/21/81 | 26 | 28 | 208000 | 219000 | 0 | CONCSN | | |
| Dec-81 | 11/21/81 | 36 | 31 | 55000 | 57000 | 0 | CONCSN | | |
| Dec-81 | 11/26/81 | 7 | 26 | 230000 | 236000 | 0 | CONCSN | | |
| Dec-81 | 11/29/81 | 26 | 25 | 178000 | 183000 | 0 | CONCSN | | |
| Dec-81 | 12/2/81 | 26 | 28 | 283000 | 292000 | 0 | CONCSN | | |
| Dec-81 | 12/12/81 | 18 | 20 | 152000 | 159000 | 0 | SALTRW | | |
| Dec-81 | 12/14/81 | 26 | 28 | 274000 | 282000 | 0 | CONCSN | | |
| Dec-81 | 12/17/81 | 7 | 26 | 178000 | 189000 | 0 | CONCSN | | |
| Dec-81 | 12/20/81 | 23 | 44H-245 | 0 | 24000 | 0 | NONCANYWASTE | | |
| Dec-81 | 12/20/81 | 23 | CRC | 0 | 0 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Dec-81 | 12/20/81 | 24 | | 0 | 50000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Dec-81 | 12/20/81 | 242-1F | 7 | 325000 | 325000 | 0 | EVAPFEED | | |
| Dec-81 | 12/20/81 | 242-16 | 26 | 839000 | 839000 | 0 | EVAPFEED | | |
| Dec-81 | 12/20/81 | 28 | 242-16F | 655000 | 676000 | 0 | EVAPCONC | | |
| Dec-81 | 12/20/81 | 25 | 242-1F | 236000 | 273000 | 0 | EVAPCONC | | |
| Jan-82 | 12/22/81 | 26 | 25 | 230000 | 251000 | 0 | CONCSN | | |
| Jan-82 | 12/29/81 | 41 | 38 | 134000 | 145000 | 0 | CONCSN | | |
| Jan-82 | 12/30/81 | 26 | 28 | 335000 | 345000 | 0 | CONCSN | | |
| Jan-82 | 12/31/81 | 7 | 18 | 120000 | 121000 | 0 | SALTRW | | |
| Jan-82 | 1/9/82 | 26 | 47 | 211000 | 217000 | 0 | LHW | | |
| Jan-82 | 1/12/82 | 26 | 28 | 20000 | 21000 | 0 | CONCSN | | |
| Jan-82 | 1/12/82 | 41 | 38 | 34000 | 35000 | 0 | MISCADD/TRAN | Inhibited Water | |
| Jan-82 | 1/17/82 | 26 | 28 | 216000 | 222000 | 0 | CONCSN | | |
| Jan-82 | 1/20/82 | 23 | 44H-245 | 0 | 61000 | 0 | NONCANYWASTE | | |
| Jan-82 | 1/20/82 | 23 | CRC | 0 | 0 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Jan-82 | 1/20/82 | 7 | | 0 | 36000 | 0 | MISCADD/TRAN | FDB-1 Catch Tank | |
| Jan-82 | 1/20/82 | 19 | | 0 | 87000 | 0 | MISCADD/TRAN | Inhibited Water Addition | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jan-82 | 1/20/82 | | 35 | 2000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Jan-82 | 1/20/82 | 15 | | 0 | 0 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Jan-82 | 1/20/82 | 24 | | 0 | 0 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Jan-82 | 1/20/82 | 13 | | 0 | 0 | 0 | MISCADD/TRAN | Flush Water |
| Jan-82 | 1/20/82 | 38 | | 0 | 0 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Jan-82 | 1/20/82 | 23 | | 0 | 0 | 0 | MISCADD/TRAN | Side Wall Sump Water |
| Jan-82 | 1/20/82 | 242-1F | 7 | 203000 | 206000 | 0 | EVAPFEED | |
| Jan-82 | 1/20/82 | 242-16 | 26 | 728000 | 728000 | 0 | EVAPFEED | |
| Jan-82 | 1/20/82 | 28 | 242-16F | 537000 | 587000 | 0 | EVAPCONC | |
| Jan-82 | 1/20/82 | 25 | 242-1F | 151000 | 161000 | 0 | EVAPCONC | |
| Feb-82 | 1/27/82 | 26 | 28 | 230000 | 251000 | 0 | CONCSN | |
| Feb-82 | 1/31/82 | 26 | 28 | 335000 | 345000 | 0 | CONCSN | |
| Feb-82 | 2/6/82 | 26 | 25 | 120000 | 121000 | 0 | CONCSN | |
| Feb-82 | 2/10/82 | 26 | 28 | 211000 | 217000 | 0 | CONCSN | |
| Feb-82 | 2/10/82 | 41 | 24 | 44000 | 53000 | 0 | CONCSN | |
| Feb-82 | 2/11/82 | 7 | 26 | 20000 | 21000 | 0 | SNATE | |
| Feb-82 | 2/11/82 | 39 | 31 | 27000 | 28000 | 0 | CONCSN | |
| Feb-82 | 2/11/82 | 13 | 31 | 17000 | 18000 | 0 | CONCSN | |
| Feb-82 | 2/20/82 | 26 | 28 | 216000 | 222000 | 0 | CONCSN | |
| Feb-82 | 2/20/82 | 13 | 36 | 91000 | 101000 | 0 | CONCSN | |
| Feb-82 | 2/20/82 | 23 | 44H-245 | 0 | 229000 | 0 | NONCANYWASTE | |
| Feb-82 | 2/20/82 | 26 | 242-16F | 0 | 3000 | 0 | OVERSPEC | |
| Feb-82 | 2/20/82 | CRC | 23 | 0 | 66000 | 0 | RBOF-RRF | |
| Feb-82 | 2/20/82 | 23 | CRC | 0 | 5000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Feb-82 | 2/20/82 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | FDB-1 Catch Tank |
| Feb-82 | 2/20/82 | 19 | | 0 | 35000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Feb-82 | 2/20/82 | 15 | | 0 | 94000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-82 | 2/20/82 | 24 | | 0 | 63000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-82 | 2/20/82 | 38 | | 0 | 9000 | 0 | MISCADD/TRAN | Flush Water |
| Feb-82 | 2/20/82 | 23 | | 0 | 10000 | 0 | MISCADD/TRAN | Side Wall Sump Water |
| Feb-82 | 2/20/82 | 242-1F | 7 | 305000 | 312000 | 0 | EVAPFEED | |
| Feb-82 | 2/20/82 | 242-16 | 26 | 861000 | 861000 | 0 | EVAPFEED | |
| Feb-82 | 2/20/82 | 242-1H | 13 | 176000 | 176000 | 0 | EVAPFEED | |
| Feb-82 | 2/20/82 | 28 | 242-16F | 681000 | 727000 | 0 | EVAPCONC | |
| Feb-82 | 2/20/82 | 25 | 242-1F | 212000 | 241000 | 0 | EVAPCONC | |
| Feb-82 | 2/20/82 | 31 | 242-1H | 121000 | 128000 | 0 | EVAPCONC | |
| Mar-82 | 2/25/82 | 7 | 18 | 182000 | 192000 | 0 | SALTRW | |
| Mar-82 | 3/1/82 | 13 | 36 | 388000 | 428000 | 0 | CONCSN | |
| Mar-82 | 3/3/82 | 42 | 15 | 403000 | 403000 | 16 | SLSLURRY | |
| Mar-82 | 3/3/82 | 36 | 31 | 150000 | 157000 | 0 | CONCSN | |
| Mar-82 | 3/9/82 | 42 | 24 | 10000 | 18000 | 0 | DISSALT | |
| Mar-82 | 3/11/82 | 36 | 29 | 203000 | 211000 | 0 | CONCSN | |
| Mar-82 | 3/13/82 | 42 | 15 | 301000 | 301000 | 16 | SLSLURRY | |
| Mar-82 | 3/14/82 | 13 | 36 | 51000 | 54000 | 0 | CONCSN | |
| Mar-82 | 3/17/82 | 44 | 26 | 42000 | 47000 | 0 | SNATE | |
| Mar-82 | 3/20/82 | 13 | 36 | 252000 | 271000 | 0 | CONCSN | |
| Mar-82 | 3/20/82 | 21 | 44H-245 | 0 | 3000 | 0 | NONCANYWASTE | |
| Mar-82 | 3/20/82 | 23 | 44H-245 | 0 | 59000 | 0 | NONCANYWASTE | |
| Mar-82 | 3/20/82 | 23 | 242-1H | 0 | 13000 | 0 | OVERSPEC | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Mar-82 | 3/20/82 | CRC | 23 | 0 | 20000 | 0 | RBOF-RRF | |
| Mar-82 | 3/20/82 | 23 | CRC | 0 | 11000 | 0 | NONCANYWASTE | Off Spec CRC Effluent |
| Mar-82 | 3/20/82 | 24 | | 0 | 22000 | 0 | MISCADD/TRAN | Flush Water |
| Mar-82 | 3/20/82 | 23 | | 0 | 1000 | 0 | MISCADD/TRAN | Catch Tank |
| Mar-82 | 3/20/82 | 23 | | 0 | 6000 | 0 | MISCADD/TRAN | Side Wall sump Water |
| Mar-82 | 3/20/82 | 15 | | 0 | 166000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Mar-82 | 3/20/82 | 24 | | 0 | 5000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Mar-82 | 3/20/82 | 42 | | 0 | 53000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Mar-82 | 3/20/82 | 242-1F | 7 | 279000 | 279000 | 0 | EVAPFEED | |
| Mar-82 | 3/20/82 | 242-16 | 26 | 337000 | 337000 | 0 | EVAPFEED | |
| Mar-82 | 3/20/82 | 242-1H | 13 | 631000 | 631000 | 0 | EVAPFEED | |
| Mar-82 | 3/20/82 | 44 | 242-16F | 67000 | 67000 | 0 | EVAPCONC | |
| Mar-82 | 3/20/82 | 28 | 242-16F | 192000 | 206000 | 0 | EVAPCONC | |
| Mar-82 | 3/20/82 | 25 | 242-1F | 144000 | 182000 | 0 | EVAPCONC | |
| Mar-82 | 3/20/82 | 31 | 242-1H | 175000 | 175000 | 0 | EVAPCONC | |
| Mar-82 | 3/20/82 | 29 | 242-1H | 290000 | 290000 | 0 | EVAPCONC | |
| Mar-82 | 3/21/82 | 26 | 47 | 229000 | 258000 | 0 | FRLHW | |
| Apr-82 | 3/22/82 | 13 | 36 | 313000 | 333000 | 0 | SNATE | |
| Apr-82 | 3/23/82 | 26 | 25 | 87000 | 92000 | 0 | SNATE | |
| Apr-82 | 3/25/82 | 36 | 31 | 143000 | 152000 | 0 | SNATE | |
| Apr-82 | 3/29/82 | 36 | 29 | 179000 | 186000 | 0 | SNATE | |
| Apr-82 | 3/30/82 | 13 | 24 | 11000 | 12000 | 0 | SNATE | |
| Apr-82 | 3/30/82 | 43 | 41 | 67000 | 69000 | 0 | SNATE | |
| Apr-82 | 4/6/82 | 7 | 18 | 361000 | 372000 | 0 | SALTRW | |
| Apr-82 | 4/7/82 | 13 | 37 | 234000 | 263000 | 0 | SNATE | |
| Apr-82 | 4/8/82 | 26 | 25 | 6000 | 7000 | 0 | SNATE | |
| Apr-82 | 4/9/82 | 43 | 31 | 156000 | 162000 | 0 | SNATE | |
| Apr-82 | 4/10/82 | 7 | 18 | 59000 | 61000 | 0 | SALTRW | |
| Apr-82 | 4/10/82 | 43 | 24 | 87000 | 98000 | 0 | SNATE | |
| Apr-82 | 4/17/82 | 26 | 28 | 200000 | 206000 | 0 | SNATE | |
| Apr-82 | 4/19/82 | 43 | 24 | 321000 | 350000 | 0 | SNATE | |
| Apr-82 | 4/20/82 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | |
| Apr-82 | 4/20/82 | 23 | 44H-245 | 0 | 65000 | 0 | NONCANYWASTE | |
| Apr-82 | 4/20/82 | 26 | 242-16F | 0 | 6000 | 0 | OVERSPEC | |
| Apr-82 | 4/20/82 | 43 | 242-16H | 0 | 3000 | 0 | OVERSPEC | |
| Apr-82 | 4/20/82 | 23 | CRC | 0 | 11000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Apr-82 | 4/20/82 | 22 | | 0 | 5000 | 0 | MISCADD/TRAN | Water Leak |
| Apr-82 | 4/20/82 | 15 | | 0 | 63000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-82 | 4/20/82 | 24 | | 0 | 10000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-82 | 4/20/82 | 42 | | 0 | 59000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-82 | 4/20/82 | 242-1F | 7 | 197000 | 197000 | 0 | EVAPFEED | |
| Apr-82 | 4/20/82 | 242-16 | 26 | 322000 | 328000 | 0 | EVAPFEED | |
| Apr-82 | 4/20/82 | 242-1H | 13 | 338000 | 338000 | 0 | EVAPFEED | |
| Apr-82 | 4/20/82 | 42-16 | 43 | 53000 | 76000 | 0 | EVAPFEED | |
| Apr-82 | 4/20/82 | 44 | 242-16F | 171000 | 171000 | 0 | EVAPCONC | |
| Apr-82 | 4/20/82 | 28 | 242-16F | 64000 | 74000 | 0 | EVAPCONC | |
| Apr-82 | 4/20/82 | 41 | 242-16H | 44000 | 54000 | 0 | EVAPCONC | |
| Apr-82 | 4/20/82 | 25 | 242-1F | 118000 | 158000 | 0 | EVAPCONC | |
| Apr-82 | 4/20/82 | 31 | 242-1H | 151000 | 151000 | 0 | EVAPCONC | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-82 | 4/20/82 | 29 | 242-1H | 82000 | 94000 | 0 | EVAPCONC | |
| May-82 | 4/21/82 | 26 | 25 | 247000 | 255000 | 0 | CONCSN | |
| May-82 | 5/6/82 | 26 | 27 | 352000 | 378000 | 0 | CONCSN | |
| May-82 | 5/10/82 | 38 | 36 | 93000 | 105000 | 0 | CONCSN | |
| May-82 | 5/13/82 | 7 | 26 | 235000 | 250000 | 0 | SNATE | |
| May-82 | 5/17/82 | 13 | 36 | 104000 | 118000 | 0 | CONCSN | |
| May-82 | 5/20/82 | 23 | 44H-245 | 0 | 32000 | 0 | NONCANYWASTE | |
| May-82 | 5/20/82 | 7 | 242-1F | 0 | 1000 | 0 | OVERSPEC | |
| May-82 | 5/20/82 | 26 | 242-16F | 0 | 7000 | 0 | OVERSPEC | |
| May-82 | 5/20/82 | 43 | 242-16H | 0 | 11000 | 0 | OVERSPEC | |
| May-82 | 5/20/82 | CRC | 23 | 0 | 104000 | 0 | RBOF-RRF | |
| May-82 | 5/20/82 | 47 | | 0 | 7000 | 0 | NONCANYWASTE | 100 Area Waste |
| May-82 | 5/20/82 | 15 | | 0 | 7000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| May-82 | 5/20/82 | 24 | | 0 | 62000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| May-82 | 5/20/82 | 42 | | 0 | 30000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| May-82 | 5/20/82 | 22 | | 0 | 2000 | 0 | MISCADD/TRAN | Water Leak |
| May-82 | 5/20/82 | 31 | | 0 | 7000 | 0 | MISCADD/TRAN | |
| May-82 | 5/20/82 | 242-1F | 7 | 358000 | 359000 | 0 | EVAPFEED | |
| May-82 | 5/20/82 | 242-16 | 26 | 436000 | 447000 | 0 | EVAPFEED | |
| May-82 | 5/20/82 | 42-16 | 43 | 326000 | 346000 | 0 | EVAPFEED | |
| May-82 | 5/20/82 | 28 | 242-16F | 353000 | 374000 | 0 | EVAPCONC | |
| May-82 | 5/20/82 | 41 | 242-16H | 178000 | 205000 | 0 | EVAPCONC | |
| May-82 | 5/20/82 | 25 | 242-1F | 126000 | 168000 | 0 | EVAPCONC | |
| Jun-82 | 5/21/82 | 26 | 18 | 162000 | 172000 | 0 | SALTRW | |
| Jun-82 | 5/31/82 | 43 | 42 | 640000 | 670000 | 0 | SLUDGEWW | |
| Jun-82 | 6/11/82 | 7 | 26 | 144000 | 149000 | 0 | SNATE | |
| Jun-82 | 6/12/82 | 42 | 24 | 62000 | 72000 | 0 | SALTRW | |
| Jun-82 | 6/14/82 | 26 | 47 | 288000 | 297000 | 0 | LHW | |
| Jun-82 | 6/15/82 | 38 | 24 | 264000 | 297000 | 0 | SALTRW | |
| Jun-82 | 6/20/82 | 26 | 18 | 230000 | 255000 | 0 | SALTRW | |
| Jun-82 | 6/20/82 | 23 | 44H-245 | 0 | 43000 | 0 | NONCANYWASTE | |
| Jun-82 | 6/20/82 | 43 | 242-16H | 0 | 12000 | 0 | OVERSPEC | |
| Jun-82 | 6/20/82 | 24 | | 0 | 47000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Jun-82 | 6/20/82 | 42 | | 0 | 78000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Jun-82 | 6/20/82 | | 32 | 8000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jun-82 | 6/20/82 | 42 | | 0 | 64000 | 0 | MISCADD/TRAN | Caustic Addition |
| Jun-82 | 6/20/82 | 242-1F | 7 | 35000 | 47000 | 0 | EVAPFEED | |
| Jun-82 | 6/20/82 | 242-16 | 26 | 273000 | 273000 | 0 | EVAPFEED | |
| Jun-82 | 6/20/82 | 42-16 | 43 | 429000 | 447000 | 0 | EVAPFEED | |
| Jun-82 | 6/20/82 | 44 | 242-16F | 174000 | 185000 | 0 | EVAPCONC | |
| Jun-82 | 6/20/82 | 41 | 242-16H | 161000 | 177000 | 0 | EVAPCONC | |
| Jun-82 | 6/20/82 | 25 | 242-1F | 30000 | 36000 | 0 | EVAPCONC | |
| Jul-82 | 6/26/82 | 42 | 24 | 64000 | 77000 | 0 | SALTRW | |
| Jul-82 | 7/2/82 | 43 | 38 | 93000 | 98000 | 0 | CONCSN | |
| Jul-82 | 7/4/82 | 36 | 31 | 152000 | 167000 | 0 | CONCSN | |
| Jul-82 | 7/9/82 | 26 | 25 | 292000 | 301000 | 0 | CONCSN | |
| Jul-82 | 7/14/82 | 13 | 36 | 403000 | 437000 | 0 | CONCSN | |
| Jul-82 | 7/16/82 | 36 | 29 | 190000 | 223000 | 0 | CONCSN | |
| Jul-82 | 7/18/82 | 36 | 31 | 142000 | 149000 | 0 | CONCSN | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jul-82 | 7/20/82 | 21 | 44H-245 | 3000 | 3000 | 0 | NONCANYWASTE | | |
| Jul-82 | 7/20/82 | 23 | 44H-245 | 64000 | 64000 | 0 | NONCANYWASTE | | |
| Jul-82 | 7/20/82 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | | |
| Jul-82 | 7/20/82 | 43 | 242-16H | 0 | 13000 | 0 | OVERSPEC | | |
| Jul-82 | 7/20/82 | 23 | 242-1H | 0 | 7000 | 0 | OVERSPEC | | |
| Jul-82 | 7/20/82 | CRC | 23 | 0 | 109000 | 0 | RBOF-RRF | | |
| Jul-82 | 7/20/82 | | 9 | 9000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jul-82 | 7/20/82 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | CTS Flush | |
| Jul-82 | 7/20/82 | 28 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush Water | |
| Jul-82 | 7/20/82 | 18 | | 0 | 5000 | 0 | MISCADD/TRAN | CTS Vent | |
| Jul-82 | 7/20/82 | 24 | | 0 | 174000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Jul-82 | 7/20/82 | 42 | | 0 | 146000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Jul-82 | 7/20/82 | 242-16 | 26 | 416000 | 418000 | 0 | EVAPFEED | | |
| Jul-82 | 7/20/82 | 242-1H | 13 | 767000 | 767000 | 0 | EVAPFEED | | |
| Jul-82 | 7/20/82 | 42-16 | 43 | 324000 | 338000 | 0 | EVAPFEED | | |
| Jul-82 | 7/20/82 | 44 | 242-16F | 182600 | 208000 | 0 | EVAPCONC | | |
| Jul-82 | 7/20/82 | 41 | 242-16H | 88000 | 91000 | 0 | EVAPCONC | | |
| Jul-82 | 7/20/82 | 31 | 242-1H | 291000 | 291000 | 0 | EVAPCONC | | |
| Jul-82 | 7/20/82 | 29 | 242-1H | 222000 | 237000 | 0 | EVAPCONC | | |
| Aug-82 | 7/21/82 | 43 | 38 | 2000 | 3000 | 0 | CONCSN | | |
| Aug-82 | 7/24/82 | 13 | 36 | 92000 | 99000 | 0 | CONCSN | | |
| Aug-82 | 7/26/82 | 43 | 42 | 433000 | 452000 | 0 | SLUDGEWW | | |
| Aug-82 | 7/27/82 | 43 | 38 | 2000 | 3000 | 0 | CONCSN | | |
| Aug-82 | 8/1/82 | 13 | 35 | 427000 | 442000 | 0 | HHW | | |
| Aug-82 | 8/4/82 | 36 | 29 | 184000 | 195000 | 0 | CONCSN | | |
| Aug-82 | 8/5/82 | 26 | 47 | 36000 | 37000 | 0 | LHW | | |
| Aug-82 | 8/13/82 | 26 | 27 | 380000 | 399000 | 0 | CONCSN | | |
| Aug-82 | 8/16/82 | 13 | 36 | 323000 | 334000 | 0 | CONCSN | | |
| Aug-82 | 8/18/82 | 36 | 31 | 116000 | 127000 | 0 | CONCSN | | |
| Aug-82 | 8/20/82 | 36 | 29 | 180000 | 189000 | 0 | CONCSN | | |
| Aug-82 | 8/20/82 | 21 | 44H-245 | 0 | 19000 | 0 | NONCANYWASTE | | |
| Aug-82 | 8/20/82 | 23 | 44H-245 | 0 | 23000 | 0 | NONCANYWASTE | | |
| Aug-82 | 8/20/82 | 26 | 242-16F | 0 | 4000 | 0 | OVERSPEC | | |
| Aug-82 | 8/20/82 | 23 | 242-1H | 0 | 3000 | 0 | OVERSPEC | | |
| Aug-82 | 8/20/82 | CRC | 23 | 0 | 108000 | 0 | RBOF-RRF | | |
| Aug-82 | 8/20/82 | 24 | | 0 | 23000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Aug-82 | 8/20/82 | 9 | | 0 | 10000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Aug-82 | 8/20/82 | | 15 | 7000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Aug-82 | 8/20/82 | 42 | | 0 | 953000 | 0 | MISCADD/TRAN | | |
| Aug-82 | 8/20/82 | 38 | | 0 | 14000 | 0 | MISCADD/TRAN | Transfer Jet flush | |
| Aug-82 | 8/20/82 | 242-16 | 26 | 376000 | 380000 | 0 | EVAPFEED | | |
| Aug-82 | 8/20/82 | 242-1H | 13 | 687000 | 687000 | 0 | EVAPFEED | | |
| Aug-82 | 8/20/82 | 42-16 | 43 | 194000 | 195000 | 0 | EVAPFEED | | |
| Aug-82 | 8/20/82 | 44 | 242-16F | 180600 | 197000 | 0 | EVAPCONC | | |
| Aug-82 | 8/20/82 | 41 | 242-16H | 60000 | 60000 | 0 | EVAPCONC | | |
| Aug-82 | 8/20/82 | 31 | 242-1H | 195000 | 195000 | 0 | EVAPCONC | | |
| Aug-82 | 8/20/82 | 29 | 242-1H | 271000 | 289000 | 0 | EVAPCONC | | |
| Sep-82 | 8/29/82 | 43 | 42 | 535000 | 558000 | 0 | SLUDGEWW | | |
| Sep-82 | 8/30/82 | 13 | 36 | 240000 | 263000 | 0 | CONCSN | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Sep-82 | 9/1/82 | 36 | 31 | 129000 | 137000 | 0 | CONCSN | |
| Sep-82 | 9/3/82 | 38 | 43 | 380000 | 403000 | 0 | SLUDGEWW | |
| Sep-82 | 9/4/82 | 45 | 28 | 24570 | 35100 | 0 | SNATE | |
| Sep-82 | 9/5/82 | 13 | 35 | 90000 | 99000 | 0 | HHW | |
| Sep-82 | 9/7/82 | 43 | 42 | 441000 | 451000 | 0 | SLUDGEWW | |
| Sep-82 | 9/8/82 | 36 | 29 | 127000 | 134000 | 0 | CONCSN | |
| Sep-82 | 9/9/82 | 37 | 29 | 72000 | 78000 | 0 | CONCSN | |
| Sep-82 | 9/13/82 | 26 | 33 | 332000 | 342000 | 0 | CONCSN | |
| Sep-82 | 9/15/82 | 13 | 36 | 213000 | 233000 | 0 | CONCSN | |
| Sep-82 | 9/17/82 | 26 | 47 | 210000 | 218000 | 0 | LHW | |
| Sep-82 | 9/18/82 | 37 | 31 | 115000 | 130000 | 0 | CONCSN | |
| Sep-82 | 9/20/82 | 13 | 21 | 107000 | 111000 | 0 | LHW | |
| Sep-82 | 9/20/82 | 21 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | |
| Sep-82 | 9/20/82 | 23 | 44H-245 | 0 | 50000 | 0 | NONCANYWASTE | |
| Sep-82 | 9/20/82 | 13 | 242-1H | 0 | 81000 | 0 | OVERSPEC | |
| Sep-82 | 9/20/82 | 43 | 242-16H | 0 | 580000 | 0 | OVERSPEC | |
| Sep-82 | 9/20/82 | 23 | 242-1H | 0 | 7000 | 0 | OVERSPEC | |
| Sep-82 | 9/20/82 | CRC | 23 | 0 | 14000 | 0 | RBOF-RRF | |
| Sep-82 | 9/20/82 | 24 | | 0 | 3000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Sep-82 | 9/20/82 | 42 | | 0 | 92000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Sep-82 | 9/20/82 | 42 | | 0 | 726000 | 0 | MISCADD/TRAN | |
| Sep-82 | 9/20/82 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Sep-82 | 9/20/82 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | Catch Tank Water |
| Sep-82 | 9/20/82 | | 14 | 11000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-82 | 9/20/82 | 11 | | 0 | 4000 | 0 | MISCADD/TRAN | Rain Water |
| Sep-82 | 9/20/82 | 242-16 | 26 | 532000 | 535000 | 0 | EVAPFEED | |
| Sep-82 | 9/20/82 | 242-1H | 13 | 442000 | 444000 | 0 | EVAPFEED | |
| Sep-82 | 9/20/82 | 42-16 | 43 | 754000 | 754000 | 0 | EVAPFEED | |
| Sep-82 | 9/20/82 | 44 | 242-16F | 95000 | 95000 | 0 | EVAPCONC | |
| Sep-82 | 9/20/82 | 45 | 242-16F | 232900 | 232900 | 0 | EVAPCONC | |
| Sep-82 | 9/20/82 | 28 | 242-16F | 97100 | 124100 | 0 | EVAPCONC | |
| Sep-82 | 9/20/82 | 41 | 242-16H | 562000 | 577000 | 0 | EVAPCONC | |
| Sep-82 | 9/20/82 | 31 | 242-1H | 196000 | 196000 | 0 | EVAPCONC | |
| Sep-82 | 9/20/82 | 29 | 242-1H | 117000 | 116000 | 0 | EVAPCONC | |
| Oct-82 | 9/23/82 | 26 | 44 | 26000 | 27000 | 0 | CONCSN | |
| Oct-82 | 9/24/82 | 13 | 29 | 182000 | 192000 | 0 | CONCSN | |
| Oct-82 | 9/26/82 | 13 | 35 | 104000 | 110000 | 0 | HHW | |
| Oct-82 | 9/30/82 | 36 | 31 | 123000 | 135000 | 0 | CONCSN | |
| Oct-82 | 10/2/82 | 13 | 35 | 67000 | 74000 | 0 | HHW | |
| Oct-82 | 10/5/82 | 38 | 43 | 507000 | 521000 | 0 | SLUDGEWW | |
| Oct-82 | 10/9/82 | 13 | 37 | 249000 | 260000 | 0 | CONCSN | |
| Oct-82 | 10/14/82 | 43 | 42 | 918000 | 971000 | 0 | SLUDGEWW | |
| Oct-82 | 10/15/82 | 37 | 29 | 176000 | 184000 | 0 | CONCSN | |
| Oct-82 | 10/17/82 | 13 | 31 | 122000 | 132000 | 0 | CONCSN | |
| Oct-82 | 10/18/82 | 43 | 42 | 53000 | 56000 | 0 | SLUDGEWW | |
| Oct-82 | 10/20/82 | 21 | 44H-245 | 0 | 18000 | 0 | NONCANYWASTE | |
| Oct-82 | 10/20/82 | 23 | 44H-245 | 0 | 11000 | 0 | NONCANYWASTE | |
| Oct-82 | 10/20/82 | 42 | | 0 | 188000 | 0 | MISCADD/TRAN | |
| Oct-82 | 10/20/82 | 19 | | 0 | 12000 | 0 | MISCADD/TRAN | Caustic Addition |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Oct-82 | 10/20/82 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | IAPT Addition |
| Oct-82 | 10/20/82 | 23 | | 0 | 5000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Oct-82 | 10/20/82 | 242-16 | 26 | 548000 | 548000 | 0 | EVAPFEED | |
| Oct-82 | 10/20/82 | 45 | 242-16F | 314800 | 345000 | 0 | EVAPCONC | |
| Nov-82 | 10/21/82 | 26 | 47 | 118000 | 121000 | 0 | LHW | |
| Nov-82 | 10/25/82 | 13 | 36 | 252000 | 273000 | 0 | CONCSN | |
| Nov-82 | 10/27/82 | 36 | 29 | 184000 | 192000 | 0 | CONCSN | |
| Nov-82 | 11/8/82 | 13 | 37 | 157000 | 171000 | 0 | CONCSN | |
| Nov-82 | 11/8/82 | 36 | 31 | 102000 | 117000 | 0 | CONCSN | |
| Nov-82 | 11/12/82 | 26 | 28 | 144000 | 148000 | 0 | CONCSN | |
| Nov-82 | 11/17/82 | 26 | 44 | 105000 | 110000 | 0 | CONCSN | |
| Nov-82 | 11/20/82 | 13 | 35 | 161000 | 175000 | 0 | CONCSN | |
| Nov-82 | 11/20/82 | 21 | 44H-245 | 0 | 31000 | 0 | NONCANYWASTE | |
| Nov-82 | 11/20/82 | 23 | 44H-245 | 0 | 70000 | 0 | NONCANYWASTE | |
| Nov-82 | 11/20/82 | 43 | 242-16H | 0 | 12000 | 0 | OVERSPEC | |
| Nov-82 | 11/20/82 | | 14 | 3000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Nov-82 | 11/20/82 | | 32 | 5000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Nov-82 | 11/20/82 | 28 | | 0 | 1000 | 0 | MISCADD/TRAN | Flush Water |
| Nov-82 | 11/20/82 | 42 | | 0 | 558000 | 0 | MISCADD/TRAN | |
| Nov-82 | 11/20/82 | 242-16 | 26 | 578000 | 585000 | 0 | EVAPFEED | |
| Nov-82 | 11/20/82 | 242-1H | 13 | 459000 | 459000 | 0 | EVAPFEED | |
| Nov-82 | 11/20/82 | 42-16 | 43 | 200000 | 212000 | 0 | EVAPFEED | |
| Nov-82 | 11/20/82 | 45 | 242-16F | 302000 | 331000 | 0 | EVAPCONC | |
| Nov-82 | 11/20/82 | 41 | 242-16H | 12000 | 16000 | 0 | EVAPCONC | |
| Nov-82 | 11/20/82 | 31 | 242-1H | 204000 | 204000 | 0 | EVAPCONC | |
| Nov-82 | 11/20/82 | 29 | 242-1H | 136000 | 140000 | 0 | EVAPCONC | |
| Dec-82 | 11/24/82 | 37 | 31 | 97000 | 125000 | 0 | CONCSN | |
| Dec-82 | 11/26/82 | 26 | 44 | 143000 | 148000 | 0 | CONC | |
| Dec-82 | 11/30/82 | 13 | 36 | 158000 | 173000 | 0 | CONCSN | |
| Dec-82 | 12/2/82 | 13 | 10 | 47000 | 56000 | 0 | SALTRW | |
| Dec-82 | 12/2/82 | 36 | 29 | 167000 | 180000 | 0 | CONCSN | |
| Dec-82 | 12/2/82 | 43 | 42 | 278000 | 300000 | 0 | SLUDGEWW | |
| Dec-82 | 12/3/82 | 26 | 44 | 141000 | 146000 | 0 | CONC | |
| Dec-82 | 12/6/82 | 13 | 37 | 78000 | 93000 | 0 | CONCSN | |
| Dec-82 | 12/9/82 | 13 | 10 | 47000 | 59000 | 0 | SALTRW | |
| Dec-82 | 12/9/82 | 37 | 31 | 115000 | 126000 | 0 | CONCSN | |
| Dec-82 | 12/12/82 | 33 | 26 | 587000 | 613000 | 0 | SALTRW | |
| Dec-82 | 12/13/82 | 13 | 10 | 57000 | 65000 | 0 | SALTRW | |
| Dec-82 | 12/15/82 | 13 | 10 | 43000 | 51000 | 0 | SALTRW | |
| Dec-82 | 12/17/82 | 13 | 37 | 31000 | 33000 | 0 | CONCSN | |
| Dec-82 | 12/18/82 | 37 | 29 | 93000 | 102000 | 0 | CONCSN | |
| Dec-82 | 12/20/82 | 21 | 44H-245 | 0 | 18000 | 0 | NONCANYWASTE | |
| Dec-82 | 12/20/82 | 23 | 44H-245 | 0 | 27000 | 0 | NONCANYWASTE | |
| Dec-82 | 12/20/82 | 7 | 242-1F | 0 | 7000 | 0 | OVERSPEC | |
| Dec-82 | 12/20/82 | 26 | 242-16F | 0 | 13000 | 0 | OVERSPEC | |
| Dec-82 | 12/20/82 | 13 | 242-1H | 0 | 19000 | 0 | OVERSPEC | |
| Dec-82 | 12/20/82 | 43 | 242-16H | 0 | 28000 | 0 | OVERSPEC | |
| Dec-82 | 12/20/82 | CRC | 23 | 0 | 34000 | 0 | RBOF-RRF | |
| Dec-82 | 12/20/82 | 42 | | 0 | 33000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|-----------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-82 | 12/20/82 | 7 | | 0 | 2000 | 0 | MSCADD/TRAN | Chromate Drain Tank Flush |
| Dec-82 | 12/20/82 | 242-1F | 7 | 191000 | 204000 | 0 | EVAPFEED | |
| Dec-82 | 12/20/82 | 242-16 | 26 | 623000 | 637000 | 0 | EVAPFEED | |
| Dec-82 | 12/20/82 | 242-1H | 13 | 707000 | 707000 | 0 | EVAPFEED | |
| Dec-82 | 12/20/82 | 42-16 | 43 | 345000 | 373000 | 0 | EVAPFEED | |
| Dec-82 | 12/20/82 | 28 | 242-16F | 72000 | 72000 | 0 | EVAPCONC | |
| Dec-82 | 12/20/82 | 45 | 242-16F | 327000 | 374000 | 0 | EVAPCONC | |
| Dec-82 | 12/20/82 | 41 | 242-16H | 25000 | 29000 | 0 | EVAPCONC | |
| Dec-82 | 12/20/82 | 25 | 242-1F | 130000 | 143000 | 0 | EVAPCONC | |
| Dec-82 | 12/20/82 | 31 | 242-1H | 165000 | 165000 | 0 | EVAPCONC | |
| Dec-82 | 12/20/82 | 29 | 242-1H | 266000 | 240000 | 0 | EVAPCONC | |
| Dec-82 | 12/24/82 | 26 | 47 | 961000 | 999000 | 0 | LHW | To be Used for salt removal |
| Jan-83 | 12/22/82 | 13 | 29 | 78000 | 84000 | 0 | CONCSN | |
| Jan-83 | 12/23/82 | 13 | 31 | 5000 | 8000 | 0 | CONCSN | |
| Jan-83 | 12/26/82 | 13 | 31 | 111000 | 121000 | 0 | CONCSN | |
| Jan-83 | 12/28/82 | 26 | 33 | 700000 | 740000 | 0 | DISSALT | |
| Jan-83 | 12/29/82 | 13 | 36 | 103000 | 113000 | 0 | CONCSN | |
| Jan-83 | 1/2/83 | 43 | 42 | 311000 | 320000 | 0 | SLUDGEWW | |
| Jan-83 | 1/7/83 | 26 | 45 | 72000 | 75000 | 0 | CONCSN | |
| Jan-83 | 1/8/83 | 43 | 38 | 69000 | 72000 | 0 | SLUDGEWW | |
| Jan-83 | 1/10/83 | 13 | 36 | 40000 | 47000 | 0 | CONCSN | |
| Jan-83 | 1/12/83 | 36 | 29 | 137000 | 143000 | 0 | CONCSN | |
| Jan-83 | 1/13/83 | 7 | 26 | 221000 | 230000 | 0 | CONCSN | |
| Jan-83 | 1/15/83 | 7 | 26 | 75000 | 79000 | 0 | CONCSN | |
| Jan-83 | 1/17/83 | 26 | 44 | 544000 | 560000 | 0 | CONCSN | |
| Jan-83 | 1/18/83 | 13 | 37 | 79000 | 88000 | 0 | CONCSN | |
| Jan-83 | 1/20/83 | 242-1F | 7 | 133000 | 135000 | 0 | EVAPFEED | |
| Jan-83 | 1/20/83 | 242-16 | 26 | 584000 | 593000 | 0 | EVAPFEED | |
| Jan-83 | 1/20/83 | 242-1H | 13 | 565000 | 565000 | 0 | EVAPFEED | |
| Jan-83 | 1/20/83 | 42-16 | 43 | 370000 | 379000 | 0 | EVAPFEED | |
| Jan-83 | 1/20/83 | 43 | 42 | 54000 | 56000 | 0 | SLUDGEWW | |
| Jan-83 | 1/20/83 | 48 | | 0 | 65000 | 0 | MSCADD/TRAN | Chemical Addition |
| Jan-83 | 1/20/83 | 47 | | 0 | 21000 | 0 | NONCANYWASTE | 100-P Trailer Waste |
| Jan-83 | 1/20/83 | 42 | | 0 | 5000 | 0 | MSCADD/TRAN | Flush Water |
| Jan-83 | 1/20/83 | 7 | | 0 | 2000 | 0 | MSCADD/TRAN | Inter Area Pump Tank |
| Jan-83 | 1/20/83 | 21 | 44H-245 | 0 | 13000 | 0 | NONCANYWASTE | |
| Jan-83 | 1/20/83 | 23 | 44H-245 | 0 | 57000 | 0 | NONCANYWASTE | |
| Jan-83 | 1/20/83 | 7 | 242-1F | 0 | 8000 | 0 | OVERSPEC | |
| Jan-83 | 1/20/83 | 26 | 242-16F | 0 | 9000 | 0 | OVERSPEC | |
| Jan-83 | 1/20/83 | 43 | 242-16H | 0 | 8000 | 0 | OVERSPEC | |
| Jan-83 | 1/20/83 | 23 | 242-1H | 0 | 10000 | 0 | OVERSPEC | Off spec. overhds.. |
| Jan-83 | 1/20/83 | 18 | | 0 | 8000 | 0 | OVERSPEC | Overheads returned from CRC |
| Jan-83 | 1/20/83 | 23 | | 0 | 7000 | 0 | OVERSPEC | Overheads returned from CRC |
| Jan-83 | 1/20/83 | 44 | 242-16F | 234000 | 234000 | 0 | EVAPCONC | |
| Jan-83 | 1/20/83 | 28 | 242-16F | 145000 | 166000 | 0 | EVAPCONC | |
| Jan-83 | 1/20/83 | 41 | 242-16H | 24000 | 28000 | 0 | EVAPCONC | |
| Jan-83 | 1/20/83 | 25 | 242-1F | 79000 | 95000 | 0 | EVAPCONC | |
| Jan-83 | 1/20/83 | 31 | 242-1H | 165000 | 165000 | 0 | EVAPCONC | |
| Jan-83 | 1/20/83 | 29 | 242-1H | 279000 | 294000 | 0 | EVAPCONC | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-83 | 1/21/83 | 26 | 27 | 170000 | 177000 | 0 | CONCSN | |
| Feb-83 | 1/28/83 | 13 | 10 | 20000 | 22000 | 0 | SALTRW | |
| Feb-83 | 2/1/83 | 13 | 10 | 3000 | 1000 | 0 | SALTRW | |
| Feb-83 | 2/5/83 | 43 | 38 | 213000 | 217000 | 0 | CONCSN | |
| Feb-83 | 2/7/83 | 26 | 25 | 404000 | 416000 | 0 | CONCSN | |
| Feb-83 | 2/15/83 | 48 | 24 | 427000 | 457000 | 0 | SALTRW | |
| Feb-83 | 2/16/83 | 13 | 37 | 5000 | 7000 | 0 | CONCSN | |
| Feb-83 | 2/20/83 | 242-1F | 7 | 245000 | 245000 | 0 | EVAPFEED | |
| Feb-83 | 2/20/83 | 242-16 | 26 | 856000 | 862000 | 0 | EVAPFEED | |
| Feb-83 | 2/20/83 | 42-16 | 43 | 382000 | 382000 | 0 | EVAPFEED | |
| Feb-83 | 2/20/83 | 13 | 36 | 92000 | 10000 | 0 | CONCSN | |
| Feb-83 | 2/20/83 | 48 | | 0 | 33000 | 0 | MISCADD/TRAN | Chemical Addition |
| Feb-83 | 2/20/83 | 38 | | 0 | 12000 | 0 | MISCADD/TRAN | Pump tank 3 |
| Feb-83 | 2/20/83 | | 10 | 113000 | 0 | 0 | MISCADD/TRAN | Dewatering |
| Feb-83 | 2/20/83 | 48 | | 0 | 20000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-83 | 2/20/83 | 42 | | 0 | 26000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-83 | 2/20/83 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | Inter Area Pump Tank |
| Feb-83 | 2/20/83 | 23 | | 0 | 13000 | 0 | MISCADD/TRAN | |
| Feb-83 | 2/20/83 | 21 | 44H-245 | 0 | 22000 | 0 | NONCANYWASTE | |
| Feb-83 | 2/20/83 | 23 | 44H-245 | 0 | 56000 | 0 | NONCANYWASTE | |
| Feb-83 | 2/20/83 | 26 | 242-16F | 0 | 6000 | 0 | OVERSPEC | |
| Feb-83 | 2/20/83 | CRC | 23 | 0 | 77000 | 0 | RBOF-RRF | |
| Feb-83 | 2/20/83 | 18 | | 0 | 12000 | 0 | OVERSPEC | Overheads ret. from CRC |
| Feb-83 | 2/20/83 | 44 | 242-16F | 593000 | 645000 | 0 | EVAPCONC | |
| Feb-83 | 2/20/83 | 41 | 242-16H | 32000 | 36000 | 0 | EVAPCONC | |
| Feb-83 | 2/20/83 | 27 | 242-1F | 19000 | 19000 | 0 | EVAPCONC | |
| Feb-83 | 2/20/83 | 25 | 242-1F | 163000 | 195000 | 0 | EVAPCONC | |
| Mar-83 | 2/24/83 | 13 | 36 | 144000 | 159000 | 0 | CONCSN | |
| Mar-83 | 2/28/83 | 26 | 28 | 241000 | 250000 | 0 | CONCSN | |
| Mar-83 | 3/2/83 | 7 | 26 | 142000 | 149000 | 0 | SNATE | |
| Mar-83 | 3/6/83 | 43 | 38 | 357000 | 372000 | 0 | SLUDGEWW | |
| Mar-83 | 3/9/83 | 26 | 44 | 328000 | 341000 | 0 | CONCSN | |
| Mar-83 | 3/9/83 | 26 | 45 | 53000 | 56000 | 0 | CONCSN | |
| Mar-83 | 3/10/83 | 26 | 44 | 133000 | 138000 | 0 | CONCSN | |
| Mar-83 | 3/18/83 | 26 | 47 | 335000 | 348000 | 0 | LHW | |
| Mar-83 | 3/18/83 | 7 | 26 | 102000 | 107000 | 0 | SNATE | |
| Mar-83 | 3/20/83 | 242-1F | 7 | 332000 | 340000 | 0 | EVAPFEED | |
| Mar-83 | 3/20/83 | 242-16 | 26 | 818000 | 826000 | 0 | EVAPFEED | |
| Mar-83 | 3/20/83 | 42-16 | 43 | 335000 | 340000 | 0 | EVAPFEED | |
| Mar-83 | 3/20/83 | 47 | | 0 | 42000 | 0 | NONCANYWASTE | 100-K Area Waste |
| Mar-83 | 3/20/83 | 33 | | 0 | 10000 | 0 | MISCADD/TRAN | Flush Water |
| Mar-83 | 3/20/83 | 10 | | 0 | 136000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Mar-83 | 3/20/83 | 23 | | 0 | 20000 | 0 | MISCADD/TRAN | Catch tank Waste |
| Mar-83 | 3/20/83 | 47 | | 0 | 9000 | 0 | MISCADD/TRAN | Flush Water |
| Mar-83 | 3/20/83 | 21 | 44H-245 | 0 | 13000 | 0 | NONCANYWASTE | |
| Mar-83 | 3/20/83 | 23 | 44H-245 | 0 | 25000 | 0 | NONCANYWASTE | |
| Mar-83 | 3/20/83 | 18 | 242-1F | 0 | 10000 | 0 | OVERSPEC | |
| Mar-83 | 3/20/83 | 26 | 242-16F | 0 | 8000 | 0 | OVERSPEC | |
| Mar-83 | 3/20/83 | 23 | 242-1H | 0 | 5000 | 0 | OVERSPEC | |

Appendix A

Tank Transfers and Additions

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | Type Waste | Description/Comments |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | | |
| Mar-83 | 3/20/83 | CRC | 23 | 0 | 29000 | 0 | RBOF-RRF | |
| Mar-83 | 3/20/83 | 28 | 242-16F | 251000 | 251000 | 0 | EVAPCONC | |
| Mar-83 | 3/20/83 | 44 | 242-16F | 361000 | 417000 | 0 | EVAPCONC | |
| Mar-83 | 3/20/83 | 41 | 242-16H | 43000 | 47000 | 0 | EVAPCONC | |
| Mar-83 | 3/20/83 | 27 | 242-1F | 21000 | 21000 | 0 | EVAPCONC | |
| Mar-83 | 3/20/83 | 25 | 242-1F | 213000 | 235000 | 0 | EVAPCONC | |
| Apr-83 | 3/29/83 | 26 | 44 | 406000 | 418000 | 0 | CONCSN | |
| Apr-83 | 3/29/83 | 43 | 42 | 48000 | 50000 | 0 | SLUDGEWW | |
| Apr-83 | 4/1/83 | 26 | 25 | 201000 | 207000 | 0 | CONCSN | |
| Apr-83 | 4/2/83 | 30 | 36 | 234000 | 243000 | 0 | CONCSN | |
| Apr-83 | 4/4/83 | 36 | 31 | 79000 | 84000 | 0 | CONCSN | |
| Apr-83 | 4/7/83 | 7 | 26 | 302000 | 311000 | 0 | SNATE | |
| Apr-83 | 4/7/83 | 36 | 29 | 166000 | 178000 | 0 | CONCSN | |
| Apr-83 | 4/9/83 | 26 | 45 | 72000 | 75000 | 0 | CONCSN | |
| Apr-83 | 4/13/83 | 26 | 44 | 433000 | 451000 | 0 | CONCSN | |
| Apr-83 | 4/14/83 | 36 | 31 | 22000 | 23000 | 0 | CONCSN | |
| Apr-83 | 4/17/83 | 26 | 28 | 178000 | 182000 | 0 | CONCSN | |
| Apr-83 | 4/20/83 | 242-1F | 7 | 330000 | 330000 | 0 | EVAPFEED | |
| Apr-83 | 4/20/83 | 242-16 | 26 | 981000 | 981000 | 0 | EVAPFEED | |
| Apr-83 | 4/20/83 | 42-16 | 43 | 358000 | 360000 | 0 | EVAPFEED | |
| Apr-83 | 4/20/83 | 33 | | 0 | 36000 | 0 | MISCADD/TRAN | Flush Water |
| Apr-83 | 4/20/83 | 42 | | 0 | 13000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-83 | 4/20/83 | 48 | | 0 | 94000 | 0 | MISCADD/TRAN | Well Water Addition |
| Apr-83 | 4/20/83 | 48 | | 0 | 41000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Apr-83 | 4/20/83 | 48 | | 0 | 57000 | 0 | MISCADD/TRAN | Seal Water |
| Apr-83 | 4/20/83 | 23 | | 0 | 16000 | 0 | MISCADD/TRAN | Catch tank |
| Apr-83 | 4/20/83 | 38 | | 0 | 15000 | 0 | MISCADD/TRAN | PT-3 |
| Apr-83 | 4/20/83 | 7 | | 0 | 10000 | 0 | MISCADD/TRAN | Inter Area Pump Tank |
| Apr-83 | 4/20/83 | 21 | 44H-245 | 0 | 23000 | 0 | NONCANYWASTE | |
| Apr-83 | 4/20/83 | 23 | 44H-245 | 0 | 81000 | 0 | NONCANYWASTE | |
| Apr-83 | 4/20/83 | 7 | 242-1F | 0 | 14000 | 0 | OVERSPEC | |
| Apr-83 | 4/20/83 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | |
| Apr-83 | 4/20/83 | CRC | 23 | 0 | 188000 | 0 | RBOF-RRF | |
| Apr-83 | 4/20/83 | 23 | CRC | 0 | 15000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Apr-83 | 4/20/83 | 44 | 242-16F | 731000 | 740000 | 0 | EVAPCONC | |
| Apr-83 | 4/20/83 | 41 | 242-16H | 50000 | 54000 | 0 | EVAPCONC | |
| Apr-83 | 4/20/83 | 25 | 242-1F | 29000 | 29000 | 0 | EVAPCONC | |
| Apr-83 | 4/20/83 | 27 | 242-1F | 195000 | 206000 | 0 | EVAPCONC | |
| May-83 | 4/30/83 | 26 | 25 | 287000 | 296000 | 0 | CONCSN | |
| May-83 | 4/30/83 | 37 | 31 | 82000 | 85000 | 0 | CONCSN | |
| May-83 | 5/1/83 | 7 | 26 | 448000 | 461000 | 0 | SNATE | |
| May-83 | 5/5/83 | 26 | 44 | 52000 | 54000 | 0 | CONCSN | |
| May-83 | 5/5/83 | 43 | 41 | 467000 | 478000 | 0 | CONCSN | |
| May-83 | 5/7/83 | 13 | 35 | 221000 | 230000 | 0 | SNATE | |
| May-83 | 5/10/83 | 26 | 44 | 361000 | 377000 | 0 | CONCSN | |
| May-83 | 5/15/83 | 26 | 45 | 365000 | 380000 | 0 | CONCSN | |
| May-83 | 5/16/83 | 30 | 37 | 452000 | 469000 | 0 | CONCSN | |
| May-83 | 5/18/83 | 36 | 29 | 167000 | 174000 | 0 | CONCSN | |
| May-83 | 5/20/83 | 242-1F | 7 | 479000 | 479000 | 0 | EVAPFEED | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| May-83 | 5/20/83 | 242-16 | 26 | 923000 | 930000 | 0 | EVAPFEED | | |
| May-83 | 5/20/83 | 242-1H | 13 | 439000 | 439000 | 0 | EVAPFEED | | |
| May-83 | 5/20/83 | 42-16 | 43 | 375000 | 377000 | 0 | EVAPFEED | | |
| May-83 | 5/20/83 | 43 | 41 | 166000 | 171000 | 0 | CONCSN | | |
| May-83 | 5/20/83 | 7 | | 0 | 7000 | 0 | MISCADD/TRAN | Catch tank | |
| May-83 | 5/20/83 | 21 | 44H-245 | 0 | 12000 | 0 | NONCANYWASTE | | |
| May-83 | 5/20/83 | 23 | 44H-245 | 0 | 42000 | 0 | NONCANYWASTE | | |
| May-83 | 5/20/83 | 7 | 242-1F | 0 | 7000 | 0 | OVERSPEC | | |
| May-83 | 5/20/83 | 26 | 242-16F | 0 | 7000 | 0 | OVERSPEC | | |
| May-83 | 5/20/83 | 13 | 242-1H | 0 | 5000 | 0 | OVERSPEC | | |
| May-83 | 5/20/83 | 43 | 242-16H | 0 | 2000 | 0 | OVERSPEC | | |
| May-83 | 5/20/83 | CRC | 23 | 0 | 153000 | 0 | RBOF-RRF | | |
| May-83 | 5/20/83 | 23 | CRC | 0 | 5000 | 0 | NONCANYWASTE | Off Spec CRC Effluent | |
| May-83 | 5/20/83 | 45 | 242-16F | 50000 | 50000 | 0 | EVAPCONC | | |
| May-83 | 5/20/83 | 44 | 242-16F | 574000 | 633000 | 0 | EVAPCONC | | |
| May-83 | 5/20/83 | 41 | 242-16H | 79000 | 83000 | 0 | EVAPCONC | | |
| May-83 | 5/20/83 | 25 | 242-1F | 160000 | 160000 | 0 | EVAPCONC | | |
| May-83 | 5/20/83 | 27 | 242-1F | 205000 | 209000 | 0 | EVAPCONC | | |
| May-83 | 5/20/83 | 31 | 242-1H | 175000 | 175000 | 0 | EVAPCONC | | |
| May-83 | 5/20/83 | 29 | 242-1H | 157000 | 175000 | 0 | EVAPCONC | | |
| Jun-83 | 5/23/83 | 7 | 26 | 224000 | 231000 | 0 | CONCSN | | |
| Jun-83 | 5/23/83 | 13 | 36 | 244000 | 254000 | 0 | CONCSN | | |
| Jun-83 | 5/28/83 | 37 | 31 | 95000 | 118000 | 0 | CONCSN | | |
| Jun-83 | 5/29/83 | 26 | 28 | 135000 | 142000 | 0 | CONCSN | | |
| Jun-83 | 6/3/83 | 36 | 29 | 182000 | 189000 | 0 | CONCSN | | |
| Jun-83 | 6/5/83 | 13 | 37 | 155000 | 160000 | 0 | CONCSN | | |
| Jun-83 | 6/7/83 | 37 | 31 | 104000 | 116000 | 0 | CONCSN | | |
| Jun-83 | 6/13/83 | 13 | 36 | 369000 | 383000 | 0 | CONCSN | | |
| Jun-83 | 6/16/83 | 26 | 44 | 899000 | 937000 | 0 | CONCSN | | |
| Jun-83 | 6/16/83 | 36 | 29 | 190000 | 209000 | 0 | CONCSN | | |
| Jun-83 | 6/19/83 | 36 | 21 | 128000 | 136000 | 0 | RBOF-RRF | LHW + RBOF | |
| Jun-83 | 6/20/83 | 242-1F | 7 | 238000 | 238000 | 0 | EVAPFEED | | |
| Jun-83 | 6/20/83 | 242-16 | 26 | 865000 | 865000 | 0 | EVAPFEED | | |
| Jun-83 | 6/20/83 | 242-1H | 13 | 755000 | 755000 | 0 | EVAPFEED | | |
| Jun-83 | 6/20/83 | 42-16 | 43 | 161000 | 162000 | 0 | EVAPFEED | | |
| Jun-83 | 6/20/83 | 42 | | 0 | 10000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Jun-83 | 6/20/83 | 47 | | 0 | 4000 | 0 | NONCANYWASTE | 100 Area Trailer Waste | |
| Jun-83 | 6/20/83 | 21 | 44H-245 | 0 | 11000 | 0 | NONCANYWASTE | | |
| Jun-83 | 6/20/83 | 23 | 44H-245 | 0 | 53000 | 0 | NONCANYWASTE | | |
| Jun-83 | 6/20/83 | CRC | 23 | 0 | 81000 | 0 | RBOF-RRF | | |
| Jun-83 | 6/20/83 | 23 | CRC | 0 | 7000 | 0 | NONCANYWASTE | Off Spec CRC Effluent | |
| Jun-83 | 6/20/83 | 47 | 242-16F | 321000 | 321000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 28 | 242-16F | 204000 | 204000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 45 | 242-16F | 5000 | 5000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 44 | 242-16F | 597000 | 607000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 41 | 242-16H | 67000 | 72000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 27 | 242-1F | 165000 | 165000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 25 | 242-1F | 5000 | 11000 | 0 | EVAPCONC | | |
| Jun-83 | 6/20/83 | 31 | 242-1H | 191000 | 191000 | 0 | EVAPCONC | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-----------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jun-83 | 6/20/83 | 29 | 242-1H | 381000 | 385000 | 0 | EVAPCONC | | |
| Jul-83 | 6/25/83 | 13 | 37 | 105000 | 110000 | 0 | CONCSN | | |
| Jul-83 | 6/27/83 | 36 | 31 | 108000 | 111000 | 0 | CONCSN | | |
| Jul-83 | 7/2/83 | 13 | 36 | 127000 | 133000 | 0 | CONCSN | | |
| Jul-83 | 7/6/83 | 38 | 21 | 419000 | 444000 | 0 | LHW | | |
| Jul-83 | 7/9/83 | 26 | 28 | 99000 | 102000 | 0 | CONCSN | | |
| Jul-83 | 7/9/83 | 37 | 29 | 175000 | 201000 | 0 | CONCSN | | |
| Jul-83 | 7/11/83 | 43 | 38 | 344000 | 354000 | 0 | LHW | | |
| Jul-83 | 7/14/83 | 13 | 36 | 230000 | 241000 | 0 | CONCSN | | |
| Jul-83 | 7/20/83 | 242-16 | 26 | 732000 | 810000 | 0 | EVAPFEED | | |
| Jul-83 | 7/20/83 | 242-1H | 13 | 372000 | 372000 | 0 | EVAPFEED | | |
| Jul-83 | 7/20/83 | 42-16 | 43 | 334000 | 335000 | 0 | EVAPFEED | | |
| Jul-83 | 7/20/83 | 26 | 27 | 642000 | 674000 | 0 | CONCSN | | |
| Jul-83 | 7/20/83 | 42 | | 0 | 17000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Jul-83 | 7/20/83 | 24 | | 0 | 61000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Jul-83 | 7/20/83 | 24 | | 0 | 4000 | 0 | MISCADD/TRAN | Caustic Addition | |
| Jul-83 | 7/20/83 | | 7 | 3000 | 0 | 0 | MISCADD/TRAN | Cooling | |
| Jul-83 | 7/20/83 | 44 | | 0 | 60000 | 0 | MISCADD/TRAN | Salt Deposits on Tank Walls | |
| Jul-83 | 7/20/83 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | | |
| Jul-83 | 7/20/83 | 23 | 44H-245 | 0 | 49000 | 0 | NONCANYWASTE | | |
| Jul-83 | 7/20/83 | 47 | 242-16F | 537000 | 579000 | 0 | EVAPCONC | | |
| Jul-83 | 7/20/83 | 28 | 242-16F | 34000 | 34000 | 0 | EVAPCONC | | |
| Jul-83 | 7/20/83 | 41 | 242-16H | 136000 | 144000 | 0 | EVAPCONC | | |
| Jul-83 | 7/20/83 | 31 | 242-1H | 115000 | 115000 | 0 | EVAPCONC | | |
| Jul-83 | 7/20/83 | 29 | 242-1H | 160000 | 168000 | 0 | EVAPCONC | | |
| Aug-83 | 7/23/83 | 37 | 31 | 104000 | 108000 | 0 | CONCSN | | |
| Aug-83 | 7/27/83 | 43 | 38 | 139000 | 143000 | 0 | LHW | | |
| Aug-83 | 7/27/83 | 38 | 24 | 1000 | 13000 | 0 | DISSALT | | |
| Aug-83 | 7/31/83 | 38 | 24 | 320000 | 332000 | 0 | DISSALT | | |
| Aug-83 | 8/4/83 | 7 | 26 | 82000 | 86000 | 0 | CONCSN | | |
| Aug-83 | 8/4/83 | 38 | 24 | 83000 | 86000 | 0 | DISSALT | | |
| Aug-83 | 8/4/83 | 13 | 37 | 33000 | 35000 | 0 | CONCSN | | |
| Aug-83 | 8/6/83 | 37 | 29 | 179000 | 199000 | 0 | CONCSN | | |
| Aug-83 | 8/6/83 | 43 | 42 | 63000 | 65000 | 0 | MISCADD/TRAN | Seal Water | |
| Aug-83 | 8/10/83 | 13 | 37 | 398000 | 412000 | 0 | CONCSN | | |
| Aug-83 | 8/12/83 | 43 | 38 | 166000 | 171000 | 0 | DISSALT | | |
| Aug-83 | 8/13/83 | 26 | 47 | 385000 | 404000 | 0 | CONCSN | | |
| Aug-83 | 8/14/83 | 37 | 31 | 102000 | 108000 | 0 | CONCSN | | |
| Aug-83 | 8/18/83 | 38 | 24 | 149000 | 154000 | 0 | DISSALT | | |
| Aug-83 | 8/20/83 | 242-1F | 7 | 1000 | 6000 | 0 | EVAPFEED | | |
| Aug-83 | 8/20/83 | 242-16 | 26 | 883000 | 899000 | 0 | EVAPFEED | | |
| Aug-83 | 8/20/83 | 242-1H | 13 | 646000 | 646000 | 0 | EVAPFEED | | |
| Aug-83 | 8/20/83 | 42-16 | 43 | 387000 | 390000 | 0 | EVAPFEED | | |
| Aug-83 | 8/20/83 | 24 | | 0 | 208000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Aug-83 | 8/20/83 | 2 | | 0 | 19000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Aug-83 | 8/20/83 | 48 | | 0 | 5000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Aug-83 | 8/20/83 | 24 | | 0 | 4000 | 0 | MISCADD/TRAN | Caustic Addition | |
| Aug-83 | 8/20/83 | 48 | | 0 | 1000 | 0 | MISCADD/TRAN | Demister flush | |
| Aug-83 | 8/20/83 | 21 | 44H-245 | 0 | 24000 | 0 | NONCANYWASTE | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Aug-83 | 8/20/83 | 23 | 44H-245 | 0 | 45000 | 0 | NONCANYWASTE | | |
| Aug-83 | 8/20/83 | 26 | 242-16F | 0 | 16000 | 0 | OVERSPEC | | |
| Aug-83 | 8/20/83 | 44 | 242-16F | 555000 | 555000 | 0 | EVAPCONC | | |
| Aug-83 | 8/20/83 | 28 | 242-16F | 123000 | 177000 | 0 | EVAPCONC | | |
| Aug-83 | 8/20/83 | 41 | 242-16H | 134000 | 148000 | 0 | EVAPCONC | | |
| Aug-83 | 8/20/83 | 27 | 242-1F | 6000 | 13000 | 0 | EVAPCONC | | |
| Aug-83 | 8/20/83 | 31 | 242-1H | 151000 | 151000 | 0 | EVAPCONC | | |
| Aug-83 | 8/20/83 | 29 | 242-1H | 331000 | 335000 | 0 | EVAPCONC | | |
| Aug-83 | 8/21/83 | 37 | 29 | 161000 | 177000 | 0 | CONCSN | | |
| Aug-83 | 8/21/83 | 24 | 29 | 11000 | 11000 | 0 | CONCSN | | |
| Sep-83 | 8/23/83 | 13 | 37 | 72000 | 75000 | 0 | CONCSN | | |
| Sep-83 | 8/23/83 | 13 | 24 | 15000 | 16000 | 0 | DISSALT | | |
| Sep-83 | 8/26/83 | 43 | 38 | 171000 | 176000 | 0 | DISSALT | | |
| Sep-83 | 8/27/83 | 13 | 37 | 292000 | 300000 | 0 | CONCSN | | |
| Sep-83 | 8/28/83 | 7 | 26 | 121000 | 127000 | 0 | CONCSN | | |
| Sep-83 | 8/29/83 | 36 | 31 | 105000 | 109000 | 0 | CONCSN | | |
| Sep-83 | 9/1/83 | 24 | 23 | 58000 | 62000 | 0 | RBOF-RRF | LHW + RBOF | |
| Sep-83 | 9/2/83 | 24 | 23 | 40000 | 43000 | 0 | RBOF-RRF | LHW + RBOF | |
| Sep-83 | 9/2/83 | 37 | 29 | 12000 | 14000 | 0 | CONCSN | | |
| Sep-83 | 9/2/83 | 24 | 29 | 7000 | 8000 | 0 | CONCSN | | |
| Sep-83 | 9/3/83 | 37 | 29 | 43000 | 44000 | 0 | CONCSN | | |
| Sep-83 | 9/4/83 | 13 | 24 | 140000 | 142000 | 0 | DISSALT | | |
| Sep-83 | 9/5/83 | 37 | 29 | 117000 | 121000 | 0 | CONCSN | | |
| Sep-83 | 9/7/83 | 26 | 44 | 646000 | 687000 | 0 | CONCSN | | |
| Sep-83 | 9/10/83 | 24 | 23 | 154000 | 167000 | 0 | RBOF-RRF | LHW + RBOF | |
| Sep-83 | 9/17/83 | 13 | 24 | 252000 | 263000 | 0 | DISSALT | | |
| Sep-83 | 9/19/83 | 13 | 24 | 11000 | 11000 | 0 | DISSALT | | |
| Sep-83 | 9/20/83 | 242-1F | 7 | 239000 | 240000 | 0 | EVAPFEED | | |
| Sep-83 | 9/20/83 | 242-16 | 26 | 767000 | 772000 | 0 | EVAPFEED | | |
| Sep-83 | 9/20/83 | 242-1H | 13 | 591000 | 591000 | 0 | EVAPFEED | | |
| Sep-83 | 9/20/83 | 42-16 | 43 | 483000 | 483000 | 0 | EVAPFEED | | |
| Sep-83 | 9/20/83 | 26 | 47 | 101000 | 105000 | 0 | CONCSN | | |
| Sep-83 | 9/20/83 | 36 | 31 | 93000 | 97000 | 0 | CONCSN | | |
| Sep-83 | 9/20/83 | 24 | | 0 | 100000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Sep-83 | 9/20/83 | 42 | | 0 | 8000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Sep-83 | 9/20/83 | 38 | | 0 | 24000 | 0 | MISCADD/TRAN | PT-3 Water | |
| Sep-83 | 9/20/83 | 47 | | 0 | 6000 | 0 | NONCANYWASTE | 100 Area LHW Trailer | |
| Sep-83 | 9/20/83 | 21 | 44H-245 | 0 | 24000 | 0 | NONCANYWASTE | | |
| Sep-83 | 9/20/83 | 23 | 44H-245 | 0 | 28000 | 0 | NONCANYWASTE | | |
| Sep-83 | 9/20/83 | 26 | 242-16F | 0 | 1000 | 0 | OVERSPEC | | |
| Sep-83 | 9/20/83 | 23 | CRC | 0 | 2000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Sep-83 | 9/20/83 | 44 | 242-16F | 206000 | 206000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 45 | 242-16F | 17000 | 17000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 47 | 242-16F | 392000 | 392000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 28 | 242-16F | 192000 | 247000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 41 | 242-16H | 154000 | 164000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 27 | 242-1F | 157000 | 182000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 31 | 242-1H | 161000 | 161000 | 0 | EVAPCONC | | |
| Sep-83 | 9/20/83 | 29 | 242-1H | 220000 | 228000 | 0 | EVAPCONC | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report Date | Actual Date | Receipt Tank | Sending Tank | Volume from Sending (gal) | Volume to Receipt (gal) | Sludge % | Type Waste | Description/Comments |
|-------------|-------------|--------------|--------------|---------------------------|-------------------------|----------|--------------|----------------------|
| Sep-83 | 9/23/83 | 43 | 38 | 391000 | 403000 | 0 | DISSALT | |
| Oct-83 | 9/23/83 | 26 | 47 | 400000 | 416000 | 0 | CONCSN | |
| Oct-83 | 9/23/83 | 7 | 26 | 186000 | 194000 | 0 | CONCSN | |
| Oct-83 | 10/8/83 | 26 | 27 | 286000 | 297000 | 0 | CONCSN | |
| Oct-83 | 10/12/83 | 13 | 37 | 175000 | 183000 | 0 | CONCSN | |
| Oct-83 | 10/13/83 | 26 | 45 | 113000 | 126000 | 0 | CONCSN | |
| Oct-83 | 10/14/83 | 43 | 41 | 228000 | 241000 | 0 | CONCSN | |
| Oct-83 | 10/16/83 | 13 | 36 | 141000 | 148000 | 0 | CONCSN | |
| Oct-83 | 10/20/83 | 242-1F | 7 | 136000 | 133700 | 0 | EVAPFEED | |
| Oct-83 | 10/20/83 | 242-16 | 26 | 919000 | 919000 | 0 | EVAPFEED | |
| Oct-83 | 10/20/83 | 242-1H | 13 | 379000 | 379000 | 0 | EVAPFEED | |
| Oct-83 | 10/20/83 | 42-16 | 43 | 458000 | 458000 | 0 | EVAPFEED | |
| Oct-83 | 10/20/83 | 47 | | 0 | 3000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Oct-83 | 10/20/83 | | 34 | 3000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Oct-83 | 10/20/83 | 21 | 44H-245 | 0 | 32000 | 0 | NONCANYWASTE | |
| Oct-83 | 10/20/83 | 23 | 44H-245 | 0 | 67000 | 0 | NONCANYWASTE | |
| Oct-83 | 10/20/83 | 18 | 242-1F | 0 | 3000 | 0 | OVERSPEC | |
| Oct-83 | 10/20/83 | 44 | 242-16F | 301000 | 301000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 45 | 242-16F | 22000 | 22000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 28 | 242-16F | 21000 | 21000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 47 | 242-16F | 669000 | 713000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 41 | 242-16H | 140000 | 157000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 25 | 242-1F | 5000 | 5000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 27 | 242-1F | 88000 | 100000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 31 | 242-1H | 79000 | 79000 | 0 | EVAPCONC | |
| Oct-83 | 10/20/83 | 29 | 242-1H | 45000 | 56000 | 0 | EVAPCONC | |
| Oct-83 | 10/23/83 | 26 | 47 | 238000 | 247000 | 0 | CONCSN | |
| Nov-83 | 10/22/83 | 37 | 31 | 84000 | 88000 | 0 | CONCSN | |
| Nov-83 | 10/23/83 | 26 | 47 | 204000 | 212000 | 0 | CONCSN | |
| Nov-83 | 10/23/83 | 24 | 23 | 25000 | 28000 | 0 | RBOF-RRF | LHW + RBOF |
| Nov-83 | 10/27/83 | 24 | 23 | 20000 | 21000 | 0 | RBOF-RRF | LHW + RBOF |
| Nov-83 | 10/28/83 | 26 | 28 | 78000 | 81000 | 0 | CONCSN | |
| Nov-83 | 10/29/83 | 36 | 29 | 161000 | 167000 | 0 | CONCSN | |
| Nov-83 | 11/2/83 | 26 | 47 | 44000 | 46000 | 0 | CONCSN | |
| Nov-83 | 11/2/83 | 13 | 37 | 90000 | 94000 | 0 | CONCSN | |
| Nov-83 | 11/4/83 | 13 | 24 | 89000 | 93000 | 0 | MISCADD/TRAN | Zeolite Slurry |
| Nov-83 | 11/6/83 | 26 | 44 | 388000 | 408000 | 0 | CONCSN | |
| Nov-83 | 11/6/83 | 26 | 47 | 36000 | 37000 | 0 | CONCSN | |
| Nov-83 | 11/6/83 | 13 | 36 | 219000 | 229000 | 0 | CONCSN | |
| Nov-83 | 11/7/83 | 43 | 38 | 308000 | 318000 | 0 | MISCADD/TRAN | Zeolite Slurry |
| Nov-83 | 11/7/83 | 37 | 31 | 53000 | 55000 | 0 | CONCSN | |
| Nov-83 | 11/9/83 | 26 | 47 | 114000 | 120000 | 0 | CONCSN | |
| Nov-83 | 11/10/83 | 13 | 24 | 56000 | 60000 | 0 | MISCADD/TRAN | Zeolite Slurry |
| Nov-83 | 11/17/83 | 43 | 41 | 167000 | 176000 | 0 | CONCSN | |
| Nov-83 | 11/18/83 | 26 | 47 | 140000 | 145000 | 0 | CONCSN | |
| Nov-83 | 11/19/83 | 13 | 24 | 126000 | 129000 | 0 | MISCADD/TRAN | Zeolite Slurry |
| Nov-83 | 11/20/83 | 242-16 | 26 | 706000 | 707000 | 0 | EVAPFEED | |
| Nov-83 | 11/20/83 | 242-1H | 13 | 547000 | 547000 | 0 | EVAPFEED | |
| Nov-83 | 11/20/83 | 42-16 | 43 | 506000 | 507000 | 0 | EVAPFEED | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-83 | 11/20/83 | 36 | 31 | 81000 | 84000 | 0 | CONCSN | |
| Nov-83 | 11/20/83 | 17 | | 0 | 118000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Nov-83 | 11/20/83 | 24 | | 0 | 222000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Nov-83 | 11/20/83 | 42 | | 0 | 11000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Nov-83 | 11/20/83 | 38 | | 0 | 4000 | 0 | MISCADD/TRAN | Pump tank 3 |
| Nov-83 | 11/20/83 | | 34 | 3000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Nov-83 | 11/20/83 | 21 | 44H-245 | 0 | 28000 | 0 | NONCANYWASTE | |
| Nov-83 | 11/20/83 | 23 | 44H-245 | 0 | 42000 | 0 | NONCANYWASTE | |
| Nov-83 | 11/20/83 | 28 | 242-16F | 26000 | 26000 | 0 | EVAPCONC | |
| Nov-83 | 11/20/83 | 47 | 242-16F | 476000 | 490000 | 0 | EVAPCONC | |
| Nov-83 | 11/20/83 | 41 | 242-16H | 223000 | 240000 | 0 | EVAPCONC | |
| Nov-83 | 11/20/83 | 31 | 242-1H | 62000 | 62000 | 0 | EVAPCONC | |
| Nov-83 | 11/20/83 | 29 | 242-1H | 269000 | 283000 | 0 | EVAPCONC | |
| Dec-83 | 11/24/83 | 26 | 47 | 76000 | 78000 | 0 | CONCSN | |
| Dec-83 | 11/25/83 | 37 | 29 | 184000 | 191000 | 0 | CONCSN | |
| Dec-83 | 12/2/83 | 18 | 17 | 368000 | 368000 | 7.3 | SLSLURRY | Sludge + Salt Slurry |
| Dec-83 | 12/11/83 | 35 | 32 | 664000 | 679000 | 0 | HHHW | |
| Dec-83 | 12/11/83 | 43 | 41 | 349000 | 371000 | 0 | CONCSN | |
| Dec-83 | 12/14/83 | 13 | 30 | 326000 | 338000 | 0 | CONCSN | |
| Dec-83 | 12/15/83 | 36 | 31 | 67000 | 70000 | 0 | CONCSN | |
| Dec-83 | 12/16/83 | 18 | 17 | 92000 | 92000 | 7.3 | SLSLURRY | Sludge + Salt Slurry |
| Dec-83 | 12/20/83 | 242-16 | 26 | 658000 | 660000 | 0 | EVAPFEED | |
| Dec-83 | 12/20/83 | 242-1H | 13 | 428000 | 428000 | 0 | EVAPFEED | |
| Dec-83 | 12/20/83 | 42-16 | 43 | 455000 | 455000 | 0 | EVAPFEED | |
| Dec-83 | 12/20/83 | 21 | 44H-245 | 0 | 21000 | 0 | NONCANYWASTE | |
| Dec-83 | 12/20/83 | 23 | 44H-245 | 0 | 65000 | 0 | NONCANYWASTE | |
| Dec-83 | 12/20/83 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | |
| Dec-83 | 12/20/83 | 23 | CRC | 0 | 3000 | 0 | NONCANYWASTE | Off Spec CRC Effluent |
| Dec-83 | 12/20/83 | 48 | | 0 | 98000 | 0 | MISCADD/TRAN | Chemical Addition |
| Dec-83 | 12/20/83 | 17 | | 0 | 293000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Dec-83 | 12/20/83 | 25 | | 0 | 4000 | 0 | MISCADD/TRAN | CTS Condensation |
| Dec-83 | 12/20/83 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | Interarea Pump Tank |
| Dec-83 | 12/20/83 | 28 | 242-16F | 7000 | 7000 | 0 | EVAPCONC | |
| Dec-83 | 12/20/83 | 47 | 242-16F | 120000 | 120000 | 0 | EVAPCONC | |
| Dec-83 | 12/20/83 | 26 | 242-16F | 347000 | 388000 | 0 | EVAPCONC | |
| Dec-83 | 12/20/83 | 41 | 242-16H | 187000 | 223000 | 0 | EVAPCONC | |
| Dec-83 | 12/20/83 | 31 | 242-1H | 61000 | 61000 | 0 | EVAPCONC | |
| Dec-83 | 12/20/83 | 29 | 242-1H | 120000 | 127000 | 0 | EVAPCONC | |
| Jan-84 | 1/10/84 | 26 | 47 | 330000 | 341000 | 0 | CONCSN | |
| Jan-84 | 1/20/84 | 242-16 | 26 | 333000 | 333000 | 0 | EVAPFEED | |
| Jan-84 | 1/20/84 | 242-1H | 13 | 68000 | 68000 | 0 | EVAPFEED | |
| Jan-84 | 1/20/84 | 42-16 | 43 | 272000 | 272000 | 0 | EVAPFEED | |
| Jan-84 | 1/20/84 | 17 | | 0 | 242000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Jan-84 | 1/20/84 | 21 | 44H-245 | 0 | 19000 | 0 | NONCANYWASTE | |
| Jan-84 | 1/20/84 | 23 | 44H-245 | 0 | 126000 | 0 | NONCANYWASTE | |
| Jan-84 | 1/20/84 | 47 | | 0 | 3000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Jan-84 | 1/20/84 | 44 | 242-16F | 150000 | 180000 | 0 | EVAPCONC | |
| Jan-84 | 1/20/84 | 41 | 242-16H | 168000 | 175000 | 0 | EVAPCONC | |
| Jan-84 | 1/20/84 | 29 | 242-1H | 49000 | 49000 | 0 | EVAPCONC | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|---------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-84 | 2/12/84 | 18 | 17 | 489000 | 489000 | 8.7 | SLSLURRY | Salt + Sludge Slurry |
| Feb-84 | 2/20/84 | 47 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Feb-84 | 2/20/84 | 17 | | 0 | 212000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-84 | 2/20/84 | 7 | | 0 | 7000 | 0 | MISCADD/TRAN | Catch Tank |
| Feb-84 | 2/20/84 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | IAPT Inter-Area Pump Tank |
| Feb-84 | 2/20/84 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | CTS Tank |
| Feb-84 | 2/20/84 | 13 | | 0 | 59000 | 0 | MISCADD/TRAN | flush Water |
| Feb-84 | 2/20/84 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | |
| Feb-84 | 2/20/84 | 23 | 44H-245 | 0 | 202000 | 0 | NONCANYWASTE | |
| Mar-84 | 3/20/84 | 242-16 | 26 | 9000 | 10000 | 0 | EVAPFEED | |
| Mar-84 | 3/20/84 | 47 | | 0 | 4000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Mar-84 | 3/20/84 | 2 | | 0 | 10000 | 0 | MISCADD/TRAN | flush Water |
| Mar-84 | 3/20/84 | 33 | | 0 | 18000 | 0 | MISCADD/TRAN | flush Water |
| Mar-84 | 3/20/84 | 17 | | 0 | 90000 | 0 | MISCADD/TRAN | Inhibited Water Addition |
| Mar-84 | 3/20/84 | 7 | | 0 | 6000 | 0 | MISCADD/TRAN | Catch Tank |
| Mar-84 | 3/20/84 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | IAPT Inter-Area Pump Tank |
| Mar-84 | 3/20/84 | 13 | | 0 | 27000 | 0 | MISCADD/TRAN | Water and Oxalic Acid |
| Mar-84 | 3/20/84 | 21 | 44H-245 | 0 | 25000 | 0 | NONCANYWASTE | |
| Mar-84 | 3/20/84 | 23 | 44H-245 | 18000 | 18000 | 0 | NONCANYWASTE | |
| Mar-84 | 3/23/84 | 7 | 26 | 210000 | 218000 | 0 | CONCSN | |
| Apr-84 | 4/20/84 | 242-16 | 26 | 9000 | 10000 | 0 | EVAPFEED | |
| Apr-84 | 4/20/84 | 21 | 44H-245 | 16000 | 16000 | 0 | NONCANYWASTE | |
| Apr-84 | 4/20/84 | 23 | 44H-245 | 64000 | 64000 | 0 | NONCANYWASTE | |
| Apr-84 | 4/20/84 | 44 | | 0 | 3000 | 0 | NONCANYWASTE | Flush Water |
| Apr-84 | 4/20/84 | 19 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Apr-84 | 4/20/84 | 27 | | 0 | 12000 | 0 | MISCADD/TRAN | Flush Water |
| Apr-84 | 4/20/84 | 41 | | 0 | 24000 | 0 | MISCADD/TRAN | Evap. Decon Flukes |
| Apr-84 | 4/20/84 | 38 | | 0 | 12000 | 0 | MISCADD/TRAN | From Pump Tank 3 |
| Apr-84 | 4/20/84 | 35 | | 0 | 27000 | 0 | MISCADD/TRAN | From Pump Tank 4 |
| Apr-84 | 4/20/84 | 31 | | 0 | 3000 | 0 | MISCADD/TRAN | CTS |
| Apr-84 | 4/20/84 | 11 | | 0 | 8000 | 0 | MISCADD/TRAN | ERIP 6 |
| Apr-84 | 4/20/84 | 12 | | 0 | 9000 | 0 | MISCADD/TRAN | ERIP 6 |
| Apr-84 | 4/20/84 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | IAPT |
| Apr-84 | 4/20/84 | 26 | 242-16F | 0 | 1000 | 0 | OVERSPEC | |
| Apr-84 | 4/20/84 | CRC | 23 | 0 | 240000 | 0 | RBOF-RRF | |
| Apr-84 | 4/20/84 | 23 | CRC | 0 | 16000 | 0 | NONCANYWASTE | |
| Apr-84 | 4/20/84 | 44 | 242-16F | 18000 | 18000 | 0 | EVAPCONC | |
| May-84 | 5/8/84 | 27 | 18 | 8000 | 9000 | 0 | DISSALT | |
| May-84 | 5/11/84 | 27 | 18 | 13000 | 16000 | 0 | DISSALT | |
| May-84 | 5/14/84 | 27 | 18 | 7000 | 8000 | 0 | DISSALT | |
| May-84 | 5/20/84 | 242-16 | 26 | 108000 | 128000 | 0 | EVAPFEED | |
| May-84 | 5/20/84 | 26 | 242-16F | 0 | 20000 | 0 | OVERSPEC | |
| May-84 | 5/20/84 | 44 | 242-16F | 95000 | 105000 | 0 | EVAPCONC | |
| May-84 | 5/20/84 | 21 | 44H-245 | 16000 | 16000 | 0 | NONCANYWASTE | |
| May-84 | 5/20/84 | 23 | 44H-245 | 64000 | 64000 | 0 | NONCANYWASTE | |
| May-84 | 5/20/84 | 44 | | 0 | 3000 | 0 | NONCANYWASTE | Flush Water |
| May-84 | 5/20/84 | 19 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| May-84 | 5/20/84 | 27 | | 0 | 12000 | 0 | MISCADD/TRAN | Flush Water |
| May-84 | 5/20/84 | 41 | | 0 | 24000 | 0 | MISCADD/TRAN | Evap. Decon Flukes |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-84 | 5/20/84 | 38 | | 0 | 12000 | 0 | MISCADD/TRAN | From Pump Tank 3 |
| May-84 | 5/20/84 | 35 | | 0 | 27000 | 0 | MISCADD/TRAN | From Pump Tank 4 |
| May-84 | 5/20/84 | 31 | | 0 | 3000 | 0 | MISCADD/TRAN | CTS |
| May-84 | 5/20/84 | 11 | | 0 | 8000 | 0 | MISCADD/TRAN | ERIP 6 |
| May-84 | 5/20/84 | 12 | | 0 | 9000 | 0 | MISCADD/TRAN | ERIP 6 |
| May-84 | 5/20/84 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | IAPT |
| Jun-84 | 6/8/84 | 27 | 18 | 186000 | 195000 | 0 | DISSALT | |
| Jun-84 | 6/12/84 | 26 | 44 | 127000 | 131000 | 0 | CONCSN | |
| Jun-84 | 6/15/84 | 27 | 18 | 273000 | 286000 | 0 | DISSALT | |
| Jun-84 | 6/20/84 | 242-16 | 26 | 249000 | 308000 | 0 | EVAPFEED | |
| Jun-84 | 6/20/84 | 47 | | 0 | 3000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Jun-84 | 6/20/84 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | CTS Tank |
| Jun-84 | 6/20/84 | 27 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Jun-84 | 6/20/84 | 26 | | 0 | 1000 | 0 | MISCADD/TRAN | Flush Water |
| Jun-84 | 6/20/84 | 38 | | 0 | 1000 | 0 | MISCADD/TRAN | PT-3 |
| Jun-84 | 6/20/84 | 41 | | 0 | 8000 | 0 | MISCADD/TRAN | Evaporator Flush Water |
| Jun-84 | 6/20/84 | 31 | | 0 | 1000 | 0 | MISCADD/TRAN | CTS Tank |
| Jun-84 | 6/20/84 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | Inter Area Pump Tank |
| Jun-84 | 6/20/84 | 7 | | 0 | 12000 | 0 | MISCADD/TRAN | Catch tank |
| Jun-84 | 6/20/84 | 27 | | 0 | 32000 | 0 | MISCADD/TRAN | Salt Deposits on Tank Walls |
| Jun-84 | 6/20/84 | 21 | 44H-245 | 0 | 12000 | 0 | NONCANYWASTE | |
| Jun-84 | 6/20/84 | 23 | 44H-245 | 0 | 23000 | 0 | NONCANYWASTE | |
| Jun-84 | 6/20/84 | 26 | 242-16F | 0 | 14000 | 0 | OVERSPEC | |
| Jun-84 | 6/20/84 | 45 | 242-16F | 3000 | 3000 | 0 | EVAPCONC | |
| Jun-84 | 6/20/84 | 44 | 242-16F | 144000 | 144000 | 0 | EVAPCONC | |
| Jul-84 | 6/22/84 | 18 | 17 | 34000 | 34000 | 0.5 | SLSLURRY | |
| Jul-84 | 6/27/84 | 18 | 17 | 477000 | 477000 | 6.8 | SLSLURRY | |
| Jul-84 | 7/9/84 | 26 | 44 | 121000 | 126000 | 0 | CONCSN | |
| Jul-84 | 7/11/84 | 26 | 27 | 98000 | 102000 | 0 | DISSALT | |
| Jul-84 | 7/13/84 | 27 | 18 | 4000 | 5000 | 0 | DISSALT | |
| Jul-84 | 7/16/84 | 27 | 18 | 338000 | 353000 | 0 | DISSALT | |
| Jul-84 | 7/19/84 | 26 | 44 | 155000 | 159000 | 0 | CONCSN | |
| Jul-84 | 7/20/84 | 242-16 | 26 | 504000 | 504000 | 0 | EVAPFEED | |
| Jul-84 | 7/20/84 | 47 | | 0 | 46000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Jul-84 | 7/20/84 | 17 | | 0 | 45000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Jul-84 | 7/20/84 | 23 | | 0 | 16000 | 0 | MISCADD/TRAN | Side Wall sumps |
| Jul-84 | 7/20/84 | 11 | | 0 | 7000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jul-84 | 7/20/84 | 21 | 44H-245 | 0 | 11000 | 0 | NONCANYWASTE | |
| Jul-84 | 7/20/84 | 23 | 44H-245 | 0 | 38000 | 0 | NONCANYWASTE | |
| Jul-84 | 7/20/84 | 44 | 242-16F | 276000 | 291000 | 0 | EVAPCONC | |
| Aug-84 | 7/20/84 | 27 | 18 | 169000 | 177000 | 0 | DISSALT | |
| Aug-84 | 7/26/84 | 26 | 44 | 112000 | 155000 | 0 | CONCSN | |
| Aug-84 | 8/3/84 | 26 | 44 | 142000 | 146000 | 0 | CONCSN | |
| Aug-84 | 8/13/84 | 26 | 44 | 94000 | 97000 | 0 | CONCSN | |
| Aug-84 | 8/20/84 | 242-16 | 26 | 632000 | 638000 | 0 | EVAPFEED | |
| Aug-84 | 8/20/84 | 33 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush Water |
| Aug-84 | 8/20/84 | 7 | | 0 | 5000 | 0 | MISCADD/TRAN | Inter Area Pump Tank |
| Aug-84 | 8/20/84 | 38 | | 0 | 9000 | 0 | MISCADD/TRAN | PT3 |
| Aug-84 | 8/20/84 | 29 | | 0 | 4000 | 0 | MISCADD/TRAN | Concentrate Transfer System |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-84 | 8/20/84 | 21 | 44H-245 | 0 | 15000 | 0 | NONCANYWASTE | |
| Aug-84 | 8/20/84 | 23 | 44H-245 | 0 | 86000 | 0 | NONCANYWASTE | |
| Aug-84 | 8/20/84 | 26 | 242-16F | 0 | 6000 | 0 | OVERSPEC | |
| Aug-84 | 8/20/84 | CRC | 23 | 0 | 198000 | 0 | RBOF-RRF | |
| Aug-84 | 8/20/84 | 23 | CRC | 0 | 16000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Aug-84 | 8/20/84 | 44 | 242-16F | 394000 | 410000 | 0 | EVAPCONC | |
| Sep-84 | 8/24/84 | 26 | 44 | 79000 | 82000 | 0 | CONCSN | |
| Sep-84 | 9/1/84 | 26 | 44 | 87000 | 90000 | 0 | CONCSN | |
| Sep-84 | 9/8/84 | 26 | 44 | 85000 | 89000 | 0 | CONCSN | |
| Sep-84 | 9/14/84 | 26 | 44 | 91000 | 95000 | 0 | CONCSN | |
| Sep-84 | 9/20/84 | 242-16 | 26 | 682000 | 684000 | 0 | EVAPFEED | |
| Sep-84 | 9/20/84 | 7 | | 0 | 6000 | 0 | MISCADD/TRAN | Inter Area Pump Tank |
| Sep-84 | 9/20/84 | 26 | | 0 | 7000 | 0 | MISCADD/TRAN | FDB-4 |
| Sep-84 | 9/20/84 | 33 | | 0 | 6000 | 0 | MISCADD/TRAN | FDB-4 |
| Sep-84 | 9/20/84 | 21 | 44H-245 | 0 | 41000 | 0 | NONCANYWASTE | |
| Sep-84 | 9/20/84 | 23 | 44H-245 | 0 | 78000 | 0 | NONCANYWASTE | |
| Sep-84 | 9/20/84 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | |
| Sep-84 | 9/20/84 | 45 | 242-16F | 12000 | 12000 | 0 | EVAPCONC | |
| Sep-84 | 9/20/84 | 44 | 242-16F | 383000 | 403000 | 0 | EVAPCONC | |
| Oct-84 | 10/5/84 | 26 | 47 | 206000 | 213000 | 0 | CONCSN | |
| Oct-84 | 10/12/84 | 26 | 45 | 415000 | 429000 | 0 | CONCSN | |
| Oct-84 | 10/19/84 | 26 | 27 | 247000 | 257000 | 0 | CONCSN | |
| Oct-84 | 10/19/84 | 38 | 43 | 357000 | 368000 | 0 | LHW | |
| Oct-84 | 10/20/84 | 242-16 | 26 | 649000 | 649000 | 0 | EVAPFEED | |
| Oct-84 | 10/20/84 | 38 | | 0 | 6000 | 0 | MISCADD/TRAN | HPT-3 |
| Oct-84 | 10/20/84 | 45 | | 0 | 1000 | 0 | MISCADD/TRAN | Jet Flushes |
| Oct-84 | 10/20/84 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | 242-F/FCTS |
| Oct-84 | 10/20/84 | 47 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Oct-84 | 10/20/84 | 33 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Oct-84 | 10/20/84 | | 24 | 7000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Oct-84 | 10/20/84 | | 18 | 18000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Oct-84 | 10/20/84 | | 25 | 2000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Oct-84 | 10/20/84 | | 17 | 1000 | 0 | 0 | MISCADD/TRAN | Evaporation |
| Oct-84 | 10/20/84 | 47 | | 0 | 14000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Oct-84 | 10/20/84 | 21 | 44H-245 | 0 | 22000 | 0 | NONCANYWASTE | |
| Oct-84 | 10/20/84 | 23 | 44H-245 | 0 | 16000 | 0 | NONCANYWASTE | |
| Oct-84 | 10/20/84 | 45 | 242-16F | 450000 | 458000 | 0 | EVAPCONC | |
| Nov-84 | 10/25/84 | 32 | 35 | 760000 | 818000 | 0 | HHW | |
| Nov-84 | 10/26/84 | 30 | 34 | 767000 | 820000 | 0 | HHW | |
| Nov-84 | 10/30/84 | 26 | 45 | 481000 | 497000 | 0 | CONCSN | |
| Nov-84 | 11/12/84 | 26 | 45 | 266000 | 274000 | 0 | CONCSN | |
| Nov-84 | 11/17/84 | 26 | 47 | 196000 | 202000 | 0 | LHW | |
| Nov-84 | 11/20/84 | 242-16 | 26 | 1067000 | 1069000 | 0 | EVAPFEED | |
| Nov-84 | 11/20/84 | 47 | | 0 | 15000 | 0 | NONCANYWASTE | 100 Area LHW Trailer |
| Nov-84 | 11/20/84 | 7 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush Water |
| Nov-84 | 11/20/84 | 33 | | 0 | 7000 | 0 | MISCADD/TRAN | Flush Water |
| Nov-84 | 11/20/84 | 34 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Nov-84 | 11/20/84 | 20 | | 0 | 5000 | 0 | MISCADD/TRAN | Inhibited Water |
| Nov-84 | 11/20/84 | | 13 | 9000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-84 | 11/20/84 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | Inter Area Pump Tank |
| Nov-84 | 11/20/84 | 21 | 44H-245 | 0 | 33000 | 0 | NONCANYWASTE | |
| Nov-84 | 11/20/84 | 23 | 44H-245 | 0 | 18000 | 0 | NONCANYWASTE | |
| Nov-84 | 11/20/84 | 28 | 242-16F | 0 | 2000 | 0 | OVERSPEC | |
| Nov-84 | 11/20/84 | 44 | 242-16F | 6000 | 8000 | 0 | EVAPCONC | |
| Nov-84 | 11/20/84 | 45 | 242-16F | 780000 | 792000 | 0 | EVAPCONC | |
| Dec-84 | 12/7/84 | 28 | 45 | 353000 | 367000 | 0 | CONCSN | |
| Dec-84 | 12/10/84 | 43 | 41 | 282000 | 294000 | 0 | CONCSN | |
| Dec-84 | 12/17/84 | 26 | 47 | 223000 | 229000 | 0 | CONCSN | |
| Dec-84 | 12/20/84 | 242-16 | 26 | 615000 | 615000 | 0 | EVAPFEED | |
| Dec-84 | 12/20/84 | 42-16 | 43 | 200000 | 201500 | 0 | EVAPFEED | |
| Dec-84 | 12/20/84 | 17 | | 0 | 7000 | 0 | MISCADD/TRAN | Seal Water |
| Dec-84 | 12/20/84 | 42 | | 0 | 16000 | 0 | MISCADD/TRAN | Seal Water |
| Dec-84 | 12/20/84 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | |
| Dec-84 | 12/20/84 | 23 | 44H-245 | 0 | 81000 | 0 | NONCANYWASTE | |
| Dec-84 | 12/20/84 | 43 | 242-16H | 0 | 1780 | 0 | OVERSPEC | |
| Dec-84 | 12/20/84 | 44 | 242-16F | 3000 | 3000 | 0 | EVAPCONC | |
| Dec-84 | 12/20/84 | 45 | 242-16F | 437000 | 443000 | 0 | EVAPCONC | |
| Dec-84 | 12/20/84 | 41 | 242-16H | 62000 | 64730 | 0 | EVAPCONC | |
| Jan-85 | 12/23/84 | 26 | 45 | 272000 | 282000 | 0 | CONCSN | |
| Jan-85 | 1/4/85 | 26 | 45 | 161000 | 167000 | 0 | CONCSN | |
| Jan-85 | 1/11/85 | 26 | 45 | 13000 | 15000 | 0 | CONCSN | |
| Jan-85 | 1/16/85 | 28 | 45 | 251000 | 262000 | 0 | CONCSN | |
| Jan-85 | 1/31/85 | 242-16 | 26 | 878000 | 878000 | 0 | EVAPFEED | |
| Jan-85 | 1/31/85 | 42-16 | 43 | 447500 | 470500 | 0 | EVAPFEED | |
| Jan-85 | 1/31/85 | 21 | 44H-245 | 0 | 30000 | 0 | NONCANYWASTE | |
| Jan-85 | 1/31/85 | 23 | 44H-245 | 0 | 21000 | 0 | NONCANYWASTE | |
| Jan-85 | 1/31/85 | 43 | 242-16H | 0 | 23000 | 0 | OVERSPEC | |
| Jan-85 | 1/31/85 | 17 | | 0 | 128000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Jan-85 | 1/31/85 | 45 | | 0 | 2000 | 0 | MISCADD/TRAN | Flush Water |
| Jan-85 | 1/31/85 | | 33 | 4000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Jan-85 | 1/31/85 | 44 | 242-16F | 7000 | 7000 | 0 | EVAPCONC | |
| Jan-85 | 1/31/85 | 45 | 242-16F | 633000 | 644000 | 0 | EVAPCONC | |
| Jan-85 | 1/31/85 | 41 | 242-16H | 200500 | 254000 | 0 | EVAPCONC | |
| Feb-85 | 1/20/85 | 26 | 45 | 223000 | 230000 | 0 | CONCSN | |
| Feb-85 | 1/23/85 | 26 | 25 | 5000 | 5000 | 0 | CONCSN | |
| Feb-85 | 1/26/85 | 18 | 17 | 326000 | 326000 | 38.2 | SLSLURRY | |
| Feb-85 | 1/29/85 | 43 | 41 | 638000 | 663000 | 0 | CONCSN | |
| Feb-85 | 1/30/85 | 18 | 17 | 182000 | 182000 | 21.3 | SLSLURRY | |
| Feb-85 | 2/2/85 | 26 | 45 | 226000 | 233000 | 0 | CONCSN | |
| Feb-85 | 2/6/85 | 26 | 47 | 227000 | 233000 | 0 | CONCSN | |
| Feb-85 | 2/14/85 | 26 | 45 | 44000 | 46000 | 0 | CONCSN | |
| Feb-85 | 2/15/85 | 26 | 45 | 171000 | 175000 | 0 | CONCSN | |
| Feb-85 | 2/15/85 | 35 | 39 | 213000 | 232000 | 0 | HHWSN | |
| Feb-85 | 2/28/85 | 242-16 | 26 | 986000 | 986000 | 0 | EVAPFEED | |
| Feb-85 | 2/28/85 | 42-16 | 43 | 409000 | 412000 | 0 | EVAPFEED | |
| Feb-85 | 2/28/85 | 17 | | 0 | 142000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Feb-85 | 2/28/85 | 7 | | 0 | 7000 | 0 | MISCADD/TRAN | Catch Tank |
| Feb-85 | 2/28/85 | 10 | | 0 | 1500 | 0 | MISCADD/TRAN | PT-4 |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Feb-85 | 2/28/85 | 21 | 44H-245 | 0 | 25000 | 0 | NONCANYWASTE | | |
| Feb-85 | 2/28/85 | 23 | 44H-245 | 0 | 53000 | 0 | NONCANYWASTE | | |
| Feb-85 | 2/28/85 | 43 | 242-16H | 0 | 2300 | 0 | OVERSPEC | | |
| Feb-85 | 2/28/85 | 44 | 242-16F | 7000 | 7000 | 0 | EVAPCONC | | |
| Feb-85 | 2/28/85 | 45 | 242-16F | 750000 | 765000 | 0 | EVAPCONC | | |
| Feb-85 | 2/28/85 | 41 | 242-16H | 225800 | 227000 | 0 | EVAPCONC | | |
| Mar-85 | 2/22/85 | 26 | 18 | 201000 | 208000 | 0 | DISSALT | | |
| Mar-85 | 2/24/85 | 26 | 45 | 302000 | 317000 | 0 | CONCSN | | |
| Mar-85 | 2/26/85 | 24 | 23 | 242000 | 257000 | 0 | RBOF-RRF | | |
| Mar-85 | 3/1/85 | 26 | 44 | 38000 | 37000 | 0 | CONCSN | | |
| Mar-85 | 3/4/85 | 35 | 39 | 610000 | 656000 | 0 | HHWSN | | |
| Mar-85 | 3/5/85 | 26 | 45 | 153000 | 163000 | 0 | CONCSN | | |
| Mar-85 | 3/10/85 | 28 | 18 | 211000 | 218000 | 0 | DISSALT | | |
| Mar-85 | 3/13/85 | 18 | 17 | 240000 | 240000 | 0.8 | SLSLURRY | | |
| Mar-85 | 3/14/85 | 18 | 17 | 186000 | 186000 | 0.6 | SLSLURRY | | |
| Mar-85 | 3/14/85 | 26 | 47 | 128000 | 131000 | 0 | CONCSN | | |
| Mar-85 | 3/18/85 | 43 | 38 | 347000 | 361000 | 0 | LHWSN | | |
| Mar-85 | 3/31/85 | 242-1F | 26 | 54000 | 54000 | 0 | EVAPFEED | | |
| Mar-85 | 3/31/85 | 242-16 | 26 | 868000 | 868000 | 0 | EVAPFEED | | |
| Mar-85 | 3/31/85 | 42-16 | 43 | 501000 | 510000 | 0 | EVAPFEED | | |
| Mar-85 | 3/31/85 | 25 | | 0 | 5000 | 0 | MISCADD/TRAN | Flush Water | |
| Mar-85 | 3/31/85 | 28 | | 0 | 238000 | 0 | MISCADD/TRAN | Flush Water | |
| Mar-85 | 3/31/85 | 17 | | 0 | 6000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |
| Mar-85 | 3/31/85 | 10 | | 0 | 3000 | 0 | MISCADD/TRAN | NaOH | |
| Mar-85 | 3/31/85 | 21 | 44H-245 | 0 | 21000 | 0 | NONCANYWASTE | | |
| Mar-85 | 3/31/85 | 23 | 44H-245 | 0 | 19000 | 0 | NONCANYWASTE | | |
| Mar-85 | 3/31/85 | 43 | 242-16H | 0 | 9000 | 0 | OVERSPEC | | |
| Mar-85 | 3/31/85 | 28 | 242-16F | 6000 | 6000 | 0 | EVAPCONC | | |
| Mar-85 | 3/31/85 | 44 | 242-16F | 4000 | 4000 | 0 | EVAPCONC | | |
| Mar-85 | 3/31/85 | 45 | 242-16F | 661500 | 664000 | 0 | EVAPCONC | | |
| Mar-85 | 3/31/85 | 41 | 242-16H | 306000 | 314000 | 0 | EVAPCONC | | |
| Mar-85 | 3/31/85 | 25 | 242-1F | 37500 | 43000 | 0 | EVAPCONC | | |
| Apr-85 | 3/20/85 | 26 | 47 | 194000 | 194000 | 0 | CONCSN | | |
| Apr-85 | 3/25/85 | 26 | 44 | 187000 | 187000 | 0 | CONCSN | | |
| Apr-85 | 3/31/85 | 38 | 24 | 271000 | 282000 | 0 | RBOF-RRF | | |
| Apr-85 | 4/2/85 | 26 | 47 | 234000 | 234000 | 0 | CONCSN | | |
| Apr-85 | 4/6/85 | 43 | 41 | 64000 | 69000 | 0 | LHWCONCSN | | |
| Apr-85 | 4/11/85 | 26 | 18 | 251000 | 251000 | 0 | DISSALT | | |
| Apr-85 | 4/13/85 | 26 | 47 | 140000 | 140000 | 0 | CONCSN | | |
| Apr-85 | 4/16/85 | 18 | 17 | 211000 | 211000 | 4.6 | SLSLURRY | | |
| Apr-85 | 4/17/85 | 38 | 24 | 98000 | 102000 | 0 | MISCADD/TRAN | Oxalic Acid Wash | |
| Apr-85 | 4/17/85 | 38 | 24 | 9600 | 10000 | 0 | MISCADD/TRAN | Tank 42 Hot Water Rinse | |
| Apr-85 | 4/17/85 | 43 | 41 | 588000 | 609000 | 0 | LHWCONCSN | | |
| Apr-85 | 4/30/85 | 242-1F | 26 | 341000 | 341000 | 0 | EVAPFEED | | |
| Apr-85 | 4/30/85 | 242-16 | 26 | 669000 | 669000 | 0 | EVAPFEED | | |
| Apr-85 | 4/30/85 | 42-16 | 43 | 612000 | 612000 | 0 | EVAPFEED | | |
| Apr-85 | 4/30/85 | 1 | | 0 | 8000 | 0 | MISCADD/TRAN | Flush Water | |
| Apr-85 | 4/30/85 | 2 | | 0 | 5000 | 0 | MISCADD/TRAN | Flush Water | |
| Apr-85 | 4/30/85 | 17 | | 0 | 88000 | 0 | MISCADD/TRAN | Bearing Seal Water Added | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-85 | 4/30/85 | 18 | | 0 | 15000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-85 | 4/30/85 | 24 | | 0 | 62500 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| Apr-85 | 4/30/85 | 24 | | 0 | 21600 | 0 | MISCADD/TRAN | Rinse Water |
| Apr-85 | 4/30/85 | | 4 | 15000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Apr-85 | 4/30/85 | | 45 | 15000 | 0 | 0 | MISCADD/TRAN | Cooling |
| Apr-85 | 4/30/85 | 36 | | 0 | 6000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Apr-85 | 4/30/85 | 24 | | 0 | 22500 | 0 | MISCADD/TRAN | Oxalic Acid Addition |
| Apr-85 | 4/30/85 | 24 | | 0 | 2400 | 0 | MISCADD/TRAN | 50 wt% NaOH |
| Apr-85 | 4/30/85 | 21 | 44H-245 | 0 | 11000 | 0 | NONCANYWASTE | |
| Apr-85 | 4/30/85 | 23 | 44H-245 | 0 | 44000 | 0 | NONCANYWASTE | |
| Apr-85 | 4/30/85 | 26 | 242-16F | 0 | 1000 | 0 | OVERSPEC | |
| Apr-85 | 4/30/85 | 47 | 242-16F | 409000 | 409000 | 0 | EVAPCONC | |
| Apr-85 | 4/30/85 | 28 | 242-16F | 12000 | 12000 | 0 | EVAPCONC | |
| Apr-85 | 4/30/85 | 41 | 242-16H | 312000 | 319000 | 0 | EVAPCONC | |
| Apr-85 | 4/30/85 | 25 | 242-1F | 203000 | 225000 | 0 | EVAPCONC | |
| May-85 | 4/21/85 | 26 | 47 | 173000 | 178000 | 0 | CONCSN | |
| May-85 | 4/25/85 | 38 | 24 | 32000 | 32000 | 0 | MISCADD/TRAN | Tank 42 Hot Water Rinse |
| May-85 | 4/26/85 | 26 | 25 | 36000 | 38000 | 0 | CONCSN | |
| May-85 | 4/26/85 | 13 | 24 | 13000 | 13000 | 0 | MISCADD/TRAN | Tank 42 Hot Water Rinse |
| May-85 | 4/29/85 | 26 | 47 | 210000 | 217000 | 0 | CONCSN | |
| May-85 | 4/29/85 | 26 | 25 | 57000 | 59000 | 0 | CONCSN | |
| May-85 | 4/30/85 | 38 | 24 | 61000 | 63000 | 0 | MISCADD/TRAN | Oxalic Acid Wash |
| May-85 | 5/1/85 | 26 | 25 | 79000 | 82000 | 0 | CONCSN | |
| May-85 | 5/16/85 | 26 | 47 | 434000 | 452000 | 0 | CONCSN | |
| May-85 | 5/19/85 | 38 | 21 | 249000 | 254000 | 0 | SNATE | |
| May-85 | 5/20/85 | 43 | 41 | 526000 | 547000 | 0 | CONCSN | |
| May-85 | 5/31/85 | 242-1F | 26 | 353000 | 355000 | 0 | EVAPFEED | |
| May-85 | 5/31/85 | 242-16 | 26 | 709000 | 710000 | 0 | EVAPFEED | |
| May-85 | 5/31/85 | 42-16 | 43 | 754000 | 754000 | 0 | EVAPFEED | |
| May-85 | 5/31/85 | 17 | | 0 | 20000 | 0 | MISCADD/TRAN | Inhibited Water |
| May-85 | 5/31/85 | 24 | | 0 | 60000 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| May-85 | 5/31/85 | 42 | | 0 | 5500 | 0 | MISCADD/TRAN | Bearing Seal Water Added |
| May-85 | 5/31/85 | 24 | | 0 | 19100 | 0 | MISCADD/TRAN | Rinse Water |
| May-85 | 5/31/85 | | 45 | 9000 | 0 | 0 | MISCADD/TRAN | Cooling |
| May-85 | 5/31/85 | 3 | | 0 | 8000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| May-85 | 5/31/85 | 4 | | 0 | 14000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| May-85 | 5/31/85 | 24 | | 0 | 23500 | 0 | MISCADD/TRAN | Oxalic Acid |
| May-85 | 5/31/85 | 24 | | 0 | 2400 | 0 | MISCADD/TRAN | 50 wt% NaOH |
| May-85 | 5/31/85 | 42 | | 0 | 500 | 0 | MISCADD/TRAN | 50 wt% NaOH |
| May-85 | 5/31/85 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | |
| May-85 | 5/31/85 | 23 | 44H-245 | 0 | 115000 | 0 | NONCANYWASTE | |
| May-85 | 5/31/85 | 47 | 242-16F | 449000 | 477000 | 0 | EVAPCONC | |
| May-85 | 5/31/85 | 28 | 242-16F | 19000 | 19000 | 0 | EVAPCONC | |
| May-85 | 5/31/85 | 41 | 242-16H | 445000 | 475000 | 0 | EVAPCONC | |
| May-85 | 5/31/85 | 25 | 242-1F | 225000 | 266000 | 0 | EVAPCONC | |
| Jun-85 | 5/21/85 | 26 | 25 | 73000 | 75000 | 0 | CONCSN | |
| Jun-85 | 5/21/85 | 26 | 47 | 130000 | 134000 | 0 | CONCSN | |
| Jun-85 | 5/24/85 | 26 | 47 | 167000 | 172000 | 0 | CONCSN | |
| Jun-85 | 5/27/85 | 26 | 25 | 193000 | 200000 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jun-85 | 5/30/85 | 26 | 47 | 61000 | 63000 | 0 | CONCSN | | |
| Jun-85 | 6/3/85 | 26 | 47 | 323000 | 332000 | 0 | CONCSN | | |
| Jun-85 | 6/10/85 | 26 | 25 | 224000 | 232000 | 0 | CONCSN | | |
| Jun-85 | 6/12/85 | 43 | 38 | 820000 | 853000 | 0 | LHWSN | | |
| Jun-85 | 6/14/85 | 26 | 47 | 156000 | 159000 | 0 | CONCSN | | |
| Jun-85 | 6/19/85 | 26 | 47 | 111000 | 115000 | 0 | CONCSN | | |
| Jun-85 | 6/20/85 | 43 | 41 | 53000 | 55000 | 0 | LHWCONCSN | | |
| Jun-85 | 6/30/85 | 242-1F | 26 | 603000 | 604000 | 0 | EVAPFEED | | |
| Jun-85 | 6/30/85 | 242-16 | 26 | 939000 | 939000 | 0 | EVAPFEED | | |
| Jun-85 | 6/30/85 | 42-16 | 43 | 729000 | 729000 | 0 | EVAPFEED | | |
| Jun-85 | 6/30/85 | 17 | | 0 | 88000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jun-85 | 6/30/85 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jun-85 | 6/30/85 | 17 | | 0 | 29000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jun-85 | 6/30/85 | 27 | | 0 | 7000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jun-85 | 6/30/85 | 21 | 44H-245 | 0 | 12000 | 0 | NONCANYWASTE | | |
| Jun-85 | 6/30/85 | 23 | 44H-245 | 0 | 100000 | 0 | NONCANYWASTE | | |
| Jun-85 | 6/30/85 | 26 | 242-1F | 0 | 1000 | 0 | OVERSPEC | | |
| Jun-85 | 6/30/85 | 47 | | 0 | 4000 | 0 | NONCANYWASTE | Low Level Trailer Waste | |
| Jun-85 | 6/30/85 | 28 | 242-16F | 39000 | 39000 | 0 | EVAPCONC | | |
| Jun-85 | 6/30/85 | 47 | 242-16F | 569000 | 617000 | 0 | EVAPCONC | | |
| Jun-85 | 6/30/85 | 41 | 242-16H | 436000 | 476000 | 0 | EVAPCONC | | |
| Jun-85 | 6/30/85 | 25 | 242-1F | 378000 | 417000 | 0 | EVAPCONC | | |
| Jul-85 | 6/21/85 | 26 | 47 | 173000 | 179000 | 0 | CONCSN | | |
| Jul-85 | 6/23/85 | 26 | 18 | 70000 | 71000 | 0 | SNATE | | |
| Jul-85 | 6/24/85 | 43 | 41 | 152000 | 162000 | 0 | CONCSN | | |
| Jul-85 | 6/25/85 | 26 | 18 | 159000 | 161000 | 0 | SNATE | | |
| Jul-85 | 6/26/85 | 18 | 17 | 150000 | 150000 | 1.9 | SLSLURRY | | |
| Jul-85 | 6/27/85 | 26 | 25 | 103000 | 107000 | 0 | CONCSN | | |
| Jul-85 | 6/30/85 | 26 | 47 | 191000 | 197000 | 0 | CONCSN | | |
| Jul-85 | 7/3/85 | 26 | 25 | 61000 | 64000 | 0 | CONCSN | | |
| Jul-85 | 7/8/85 | 26 | 47 | 291000 | 300000 | 0 | CONCSN | | |
| Jul-85 | 7/10/85 | 26 | 25 | 111000 | 116000 | 0 | CONCSN | | |
| Jul-85 | 7/16/85 | 26 | 25 | 320000 | 332000 | 0 | CONCSN | | |
| Jul-85 | 7/31/85 | 242-1F | 26 | 650000 | 652000 | 0 | EVAPFEED | | |
| Jul-85 | 7/31/85 | 242-16 | 26 | 901000 | 903000 | 0 | EVAPFEED | | |
| Jul-85 | 7/31/85 | 242-1H | 13 | 113000 | 113000 | 0 | EVAPFEED | | |
| Jul-85 | 7/31/85 | 42-16 | 43 | 363000 | 398000 | 0 | EVAPFEED | | |
| Jul-85 | 7/31/85 | 17 | | 0 | 37000 | 0 | MISCADD/TRAN | Inhibited water | |
| Jul-85 | 7/31/85 | 38 | | 0 | 4000 | 0 | MISCADD/TRAN | HPT-3 | |
| Jul-85 | 7/31/85 | 42 | | 0 | 2000 | 0 | MISCADD/TRAN | Flush Water | |
| Jul-85 | 7/31/85 | 24 | | 0 | 21000 | 0 | MISCADD/TRAN | Spray Wash of Tank 24 | |
| Jul-85 | 7/31/85 | | 20 | 6000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jul-85 | 7/31/85 | 21 | 44H-245 | 0 | 50000 | 0 | NONCANYWASTE | | |
| Jul-85 | 7/31/85 | 23 | 44H-245 | 0 | 33000 | 0 | NONCANYWASTE | | |
| Jul-85 | 7/31/85 | 26 | 242-1F | 0 | 2000 | 0 | OVERSPEC | | |
| Jul-85 | 7/31/85 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | | |
| Jul-85 | 7/31/85 | 13 | 242-1H | 0 | 12000 | 0 | OVERSPEC | | |
| Jul-85 | 7/31/85 | 43 | 242-16H | 0 | 35000 | 0 | OVERSPEC | | |
| Jul-85 | 7/31/85 | CRC | 23 | 0 | 32000 | 0 | RBOF-RRF | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jul-85 | 7/31/85 | 23 | CRC | 0 | 34000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Jul-85 | 7/31/85 | 47 | | 0 | 4000 | 0 | NONCANYWASTE | Low Level Trailer Waste |
| Jul-85 | 7/31/85 | 28 | 242-16F | 27000 | 27000 | 0 | EVAPCONC | |
| Jul-85 | 7/31/85 | 47 | 242-16F | 806000 | 846000 | 0 | EVAPCONC | |
| Jul-85 | 7/31/85 | 41 | 242-16H | 125000 | 129000 | 0 | EVAPCONC | |
| Jul-85 | 7/31/85 | 25 | 242-1F | 458000 | 458000 | 0 | EVAPCONC | |
| Jul-85 | 7/31/85 | 34 | 242-1F | 30000 | 30000 | 0 | EVAPCONC | |
| Jul-85 | 7/31/85 | 36 | 242-1H | 14000 | 27000 | 0 | EVAPCONC | |
| Aug-85 | 7/21/85 | 26 | 47 | 283000 | 291000 | 0 | CONCSN | |
| Aug-85 | 7/28/85 | 43 | 41 | 239000 | 298000 | 0 | LHWCONCSN | |
| Aug-85 | 7/29/85 | 13 | 30 | 298000 | 310000 | 0 | SNATE | |
| Aug-85 | 7/30/85 | 28 | 47 | 159000 | 165000 | 0 | CONCSN | |
| Aug-85 | 8/4/85 | 38 | 11 | 89000 | 96000 | 0 | SNATE | |
| Aug-85 | 8/5/85 | 26 | 47 | 313000 | 324000 | 0 | CONCSN | |
| Aug-85 | 8/12/85 | 26 | 25 | 254000 | 264000 | 0 | CONCSN | |
| Aug-85 | 8/14/85 | 26 | 27 | 44000 | 46000 | 0 | CONCSN | |
| Aug-85 | 8/14/85 | 13 | 30 | 269000 | 280000 | 0 | SNATE | |
| Aug-85 | 8/14/85 | 38 | 43 | 80000 | 85000 | 0 | CONCSN | |
| Aug-85 | 8/18/85 | 26 | 27 | 200000 | 207000 | 0 | CONCSN | |
| Aug-85 | 8/20/85 | 38 | 24 | 31000 | 33000 | 0 | MISCADD/TRAN | Tank 24 spray Washing |
| Aug-85 | 8/31/85 | 242-1F | 26 | 424000 | 424000 | 0 | EVAPFEED | |
| Aug-85 | 8/31/85 | 242-16 | 26 | 812000 | 817000 | 0 | EVAPFEED | |
| Aug-85 | 8/31/85 | 242-1H | 13 | 589000 | 591000 | 0 | EVAPFEED | |
| Aug-85 | 8/31/85 | 42-16 | 43 | 82000 | 94000 | 0 | EVAPFEED | |
| Aug-85 | 8/31/85 | 10 | | 0 | 33000 | 0 | MISCADD/TRAN | Salt Mining Water |
| Aug-85 | 8/31/85 | 24 | | 0 | 5000 | 0 | MISCADD/TRAN | Seal Water |
| Aug-85 | 8/31/85 | 2 | | 0 | 32000 | 0 | MISCADD/TRAN | Salt Mining Water |
| Aug-85 | 8/31/85 | 18 | | 0 | 6000 | 0 | MISCADD/TRAN | Seal Water |
| Aug-85 | 8/31/85 | 21 | 44H-245 | 0 | 29000 | 0 | NONCANYWASTE | |
| Aug-85 | 8/31/85 | 23 | 44H-245 | 0 | 78000 | 0 | NONCANYWASTE | |
| Aug-85 | 8/31/85 | 26 | 242-16F | 0 | 5000 | 0 | OVERSPEC | |
| Aug-85 | 8/31/85 | 23 | 242-1H | 0 | 4000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Aug-85 | 8/31/85 | CRC | 23 | 0 | 124000 | 0 | RBOF-RRF | |
| Aug-85 | 8/31/85 | 23 | CRC | 0 | 4000 | 0 | NONCANYWASTE | Off Specification CRC Effluent |
| Aug-85 | 8/31/85 | 43 | 299H | 0 | 6000 | 0 | MISCADD/TRAN | Decon Waste |
| Aug-85 | 8/31/85 | 28 | 242-16F | 27000 | 27000 | 0 | EVAPCONC | |
| Aug-85 | 8/31/85 | 47 | 242-16F | 504000 | 546000 | 0 | EVAPCONC | |
| Aug-85 | 8/31/85 | 41 | 242-16H | 30000 | 35000 | 0 | EVAPCONC | |
| Aug-85 | 8/31/85 | 25 | 242-1F | 70000 | 70000 | 0 | EVAPCONC | |
| Aug-85 | 8/31/85 | 34 | 242-1F | 241000 | 270000 | 0 | EVAPCONC | |
| Aug-85 | 8/31/85 | 36 | 242-1H | 231000 | 231000 | 0 | EVAPCONC | |
| Aug-85 | 8/31/85 | 37 | 242-1H | 67000 | 103000 | 0 | EVAPCONC | |
| Sep-85 | 8/22/85 | 26 | 47 | 166000 | 172000 | 0 | CONCSN | |
| Sep-85 | 8/23/85 | 30 | 24 | 32000 | 34000 | 0 | MISCADD/TRAN | Tank 24 spray Washing |
| Sep-85 | 8/25/85 | 26 | 47 | 206000 | 214000 | 0 | CONCSN | |
| Sep-85 | 8/26/85 | 13 | 36 | 246000 | 265000 | 0 | CONCSN | |
| Sep-85 | 9/3/85 | 26 | 25 | 185000 | 193000 | 0 | CONCSN | |
| Sep-85 | 9/6/85 | 13 | 30 | 211000 | 219000 | 0 | HHWSN | |
| Sep-85 | 9/8/85 | 26 | 47 | 596000 | 625000 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|---------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-85 | 9/16/85 | 30 | 37 | 404000 | 443000 | 0 | CONCSN | | |
| Sep-85 | 9/18/85 | 43 | 41 | 141000 | 150000 | 0 | CONCSN | | |
| Sep-85 | 9/19/85 | 26 | 25 | 220000 | 230000 | 0 | CONCSN | | |
| Sep-85 | 9/30/85 | 242-1F | 26 | 605000 | 605000 | 0 | EVAPFEED | | |
| Sep-85 | 9/30/85 | 242-16 | 26 | 1035000 | 1035000 | 0 | EVAPFEED | | |
| Sep-85 | 9/30/85 | 242-1H | 13 | 553000 | 553000 | 0 | EVAPFEED | | |
| Sep-85 | 9/30/85 | 42-16 | 43 | 437000 | 439000 | 0 | EVAPFEED | | |
| Sep-85 | 9/30/85 | 10 | | 0 | 16000 | 0 | MISCADD/TRAN | Salt Mining Water | |
| Sep-85 | 9/30/85 | 24 | | 0 | 27000 | 0 | MISCADD/TRAN | Spray Wash | |
| Sep-85 | 9/30/85 | 24 | | 0 | 4000 | 0 | MISCADD/TRAN | Seal Water | |
| Sep-85 | 9/30/85 | 2 | | 0 | 13000 | 0 | MISCADD/TRAN | | |
| Sep-85 | 9/30/85 | 7 | | 0 | 7000 | 0 | MISCADD/TRAN | IAPP + IAPT | |
| Sep-85 | 9/30/85 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | | |
| Sep-85 | 9/30/85 | 23 | 44H-245 | 0 | 54000 | 0 | NONCANYWASTE | | |
| Sep-85 | 9/30/85 | 43 | 242-16H | 0 | 2000 | 0 | OVERSPEC | | |
| Sep-85 | 9/30/85 | CRC | 23 | 0 | 175000 | 0 | RBOF-RRF | | |
| Sep-85 | 9/30/85 | 23 | CRC | 0 | 16000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Sep-85 | 9/30/85 | 47 | | 0 | 1000 | 0 | NONCANYWASTE | Low Level Trailer Waste | |
| Sep-85 | 9/30/85 | 43 | 299H | 0 | 7000 | 0 | MISCADD/TRAN | Decon Waste | |
| Sep-85 | 9/30/85 | 28 | 242-16F | 23000 | 23000 | 0 | EVAPCONC | | |
| Sep-85 | 9/30/85 | 47 | 242-16F | 706000 | 737000 | 0 | EVAPCONC | | |
| Sep-85 | 9/30/85 | 41 | 242-16H | 140000 | 179000 | 0 | EVAPCONC | | |
| Sep-85 | 9/30/85 | 25 | 242-1F | 399000 | 399000 | 0 | EVAPCONC | | |
| Sep-85 | 9/30/85 | 34 | 242-1F | 14000 | 14000 | 0 | EVAPCONC | | |
| Sep-85 | 9/30/85 | 36 | 242-1H | 235000 | 235000 | 0 | EVAPCONC | | |
| Sep-85 | 9/30/85 | 37 | 242-1H | 41000 | 101000 | 0 | EVAPCONC | | |
| Oct-85 | 9/22/85 | 43 | 41 | 151400 | 157500 | 0 | CONCSN | | |
| Oct-85 | 9/23/85 | 26 | 18 | 352000 | 352000 | 0 | SNATE | | |
| Oct-85 | 9/25/85 | 26 | 47 | 298000 | 310000 | 0 | CONCSN | | |
| Oct-85 | 9/25/85 | 13 | 36 | 260000 | 270400 | 0 | CONCSN | | |
| Oct-85 | 10/4/85 | 26 | 47 | 126000 | 131000 | 0 | CONCSN | | |
| Oct-85 | 10/7/85 | 26 | 47 | 239000 | 249000 | 0 | CONCSN | | |
| Oct-85 | 10/7/85 | 13 | 30 | 362900 | 377400 | 0 | CONCSN | | |
| Oct-85 | 10/13/85 | 26 | 25 | 282000 | 293000 | 0 | CONCSN | | |
| Oct-85 | 10/15/85 | 18 | 17 | 117000 | 117000 | 0 | MISCADD/TRAN | Waste Removal/Spray Wash | |
| Oct-85 | 10/31/85 | 242-1F | 26 | 497000 | 497000 | 0 | EVAPFEED | | |
| Oct-85 | 10/31/85 | 242-16 | 26 | 763000 | 763000 | 0 | EVAPFEED | | |
| Oct-85 | 10/31/85 | 242-1H | 13 | 477700 | 477700 | 0 | EVAPFEED | | |
| Oct-85 | 10/31/85 | 42-16 | 43 | 378800 | 378800 | 0 | EVAPFEED | | |
| Oct-85 | 10/31/85 | 4 | | 0 | 22000 | 0 | MISCADD/TRAN | | |
| Oct-85 | 10/31/85 | 17 | | 0 | 114000 | 0 | MISCADD/TRAN | Spray Wash and Seal Water | |
| Oct-85 | 10/31/85 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | | |
| Oct-85 | 10/31/85 | 23 | 44H-245 | 0 | 127000 | 0 | NONCANYWASTE | | |
| Oct-85 | 10/31/85 | 13 | 242-1H | 0 | 22400 | 0 | OVERSPEC | | |
| Oct-85 | 10/31/85 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste | |
| Oct-85 | 10/31/85 | 47 | 242-16F | 457000 | 482000 | 0 | EVAPCONC | | |
| Oct-85 | 10/31/85 | 41 | 242-16H | 164700 | 206300 | 0 | EVAPCONC | | |
| Oct-85 | 10/31/85 | 25 | 242-1F | 296000 | 317000 | 0 | EVAPCONC | | |
| Oct-85 | 10/31/85 | 27 | 242-1F | 15000 | 15000 | 0 | EVAPCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-85 | 10/31/85 | 37 | 242-1H | 280300 | 321600 | 0 | EVAPCONC | | |
| Nov-85 | 10/21/85 | 28 | 28 | 202000 | 210000 | 0 | CONCSN | | |
| Nov-85 | 10/29/85 | 28 | 47 | 451000 | 489000 | 0 | CONCSN | | |
| Nov-85 | 11/1/85 | 28 | 25 | 21000 | 22000 | 0 | CONCSN | | |
| Nov-85 | 11/9/85 | 43 | 41 | 304000 | 318000 | 0 | CONCSN | | |
| Nov-85 | 11/13/85 | 28 | 47 | 459000 | 477000 | 0 | CONCSN | | |
| Nov-85 | 11/15/85 | 28 | 25 | 325000 | 338000 | 0 | CONCSN | | |
| Nov-85 | 11/18/85 | 28 | 7 | 64000 | 67000 | 0 | CONCSN | | |
| Nov-85 | 11/25/85 | 28 | 7 | 80000 | 83000 | 0 | CONCSN | | |
| Nov-85 | 11/30/85 | 242-1F | 28 | 685000 | 685000 | 0 | EVAPFEED | | |
| Nov-85 | 11/30/85 | 242-16 | 28 | 1300000 | 1300000 | 0 | EVAPFEED | | |
| Nov-85 | 11/30/85 | 42-18 | 43 | 669000 | 669000 | 0 | EVAPFEED | | |
| Nov-85 | 11/30/85 | 47 | | 0 | 12000 | 0 | NONCANYWASTE | Low Level Trailer Waste | |
| Nov-85 | 11/30/85 | 3 | | 0 | 2000 | 0 | MISCADD/TRAN | | |
| Nov-85 | 11/30/85 | 20 | | 0 | 13000 | 0 | MISCADD/TRAN | Seal Water | |
| Nov-85 | 11/30/85 | 20 | | 0 | 8000 | 0 | MISCADD/TRAN | Caustic Addition | |
| Nov-85 | 11/30/85 | 37 | | 0 | 33000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Nov-85 | 11/30/85 | 10 | | 0 | 17000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Nov-85 | 11/30/85 | 13 | | 0 | 9000 | 0 | MISCADD/TRAN | Flush Water | |
| Nov-85 | 11/30/85 | 32 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush Water + Zeolite | |
| Nov-85 | 11/30/85 | | 35 | 8000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Nov-85 | 11/30/85 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | | |
| Nov-85 | 11/30/85 | 23 | 44H-245 | 0 | 93000 | 0 | NONCANYWASTE | | |
| Nov-85 | 11/30/85 | 26 | 242-16F | 0 | 5000 | 0 | OVERSPEC | | |
| Nov-85 | 11/30/85 | CRC | 23 | 0 | 232000 | 0 | RBOF-RRF | | |
| Nov-85 | 11/30/85 | 23 | CRC | 0 | 25000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Nov-85 | 11/30/85 | 43 | 299H | 0 | 7000 | 0 | MISCADD/TRAN | Decon Waste | |
| Nov-85 | 11/30/85 | 47 | 242-16F | 899000 | 941000 | 0 | EVAPCONC | | |
| Nov-85 | 11/30/85 | 41 | 242-16H | 362000 | 395000 | 0 | EVAPCONC | | |
| Nov-85 | 11/30/85 | 25 | 242-1F | 440000 | 440000 | 0 | EVAPCONC | | |
| Nov-85 | 11/30/85 | 27 | 242-1F | 46000 | 92000 | 0 | EVAPCONC | | |
| Dec-85 | 12/2/85 | 26 | 47 | 490000 | 510000 | 0 | CONCSN | | |
| Dec-85 | 12/5/85 | 13 | 37 | 55000 | 57000 | 0 | CONCSN | | |
| Dec-85 | 12/6/85 | 26 | 25 | 353000 | 367000 | 0 | CONCSN | | |
| Dec-85 | 12/7/85 | 18 | 20 | 204000 | 213000 | 0 | LHWNS | | |
| Dec-85 | 12/9/85 | 7 | 1 | 30000 | 31000 | 0 | LHWNS | | |
| Dec-85 | 12/10/85 | 26 | 45 | 5000 | 5200 | 0 | CONCSN | | |
| Dec-85 | 12/11/85 | 26 | 45 | 8000 | 8300 | 0 | CONCSN | | |
| Dec-85 | 12/11/85 | 43 | 41 | 315000 | 324000 | 0 | CONCSN | | |
| Dec-85 | 12/26/85 | 26 | 47 | 616000 | 616000 | 0 | CONCSN | | |
| Dec-85 | 12/26/85 | 43 | 41 | 232000 | 241000 | 0 | CONCSN | | |
| Dec-85 | 12/31/85 | 242-1F | 26 | 443000 | 443000 | 0 | EVAPFEED | | |
| Dec-85 | 12/31/85 | 242-16 | 26 | 866000 | 866000 | 0 | EVAPFEED | | |
| Dec-85 | 12/31/85 | 242-1H | 13 | 231000 | 241000 | 0 | EVAPFEED | | |
| Dec-85 | 12/31/85 | 42-16 | 43 | 449000 | 498000 | 0 | EVAPFEED | | |
| Dec-85 | 12/31/85 | 47 | | 0 | 4000 | 0 | NONCANYWASTE | Low Level Trailer Waste | |
| Dec-85 | 12/31/85 | 21 | 44H-245 | 0 | 4000 | 0 | NONCANYWASTE | | |
| Dec-85 | 12/31/85 | 23 | 44H-245 | 0 | 31000 | 0 | NONCANYWASTE | | |
| Dec-85 | 12/31/85 | CRC | 23 | 0 | 211000 | 0 | RBOF-RRF | | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|-------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Dec-85 | 12/31/85 | 47 | 242-16F | 637000 | 662000 | 0 | EVAPCONC | | |
| Dec-85 | 12/31/85 | 41 | 242-16H | 326000 | 343000 | 0 | EVAPCONC | | |
| Dec-85 | 12/31/85 | 25 | 242-1F | 293000 | 329000 | 0 | EVAPCONC | | |
| Dec-85 | 12/31/85 | 27 | 242-1F | 34000 | 34000 | 0 | EVAPCONC | | |
| Dec-85 | 12/31/85 | 37 | 242-1H | 33000 | 33000 | 0 | EVAPCONC | | |
| Dec-85 | 12/31/85 | 38 | 242-1H | 106000 | 126000 | 0 | EVAPCONC | | |
| Jan-86 | 1/8/86 | 26 | 25 | 296000 | 308000 | 0 | CONCSN | | |
| Jan-86 | 1/9/86 | 26 | 47 | 226000 | 235000 | 0 | CONCSN | | |
| Jan-86 | 1/10/86 | 30 | 33 | 383000 | 396000 | 0 | HHW | | |
| Jan-86 | 1/11/86 | 13 | 33 | 101000 | 104000 | 0 | HHW | | |
| Jan-86 | 1/13/86 | 30 | 33 | 253000 | 261000 | 0 | HHW | | |
| Jan-86 | 1/16/86 | 13 | 36 | 53000 | 57000 | 0 | CONCSN | | |
| Jan-86 | 1/20/86 | 26 | 47 | 410000 | 427000 | 0 | CONCSN | | |
| Jan-86 | 1/21/86 | 13 | 36 | 214000 | 226000 | 0 | CONCSN | | |
| Jan-86 | 1/23/86 | 13 | 36 | 122000 | 127000 | 0 | CONCSN | | |
| Jan-86 | 1/26/86 | 43 | 41 | 227000 | 234000 | 0 | CONCSN | | |
| Jan-86 | 1/27/86 | 26 | 18 | 325000 | 325000 | 0 | LHWSN | | |
| Jan-86 | 1/31/86 | 32 | 22 | 11000 | 11000 | 0 | SNATE | | |
| Jan-86 | 1/31/86 | 242-1F | 26 | 518000 | 518000 | 0 | EVAPFEED | | |
| Jan-86 | 1/31/86 | 242-16 | 26 | 862000 | 862000 | 0 | EVAPFEED | | |
| Jan-86 | 1/31/86 | 242-1H | 13 | 257000 | 260000 | 0 | EVAPFEED | | |
| Jan-86 | 1/31/86 | 42-16 | 43 | 369000 | 381000 | 0 | EVAPFEED | | |
| Jan-86 | 1/31/86 | 47 | | 0 | 10000 | 0 | NONCANYWASTE | Low Level Waste Trailer | |
| Jan-86 | 1/31/86 | 43 | 299H | 0 | 7000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jan-86 | 1/31/86 | 1 | | 0 | 11000 | 0 | MISCADD/TRAN | Water | |
| Jan-86 | 1/31/86 | 20 | | 0 | 105000 | 0 | MISCADD/TRAN | Inhibited Water | |
| Jan-86 | 1/31/86 | 7 | | 0 | 7000 | 0 | MISCADD/TRAN | Catch Tank | |
| Jan-86 | 1/31/86 | 10 | | 0 | 43000 | 0 | MISCADD/TRAN | Solution? | |
| Jan-86 | 1/31/86 | 23 | 44H-245 | 0 | 50000 | 0 | NONCANYWASTE | | |
| Jan-86 | 1/31/86 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | | |
| Jan-86 | 1/31/86 | CRC | 23 | 0 | 94000 | 0 | RBOF-RRF | | |
| Jan-86 | 1/31/86 | 23 | CRC | 0 | 67000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Jan-86 | 1/31/86 | 47 | 242-16F | 650000 | 688000 | 0 | EVAPCONC | | |
| Jan-86 | 1/31/86 | 41 | 242-16H | 314000 | 326000 | 0 | EVAPCONC | | |
| Jan-86 | 1/31/86 | 25 | 242-1F | 439000 | 443000 | 0 | EVAPCONC | | |
| Jan-86 | 1/31/86 | 36 | 242-1H | 202000 | 217000 | 0 | EVAPCONC | | |
| Jan-86 | 1/31/86 | 37 | 242-1H | 6000 | 6000 | 0 | EVAPCONC | | |
| Feb-86 | 2/3/86 | 26 | 25 | 319000 | 332000 | 0 | CONCSN | | |
| Feb-86 | 2/3/86 | 43 | 38 | 258000 | 268000 | 0 | MISCADD/TRAN | Misc. and Waste Removal | |
| Feb-86 | 2/10/86 | 26 | 47 | 551000 | 573000 | 0 | CONCSN | | |
| Feb-86 | 2/18/86 | 26 | 25 | 155000 | 161000 | 0 | CONCSN | | |
| Feb-86 | 2/18/86 | 13 | 22 | 345000 | 345000 | 0 | SNATE | | |
| Feb-86 | 2/18/86 | 38 | 22 | 9000 | 9000 | 0 | SNATE | | |
| Feb-86 | 2/18/86 | 43 | 41 | 303000 | 316000 | 0 | CONCSN | | |
| Feb-86 | 2/23/86 | 13 | 37 | 166000 | 173000 | 0 | CONCSN | | |
| Feb-86 | 2/27/86 | 26 | 47 | 485000 | 504000 | 0 | CONCSN | | |
| Feb-86 | 2/28/86 | 43 | 41 | 95000 | 99000 | 0 | CONCSN | | |
| Feb-86 | 2/28/86 | 43 | 38 | 281000 | 292000 | 0 | SNATE | | |
| Feb-86 | 2/28/86 | 13 | 36 | 114000 | 118000 | 0 | CONCSN | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-86 | 2/28/86 | 242-1F | 26 | 438000 | 438000 | 0 | EVAPFEED | |
| Feb-86 | 2/28/86 | 242-16 | 26 | 800000 | 800000 | 0 | EVAPFEED | |
| Feb-86 | 2/28/86 | 242-1H | 13 | 375000 | 375000 | 0 | EVAPFEED | |
| Feb-86 | 2/28/86 | 42-16 | 43 | 686000 | 686000 | 0 | EVAPFEED | |
| Feb-86 | 2/28/86 | 47 | | 0 | 8000 | 0 | NONCANYWASTE | Low Level Waste Trailer |
| Feb-86 | 2/28/86 | 43 | 299H | 0 | 10000 | 0 | MISCADD/TRAN | Decon Waste |
| Feb-86 | 2/28/86 | 1 | | 0 | 12000 | 0 | MISCADD/TRAN | |
| Feb-86 | 2/28/86 | 20 | | 0 | 87000 | 0 | MISCADD/TRAN | Inhibited Water |
| Feb-86 | 2/28/86 | 20 | | 0 | 15000 | 0 | MISCADD/TRAN | Bearing Water |
| Feb-86 | 2/28/86 | 21 | 44H-245 | 0 | 9000 | 0 | NONCANYWASTE | |
| Feb-86 | 2/28/86 | 23 | 44H-245 | 0 | 110000 | 0 | NONCANYWASTE | |
| Feb-86 | 2/28/86 | 23 | 242-1H | 0 | 25000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Feb-86 | 2/28/86 | CRC | 23 | 0 | 31000 | 0 | RBOF-RRF | |
| Feb-86 | 2/28/86 | 23 | CRC | 0 | 13000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Feb-86 | 2/28/86 | 47 | 242-16F | 573000 | 607000 | 0 | EVAPCONC | |
| Feb-86 | 2/28/86 | 41 | 242-16H | 425000 | 442000 | 0 | EVAPCONC | |
| Feb-86 | 2/28/86 | 25 | 242-1F | 308000 | 338000 | 0 | EVAPCONC | |
| Feb-86 | 2/28/86 | 36 | 242-1H | 222000 | 280000 | 0 | EVAPCONC | |
| Mar-86 | 3/1/86 | 43 | 38 | 69000 | 72000 | 0 | SNATE | |
| Mar-86 | 3/2/86 | 13 | 36 | 68000 | 71000 | 0 | CONCSN | |
| Mar-86 | 3/2/86 | 43 | 41 | 190000 | 197000 | 0 | CONCSN | |
| Mar-86 | 3/3/86 | 26 | 25 | 147000 | 153000 | 0 | CONCSN | |
| Mar-86 | 3/14/86 | 26 | 47 | 363000 | 377000 | 0 | CONCSN | |
| Mar-86 | 3/15/86 | 26 | 18 | 211000 | 211000 | 0 | LHWSN | |
| Mar-86 | 3/17/86 | 43 | 41 | 180000 | 188000 | 0 | CONCSN | |
| Mar-86 | 3/24/86 | 18 | 20 | 307000 | 321000 | 0 | LHWSN | |
| Mar-86 | 3/25/86 | 26 | 25 | 129000 | 135000 | 0 | CONCSN | |
| Mar-86 | 3/31/86 | 26 | 47 | 417000 | 434000 | 0 | CONCSN | |
| Mar-86 | 3/31/86 | 242-1F | 26 | 368000 | 368000 | 0 | EVAPFEED | |
| Mar-86 | 3/31/86 | 242-16 | 26 | 949000 | 949000 | 0 | EVAPFEED | |
| Mar-86 | 3/31/86 | 42-16 | 43 | 556000 | 556000 | 0 | EVAPFEED | |
| Mar-86 | 3/31/86 | 43 | 299H | 0 | 7000 | 0 | MISCADD/TRAN | Decon Waste |
| Mar-86 | 3/31/86 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | |
| Mar-86 | 3/31/86 | 33 | | 0 | 7000 | 0 | MISCADD/TRAN | Flush Water |
| Mar-86 | 3/31/86 | 47 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush Water |
| Mar-86 | 3/31/86 | 20 | | 0 | 12000 | 0 | MISCADD/TRAN | Bearing Water |
| Mar-86 | 3/31/86 | 23 | | 0 | 24000 | 0 | MISCADD/TRAN | Flushes |
| Mar-86 | 3/31/86 | 10 | | 0 | 10000 | 0 | MISCADD/TRAN | |
| Mar-86 | 3/31/86 | 13 | | 0 | 24000 | 0 | MISCADD/TRAN | Flushes |
| Mar-86 | 3/31/86 | 21 | 44H-245 | 0 | 4000 | 0 | NONCANYWASTE | |
| Mar-86 | 3/31/86 | 23 | 44H-245 | 0 | 75000 | 0 | NONCANYWASTE | |
| Mar-86 | 3/31/86 | 47 | 242-16F | 724000 | 756000 | 0 | EVAPCONC | |
| Mar-86 | 3/31/86 | 41 | 242-16H | 357000 | 373000 | 0 | EVAPCONC | |
| Mar-86 | 3/31/86 | 25 | 242-1F | 262000 | 308000 | 0 | EVAPCONC | |
| Apr-86 | 4/7/86 | 26 | 18 | 314000 | 314000 | 0 | LHWSN | |
| Apr-86 | 4/8/86 | 43 | 41 | 264000 | 275000 | 0 | CONCSN | |
| Apr-86 | 4/9/86 | 26 | 47 | 178000 | 185000 | 0 | CONCSN | |
| Apr-86 | 4/11/86 | 26 | 25 | 143000 | 149000 | 0 | CONCSN | |
| Apr-86 | 4/13/86 | 26 | 47 | 143000 | 149000 | 0 | CONCSN | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-86 | 4/18/86 | 30 | 29 | 74000 | 77000 | 0 | SNATE | | |
| Apr-86 | 4/20/86 | 43 | 41 | 171000 | 178000 | 0 | CONCSN | | |
| Apr-86 | 4/21/86 | 26 | 47 | 374000 | 389000 | 0 | CONCSN | | |
| Apr-86 | 4/24/86 | 26 | 25 | 226000 | 235000 | 0 | CONCSN | | |
| Apr-86 | 4/25/86 | 38 | 21 | 22000 | 22000 | 0 | SNATE | | |
| Apr-86 | 4/26/86 | 43 | 41 | 121000 | 126000 | 0 | CONCSN | | |
| Apr-86 | 4/27/86 | 26 | 25 | 65000 | 68000 | 0 | CONCSN | | |
| Apr-86 | 4/30/86 | 38 | 21 | 90000 | 86000 | 0 | SNATE | | |
| Apr-86 | 4/30/86 | 242-1F | 26 | 584000 | 584000 | 0 | EVAPFEED | | |
| Apr-86 | 4/30/86 | 242-16 | 26 | 1019000 | 1019000 | 0 | EVAPFEED | | |
| Apr-86 | 4/30/86 | 242-1H | 13 | 18000 | 18000 | 0 | EVAPFEED | | |
| Apr-86 | 4/30/86 | 42-16 | 43 | 792000 | 792000 | 0 | EVAPFEED | | |
| Apr-86 | 4/30/86 | 43 | 299H | 0 | 7000 | 0 | MISCADD/TRAN | Decon Waste | |
| Apr-86 | 4/30/86 | 47 | | 0 | 7000 | 0 | NONCANYWASTE | Low Level Waste Trailer | |
| Apr-86 | 4/30/86 | 20 | | 0 | 297000 | 0 | MISCADD/TRAN | Inhibited Water | |
| Apr-86 | 4/30/86 | 18 | | 0 | 17000 | 0 | MISCADD/TRAN | Seal Water | |
| Apr-86 | 4/30/86 | 23 | 44H-245 | 0 | 29000 | 0 | NONCANYWASTE | | |
| Apr-86 | 4/30/86 | 23 | 242-1H | 0 | 3000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| Apr-86 | 4/30/86 | CRC | 23 | 0 | 9000 | 0 | RBOF-RRF | | |
| Apr-86 | 4/30/86 | 23 | CRC | 0 | 2000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Apr-86 | 4/30/86 | 47 | 242-16F | 747000 | 781000 | 0 | EVAPCONC | | |
| Apr-86 | 4/30/86 | 41 | 242-16H | 579000 | 605000 | 0 | EVAPCONC | | |
| Apr-86 | 4/30/86 | 25 | 242-1F | 455000 | 465000 | 0 | EVAPCONC | | |
| Apr-86 | 4/30/86 | 36 | 242-1H | 10000 | 11000 | 0 | EVAPCONC | | |
| May-86 | 5/3/86 | 26 | 47 | 386000 | 401000 | 0 | CONCSN | | |
| May-86 | 5/3/86 | 43 | 38 | 326000 | 339000 | 0 | SNATE | | |
| May-86 | 5/4/86 | 38 | 21 | 535000 | 535000 | 0 | SNATE | | |
| May-86 | 5/4/86 | 43 | 41 | 139000 | 145000 | 0 | CONC | | |
| May-86 | 5/6/86 | 26 | 25 | 160000 | 167000 | 0 | CONCSN | | |
| May-86 | 5/8/86 | 38 | 22 | 144000 | 144000 | 0 | SNATE | | |
| May-86 | 5/11/86 | 26 | 47 | 175000 | 182000 | 0 | CONCSN | | |
| May-86 | 5/16/86 | 26 | 25 | 198000 | 206000 | 0 | CONCSN | | |
| May-86 | 5/17/86 | 26 | 27 | 210000 | 218000 | 0 | CONCSN | | |
| May-86 | 5/18/86 | 26 | 47 | 138000 | 143000 | 0 | CONCSN | | |
| May-86 | 5/22/86 | 26 | 25 | 189000 | 196000 | 0 | CONCSN | | |
| May-86 | 5/24/86 | 26 | 47 | 148000 | 154000 | 0 | CONCSN | | |
| May-86 | 5/30/86 | 26 | 47 | 221000 | 230000 | 0 | CONCSN | | |
| May-86 | 5/31/86 | 242-1F | 26 | 799000 | 799000 | 0 | EVAPFEED | | |
| May-86 | 5/31/86 | 242-16 | 26 | 953000 | 953000 | 0 | EVAPFEED | | |
| May-86 | 5/31/86 | 242-1H | 13 | 718000 | 718000 | 0 | EVAPFEED | | |
| May-86 | 5/31/86 | 42-16 | 43 | 545000 | 545000 | 0 | EVAPFEED | | |
| May-86 | 5/31/86 | 43 | 299H | 0 | 4000 | 0 | MISCADD/TRAN | Decon Waste | |
| May-86 | 5/31/86 | 47 | | 0 | 15000 | 0 | NONCANYWASTE | Low Level Waste Trailer | |
| May-86 | 5/31/86 | 20 | | 0 | 39000 | 0 | MISCADD/TRAN | Inhibited Water | |
| May-86 | 5/31/86 | 20 | | 0 | 2000 | 0 | MISCADD/TRAN | Seal Water | |
| May-86 | 5/31/86 | 18 | | 0 | 36000 | 0 | MISCADD/TRAN | Seal Water | |
| May-86 | 5/31/86 | 23 | 44H-245 | 0 | 80000 | 0 | NONCANYWASTE | | |
| May-86 | 5/31/86 | 23 | 242-1H | 0 | 30000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| May-86 | 5/31/86 | CRC | 23 | 0 | 64000 | 0 | RBOF-RRF | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-86 | 5/31/86 | 23 | CRC | 0 | 26000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| May-86 | 5/31/86 | 47 | 242-16F | 754000 | 790000 | 0 | EVAPCONC | |
| May-86 | 5/31/86 | 41 | 242-16H | 343000 | 359000 | 0 | EVAPCONC | |
| May-86 | 5/31/86 | 27 | 242-1F | 116000 | 116000 | 0 | EVAPCONC | |
| May-86 | 5/31/86 | 25 | 242-1F | 532000 | 546000 | 0 | EVAPCONC | |
| May-86 | 5/31/86 | 37 | 242-1H | 37000 | 37000 | 0 | EVAPCONC | |
| May-86 | 5/31/86 | 36 | 242-1H | 473000 | 549000 | 0 | EVAPCONC | |
| Jun-86 | 6/2/86 | 43 | 41 | 94000 | 98000 | 0 | CONC | |
| Jun-86 | 6/5/86 | 13 | 36 | 152000 | 158000 | 0 | CONC | |
| Jun-86 | 6/9/86 | 26 | 45 | 209000 | 217000 | 0 | CONCSN | |
| Jun-86 | 6/11/86 | 13 | 30 | 75000 | 78000 | 0 | SNATE | |
| Jun-86 | 6/13/86 | 26 | 47 | 5300 | 5500 | 0 | CONCSN | |
| Jun-86 | 6/16/86 | 13 | 30 | 200000 | 208000 | 0 | SNATE | |
| Jun-86 | 6/24/86 | 13 | 30 | 141000 | 147000 | 0 | SNATE | |
| Jun-86 | 6/24/86 | 22 | 21 | 100000 | 100000 | 0 | SNATE | |
| Jun-86 | 6/26/86 | 26 | 25 | 81000 | 84000 | 0 | CONCSN | |
| Jun-86 | 6/27/86 | 43 | 10 | 30000 | 31000 | 0 | SNATE | |
| Jun-86 | 6/30/86 | 242-1F | 26 | 499000 | 499000 | 0 | EVAPFEED | |
| Jun-86 | 6/30/86 | 242-16 | 26 | 376000 | 376000 | 0 | EVAPFEED | |
| Jun-86 | 6/30/86 | 242-1H | 13 | 624000 | 624000 | 0 | EVAPFEED | |
| Jun-86 | 6/30/86 | 42-16 | 43 | 243000 | 243000 | 0 | EVAPFEED | |
| Jun-86 | 6/30/86 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste |
| Jun-86 | 6/30/86 | 47 | | 0 | 4000 | 0 | NONCANYWASTE | Low Level Waste Trailer |
| Jun-86 | 6/30/86 | 20 | | 0 | 86000 | 0 | MISCADD/TRAN | Inhibited Water |
| Jun-86 | 6/30/86 | 20 | | 0 | 5000 | 0 | MISCADD/TRAN | Seal Water |
| Jun-86 | 6/30/86 | 18 | | 0 | 33000 | 0 | MISCADD/TRAN | Seal Water |
| Jun-86 | 6/30/86 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | FPT-1 |
| Jun-86 | 6/30/86 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | |
| Jun-86 | 6/30/86 | 23 | 44H-245 | 0 | 66000 | 0 | NONCANYWASTE | |
| Jun-86 | 6/30/86 | 23 | 242-1H | 0 | 12000 | 0 | OVERSPEC | Off Spec. Overhds.. |
| Jun-86 | 6/30/86 | CRC | 23 | 0 | 123000 | 0 | RBOF-RRF | |
| Jun-86 | 6/30/86 | 23 | CRC | 0 | 6000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Jun-86 | 6/30/86 | 45 | 242-16F | 141000 | 141000 | 0 | EVAPCONC | |
| Jun-86 | 6/30/86 | 47 | 242-16F | 183000 | 183000 | 0 | EVAPCONC | |
| Jun-86 | 6/30/86 | 41 | 242-16H | 140000 | 150000 | 0 | EVAPCONC | |
| Jun-86 | 6/30/86 | 27 | 242-1F | 388000 | 388000 | 0 | EVAPCONC | |
| Jun-86 | 6/30/86 | 25 | 242-1F | 23000 | 33000 | 0 | EVAPCONC | |
| Jun-86 | 6/30/86 | 37 | 242-1H | 49000 | 49000 | 0 | EVAPCONC | |
| Jun-86 | 6/30/86 | 36 | 242-1H | 379000 | 391000 | 0 | EVAPCONC | |
| Jul-86 | 7/4/86 | 26 | 45 | 298000 | 310000 | 0 | CONCSN | |
| Jul-86 | 7/4/86 | 43 | 10 | 41000 | 43000 | 0 | SNATE | |
| Jul-86 | 7/4/86 | 43 | 41 | 177000 | 184000 | 0 | CONC | |
| Jul-86 | 7/7/86 | 13 | 36 | 240000 | 250000 | 0 | CONC | |
| Jul-86 | 7/8/86 | 26 | 25 | 30000 | 32000 | 0 | CONCSN | |
| Jul-86 | 7/9/86 | 26 | 28 | 153000 | 160000 | 0 | CONCSN | |
| Jul-86 | 7/10/86 | 51 | 18 | 270000 | 300000 | 14.2 | SLSLURRY | |
| Jul-86 | 7/14/86 | 26 | 27 | 308000 | 320000 | 0 | CONCSN | |
| Jul-86 | 7/14/86 | 43 | 41 | 206000 | 215000 | 0 | CONC | |
| Jul-86 | 7/16/86 | 26 | 27 | 80000 | 83000 | 0 | CONCSN | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jul-86 | 7/17/86 | 51 | 22 | 344000 | 352000 | 9.7 | SLSLURRY | |
| Jul-86 | 7/20/86 | 18 | 20 | 804000 | 628000 | 0 | DISSALT | Saturated Salt Solution |
| Jul-86 | 7/20/86 | 28 | 45 | 494000 | 514000 | 0 | CONCSN | |
| Jul-86 | 7/21/86 | 28 | 18 | 589000 | 589000 | 0 | DISSALT | Saturated Salt Solution |
| Jul-86 | 7/21/86 | 43 | 38 | 175000 | 182000 | 0 | SNATE | |
| Jul-86 | 7/21/86 | 13 | 30 | 177000 | 184000 | 0 | SNATE | |
| Jul-86 | 7/22/86 | 26 | 47 | 35000 | 37000 | 0 | CONCSN | |
| Jul-86 | 7/25/86 | 43 | 41 | 98000 | 102000 | 0 | CONC | |
| Jul-86 | 7/26/86 | 26 | 25 | 152000 | 158000 | 0 | CONCSN | |
| Jul-86 | 7/28/86 | 13 | 37 | 117000 | 122000 | 0 | CONC | |
| Jul-86 | 7/31/86 | 242-1F | 28 | 786000 | 786000 | 0 | EVAPFEED | |
| Jul-86 | 7/31/86 | 242-1B | 28 | 1179000 | 1179000 | 0 | EVAPFEED | |
| Jul-86 | 7/31/86 | 242-1H | 13 | 458000 | 458000 | 0 | EVAPFEED | |
| Jul-86 | 7/31/86 | 42-1B | 43 | 700000 | 700000 | 0 | EVAPFEED | |
| Jul-86 | 7/31/86 | 43 | 299H | 0 | 10000 | 0 | MISCADD/TRAN | Decon Waste |
| Jul-86 | 7/31/86 | 20 | | 0 | 142000 | 0 | MISCADD/TRAN | Inhibited Water |
| Jul-86 | 7/31/86 | 18 | | 0 | 35000 | 0 | MISCADD/TRAN | Seal Water |
| Jul-86 | 7/31/86 | 47 | | 0 | 1000 | 0 | MISCADD/TRAN | Flush Water |
| Jul-86 | 7/31/86 | 22 | | 0 | 5000 | 0 | MISCADD/TRAN | Seal Water |
| Jul-86 | 7/31/86 | 21 | 44H-245 | 0 | 11000 | 0 | NONCANYWASTE | |
| Jul-86 | 7/31/86 | 23 | 44H-245 | 0 | 41000 | 0 | NONCANYWASTE | |
| Jul-86 | 7/31/86 | 23 | 242-1H | 0 | 47000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Jul-86 | 7/31/86 | CRC | 23 | 0 | 25000 | 0 | RBOF-RRF | |
| Jul-86 | 7/31/86 | 23 | CRC | 0 | 15000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Jul-86 | 7/31/86 | 45 | 242-16F | 904000 | 919000 | 0 | EVAPCONC | |
| Jul-86 | 7/31/86 | 41 | 242-16H | 462000 | 471000 | 0 | EVAPCONC | |
| Jul-86 | 7/31/86 | 27 | 242-1F | 420000 | 420000 | 0 | EVAPCONC | |
| Jul-86 | 7/31/86 | 25 | 242-1F | 192000 | 203000 | 0 | EVAPCONC | |
| Jul-86 | 7/31/86 | 37 | 242-1H | 125000 | 125000 | 0 | EVAPCONC | |
| Jul-86 | 7/31/86 | 36 | 242-1H | 192000 | 231000 | 0 | EVAPCONC | |
| Aug-86 | 8/1/86 | 26 | 45 | 333000 | 346000 | 0 | CONCSN | |
| Aug-86 | 8/1/86 | 43 | 41 | 182000 | 190000 | 0 | CONCSN | |
| Aug-86 | 8/4/86 | 13 | 36 | 157000 | 163000 | 0 | CONCSN | |
| Aug-86 | 8/8/86 | 26 | 47 | 171000 | 177000 | 0 | CONCSN | |
| Aug-86 | 8/11/86 | 18 | 20 | 79000 | 82000 | 0 | DISSALT | Saturated Salt Solution |
| Aug-86 | 8/11/86 | 43 | 41 | 176000 | 183000 | 0 | CONCSN | |
| Aug-86 | 8/11/86 | 43 | 10 | 54000 | 56000 | 0 | SNATE | |
| Aug-86 | 8/12/86 | 32 | 30 | 113000 | 118000 | 0 | SNATE | |
| Aug-86 | 8/13/86 | 13 | 37 | 111000 | 115000 | 0 | CONCSN | |
| Aug-86 | 8/16/86 | 35 | 30 | 42000 | 44000 | 0 | SNATE | |
| Aug-86 | 8/18/86 | 26 | 25 | 111000 | 115000 | 0 | CONCSN | |
| Aug-86 | 8/18/86 | 13 | 30 | 61000 | 63000 | 0 | SNATE | |
| Aug-86 | 8/21/86 | 26 | 45 | 173000 | 180000 | 0 | CONCSN | |
| Aug-86 | 8/21/86 | 26 | 27 | 415000 | 431000 | 0 | CONCSN | |
| Aug-86 | 8/21/86 | 26 | 45 | 494000 | 514000 | 0 | CONCSN | |
| Aug-86 | 8/21/86 | 13 | 36 | 166000 | 173000 | 0 | CONCSN | |
| Aug-86 | 8/23/86 | 43 | 41 | 243000 | 253000 | 0 | CONCSN | |
| Aug-86 | 8/25/86 | 13 | 37 | 138000 | 143000 | 0 | CONCSN | |
| Aug-86 | 8/27/86 | 51 | 18 | 285000 | 319000 | 16.2 | SLSLURRY | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|-------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-86 | 8/27/86 | 28 | 47 | 207000 | 215000 | 0 | CONCSN | |
| Aug-86 | 8/28/86 | 30 | 39 | 273000 | 283000 | 0 | FRHHWSN | |
| Aug-86 | 8/29/86 | 22 | 23 | 81000 | 85000 | 0 | RBOF-RRF | |
| Aug-86 | 8/31/86 | 18 | 20 | 115000 | 120000 | 0 | DISSALT | Saturated Salt Solution |
| Aug-86 | 8/31/86 | 28 | 45 | 312000 | 324000 | 0 | CONCSN | |
| Aug-86 | 8/31/86 | 242-1F | 28 | 714000 | 714000 | 0 | EVAPFEED | |
| Aug-86 | 8/31/86 | 242-16 | 28 | 1166000 | 1166000 | 0 | EVAPFEED | |
| Aug-86 | 8/31/86 | 242-1H | 13 | 711000 | 711000 | 0 | EVAPFEED | |
| Aug-86 | 8/31/86 | 42-16 | 43 | 759000 | 759000 | 0 | EVAPFEED | |
| Aug-86 | 8/31/86 | 43 | 299H | 0 | 6000 | 0 | MISCADD/TRAN | Decon Waste |
| Aug-86 | 8/31/86 | 20 | | 0 | 5000 | 0 | MISCADD/TRAN | Inhibited Water |
| Aug-86 | 8/31/86 | 18 | | 0 | 166000 | 0 | MISCADD/TRAN | Seal Water |
| Aug-86 | 8/31/86 | 47 | | 0 | 14000 | 0 | MISCADD/TRAN | Flush |
| Aug-86 | 8/31/86 | 22 | | 0 | 30000 | 0 | MISCADD/TRAN | Seal Water |
| Aug-86 | 8/31/86 | 21 | 44H-245 | 0 | 9000 | 0 | NONCANYWASTE | |
| Aug-86 | 8/31/86 | 23 | 44H-245 | 0 | 50000 | 0 | NONCANYWASTE | |
| Aug-86 | 8/31/86 | 23 | 242-1H | 0 | 20000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Aug-86 | 8/31/86 | 45 | 242-16F | 725000 | 725000 | 0 | EVAPCONC | |
| Aug-86 | 8/31/86 | 47 | 242-16F | 183000 | 183000 | 0 | EVAPCONC | |
| Aug-86 | 8/31/86 | 41 | 242-16H | 550000 | 582000 | 0 | EVAPCONC | |
| Aug-86 | 8/31/86 | 27 | 242-1F | 289000 | 289000 | 0 | EVAPCONC | |
| Aug-86 | 8/31/86 | 25 | 242-1F | 259000 | 259000 | 0 | EVAPCONC | |
| Aug-86 | 8/31/86 | 37 | 242-1H | 226000 | 226000 | 0 | EVAPCONC | |
| Aug-86 | 8/31/86 | 36 | 242-1H | 283000 | 333000 | 0 | EVAPCONC | |
| Sep-86 | 9/2/86 | 26 | 25 | 13000 | 13000 | 0 | CONCSN | |
| Sep-86 | 9/4/86 | 28 | 25 | 73000 | 76000 | 0 | CONCSN | |
| Sep-86 | 9/6/86 | 26 | 25 | 79000 | 82000 | 0 | CONCSN | |
| Sep-86 | 9/7/86 | 51 | 18 | 196000 | 201000 | 10.9 | SLSLURRY | |
| Sep-86 | 9/7/86 | 30 | 39 | 514000 | 543000 | 0 | FRHHWSN | |
| Sep-86 | 9/9/86 | 18 | 20 | 125000 | 130000 | 0 | DISSALT | |
| Sep-86 | 9/9/86 | 13 | 36 | 112000 | 116000 | 0 | CONCSN | |
| Sep-86 | 9/11/86 | 43 | 41 | 217000 | 226000 | 0 | CONCSN | |
| Sep-86 | 9/12/86 | 26 | 47 | 270000 | 280000 | 0 | CONCSN | |
| Sep-86 | 9/12/86 | 13 | 37 | 168000 | 175000 | 0 | CONCSN | |
| Sep-86 | 9/16/86 | 26 | 28 | 54000 | 56000 | 0 | CONCSN | |
| Sep-86 | 9/17/86 | 42 | 18 | 236000 | 255000 | 3.6 | SLSLURRY | |
| Sep-86 | 9/18/86 | 26 | 44 | 198000 | 206000 | 0 | CONCSN | |
| Sep-86 | 9/18/86 | 18 | 20 | 37000 | 39000 | 0 | MISCADD/TRAN | Inhibited water |
| Sep-86 | 9/19/86 | 43 | 41 | 138000 | 143000 | 0 | CONCSN | |
| Sep-86 | 9/20/86 | 18 | 20 | 75000 | 78000 | 0 | MISCADD/TRAN | Inhibited water |
| Sep-86 | 9/20/86 | 42 | 21 | 345000 | 345000 | 54 | SLSLURRY | |
| Sep-86 | 9/21/86 | 26 | 45 | 286000 | 298000 | 0 | CONCSN | |
| Sep-86 | 9/22/86 | 13 | 36 | 211000 | 220000 | 0 | CONCSN | |
| Sep-86 | 9/22/86 | 21 | 22 | 165000 | 165000 | 33.9 | SLSLURRY | |
| Sep-86 | 9/23/86 | 42 | 18 | 277000 | 329000 | 8.7 | SLSLURRY | |
| Sep-86 | 9/23/86 | 43 | 51 | 204000 | 212000 | 0 | SNATE | |
| Sep-86 | 9/25/86 | 26 | 27 | 98000 | 102000 | 0 | CONCSN | |
| Sep-86 | 9/25/86 | 42 | 21 | 93000 | 93000 | 12.1 | SLSLURRY | |
| Sep-86 | 9/26/86 | 18 | 20 | 171000 | 178000 | 0 | MISCADD/TRAN | Inhibited water |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-86 | 9/27/86 | 51 | 21 | 174000 | 174000 | 22.4 | SLSLURRY | | |
| Sep-86 | 9/28/86 | 26 | 25 | 104000 | 108000 | 0 | CONCSN | | |
| Sep-86 | 9/28/86 | 26 | 7 | 7000 | 8000 | 0 | LHWSN | | |
| Sep-86 | 9/28/86 | 40 | 22 | 158000 | 158000 | 32.2 | SLSLURRY | | |
| Sep-86 | 9/29/86 | 43 | 41 | 154000 | 160000 | 0 | CONCSN | | |
| Sep-86 | 9/30/86 | 242-1F | 26 | 608000 | 608000 | 0 | EVAPFEED | | |
| Sep-86 | 9/30/86 | 242-16 | 26 | 1040000 | 1040000 | 0 | EVAPFEED | | |
| Sep-86 | 9/30/86 | 242-1H | 13 | 683000 | 683000 | 0 | EVAPFEED | | |
| Sep-86 | 9/30/86 | 42-16 | 43 | 605000 | 615000 | 0 | EVAPFEED | | |
| Sep-86 | 9/30/86 | 43 | 299H | 0 | 5000 | 0 | MISCADD/TRAN | Decon Waste | |
| Sep-86 | 9/30/86 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | Catch Tank | |
| Sep-86 | 9/30/86 | 20 | | 0 | 12000 | 0 | MISCADD/TRAN | Caustic NaOH | |
| Sep-86 | 9/30/86 | 28 | | 0 | 15000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Sep-86 | 9/30/86 | 21 | 44H-245 | 0 | 19000 | 0 | NONCANYWASTE | | |
| Sep-86 | 9/30/86 | 23 | 44H-245 | 0 | 54000 | 0 | NONCANYWASTE | | |
| Sep-86 | 9/30/86 | 26 | 242-1F | 0 | 2000 | 0 | OVERSPEC | | |
| Sep-86 | 9/30/86 | 43 | 242-16H | 0 | 10000 | 0 | OVERSPEC | | |
| Sep-86 | 9/30/86 | 23 | 242-1H | 0 | 43000 | 0 | OVERSPEC | Off Spec. Overhds.. | |
| Sep-86 | 9/30/86 | 23 | CRC | 0 | 20000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Sep-86 | 9/30/86 | 47 | 242-16F | 552000 | 552000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 45 | 242-16F | 257000 | 286000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 43 | 242-16H | 35000 | 35000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 41 | 242-16H | 413000 | 453000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 27 | 242-1F | 343000 | 343000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 25 | 242-1F | 128000 | 140000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 37 | 242-1H | 280000 | 280000 | 0 | EVAPCONC | | |
| Sep-86 | 9/30/86 | 36 | 242-1H | 275000 | 305000 | 0 | EVAPCONC | | |
| Sep-86 | 10/2/86 | 40 | 18 | 286000 | 364000 | 12.5 | SLSLURRY | | |
| Sep-86 | 10/3/86 | 26 | 47 | 76000 | 79000 | 0 | CONCSN | | |
| Oct-86 | 10/1/86 | 26 | 27 | 4000 | 4000 | 0 | CONCSN | | |
| Oct-86 | 10/1/86 | 18 | 20 | 31000 | 32000 | 0 | MISCADD/TRAN | Inhibited Water | |
| Oct-86 | 10/3/86 | 26 | 47 | 171000 | 177000 | 0 | CONCSN | | |
| Oct-86 | 10/3/86 | 13 | 36 | 235000 | 244000 | 0 | CONC | | |
| Oct-86 | 10/5/86 | 26 | 45 | 240000 | 250000 | 0 | CONCSN | | |
| Oct-86 | 10/6/86 | 26 | 25 | 85000 | 88000 | 0 | CONCSN | | |
| Oct-86 | 10/6/86 | 43 | 41 | 126000 | 131000 | 0 | CONC | | |
| Oct-86 | 10/11/86 | 26 | 25 | 70000 | 73000 | 0 | CONCSN | | |
| Oct-86 | 10/12/86 | 40 | 42 | 256000 | 267000 | 0 | SNATE | | |
| Oct-86 | 10/13/86 | 43 | 41 | 105000 | 109000 | 0 | CONC | | |
| Oct-86 | 10/14/86 | 13 | 32 | 140000 | 146000 | 0 | HHWSN | | |
| Oct-86 | 10/16/86 | 22 | 21 | 80000 | 80000 | 0 | SLSLURRY | | |
| Oct-86 | 10/17/86 | 13 | 36 | 113000 | 117000 | 0 | CONC | | |
| Oct-86 | 10/18/86 | 26 | 47 | 307000 | 319000 | 0 | CONCSN | | |
| Oct-86 | 10/18/86 | 42 | 18 | 129000 | 175000 | 5.6 | SLSLURRY | | |
| Oct-86 | 10/20/86 | 43 | 41 | 197000 | 205000 | 0 | CONC | | |
| Oct-86 | 10/22/86 | 13 | 37 | 203000 | 211000 | 0 | CONC | | |
| Oct-86 | 10/25/86 | 26 | 25 | 138000 | 144000 | 0 | CONCSN | | |
| Oct-86 | 10/25/86 | 43 | 42 | 73000 | 76000 | 0 | SNATE | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-86 | 10/25/86 | 40 | 42 | 101000 | 108000 | 0 | SNATE | | |
| Oct-86 | 10/26/86 | 26 | 27 | 619000 | 643000 | 0 | CONCSN | | |
| Oct-86 | 10/27/86 | 24 | 23 | 192000 | 199000 | 0 | RBOF-RRF | | |
| Oct-86 | 10/31/86 | 242-1F | 26 | 480000 | 480000 | 0 | EVAPFEED | | |
| Oct-86 | 10/31/86 | 242-16 | 26 | 881000 | 881000 | 0 | EVAPFEED | | |
| Oct-86 | 10/31/86 | 242-1H | 13 | 622000 | 622000 | 0 | EVAPFEED | | |
| Oct-86 | 10/31/86 | 42-16 | 43 | 555000 | 558000 | 0 | EVAPFEED | | |
| Oct-86 | 10/31/86 | 43 | 299H | 0 | 3000 | 0 | MISCADD/TRAN | Decon Waste | |
| Oct-86 | 10/31/86 | 7 | | 0 | 2000 | 0 | MISCADD/TRAN | Catch Tank | |
| Oct-86 | 10/31/86 | 18 | | 0 | 190000 | 0 | MISCADD/TRAN | Inhibited Water | |
| Oct-86 | 10/31/86 | | 6 | 13000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-86 | 10/31/86 | | 28 | 19000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-86 | 10/31/86 | | 20 | 13000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-86 | 10/31/86 | 21 | 44H-245 | 0 | 6000 | 0 | NONCANYWASTE | | |
| Oct-86 | 10/31/86 | 23 | 44H-245 | 0 | 46000 | 0 | NONCANYWASTE | | |
| Oct-86 | 10/31/86 | 23 | 242-1H | 0 | 19000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| Oct-86 | 10/31/86 | 23 | CRC | 0 | 89000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Oct-86 | 10/31/86 | 45 | 242-16F | 296000 | 296000 | 0 | EVAPCONC | | |
| Oct-86 | 10/31/86 | 47 | 242-16F | 399000 | 435000 | 0 | EVAPCONC | | |
| Oct-86 | 10/31/86 | 41 | 242-16H | 386000 | 422000 | 0 | EVAPCONC | | |
| Oct-86 | 10/31/86 | 27 | 242-1F | 84000 | 84000 | 0 | EVAPCONC | | |
| Oct-86 | 10/31/86 | 25 | 242-1F | 291000 | 309000 | 0 | EVAPCONC | | |
| Oct-86 | 10/31/86 | 37 | 242-1H | 147000 | 147000 | 0 | EVAPCONC | | |
| Oct-86 | 10/31/86 | 36 | 242-1H | 337000 | 351000 | 0 | EVAPCONC | | |
| Nov-86 | 11/1/86 | 13 | 36 | 99000 | 103000 | 0 | CONC | | |
| Nov-86 | 11/3/86 | 42 | 18 | 100000 | 162000 | 2.4 | SLSLURRY | | |
| Nov-86 | 11/3/86 | 26 | 45 | 263000 | 273000 | 0 | CONCSN | | |
| Nov-86 | 11/4/86 | 43 | 41 | 168000 | 175000 | 0 | CONC | | |
| Nov-86 | 11/4/86 | 13 | 32 | 34000 | 35000 | 0 | HHWSN | | |
| Nov-86 | 11/6/86 | 26 | 25 | 84000 | 87000 | 0 | CONCSN | | |
| Nov-86 | 11/6/86 | 13 | 37 | 268000 | 279000 | 0 | CONC | | |
| Nov-86 | 11/10/86 | 43 | 42 | 70000 | 73000 | 0 | SNATE | | |
| Nov-86 | 11/11/86 | 40 | 42 | 44000 | 46000 | 0 | SNATE | | |
| Nov-86 | 11/11/86 | 43 | 41 | 136000 | 141000 | 0 | CONC | | |
| Nov-86 | 11/12/86 | 42 | 18 | 71000 | 113000 | 1.6 | SLSLURRY | | |
| Nov-86 | 11/12/86 | 26 | 47 | 204000 | 212000 | 0 | CONCSN | | |
| Nov-86 | 11/12/86 | 13 | 32 | 56000 | 58000 | 0 | HHWSN | | |
| Nov-86 | 11/17/86 | 43 | 41 | 114000 | 119000 | 0 | CONC | | |
| Nov-86 | 11/18/86 | 26 | 45 | 280000 | 291000 | 0 | CONCSN | | |
| Nov-86 | 11/19/86 | 13 | 36 | 247000 | 257000 | 0 | CONC | | |
| Nov-86 | 11/22/86 | 40 | 18 | 115000 | 159000 | 5.3 | SLSLURRY | | |
| Nov-86 | 11/24/86 | 26 | 25 | 54000 | 57000 | 0 | CONCSN | | |
| Nov-86 | 11/25/86 | 13 | 32 | 105000 | 109000 | 0 | HHWSN | | |
| Nov-86 | 11/27/86 | 26 | 47 | 237000 | 246000 | 0 | CONCSN | | |
| Nov-86 | 11/27/86 | 43 | 41 | 161000 | 167000 | 0 | CONC | | |
| Nov-86 | 11/30/86 | 242-1F | 26 | 681000 | 681000 | 0 | EVAPFEED | | |
| Nov-86 | 11/30/86 | 242-16 | 26 | 900000 | 900000 | 0 | EVAPFEED | | |
| Nov-86 | 11/30/86 | 242-1H | 13 | 689000 | 689000 | 0 | EVAPFEED | | |
| Nov-86 | 11/30/86 | 42-16 | 43 | 759000 | 759000 | 0 | EVAPFEED | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Nov-86 | 11/30/86 | 43 | 299H | 0 | 4000 | 0 | MISCADD/TRAN | Decon Waste |
| Nov-86 | 11/30/86 | 18 | | 0 | 195000 | 0 | MISCADD/TRAN | Inhibited Water |
| Nov-86 | 11/30/86 | 20 | | 0 | 111000 | 0 | MISCADD/TRAN | Inhibited Water |
| Nov-86 | 11/30/86 | 20 | | 0 | 13000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Nov-86 | 11/30/86 | 21 | 44H-245 | 0 | 8000 | 0 | NONCANYWASTE | |
| Nov-86 | 11/30/86 | 23 | 44H-245 | 0 | 31000 | 0 | NONCANYWASTE | |
| Nov-86 | 11/30/86 | 23 | 242-1H | 0 | 8000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Nov-86 | 11/30/86 | 23 | CRC | 0 | 12000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Nov-86 | 11/30/86 | 45 | 242-16F | 449000 | 449000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 47 | 242-16F | 293000 | 332000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 41 | 242-16H | 559000 | 591000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 38 | 242-16H | 30000 | 30000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 27 | 242-1F | 482000 | 482000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 25 | 242-1F | 87000 | 95000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 37 | 242-1H | 324000 | 324000 | 0 | EVAPCONC | |
| Nov-86 | 11/30/86 | 36 | 242-1H | 213000 | 245000 | 0 | EVAPCONC | |
| Dec-86 | 12/2/86 | 40 | 18 | 89000 | 121000 | 2.9 | SLSLURRY | |
| Dec-86 | 12/5/86 | 18 | 20 | 87000 | 91000 | 0 | MISCADD/TRAN | Inhibited Water |
| Dec-86 | 12/5/86 | 43 | 51 | 23000 | 24000 | 0 | SNATE | |
| Dec-86 | 12/6/86 | 26 | 27 | 156000 | 143000 | 0 | CONCSN | |
| Dec-86 | 12/6/86 | 13 | 37 | 122000 | 127000 | 0 | CONC | |
| Dec-86 | 12/7/86 | 43 | 41 | 124000 | 129000 | 0 | CONC | |
| Dec-86 | 12/7/86 | 43 | 51 | 64000 | 67000 | 0 | SNATE | |
| Dec-86 | 12/8/86 | 26 | 27 | 182000 | 189000 | 0 | CONCSN | |
| Dec-86 | 12/11/86 | 51 | 40 | 123000 | 128000 | 0 | SNATE | |
| Dec-86 | 12/12/86 | 42 | 40 | 101000 | 106000 | 0 | SNATE | |
| Dec-86 | 12/14/86 | 43 | 40 | 164000 | 171000 | 0 | SNATE | |
| Dec-86 | 12/16/86 | 26 | 45 | 291000 | 303000 | 0 | CONCSN | |
| Dec-86 | 12/18/86 | 43 | 10 | 16000 | 22000 | 0 | SNATE | |
| Dec-86 | 12/20/86 | 40 | 18 | 133000 | 159000 | 3.6 | SLSLURRY | |
| Dec-86 | 12/21/86 | 43 | 41 | 138000 | 143000 | 0 | CONC | |
| Dec-86 | 12/22/86 | 26 | 47 | 242000 | 252000 | 0 | CONCSN | |
| Dec-86 | 12/22/86 | 13 | 36 | 181000 | 188000 | 0 | CONC | |
| Dec-86 | 12/24/86 | 26 | 25 | 86000 | 89000 | 0 | CONCSN | |
| Dec-86 | 12/27/86 | 13 | 32 | 87000 | 90000 | 0 | MISCADD/TRAN | Aged Waste |
| Dec-86 | 12/28/86 | 43 | 41 | 138000 | 143000 | 0 | CONC | |
| Dec-86 | 12/29/86 | 26 | 45 | 398000 | 414000 | 0 | CONCSN | |
| Dec-86 | 12/30/86 | 26 | 7 | 28000 | 29000 | 0 | LHWSN | |
| Dec-86 | 12/30/86 | 40 | 18 | 70000 | 96000 | 2.4 | SLSLURRY | |
| Dec-86 | 12/30/86 | 13 | 37 | 118000 | 123000 | 0 | CONC | |
| Dec-86 | 12/31/86 | 43 | 51 | 66000 | 69000 | 0 | SNATE | |
| Dec-86 | 12/31/86 | 242-1F | 26 | 435000 | 435000 | 0 | EVAPFEED | |
| Dec-86 | 12/31/86 | 242-16 | 26 | 968000 | 968000 | 0 | EVAPFEED | |
| Dec-86 | 12/31/86 | 242-1H | 13 | 570000 | 570000 | 0 | EVAPFEED | |
| Dec-86 | 12/31/86 | 42-16 | 43 | 771000 | 771000 | 0 | EVAPFEED | |
| Dec-86 | 12/31/86 | 7 | | 0 | 6700 | 0 | MISCADD/TRAN | IAPT + Catch Tank |
| Dec-86 | 12/31/86 | | 20 | 25700 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Dec-86 | 12/31/86 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste |
| Dec-86 | 12/31/86 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Dec-86 | 12/31/86 | 23 | 44H-245 | 0 | 58000 | 0 | NONCANYWASTE | | |
| Dec-86 | 12/31/86 | 23 | 242-1H | 0 | 16000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| Dec-86 | 12/31/86 | 23 | CRC | 0 | 4000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Dec-86 | 12/31/86 | 45 | 242-16F | 551000 | 551000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 47 | 242-16F | 214000 | 243000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 41 | 242-16H | 419000 | 419000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 38 | 242-16H | 172000 | 212000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 27 | 242-1F | 178000 | 178000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 25 | 242-1F | 167000 | 180000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 37 | 242-1H | 132000 | 132000 | 0 | EVAPCONC | | |
| Dec-86 | 12/31/86 | 36 | 242-1H | 277000 | 287000 | 0 | EVAPCONC | | |
| Jan-87 | 1/2/87 | 43 | 41 | 50000 | 52000 | 0 | CONC | | |
| Jan-87 | 1/5/87 | 26 | 7 | 366000 | 380000 | 0 | LHWSN | | |
| Jan-87 | 1/6/87 | 13 | 36 | 198000 | 206000 | 0 | CONC | | |
| Jan-87 | 1/8/87 | 43 | 41 | 171000 | 178000 | 0 | CONC | | |
| Jan-87 | 1/9/87 | 26 | 25 | 79000 | 82000 | 0 | CONCSN | | |
| Jan-87 | 1/9/87 | 26 | 45 | 80000 | 84000 | 0 | CONCSN | | |
| Jan-87 | 1/9/87 | 40 | 18 | 59000 | 82000 | 1.8 | SLSLURRY | | |
| Jan-87 | 1/10/87 | 26 | 25 | 40000 | 42000 | 0 | CONCSN | | |
| Jan-87 | 1/10/87 | 26 | 45 | 72000 | 75000 | 0 | CONCSN | | |
| Jan-87 | 1/10/87 | 13 | 32 | 93000 | 97000 | 0 | HHW | | |
| Jan-87 | 1/12/87 | 22 | 21 | 42000 | 42000 | 0 | RBOF-RRF | | |
| Jan-87 | 1/15/87 | 26 | 27 | 215000 | 223000 | 0 | CONCSN | | |
| Jan-87 | 1/16/87 | 43 | 41 | 151000 | 157000 | 0 | CONC | | |
| Jan-87 | 1/16/87 | 13 | 37 | 106000 | 110000 | 0 | CONC | | |
| Jan-87 | 1/17/87 | 26 | 27 | 164000 | 170000 | 0 | CONCSN | | |
| Jan-87 | 1/17/87 | 24 | 23 | 41000 | 44000 | 0 | RBOF-RRF | | |
| Jan-87 | 1/19/87 | 39 | 32 | 70000 | 77000 | 0 | HHW | | |
| Jan-87 | 1/22/87 | 43 | 41 | 121000 | 126000 | 0 | CONC | | |
| Jan-87 | 1/23/87 | 26 | 45 | 396000 | 412000 | 0 | CONCSN | | |
| Jan-87 | 1/23/87 | 22 | 21 | 34000 | 34000 | 0 | RBOF-RRF | | |
| Jan-87 | 1/24/87 | 13 | 36 | 170000 | 177000 | 0 | CONC | | |
| Jan-87 | 1/27/87 | 40 | 18 | 73000 | 100000 | 2.4 | SLSLURRY | | |
| Jan-87 | 1/29/87 | 13 | 37 | 165000 | 172000 | 0 | CONC | | |
| Jan-87 | 1/30/87 | 43 | 41 | 136000 | 141000 | 0 | CONC | | |
| Jan-87 | 1/31/87 | 43 | 299H | 0 | 7000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jan-87 | 1/31/87 | 18 | | 0 | 116300 | 0 | MISCADD/TRAN | Inhibited Water | |
| Jan-87 | 1/31/87 | 7 | | 0 | 9210 | 0 | MISCADD/TRAN | Flush Water | |
| Jan-87 | 1/31/87 | | 2 | 14600 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-87 | 1/31/87 | | 6 | 11700 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-87 | 1/31/87 | 21 | 44H-245 | 0 | 34000 | 0 | NONCANYWASTE | | |
| Jan-87 | 1/31/87 | 23 | 44H-245 | 0 | 74000 | 0 | NONCANYWASTE | | |
| Jan-87 | 1/31/87 | 23 | 242-1H | 0 | 17000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| Jan-87 | 1/31/87 | CRC | 23 | 0 | 18000 | 0 | RBOF-RRF | | |
| Jan-87 | 1/31/87 | 23 | CRC | 0 | 11000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Jan-87 | 1/31/87 | 26 | 47 | 246000 | 256000 | 0 | CONCSN | | |
| Jan-87 | 1/31/87 | 43 | 51 | 78000 | 84000 | 0 | SNATE | | |
| Jan-87 | 1/31/87 | 22 | 23 | 426000 | 458000 | 0 | RBOF-RRF | | |
| Jan-87 | 1/31/87 | 242-1F | 26 | 636000 | 636000 | 0 | EVAPFEED | | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jan-87 | 1/31/87 | 242-16 | 26 | 1066000 | 1066000 | 0 | EVAPFEED | | |
| Jan-87 | 1/31/87 | 242-1H | 13 | 770000 | 770000 | 0 | EVAPFEED | | |
| Jan-87 | 1/31/87 | 42-16 | 43 | 792000 | 792000 | 0 | EVAPFEED | | |
| Jan-87 | 1/31/87 | 45 | 242-16F | 611000 | 611000 | 0 | EVAPCONC | | |
| Jan-87 | 1/31/87 | 47 | 242-16F | 245000 | 270000 | 0 | EVAPCONC | | |
| Jan-87 | 1/31/87 | 41 | 242-16H | 549000 | 601000 | 0 | EVAPCONC | | |
| Jan-87 | 1/31/87 | 25 | 242-1F | 84000 | 84000 | 0 | EVAPCONC | | |
| Jan-87 | 1/31/87 | 27 | 242-1F | 421000 | 438000 | 0 | EVAPCONC | | |
| Jan-87 | 1/31/87 | 36 | 242-1H | 382000 | 382000 | 0 | EVAPCONC | | |
| Jan-87 | 1/31/87 | 37 | 242-1H | 144000 | 229000 | 0 | EVAPCONC | | |
| Feb-87 | 2/3/87 | 43 | 51 | 45000 | 47000 | 0 | SNATE | | |
| Feb-87 | 2/4/87 | 22 | 23 | 161000 | 169000 | 0 | RBOF-RRF | | |
| Feb-87 | 2/4/87 | 13 | 36 | 68000 | 71000 | 0 | CONC | | |
| Feb-87 | 2/5/87 | 43 | 41 | 76000 | 86000 | 0 | CONC | | |
| Feb-87 | 2/7/87 | 13 | 36 | 140000 | 146000 | 0 | CONC | | |
| Feb-87 | 2/9/87 | 26 | 45 | 390000 | 405000 | 0 | CONCSN | | |
| Feb-87 | 2/11/87 | 43 | 41 | 82000 | 92000 | 0 | CONC | | |
| Feb-87 | 2/11/87 | 13 | 37 | 55000 | 57000 | 0 | CONC | | |
| Feb-87 | 2/12/87 | 26 | 25 | 176000 | 183000 | 0 | CONCSN | | |
| Feb-87 | 2/15/87 | 43 | 41 | 66000 | 71000 | 0 | CONC | | |
| Feb-87 | 2/19/87 | 26 | 27 | 295000 | 307000 | 0 | CONCSN | | |
| Feb-87 | 2/20/87 | 43 | 42 | 10000 | 11000 | 0 | SNATE | | |
| Feb-87 | 2/20/87 | 22 | 21 | 10000 | 10000 | 0 | RBOF-RRF | | |
| Feb-87 | 2/21/87 | 26 | 25 | 109000 | 114000 | 0 | CONCSN | | |
| Feb-87 | 2/22/87 | 43 | 41 | 105000 | 122000 | 0 | CONC | | |
| Feb-87 | 2/23/87 | 13 | 37 | 163000 | 170000 | 0 | CONC | | |
| Feb-87 | 2/24/87 | 26 | 47 | 52000 | 54000 | 0 | CONCSN | | |
| Feb-87 | 2/24/87 | 13 | 36 | 60000 | 62000 | 0 | CONC | | |
| Feb-87 | 2/25/87 | 43 | 41 | 66000 | 74000 | 0 | CONC | | |
| Feb-87 | 2/28/87 | 43 | 299H | 0 | 9000 | 0 | MISCADD/TRAN | Decon Waste | |
| Feb-87 | 2/28/87 | 18 | | 0 | 26600 | 0 | MISCADD/TRAN | Inhibited Water | |
| Feb-87 | 2/28/87 | 2 | | 0 | 12700 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Feb-87 | 2/28/87 | 6 | | 0 | 13800 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Feb-87 | 2/28/87 | | 5 | 12700 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Feb-87 | 2/28/87 | 21 | 44H-245 | 0 | 13000 | 0 | NONCANYWASTE | | |
| Feb-87 | 2/28/87 | 23 | 44H-245 | 0 | 98000 | 0 | NONCANYWASTE | | |
| Feb-87 | 2/28/87 | 23 | 242-1H | 0 | 18000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| Feb-87 | 2/28/87 | 26 | 47 | 115000 | 119000 | 0 | CONCSN | | |
| Feb-87 | 2/28/87 | 51 | 42 | 178000 | 186000 | 0 | SNATE | | |
| Feb-87 | 2/28/87 | 43 | 41 | 55000 | 63000 | 0 | CONC | | |
| Feb-87 | 2/28/87 | 242-1F | 26 | 565000 | 565000 | 0 | EVAPFEED | | |
| Feb-87 | 2/28/87 | 242-16 | 26 | 973000 | 973000 | 0 | EVAPFEED | | |
| Feb-87 | 2/28/87 | 242-1H | 13 | 447000 | 447000 | 0 | EVAPFEED | | |
| Feb-87 | 2/28/87 | 42-16 | 43 | 621000 | 621000 | 0 | EVAPFEED | | |
| Feb-87 | 2/28/87 | 45 | 242-16F | 553000 | 553000 | 0 | EVAPCONC | | |
| Feb-87 | 2/28/87 | 47 | 242-16F | 245000 | 263000 | 0 | EVAPCONC | | |
| Feb-87 | 2/28/87 | 41 | 242-16H | 427000 | 451000 | 0 | EVAPCONC | | |
| Feb-87 | 2/28/87 | 25 | 242-1F | 265000 | 265000 | 0 | EVAPCONC | | |
| Feb-87 | 2/28/87 | 27 | 242-1F | 200000 | 208000 | 0 | EVAPCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Feb-87 | 2/28/87 | 36 | 242-1H | 206000 | 206000 | 0 | EVAPCONC | | |
| Feb-87 | 2/28/87 | 37 | 242-1H | 122000 | 173000 | 0 | EVAPCONC | | |
| Mar-87 | 3/1/87 | 47 | 26 | 90000 | 94000 | 0 | CONCSN | | |
| Mar-87 | 3/3/87 | 42 | 43 | 53000 | 55000 | 0 | SNATE | | |
| Mar-87 | 3/5/87 | 41 | 43 | 41000 | 44000 | 0 | CONC | | |
| Mar-87 | 3/8/87 | 41 | 43 | 75000 | 79000 | 0 | CONC | | |
| Mar-87 | 3/8/87 | 45 | 26 | 207000 | 215000 | 0 | CONCSN | | |
| Mar-87 | 3/8/87 | 42 | 26 | 46000 | 52000 | 0 | SNATE | | |
| Mar-87 | 3/8/87 | 36 | 13 | 126000 | 131000 | 0 | CONC | | |
| Mar-87 | 3/8/87 | 42 | 26 | 46000 | 52000 | 0 | CONCSN | | |
| Mar-87 | 3/10/87 | 41 | 43 | 78000 | 83000 | 0 | CONC | | |
| Mar-87 | 3/11/87 | 51 | 43 | 53000 | 55000 | 0 | SNATE | | |
| Mar-87 | 3/12/87 | 42 | 26 | 71000 | 78000 | 0 | SNATE | | |
| Mar-87 | 3/12/87 | 42 | 26 | 71000 | 78000 | 0 | SNATE | | |
| Mar-87 | 3/12/87 | 27 | 26 | 119000 | 124000 | 0 | CONCSN | | |
| Mar-87 | 3/14/87 | 47 | 26 | 102000 | 107000 | 0 | CONCSN | | |
| Mar-87 | 3/14/87 | 27 | 26 | 120000 | 125000 | 0 | CONCSN | | |
| Mar-87 | 3/15/87 | 41 | 43 | 76000 | 83000 | 0 | CONC | | |
| Mar-87 | 3/19/87 | 41 | 43 | 50000 | 58000 | 0 | CONC | | |
| Mar-87 | 3/19/87 | 45 | 26 | 5000 | 6000 | 0 | CONCSN | | |
| Mar-87 | 3/23/87 | 41 | 43 | 60000 | 67000 | 0 | CONC | | |
| Mar-87 | 3/23/87 | 37 | 13 | 228000 | 243000 | 0 | CONC | | |
| Mar-87 | 3/26/87 | 21 | 22 | 22000 | 22000 | 0 | NONCANYWASTE | | |
| Mar-87 | 3/27/87 | 36 | 13 | 182000 | 189000 | 0 | CONC | | |
| Mar-87 | 3/27/87 | 41 | 43 | 46000 | 67000 | 0 | CONC | | |
| Mar-87 | 3/30/87 | 45 | 26 | 140000 | 146000 | 0 | CONCSN | | |
| Mar-87 | 3/31/87 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste | |
| Mar-87 | 3/31/87 | 7 | | 0 | 6500 | 0 | MISCADD/TRAN | Inhibited Water | |
| Mar-87 | 3/31/87 | 6 | | 0 | 4900 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Mar-87 | 3/31/87 | 7 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Mar-87 | 3/31/87 | 21 | 44H-245 | 0 | 21000 | 0 | NONCANYWASTE | | |
| Mar-87 | 3/31/87 | 23 | 44H-245 | 0 | 131000 | 0 | NONCANYWASTE | | |
| Mar-87 | 3/31/87 | 23 | 242-1H | 0 | 9000 | 0 | OVERSPEC | Off Spec. Overhds... | |
| Mar-87 | 3/31/87 | 41 | 43 | 60000 | 74000 | 0 | CONC | | |
| Mar-87 | 3/31/87 | 45 | 26 | 82000 | 85000 | 0 | CONCSN | | |
| Mar-87 | 3/31/87 | 27 | 26 | 53000 | 55000 | 0 | CONCSN | | |
| Mar-87 | 3/31/87 | 242-1F | 26 | 611000 | 611000 | 0 | EVAPFEED | | |
| Mar-87 | 3/31/87 | 242-16 | 26 | 465000 | 465000 | 0 | EVAPFEED | | |
| Mar-87 | 3/31/87 | 242-1H | 13 | 616000 | 616000 | 0 | EVAPFEED | | |
| Mar-87 | 3/31/87 | 42-16 | 43 | 750000 | 750000 | 0 | EVAPFEED | | |
| Mar-87 | 3/31/87 | 45 | 242-16F | 124000 | 124000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 47 | 242-16F | 249000 | 265000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 39 | 242-16H | 6000 | 8000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 38 | 242-16H | 14000 | 14000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 41 | 242-16H | 494000 | 511000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 25 | 242-1F | 11000 | 11000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 27 | 242-1F | 484000 | 489000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 36 | 242-1H | 197000 | 197000 | 0 | EVAPCONC | | |
| Mar-87 | 3/31/87 | 37 | 242-1H | 278000 | 349000 | 0 | EVAPCONC | | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-87 | 4/1/87 | 26 | 27 | 38000 | 40000 | 0 | CONCSN | | |
| Apr-87 | 4/3/87 | 26 | 27 | 126000 | 131000 | 0 | CONCSN | | |
| Apr-87 | 4/6/87 | 43 | 41 | 56000 | 68000 | 0 | CONC | | |
| Apr-87 | 4/9/87 | 26 | 47 | 149000 | 155000 | 0 | CONCSN | | |
| Apr-87 | 4/12/87 | 26 | 27 | 289000 | 311000 | 0 | CONCSN | | |
| Apr-87 | 4/13/87 | 43 | 41 | 80000 | 91000 | 0 | CONC | | |
| Apr-87 | 4/15/87 | 26 | 45 | 4000 | 4000 | 0 | CONCSN | | |
| Apr-87 | 4/15/87 | 13 | 37 | 181000 | 190000 | 0 | CONC | | |
| Apr-87 | 4/15/87 | 43 | 40 | 72000 | 76000 | 0 | SNATE | | |
| Apr-87 | 4/16/87 | 43 | 41 | 44000 | 46000 | 0 | CONC | | |
| Apr-87 | 4/18/87 | 43 | 41 | 15000 | 31000 | 0 | CONC | | |
| Apr-87 | 4/21/87 | 13 | 36 | 169000 | 176000 | 0 | CONC | | |
| Apr-87 | 4/22/87 | 26 | 47 | 249000 | 259000 | 0 | CONCSN | | |
| Apr-87 | 4/22/87 | 26 | 45 | 7000 | 8000 | 0 | CONCSN | | |
| Apr-87 | 4/26/87 | 26 | 45 | 281000 | 292000 | 0 | CONCSN | | |
| Apr-87 | 4/28/87 | 13 | 37 | 195000 | 203000 | 0 | CONC | | |
| Apr-87 | 4/30/87 | 43 | 299H | 0 | 9000 | 0 | MISCADD/TRAN | Decon Waste | |
| Apr-87 | 4/30/87 | 42 | | 0 | 71000 | 0 | MISCADD/TRAN | NaNO3 | |
| Apr-87 | 4/30/87 | | 1 | 8000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Apr-87 | 4/30/87 | | 6 | 6000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Apr-87 | 4/30/87 | 21 | 44H-245 | 0 | 18000 | 0 | NONCANYWASTE | | |
| Apr-87 | 4/30/87 | 23 | 44H-245 | 0 | 147000 | 0 | NONCANYWASTE | | |
| Apr-87 | 4/30/87 | 23 | 242-1H | 0 | 5000 | 0 | OVERSPEC | Off Spec. Overhds.. | |
| Apr-87 | 4/30/87 | 26 | 47 | 123000 | 128000 | 0 | CONCSN | | |
| Apr-87 | 4/30/87 | 242-1F | 26 | 587000 | 587000 | 0 | EVAPFEED | | |
| Apr-87 | 4/30/87 | 242-16 | 26 | 1035000 | 1035000 | 0 | EVAPFEED | | |
| Apr-87 | 4/30/87 | 242-1H | 13 | 583000 | 583000 | 0 | EVAPFEED | | |
| Apr-87 | 4/30/87 | 42-16 | 43 | 347000 | 347000 | 0 | EVAPFEED | | |
| Apr-87 | 4/30/87 | 45 | 242-16F | 313000 | 313000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 47 | 242-16F | 513000 | 533000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 38 | 242-16H | 27000 | 27000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 41 | 242-16H | 188000 | 214000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 25 | 242-1F | 3000 | 3000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 27 | 242-1F | 465000 | 472000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 36 | 242-1H | 217000 | 217000 | 0 | EVAPCONC | | |
| Apr-87 | 4/30/87 | 37 | 242-1H | 256000 | 300000 | 0 | EVAPCONC | | |
| May-87 | 5/2/87 | 26 | 47 | 149000 | 155000 | 0 | CONCSN | | |
| May-87 | 5/5/87 | 26 | 27 | 264000 | 274000 | 0 | CONCSN | | |
| May-87 | 5/11/87 | 13 | 5 | 278000 | 289000 | 0 | HHWSN | | |
| May-87 | 5/14/87 | 13 | 36 | 130000 | 136000 | 0 | CONC | | |
| May-87 | 5/15/87 | 26 | 47 | 136000 | 142000 | 0 | CONCSN | | |
| May-87 | 5/15/87 | 13 | 37 | 34000 | 36000 | 0 | CONC | | |
| May-87 | 5/17/87 | 26 | 27 | 213000 | 221000 | 0 | CONCSN | | |
| May-87 | 5/24/87 | 26 | 47 | 110000 | 114000 | 0 | CONCSN | | |
| May-87 | 5/25/87 | 13 | 37 | 147000 | 153000 | 0 | CONC | | |
| May-87 | 5/26/87 | 26 | 27 | 142000 | 148000 | 0 | CONCSN | | |
| May-87 | 5/29/87 | 13 | 35 | 66000 | 69000 | 0 | HHWSN | | |
| May-87 | 5/30/87 | 26 | 47 | 45000 | 47000 | 0 | CONCSN | | |
| May-87 | 5/30/87 | 26 | 51 | 693000 | 726000 | 0 | SNATE | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-87 | 5/31/87 | 43 | 299H | 0 | 13000 | 0 | MISCADD/TRAN | Decon Waste |
| May-87 | 5/31/87 | 7 | | 0 | 5000 | 0 | MISCADD/TRAN | F-PT1 |
| May-87 | 5/31/87 | 33 | | 0 | 11000 | 0 | MISCADD/TRAN | F-PT3 |
| May-87 | 5/31/87 | | 37 | 11000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| May-87 | 5/31/87 | 43 | | 0 | 1000 | 0 | MISCADD/TRAN | Chromate Addition |
| May-87 | 5/31/87 | | 25 | 2000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| May-87 | 5/31/87 | 21 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | |
| May-87 | 5/31/87 | 23 | 44H-245 | 0 | 93000 | 0 | NONCANYWASTE | |
| May-87 | 5/31/87 | 23 | 242-1H | 0 | 9000 | 0 | OVERSPEC | Off Spec. Overhds.. |
| May-87 | 5/31/87 | 23 | CRC | 0 | 3000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| May-87 | 5/31/87 | 242-1F | 26 | 687000 | 687000 | 0 | EVAPFEED | |
| May-87 | 5/31/87 | 242-16 | 26 | 871000 | 871000 | 0 | EVAPFEED | |
| May-87 | 5/31/87 | 242-1H | 13 | 695000 | 685000 | 0 | EVAPFEED | |
| May-87 | 5/31/87 | 42-16 | 43 | 20000 | 20000 | 0 | EVAPFEED | |
| May-87 | 5/31/87 | 45 | 242-16F | 285000 | 285000 | 0 | EVAPCONC | |
| May-87 | 5/31/87 | 47 | 242-16F | 435000 | 468000 | 0 | EVAPCONC | |
| May-87 | 5/31/87 | 38 | 242-16H | 24000 | 24000 | 0 | EVAPCONC | |
| May-87 | 5/31/87 | 39 | 242-16H | 2000 | 2000 | 0 | EVAPCONC | |
| May-87 | 5/31/87 | 27 | 242-1F | 569000 | 589000 | 0 | EVAPCONC | |
| May-87 | 5/31/87 | 36 | 242-1H | 224000 | 224000 | 0 | EVAPCONC | |
| May-87 | 5/31/87 | 37 | 242-1H | 257000 | 304000 | 0 | EVAPCONC | |
| Jun-87 | 6/3/87 | 26 | 51 | 105000 | 112000 | 0 | SNATE | |
| Jun-87 | 6/4/87 | 43 | 10 | 19000 | 21000 | 0 | SNATE | |
| Jun-87 | 6/5/87 | 13 | 36 | 174000 | 181000 | 0 | CONC | |
| Jun-87 | 6/10/87 | 26 | 27 | 197000 | 205000 | 0 | CONCSN | |
| Jun-87 | 6/11/87 | 43 | 40 | 81000 | 84000 | 0 | SNATE | |
| Jun-87 | 6/15/87 | 26 | 45 | 43000 | 45000 | 0 | CONCSN | |
| Jun-87 | 6/16/87 | 13 | 37 | 173000 | 180000 | 0 | CONC | |
| Jun-87 | 6/20/87 | 26 | 27 | 121000 | 126000 | 0 | CONCSN | |
| Jun-87 | 6/20/87 | 43 | 40 | 105000 | 109000 | 0 | SNATE | |
| Jun-87 | 6/21/87 | 26 | 42 | 348000 | 369000 | 0 | SNATE | |
| Jun-87 | 6/23/87 | 26 | 44 | 92000 | 95000 | 0 | CONCSN | |
| Jun-87 | 6/24/87 | 26 | 27 | 36000 | 37000 | 0 | CONCSN | |
| Jun-87 | 6/26/87 | 26 | 27 | 123000 | 128000 | 0 | CONCSN | |
| Jun-87 | 6/27/87 | 43 | 40 | 156000 | 162000 | 0 | SNATE | |
| Jun-87 | 6/30/87 | 47 | | 0 | 8000 | 0 | NONCANYWASTE | 100Area Low Level Trailer |
| Jun-87 | 6/30/87 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste |
| Jun-87 | 6/30/87 | 18 | | 0 | 13000 | 0 | MISCADD/TRAN | Inhibited Water |
| Jun-87 | 6/30/87 | 23 | | 0 | 13000 | 0 | MISCADD/TRAN | cooling Water Leak |
| Jun-87 | 6/30/87 | 10 | | 0 | 18000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Jun-87 | 6/30/87 | 21 | 44H-245 | 0 | 34000 | 0 | NONCANYWASTE | |
| Jun-87 | 6/30/87 | 23 | 44H-245 | 0 | 24000 | 0 | NONCANYWASTE | |
| Jun-87 | 6/30/87 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | |
| Jun-87 | 6/30/87 | 23 | 242-1H | 0 | 6000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Jun-87 | 6/30/87 | 26 | 44 | 181000 | 189000 | 0 | CONCSN | |
| Jun-87 | 6/30/87 | 26 | 47 | 16000 | 17000 | 0 | CONCSN | |
| Jun-87 | 6/30/87 | 242-1F | 26 | 677000 | 677000 | 0 | EVAPFEED | |
| Jun-87 | 6/30/87 | 242-16 | 26 | 718000 | 718000 | 0 | EVAPFEED | |
| Jun-87 | 6/30/87 | 242-1H | 13 | 391000 | 391000 | 0 | EVAPFEED | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|---------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Jun-87 | 6/30/87 | 42-16 | 43 | 441000 | 441000 | 0 | EVAPFEED | | |
| Jun-87 | 6/30/87 | 44 | 242-16F | 476000 | 476000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 47 | 242-16F | 68000 | 84000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 39 | 242-16H | 7000 | 7000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 38 | 242-16H | 276000 | 293000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 25 | 242-1F | 4000 | 4000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 27 | 242-1F | 512000 | 528000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 36 | 242-1H | 164000 | 164000 | 0 | EVAPCONC | | |
| Jun-87 | 6/30/87 | 37 | 242-1H | 113000 | 159000 | 0 | EVAPCONC | | |
| Jul-87 | 7/2/87 | 43 | 38 | 85000 | 89000 | 0 | CONC | | |
| Jul-87 | 7/5/87 | 26 | 27 | 129000 | 134000 | 0 | CONCSN | | |
| Jul-87 | 7/10/87 | 26 | 47 | 211000 | 220000 | 0 | CONCSN | | |
| Jul-87 | 7/12/87 | 43 | 38 | 158000 | 164000 | 0 | CONC | | |
| Jul-87 | 7/19/87 | 51 | 42 | 312000 | 323000 | 0 | SNATE | | |
| Jul-87 | 7/20/87 | 26 | 44 | 298000 | 310000 | 0 | CONCSN | | |
| Jul-87 | 7/26/87 | 26 | 47 | 121000 | 126000 | 0 | CONCSN | | |
| Jul-87 | 7/28/87 | 26 | 27 | 332000 | 345000 | 0 | SNATE | | |
| Jul-87 | 7/31/87 | 47 | | 0 | 3000 | 0 | NONCANYWASTE | 100Area Low Level Trailer | |
| Jul-87 | 7/31/87 | 43 | 299H | 0 | 16000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jul-87 | 7/31/87 | 18 | | 0 | 47000 | 0 | MISCADD/TRAN | Inhibited Water | |
| Jul-87 | 7/31/87 | 42 | | 0 | 7000 | 0 | MISCADD/TRAN | Slurry Pump Seal Water | |
| Jul-87 | 7/31/87 | 23 | | 0 | 12000 | 0 | MISCADD/TRAN | cooling Water Leak | |
| Jul-87 | 7/31/87 | 51 | | 0 | 18000 | 0 | MISCADD/TRAN | Caustic Addition | |
| Jul-87 | 7/31/87 | 23 | 44H-245 | 0 | 105000 | 0 | NONCANYWASTE | | |
| Jul-87 | 7/31/87 | 26 | 242-16F | 0 | 1000 | 0 | OVERSPEC | | |
| Jul-87 | 7/31/87 | 43 | 242-16H | 0 | 31000 | 0 | OVERSPEC | | |
| Jul-87 | 7/31/87 | 23 | 242-1H | 0 | 4000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| Jul-87 | 7/31/87 | 26 | 47 | 102000 | 106000 | 0 | CONCSN | | |
| Jul-87 | 7/31/87 | 13 | 36 | 174000 | 181000 | 0 | CONC | | |
| Jul-87 | 7/31/87 | 242-1F | 26 | 409000 | 409000 | 0 | EVAPFEED | | |
| Jul-87 | 7/31/87 | 242-16 | 26 | 1043000 | 1043000 | 0 | EVAPFEED | | |
| Jul-87 | 7/31/87 | 242-1H | 13 | 150000 | 150000 | 0 | EVAPFEED | | |
| Jul-87 | 7/31/87 | 42-16 | 43 | 321000 | 352000 | 0 | EVAPFEED | | |
| Jul-87 | 7/31/87 | 44 | 242-16F | 439000 | 439000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 47 | 242-16F | 321000 | 364000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 38 | 242-16H | 174000 | 191000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 39 | 242-16H | 5000 | 5000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 25 | 242-1F | 3000 | 3000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 27 | 242-1F | 300000 | 302000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 36 | 242-1H | 73000 | 73000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 29 | 242-1H | 2000 | 2000 | 0 | EVAPCONC | | |
| Jul-87 | 7/31/87 | 37 | 242-1H | 113000 | 161000 | 0 | EVAPCONC | | |
| Aug-87 | 8/1/87 | 13 | 36 | 66000 | 77000 | 0 | CONC | | |
| Aug-87 | 8/10/87 | 26 | 27 | 210000 | 218000 | 0 | CONCSN | | |
| Aug-87 | 8/11/87 | 26 | 44 | 499000 | 520000 | 0 | CONCSN | | |
| Aug-87 | 8/14/87 | 43 | 38 | 130000 | 137000 | 0 | CONC | | |
| Aug-87 | 8/15/87 | 51 | 18 | 169000 | 169000 | 2 | SLSLURRY | | |
| Aug-87 | 8/18/87 | 26 | 27 | 249000 | 259000 | 0 | CONC | | |
| Aug-87 | 8/22/87 | 51 | 18 | 49000 | 86000 | 0.9 | SLSLURRY | | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Aug-87 | 8/24/87 | 13 | 37 | 94000 | 98000 | 0 | CONC | |
| Aug-87 | 8/25/87 | 26 | 44 | 337000 | 351000 | 0 | CONCSN | |
| Aug-87 | 8/31/87 | 47 | | 0 | 6000 | 0 | NONCANYWASTE | 100Area Low Level Trailer |
| Aug-87 | 8/31/87 | 43 | 299H | 0 | 12000 | 0 | MISCADD/TRAN | Decon Waste |
| Aug-87 | 8/31/87 | 18 | | 0 | 56000 | 0 | MISCADD/TRAN | Inhibited water |
| Aug-87 | 8/31/87 | 7 | | 0 | 20000 | 0 | MISCADD/TRAN | Catch tank |
| Aug-87 | 8/31/87 | 23 | | 0 | 18000 | 0 | MISCADD/TRAN | Cooling water leak |
| Aug-87 | 8/31/87 | 13 | | 0 | 10000 | 0 | MISCADD/TRAN | Decon Water |
| Aug-87 | 8/31/87 | | 21 | 5000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Aug-87 | 8/31/87 | 40 | | 0 | 33000 | 0 | MISCADD/TRAN | NaNO3 |
| Aug-87 | 8/31/87 | 21 | 44H-245 | 0 | 72000 | 0 | NONCANYWASTE | |
| Aug-87 | 8/31/87 | 43 | 242-16H | 0 | 57000 | 0 | OVERSPEC | |
| Aug-87 | 8/31/87 | 23 | 242-1H | 0 | 3000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Aug-87 | 8/31/87 | 242-1F | 26 | 974000 | 974000 | 0 | EVAPFEED | |
| Aug-87 | 8/31/87 | 242-16 | 26 | 1143000 | 1143000 | 0 | EVAPFEED | |
| Aug-87 | 8/31/87 | 242-1H | 13 | 192000 | 192000 | 0 | EVAPFEED | |
| Aug-87 | 8/31/87 | 42-16 | 43 | 220000 | 277000 | 0 | EVAPFEED | |
| Aug-87 | 8/31/87 | 44 | 242-16F | 784000 | 851000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 47 | 242-16F | 50000 | 50000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 39 | 242-16H | 14000 | 14000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 38 | 242-16H | 107000 | 129000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 25 | 242-1F | 8000 | 8000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 27 | 242-1F | 778000 | 783000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 36 | 242-1H | 142000 | 174000 | 0 | EVAPCONC | |
| Aug-87 | 8/31/87 | 37 | 242-1H | 4000 | 4000 | 0 | EVAPCONC | |
| Sep-87 | 9/2/87 | 42 | 22 | 165000 | 165000 | 0 | SNATE | |
| Sep-87 | 9/3/87 | 43 | 40 | 59000 | 61000 | 0 | SNATE | |
| Sep-87 | 9/8/87 | 26 | 27 | 177000 | 184000 | 0 | CONCSN | |
| Sep-87 | 9/13/87 | 39 | 34 | 378000 | 401000 | 0 | HIHWSN | |
| Sep-87 | 9/13/87 | 26 | 44 | 452000 | 470000 | 0 | CONCSN | |
| Sep-87 | 9/15/87 | 26 | 44 | 33000 | 34000 | 0 | CONCSN | |
| Sep-87 | 9/16/87 | 26 | 44 | 5000 | 5000 | 0 | CONCSN | |
| Sep-87 | 9/16/87 | 32 | 34 | 165000 | 187000 | 0 | HIHWSN | |
| Sep-87 | 9/17/87 | 43 | 38 | 169000 | 175000 | 0 | CONC | |
| Sep-87 | 9/17/87 | 22 | 23 | 110000 | 117000 | 0 | RBOF-RRF | |
| Sep-87 | 9/20/87 | 26 | 47 | 155000 | 161000 | 0 | CONCSN | |
| Sep-87 | 9/28/87 | 26 | 45 | 78000 | 81000 | 0 | CONCSN | |
| Sep-87 | 9/29/87 | 26 | 44 | 346000 | 360000 | 0 | CONCSN | |
| Sep-87 | 9/29/87 | 26 | 45 | 28000 | 29000 | 0 | CONCSN | |
| Sep-87 | 9/29/87 | 26 | 22 | 29000 | 45000 | 0 | RBOF-RRF | |
| Sep-87 | 9/30/87 | 13 | | 0 | 0 | 0 | MISCADD/TRAN | Water |
| Sep-87 | 9/30/87 | 23 | | 0 | 0 | 0 | MISCADD/TRAN | Cooling water leak |
| Sep-87 | 9/30/87 | | 6 | 0 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-87 | 9/30/87 | | 22 | 0 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-87 | 9/30/87 | 22 | | 0 | 0 | 0 | MISCADD/TRAN | NaOH |
| Sep-87 | 9/30/87 | 24 | | 0 | 0 | 0 | MISCADD/TRAN | NaOH |
| Sep-87 | 9/30/87 | 24 | | 0 | 0 | 0 | MISCADD/TRAN | NaNO3 |
| Sep-87 | 9/30/87 | 42 | | 0 | 0 | 0 | MISCADD/TRAN | NaNO3 |
| Sep-87 | 9/30/87 | 47 | | 0 | 8000 | 0 | NONCANYWASTE | 100Area Low Level Trailer |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|----------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Sep-87 | 9/30/87 | 43 | 299H | 0 | 16000 | 0 | MISCADD/TRAN | Decon Waste |
| Sep-87 | 9/30/87 | 21 | 44H-245 | 0 | 76000 | 0 | NONCANYWASTE | |
| Sep-87 | 9/30/87 | 43 | 242-16H | 0 | 15000 | 0 | OVERSPEC | |
| Sep-87 | 9/30/87 | 26 | 45 | 26000 | 27000 | 0 | CONCSN | |
| Sep-87 | 9/30/87 | 26 | 22 | 29000 | 45000 | 0 | RBOF-RRF | |
| Sep-87 | 9/30/87 | 242-1F | 26 | 566000 | 566000 | 0 | EVAPFEED | |
| Sep-87 | 9/30/87 | 242-16 | 26 | 972000 | 972000 | 0 | EVAPFEED | |
| Sep-87 | 9/30/87 | 242-1H | 13 | 4000 | 4000 | 0 | EVAPFEED | |
| Sep-87 | 9/30/87 | 42-16 | 43 | 122000 | 137000 | 0 | EVAPFEED | |
| Sep-87 | 9/30/87 | 44 | 242-16F | 717000 | 717000 | 0 | EVAPCONC | |
| Sep-87 | 9/30/87 | 47 | 242-16F | 115000 | 123000 | 0 | EVAPCONC | |
| Sep-87 | 9/30/87 | 38 | 242-16H | 31000 | 89000 | 0 | EVAPCONC | |
| Sep-87 | 9/30/87 | 39 | 242-16H | 28000 | 28000 | 0 | EVAPCONC | |
| Sep-87 | 9/30/87 | 25 | 242-1F | 22000 | 22000 | 0 | EVAPCONC | |
| Sep-87 | 9/30/87 | 27 | 242-1F | 458000 | 467000 | 0 | EVAPCONC | |
| Sep-87 | 9/30/87 | 37 | 242-1H | 3000 | 26000 | 0 | EVAPCONC | |
| Oct-87 | 10/1/87 | 26 | 44 | 47000 | 48000 | 0 | CONCSN | |
| Oct-87 | 10/7/87 | 26 | 22 | 495000 | 520000 | 0 | RBOF-RRF | |
| Oct-87 | 10/7/87 | 26 | 44 | 128000 | 133000 | 0 | CONCSN | |
| Oct-87 | 10/13/87 | 26 | 27 | 304000 | 316000 | 0 | CONCSN | |
| Oct-87 | 10/17/87 | 26 | 44 | 194000 | 202000 | 0 | CONCSN | |
| Oct-87 | 10/18/87 | 43 | 38 | 28000 | 29000 | 0 | CONC | |
| Oct-87 | 10/29/87 | 26 | 44 | 316000 | 329000 | 0 | CONCSN | |
| Oct-87 | 10/31/87 | 43 | 299H | 0 | 34000 | 0 | MISCADD/TRAN | Decon Waste |
| Oct-87 | 10/31/87 | 23 | | 0 | 1000 | 0 | MISCADD/TRAN | Caustic Addition |
| Oct-87 | 10/31/87 | 42 | | 0 | 3000 | 0 | MISCADD/TRAN | Resin Change |
| Oct-87 | 10/31/87 | 21 | 44H-245 | 0 | 74000 | 0 | NONCANYWASTE | |
| Oct-87 | 10/31/87 | 23 | 44H-245 | 0 | 1000 | 0 | NONCANYWASTE | |
| Oct-87 | 10/31/87 | 43 | 242-16H | 0 | 12000 | 0 | OVERSPEC | |
| Oct-87 | 10/31/87 | 23 | 242-1H | 0 | 3300 | 0 | OVERSPEC | Off Spec. Overhds. |
| Oct-87 | 10/31/87 | 26 | 27 | 57000 | 59000 | 0 | CONCSN | |
| Oct-87 | 10/31/87 | 43 | 38 | 92000 | 97000 | 0 | CONC | |
| Oct-87 | 10/31/87 | 242-1F | 26 | 729000 | 729000 | 0 | EVAPFEED | |
| Oct-87 | 10/31/87 | 242-16 | 26 | 843000 | 843000 | 0 | EVAPFEED | |
| Oct-87 | 10/31/87 | 242-1H | 13 | 1000 | 10000 | 0 | EVAPFEED | |
| Oct-87 | 10/31/87 | 42-16 | 43 | 451000 | 463000 | 0 | EVAPFEED | |
| Oct-87 | 10/31/87 | 44 | 242-16F | 573000 | 580000 | 0 | EVAPCONC | |
| Oct-87 | 10/31/87 | 47 | 242-16F | 6000 | 6000 | 0 | EVAPCONC | |
| Oct-87 | 10/31/87 | 38 | 242-16H | 196000 | 196000 | 0 | EVAPCONC | |
| Oct-87 | 10/31/87 | 39 | 242-16H | 27000 | 37000 | 0 | EVAPCONC | |
| Oct-87 | 10/31/87 | 25 | 242-1F | 2000 | 2000 | 0 | EVAPCONC | |
| Oct-87 | 10/31/87 | 27 | 242-1F | 497000 | 498000 | 0 | EVAPCONC | |
| Oct-87 | 10/31/87 | 37 | 242-1H | 14000 | 14000 | 0 | EVAPCONC | |
| Nov-87 | 11/3/87 | 26 | 27 | 139000 | 146000 | 0 | CONCSN | |
| Nov-87 | 11/3/87 | 43 | 38 | 282000 | 287000 | 0 | CONC | |
| Nov-87 | 11/6/87 | 26 | 25 | 86000 | 90000 | 0 | CONCSN | |
| Nov-87 | 11/9/87 | 13 | 36 | 174000 | 179000 | 0 | CONC | |
| Nov-87 | 11/10/87 | 26 | 44 | 331000 | 344000 | 0 | CONCSN | |
| Nov-87 | 11/11/87 | 26 | 25 | 2000 | 2000 | 0 | CONCSN | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|----------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Nov-87 | 11/13/87 | 30 | 37 | 19000 | 24000 | 0 | CONC | | |
| Nov-87 | 11/15/87 | 26 | 27 | 269000 | 280000 | 0 | CONCSN | | |
| Nov-87 | 11/18/87 | 26 | 45 | 123000 | 128000 | 0 | CONCSN | | |
| Nov-87 | 11/20/87 | 13 | 35 | 111000 | 115000 | 0 | HHWSN | | |
| Nov-87 | 11/23/87 | 35 | 37 | 36000 | 58000 | 0 | CONC | | |
| Nov-87 | 11/25/87 | 26 | 44 | 489000 | 509000 | 0 | CONCSN | | |
| Nov-87 | 11/25/87 | 13 | 36 | 101000 | 105000 | 0 | CONC | | |
| Nov-87 | 11/26/87 | 26 | 27 | 152000 | 159000 | 0 | CONCSN | | |
| Nov-87 | 11/26/87 | 32 | 39 | 23000 | 27000 | 0 | HHWSN | | |
| Nov-87 | 11/29/87 | 43 | 51 | 351000 | 356000 | 0 | SLUDGEWW | | |
| Nov-87 | 11/30/87 | 43 | 299H | 0 | 14000 | 0 | MISCADD/TRAN | Decon Waste | |
| Nov-87 | 11/30/87 | 42 | | 0 | 2000 | 0 | MISCADD/TRAN | Resin Change | |
| Nov-87 | 11/30/87 | 21 | 44H-245 | 0 | 48000 | 0 | NONCANYWASTE | | |
| Nov-87 | 11/30/87 | 23 | 44H-245 | 0 | 6000 | 0 | NONCANYWASTE | | |
| Nov-87 | 11/30/87 | 26 | 242-16F | 0 | 1000 | 0 | OVERSPEC | | |
| Nov-87 | 11/30/87 | 43 | 242-16H | 0 | 9000 | 0 | OVERSPEC | | |
| Nov-87 | 11/30/87 | 43 | 38 | 44000 | 48000 | 0 | SNATE | | |
| Nov-87 | 11/30/87 | 242-1F | 26 | 662000 | 662000 | 0 | EVAPFEED | | |
| Nov-87 | 11/30/87 | 242-16 | 26 | 1059000 | 1059000 | 0 | EVAPFEED | | |
| Nov-87 | 11/30/87 | 242-1H | 13 | 315000 | 328000 | 0 | EVAPFEED | | |
| Nov-87 | 11/30/87 | 42-16 | 43 | 636000 | 657000 | 0 | EVAPFEED | | |
| Nov-87 | 11/30/87 | 44 | 242-16F | 806000 | 806000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 47 | 242-16F | 14000 | 14000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 39 | 242-16H | 7000 | 7000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 38 | 242-16H | 373000 | 396000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 25 | 242-1F | 127000 | 127000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 27 | 242-1F | 372000 | 377000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 36 | 242-1H | 190000 | 190000 | 0 | EVAPCONC | | |
| Nov-87 | 11/30/87 | 37 | 242-1H | 102000 | 102000 | 0 | EVAPCONC | | |
| Dec-87 | 12/3/87 | 43 | 38 | 211000 | 219000 | 0 | CONC | | |
| Dec-87 | 12/6/87 | 26 | 27 | 191000 | 198000 | 0 | CONCSN | | |
| Dec-87 | 12/10/87 | 26 | 44 | 218000 | 227000 | 0 | CONCSN | | |
| Dec-87 | 12/16/87 | 26 | 44 | 217000 | 225000 | 0 | CONCSN | | |
| Dec-87 | 12/16/87 | 35 | 39 | 17000 | 18000 | 0 | HHWSN | | |
| Dec-87 | 12/19/87 | 43 | 38 | 344000 | 358000 | 0 | CONC | | |
| Dec-87 | 12/22/87 | 26 | 21 | 325000 | 330000 | 0 | RBOF-RRF | | |
| Dec-87 | 12/26/87 | 35 | 39 | 15000 | 17000 | 0 | HHWSN | | |
| Dec-87 | 12/29/87 | 26 | 44 | 275000 | 286000 | 0 | CONCSN | | |
| Dec-87 | 12/31/87 | | 5 | 12000 | 0 | 0 | MISCADD/TRAN | | |
| Dec-87 | 12/31/87 | 43 | 299H | 0 | 11000 | 0 | MISCADD/TRAN | Decon Waste | |
| Dec-87 | 12/31/87 | 21 | 44H-245 | 0 | 71000 | 0 | NONCANYWASTE | | |
| Dec-87 | 12/31/87 | 26 | 28 | 17000 | 18000 | 0 | CONCSN | | |
| Dec-87 | 12/31/87 | 242-1F | 26 | 384000 | 384000 | 0 | EVAPFEED | | |
| Dec-87 | 12/31/87 | 242-16 | 26 | 843000 | 843000 | 0 | EVAPFEED | | |
| Dec-87 | 12/31/87 | 42-16 | 43 | 619000 | 628000 | 0 | EVAPFEED | | |
| Dec-87 | 12/31/87 | 44 | 242-16F | 663000 | 680000 | 0 | EVAPCONC | | |
| Dec-87 | 12/31/87 | 38 | 242-16H | 324000 | 324000 | 0 | EVAPCONC | | |
| Dec-87 | 12/31/87 | 39 | 242-16H | 20000 | 40000 | 0 | EVAPCONC | | |
| Dec-87 | 12/31/87 | 25 | 242-1F | 7000 | 7000 | 0 | EVAPCONC | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-87 | 12/31/87 | 27 | 242-1F | 293000 | 297000 | 0 | EVAPCONC | |
| Jan-88 | 1/12/88 | 26 | 44 | 149000 | 155000 | 0 | CONCSN | |
| Jan-88 | 1/20/88 | 26 | 44 | 39000 | 41000 | 0 | CONCSN | |
| Jan-88 | 1/24/88 | 43 | 38 | 230000 | 239000 | 0 | CONC | |
| Jan-88 | 1/25/88 | 43 | 41 | 23000 | 25000 | 0 | SNATE | |
| Jan-88 | 1/27/88 | 26 | 44 | 466000 | 485000 | 0 | CONCSN | |
| Jan-88 | 1/31/88 | 43 | 299H | 0 | 23000 | 0 | MISCADD/TRAN | Decon Waste |
| Jan-88 | 1/31/88 | 21 | 44H-245 | 0 | 36000 | 0 | NONCANYWASTE | |
| Jan-88 | 1/31/88 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | |
| Jan-88 | 1/31/88 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | |
| Jan-88 | 1/31/88 | 26 | 27 | 109000 | 114000 | 0 | CONCSN | |
| Jan-88 | 1/31/88 | 242-1F | 26 | 198000 | 198000 | 0 | EVAPFEED | |
| Jan-88 | 1/31/88 | 242-16 | 26 | 942000 | 942000 | 0 | EVAPFEED | |
| Jan-88 | 1/31/88 | 42-16 | 43 | 302000 | 303000 | 0 | EVAPFEED | |
| Jan-88 | 1/31/88 | 44 | 242-16F | 717000 | 717000 | 0 | EVAPCONC | |
| Jan-88 | 1/31/88 | 47 | 242-16F | 17000 | 33000 | 0 | EVAPCONC | |
| Jan-88 | 1/31/88 | 39 | 242-16H | 4000 | 4000 | 0 | EVAPCONC | |
| Jan-88 | 1/31/88 | 38 | 242-16H | 158000 | 181000 | 0 | EVAPCONC | |
| Jan-88 | 1/31/88 | 25 | 242-1F | 7000 | 7000 | 0 | EVAPCONC | |
| Jan-88 | 1/31/88 | 27 | 242-1F | 144000 | 153000 | 0 | EVAPCONC | |
| Feb-88 | 2/2/88 | 26 | 27 | 278000 | 289000 | 0 | CONCSN | |
| Feb-88 | 2/11/88 | 26 | 44 | 348000 | 362000 | 0 | CONCSN | |
| Feb-88 | 2/13/88 | 43 | 38 | 288000 | 299000 | 0 | CONC | |
| Feb-88 | 2/20/88 | 26 | 27 | 283000 | 294000 | 0 | CONCSN | |
| Feb-88 | 2/28/88 | 47 | | 0 | 3000 | 0 | NONCANYWASTE | 100Area Low Level Trailer |
| Feb-88 | 2/28/88 | 43 | 299H | 0 | 18000 | 0 | MISCADD/TRAN | Decon Waste |
| Feb-88 | 2/28/88 | 42 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush water |
| Feb-88 | 2/28/88 | 32 | | 0 | 4000 | 0 | MISCADD/TRAN | PT3 |
| Feb-88 | 2/28/88 | 24 | | 0 | 22000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-88 | 2/28/88 | | 12 | 28000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-88 | 2/28/88 | | 48 | 5000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-88 | 2/28/88 | 21 | 44H-245 | 0 | 61000 | 0 | NONCANYWASTE | |
| Feb-88 | 2/28/88 | 26 | 242-16F | 0 | 8000 | 0 | OVERSPEC | |
| Feb-88 | 2/28/88 | 23 | CRC | 0 | 5000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent |
| Feb-88 | 2/28/88 | 26 | 44 | 300000 | 312000 | 0 | CONCSN | |
| Feb-88 | 2/28/88 | 242-1F | 26 | 779000 | 779000 | 0 | EVAPFEED | |
| Feb-88 | 2/28/88 | 242-16 | 26 | 717000 | 717000 | 0 | EVAPFEED | |
| Feb-88 | 2/28/88 | 42-16 | 43 | 814000 | 814000 | 0 | EVAPFEED | |
| Feb-88 | 2/28/88 | 44 | 242-16F | 599000 | 599000 | 0 | EVAPCONC | |
| Feb-88 | 2/28/88 | 47 | 242-16F | 1000 | 18000 | 0 | EVAPCONC | |
| Feb-88 | 2/28/88 | 38 | 242-16H | 537000 | 558000 | 0 | EVAPCONC | |
| Feb-88 | 2/28/88 | 25 | 242-1F | 4000 | 4000 | 0 | EVAPCONC | |
| Feb-88 | 2/28/88 | 27 | 242-1F | 649000 | 655000 | 0 | EVAPCONC | |
| Mar-88 | 3/2/88 | 26 | 27 | 27000 | 28000 | 0 | CONCSN | |
| Mar-88 | 3/3/88 | 43 | 38 | 219000 | 228000 | 0 | CONC | |
| Mar-88 | 3/6/88 | 26 | 27 | 450000 | 468000 | 0 | CONCSN | |
| Mar-88 | 3/6/88 | 43 | 51 | 138000 | 144000 | 0 | SNATE | |
| Mar-88 | 3/10/88 | 51 | 42 | 75000 | 80000 | 0 | SNATE | |
| Mar-88 | 3/15/88 | 26 | 44 | 483000 | 502000 | 0 | CONCSN | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Mar-88 | 3/17/88 | 22 | 23 | 35000 | 37000 | 0 | RBOF-RRF | |
| Mar-88 | 3/19/88 | 26 | 25 | 58000 | 58000 | 0 | CONCSN | |
| Mar-88 | 3/20/88 | 43 | 38 | 425000 | 443000 | 0 | CONC | |
| Mar-88 | 3/22/88 | 26 | 27 | 348000 | 360000 | 0 | CONCSN | |
| Mar-88 | 3/23/88 | 13 | 37 | 118000 | 123000 | 0 | CONC | |
| Mar-88 | 3/27/88 | 13 | 37 | 95000 | 100000 | 0 | CONC | |
| Mar-88 | 3/31/88 | 43 | 299H | 0 | 22000 | 0 | MISCADD/TRAN | Decon Waste |
| Mar-88 | 3/31/88 | | 24 | 58000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Mar-88 | 3/31/88 | 40 | | 0 | 14000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Mar-88 | 3/31/88 | 51 | | 0 | 13000 | 0 | MISCADD/TRAN | NaOH |
| Mar-88 | 3/31/88 | 51 | | 0 | 4000 | 0 | MISCADD/TRAN | NaNO3 |
| Mar-88 | 3/31/88 | 21 | 44H-245 | 0 | 92000 | 0 | NONCANYWASTE | |
| Mar-88 | 3/31/88 | 23 | 242-1H | 0 | 9000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Mar-88 | 3/31/88 | 26 | 44 | 224000 | 233000 | 0 | CONCSN | |
| Mar-88 | 3/31/88 | 242-1F | 26 | 903000 | 903000 | 0 | EVAPFEED | |
| Mar-88 | 3/31/88 | 242-16 | 26 | 871000 | 871000 | 0 | EVAPFEED | |
| Mar-88 | 3/31/88 | 242-1H | 13 | 311000 | 311000 | 0 | EVAPFEED | |
| Mar-88 | 3/31/88 | 42-16 | 43 | 689000 | 689000 | 0 | EVAPFEED | |
| Mar-88 | 3/31/88 | 44 | 242-16F | 726000 | 742000 | 0 | EVAPCONC | |
| Mar-88 | 3/31/88 | 47 | 242-16F | 12000 | 12000 | 0 | EVAPCONC | |
| Mar-88 | 3/31/88 | 38 | 242-16H | 427000 | 454000 | 0 | EVAPCONC | |
| Mar-88 | 3/31/88 | 25 | 242-1F | 6000 | 6000 | 0 | EVAPCONC | |
| Mar-88 | 3/31/88 | 27 | 242-1F | 761000 | 767000 | 0 | EVAPCONC | |
| Mar-88 | 3/31/88 | 36 | 242-1H | 77000 | 77000 | 0 | EVAPCONC | |
| Mar-88 | 3/31/88 | 37 | 242-1H | 96000 | 172000 | 0 | EVAPCONC | |
| Apr-88 | 4/1/88 | 51 | 42 | 74000 | 78000 | 0 | SNATE | |
| Apr-88 | 4/2/88 | 13 | 37 | 131000 | 138000 | 0 | CONC | |
| Apr-88 | 4/6/88 | 26 | 27 | 322000 | 335000 | 0 | CONCSN | |
| Apr-88 | 4/9/88 | 35 | 39 | 17000 | 18000 | 0 | HHW | |
| Apr-88 | 4/10/88 | 37 | 39 | 39000 | 41000 | 0 | HHW | |
| Apr-88 | 4/11/88 | 26 | 44 | 314000 | 327000 | 0 | CONCSN | |
| Apr-88 | 4/15/88 | 43 | 38 | 209000 | 217000 | 0 | CONC | |
| Apr-88 | 4/17/88 | 13 | 37 | 240000 | 250000 | 0 | CONC | |
| Apr-88 | 4/20/88 | 26 | 27 | 361000 | 376000 | 0 | CONCSN | |
| Apr-88 | 4/23/88 | 43 | 38 | 157000 | 163000 | 0 | CONC | |
| Apr-88 | 4/28/88 | 26 | 44 | 477000 | 496000 | 0 | CONCSN | |
| Apr-88 | 4/28/88 | 13 | 37 | 198000 | 210000 | 0 | CONC | |
| Apr-88 | 4/30/88 | 43 | 299H | 0 | 19000 | 0 | MISCADD/TRAN | Decon Waste |
| Apr-88 | 4/30/88 | 42 | | 0 | 200000 | 0 | MISCADD/TRAN | SLUDGEVW |
| Apr-88 | 4/30/88 | 41 | | 0 | 13000 | 0 | MISCADD/TRAN | Salt Mining Water |
| Apr-88 | 4/30/88 | 23 | | 0 | 2000 | 0 | MISCADD/TRAN | Sidewall sump |
| Apr-88 | 4/30/88 | 42 | | 0 | 6000 | 0 | MISCADD/TRAN | NaNO3 |
| Apr-88 | 4/30/88 | 21 | 44H-245 | 0 | 72000 | 0 | NONCANYWASTE | |
| Apr-88 | 4/30/88 | 23 | 242-1H | 0 | 4000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Apr-88 | 4/30/88 | 242-1F | 26 | 775000 | 775000 | 0 | EVAPFEED | |
| Apr-88 | 4/30/88 | 242-16 | 26 | 858000 | 858000 | 0 | EVAPFEED | |
| Apr-88 | 4/30/88 | 242-1H | 13 | 528000 | 528000 | 0 | EVAPFEED | |
| Apr-88 | 4/30/88 | 42-16 | 43 | 513000 | 513000 | 0 | EVAPFEED | |
| Apr-88 | 4/30/88 | 44 | 242-16F | 709000 | 722000 | 0 | EVAPCONC | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Apr-88 | 4/30/88 | 47 | 242-16F | 12000 | 12000 | 0 | EVAPCONC | | |
| Apr-88 | 4/30/88 | 38 | 242-16H | 286000 | 307000 | 0 | EVAPCONC | | |
| Apr-88 | 4/30/88 | 25 | 242-1F | 5000 | 5000 | 0 | EVAPCONC | | |
| Apr-88 | 4/30/88 | 27 | 242-1F | 644000 | 652000 | 0 | EVAPCONC | | |
| Apr-88 | 4/30/88 | 37 | 242-1H | 363000 | 428000 | 0 | EVAPCONC | | |
| May-88 | 5/6/88 | 26 | 27 | 375000 | 390000 | 0 | CONCSN | | |
| May-88 | 5/7/88 | 43 | 38 | 168000 | 174000 | 0 | CONC | | |
| May-88 | 5/9/88 | 13 | 37 | 116000 | 122000 | 0 | CONC | | |
| May-88 | 5/12/88 | 13 | 30 | 53000 | 55000 | 0 | HHW | | |
| May-88 | 5/15/88 | 26 | 28 | 22000 | 23000 | 0 | CONCSN | | |
| May-88 | 5/16/88 | 13 | 37 | 179000 | 186000 | 0 | CONC | | |
| May-88 | 5/19/88 | 43 | 38 | 174000 | 181000 | 0 | CONC | | |
| May-88 | 5/21/88 | 13 | 30 | 50000 | 52000 | 0 | HHW | | |
| May-88 | 5/26/88 | 13 | 37 | 158000 | 166000 | 0 | CONC | | |
| May-88 | 5/28/88 | 43 | 38 | 160000 | 166000 | 0 | CONC | | |
| May-88 | 5/29/88 | 26 | 44 | 436000 | 454000 | 0 | CONCSN | | |
| May-88 | 5/31/88 | 43 | 299H | 0 | 23000 | 0 | MISCADD/TRAN | Decon Waste | |
| May-88 | 5/31/88 | 23 | | 0 | 7000 | 0 | MISCADD/TRAN | | |
| May-88 | 5/31/88 | | 32 | 20000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| May-88 | 5/31/88 | 21 | 44H-245 | 0 | 70000 | 0 | NONCANYWASTE | | |
| May-88 | 5/31/88 | 26 | 242-16F | 0 | 5000 | 0 | OVERSPEC | | |
| May-88 | 5/31/88 | 23 | 242-1H | 0 | 4000 | 0 | OVERSPEC | Off Spec. Overhds. | |
| May-88 | 5/31/88 | 242-1F | 26 | 305000 | 305000 | 0 | EVAPFEED | | |
| May-88 | 5/31/88 | 242-16 | 26 | 540000 | 540000 | 0 | EVAPFEED | | |
| May-88 | 5/31/88 | 242-1H | 13 | 713000 | 713000 | 0 | EVAPFEED | | |
| May-88 | 5/31/88 | 42-16 | 43 | 751000 | 751000 | 0 | EVAPFEED | | |
| May-88 | 5/31/88 | 44 | 242-16F | 463000 | 473000 | 0 | EVAPCONC | | |
| May-88 | 5/31/88 | 47 | 242-16F | 10000 | 10000 | 0 | EVAPCONC | | |
| May-88 | 5/31/88 | 38 | 242-16H | 480000 | 508000 | 0 | EVAPCONC | | |
| May-88 | 5/31/88 | 25 | 242-1F | 6000 | 6000 | 0 | EVAPCONC | | |
| May-88 | 5/31/88 | 27 | 242-1F | 262000 | 268000 | 0 | EVAPCONC | | |
| May-88 | 5/31/88 | 36 | 242-1H | 3000 | 3000 | 0 | EVAPCONC | | |
| May-88 | 5/31/88 | 37 | 242-1H | 512000 | 587000 | 0 | EVAPCONC | | |
| Jun-88 | 6/1/88 | 13 | 37 | 56000 | 58000 | 0 | HHWCONC | | |
| Jun-88 | 6/2/88 | 43 | 38 | 124000 | 128000 | 0 | LHWCONC | | |
| Jun-88 | 6/3/88 | 13 | 30 | 132000 | 137000 | 0 | HHW | | |
| Jun-88 | 6/8/88 | 43 | 38 | 128000 | 133000 | 0 | LHWCONC | | |
| Jun-88 | 6/10/88 | 30 | 37 | 216000 | 225000 | 0 | HHWCONC | | |
| Jun-88 | 6/13/88 | 26 | 44 | 445000 | 463000 | 0 | CONCSN | | |
| Jun-88 | 6/15/88 | 43 | 38 | 126000 | 130000 | 0 | LHWCONC | | |
| Jun-88 | 6/20/88 | 13 | 37 | 244000 | 254000 | 0 | HHWCONC | | |
| Jun-88 | 6/21/88 | 43 | 40 | 422000 | 438000 | 0 | LHWCONC | | |
| Jun-88 | 6/24/88 | 26 | 27 | 556000 | 578000 | 0 | CONCSN | | |
| Jun-88 | 6/30/88 | 43 | 299H | 0 | 27000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jun-88 | 6/30/88 | 47 | | 0 | 2000 | 0 | NONCANYWASTE | 100Area Low Level Trailer | |
| Jun-88 | 6/30/88 | 48 | | 0 | 3000 | 0 | MISCADD/TRAN | Flush water | |
| Jun-88 | 6/30/88 | 23 | | 0 | 5000 | 0 | MISCADD/TRAN | water | |
| Jun-88 | 6/30/88 | 31 | | 0 | 5000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jun-88 | 6/30/88 | 39 | | 0 | 18000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|---------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-88 | 6/30/88 | 21 | 44H-245 | 0 | 90000 | 0 | NONCANYWASTE | |
| Jun-88 | 6/30/88 | 43 | 242-16H | 0 | 13000 | 0 | OVERSPEC | |
| Jun-88 | 6/30/88 | 23 | 242-1H | 0 | 7000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Jun-88 | 6/30/88 | 26 | 44 | 244000 | 254000 | 0 | CONCSN | |
| Jun-88 | 6/30/88 | 13 | 37 | 27000 | 28000 | 0 | HWCONC | |
| Jun-88 | 6/30/88 | 242-1F | 26 | 662000 | 662000 | 0 | EVAPFEED | |
| Jun-88 | 6/30/88 | 242-16 | 26 | 888000 | 888000 | 0 | EVAPFEED | |
| Jun-88 | 6/30/88 | 242-1H | 13 | 608000 | 608000 | 0 | EVAPFEED | |
| Jun-88 | 6/30/88 | 42-16 | 43 | 631000 | 644000 | 0 | EVAPFEED | |
| Jun-88 | 6/30/88 | 44 | 242-16F | 780000 | 780000 | 0 | EVAPCONC | |
| Jun-88 | 6/30/88 | 47 | 242-16F | 12000 | 12000 | 0 | EVAPCONC | |
| Jun-88 | 6/30/88 | 38 | 242-16H | 412000 | 452000 | 0 | EVAPCONC | |
| Jun-88 | 6/30/88 | 25 | 242-1F | 6000 | 6000 | 0 | EVAPCONC | |
| Jun-88 | 6/30/88 | 27 | 242-1F | 580000 | 580000 | 0 | EVAPCONC | |
| Jun-88 | 6/30/88 | 29 | 242-1H | 3000 | 3000 | 0 | EVAPCONC | |
| Jun-88 | 6/30/88 | 37 | 242-1H | 400000 | 493000 | 0 | EVAPCONC | |
| Jul-88 | 7/3/88 | 13 | 37 | 200000 | 213000 | 0 | HWCONC | |
| Jul-88 | 7/4/88 | 26 | 44 | 330000 | 343000 | 0 | CONCSN | |
| Jul-88 | 7/15/88 | 43 | 38 | 198000 | 206000 | 0 | LHWCONC | |
| Jul-88 | 7/24/88 | 43 | 51 | 239000 | 247000 | 0 | SNATE | |
| Jul-88 | 7/30/88 | 26 | 27 | 279000 | 290000 | 0 | CONCSN | |
| Jul-88 | 7/31/88 | 43 | 299H | 0 | 16000 | 0 | MISCADD/TRAN | Decon Waste |
| Jul-88 | 7/31/88 | 22 | | 0 | 4000 | 0 | MISCADD/TRAN | RT Cellib./Repl. or Inv. change |
| Jul-88 | 7/31/88 | 51 | | 0 | 6000 | 0 | MISCADD/TRAN | NaOH |
| Jul-88 | 7/31/88 | 21 | 44H-245 | 0 | 54000 | 0 | NONCANYWASTE | |
| Jul-88 | 7/31/88 | 43 | 242-16H | 0 | 7000 | 0 | OVERSPEC | |
| Jul-88 | 7/31/88 | 23 | 242-1H | 0 | 6000 | 0 | OVERSPEC | Off Spec. Overhds. |
| Jul-88 | 7/31/88 | 242-1F | 26 | 198000 | 198000 | 0 | EVAPFEED | |
| Jul-88 | 7/31/88 | 242-16 | 26 | 563000 | 563000 | 0 | EVAPFEED | |
| Jul-88 | 7/31/88 | 242-1H | 13 | 11000 | 11000 | 0 | EVAPFEED | |
| Jul-88 | 7/31/88 | 42-16 | 43 | 527000 | 534000 | 0 | EVAPFEED | |
| Jul-88 | 7/31/88 | 44 | 242-16F | 468000 | 480000 | 0 | EVAPCONC | |
| Jul-88 | 7/31/88 | 47 | 242-16F | 10000 | 10000 | 0 | EVAPCONC | |
| Jul-88 | 7/31/88 | 38 | 242-16H | 192000 | 197000 | 0 | EVAPCONC | |
| Jul-88 | 7/31/88 | 25 | 242-1F | 17000 | 17000 | 0 | EVAPCONC | |
| Jul-88 | 7/31/88 | 27 | 242-1F | 155000 | 155000 | 0 | EVAPCONC | |
| Jul-88 | 7/31/88 | 29 | 242-1H | 1000 | 8000 | 0 | EVAPCONC | |
| Jul-88 | 7/31/88 | 37 | 242-1H | 3000 | 11000 | 0 | EVAPCONC | |
| Aug-88 | 8/2/88 | 26 | 28 | 54000 | 56000 | 0 | CONCSN | |
| Aug-88 | 8/14/88 | 26 | 44 | 238000 | 247000 | 0 | CONCSN | |
| Aug-88 | 8/17/88 | 43 | 38 | 242000 | 252000 | 0 | LHWCONC | |
| Aug-88 | 8/18/88 | 51 | 42 | 206000 | 216000 | 0 | SNATE | |
| Aug-88 | 8/24/88 | 26 | 44 | 217000 | 226000 | 0 | CONCSN | |
| Aug-88 | 8/31/88 | 51 | | 0 | 22000 | 0 | MISCADD/TRAN | NaOH |
| Aug-88 | 8/31/88 | 42 | | 0 | 12000 | 0 | MISCADD/TRAN | NaNO3 |
| Aug-88 | 8/31/88 | 20 | | 0 | 11000 | 0 | MISCADD/TRAN | spray Washing of tank 20 |
| Aug-88 | 8/31/88 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste |
| Aug-88 | 8/31/88 | 21 | 44H-245 | 0 | 70000 | 0 | NONCANYWASTE | |
| Aug-88 | 8/31/88 | 43 | 242-16H | 0 | 86000 | 0 | OVERSPEC | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Aug-88 | 8/31/88 | 43 | 38 | 135000 | 140000 | 0 | LHWCONC | | |
| Aug-88 | 8/31/88 | 242-16 | 26 | 594000 | 594000 | 0 | EVAPFEED | | |
| Aug-88 | 8/31/88 | 42-16 | 43 | 444000 | 530000 | 0 | EVAPFEED | | |
| Aug-88 | 8/31/88 | 44 | 242-16F | 373000 | 373000 | 0 | EVAPCONC | | |
| Aug-88 | 8/31/88 | 47 | 242-16F | 61000 | 72000 | 0 | EVAPCONC | | |
| Aug-88 | 8/31/88 | 38 | 242-16H | 313000 | 371000 | 0 | EVAPCONC | | |
| Sep-88 | 9/2/88 | 38 | 43 | 0 | 0 | 0 | LHWCONC | | |
| Sep-88 | 9/5/88 | 44 | 26 | 0 | 0 | 0 | CONCSN | | |
| Sep-88 | 9/11/88 | 38 | 43 | 0 | 0 | 0 | LHWCONC | | |
| Sep-88 | 9/15/88 | 44 | 26 | 0 | 0 | 0 | CONCSN | | |
| Sep-88 | 9/18/88 | 38 | 43 | 0 | 0 | 0 | LHWCONC | | |
| Sep-88 | 9/26/88 | 44 | 26 | 0 | 0 | 0 | CONCSN | | |
| Sep-88 | 9/26/88 | 51 | 43 | 0 | 0 | 0 | LHWCONC | | |
| Sep-88 | 9/30/88 | 43 | 299H | 0 | 10000 | 0 | MISCADD/TRAN | Decon Waste | |
| Sep-88 | 9/30/88 | 20 | | 0 | 47000 | 0 | MISCADD/TRAN | spray Washing of tank 20 | |
| Sep-88 | 9/30/88 | 21 | 44H-245 | 0 | 31000 | 0 | NONCANYWASTE | | |
| Sep-88 | 9/30/88 | 43 | 242-16H | 0 | 8000 | 0 | OVERSPEC | | |
| Sep-88 | 9/30/88 | 242-16 | 26 | 592000 | 592000 | 0 | EVAPFEED | | |
| Sep-88 | 9/30/88 | 42-16 | 43 | 715000 | 721000 | 0 | EVAPFEED | | |
| Sep-88 | 9/30/88 | 47 | 242-16F | 5000 | 5000 | 0 | EVAPCONC | | |
| Sep-88 | 9/30/88 | 44 | 242-16F | 471000 | 483000 | 0 | EVAPCONC | | |
| Sep-88 | 9/30/88 | 38 | 242-16H | 526000 | 537000 | 0 | EVAPCONC | | |
| Oct-88 | 6/2/88 | 51 | 43 | 89500 | 68100 | 0 | SNATE | | |
| Oct-88 | 10/11/88 | 44 | 26 | 276000 | 287000 | 0 | CONCSN | | |
| Oct-88 | 10/26/88 | 44 | 26 | 289000 | 301000 | 0 | CONCSN | | |
| Oct-88 | 10/26/88 | 38 | 43 | 269920 | 283600 | 0 | LHWCONC | | |
| Oct-88 | 10/31/88 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Oct-88 | 10/31/88 | 48 | | 0 | 8000 | 0 | MISCADD/TRAN | Flush water | |
| Oct-88 | 10/31/88 | 23 | | 0 | 3000 | 0 | MISCADD/TRAN | water | |
| Oct-88 | 10/31/88 | | 5 | 24000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-88 | 10/31/88 | 20 | | 0 | 2000 | 0 | MISCADD/TRAN | NaNO2 | |
| Oct-88 | 10/31/88 | 50 | | 0 | 1000 | 0 | MISCADD/TRAN | ETF Steam | |
| Oct-88 | 10/31/88 | 21 | 44H-245 | 0 | 70000 | 0 | NONCANYWASTE | | |
| Oct-88 | 10/31/88 | 26 | 242-16F | 0 | 2000 | 0 | OVERSPEC | | |
| Oct-88 | 10/31/88 | 43 | 242-16H | 0 | 29000 | 0 | OVERSPEC | | |
| Oct-88 | 10/31/88 | 242-16 | 26 | 692000 | 692000 | 0 | EVAPFEED | | |
| Oct-88 | 10/31/88 | 42-16 | 43 | 227000 | 256000 | 0 | EVAPFEED | | |
| Oct-88 | 10/31/88 | 44 | 242-16F | 598000 | 611000 | 0 | EVAPCONC | | |
| Oct-88 | 10/31/88 | 38 | 242-16H | 176000 | 213000 | 0 | EVAPCONC | | |
| Nov-88 | 11/2/88 | 26 | 25 | 97570 | 101500 | 0 | CONCSN | | |
| Nov-88 | 11/14/88 | 25 | 26 | 71600 | 74500 | 0 | CONCSN | | |
| Nov-88 | 11/14/88 | 22 | 23 | 353600 | 385500 | 0 | RBOF-RRF | | |
| Nov-88 | 11/20/88 | 26 | 44 | 239900 | 248500 | 0 | CONCSN | | |
| Nov-88 | 11/23/88 | 43 | 38 | 162900 | 145300 | 0 | LHWCONC | | |
| Nov-88 | 11/27/88 | 26 | 44 | 173600 | 180500 | 0 | CONCSN | | |
| Nov-88 | 11/30/88 | 22 | | 0 | 15000 | 0 | MISCADD/TRAN | Jet dilution | |
| Nov-88 | 11/30/88 | 23 | | 0 | 4000 | 0 | MISCADD/TRAN | water | |
| Nov-88 | 11/30/88 | 50 | | 0 | 4000 | 0 | MISCADD/TRAN | ETF Steam | |
| Nov-88 | 11/30/88 | 21 | 44H-245 | 0 | 53000 | 0 | NONCANYWASTE | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Nov-88 | 11/30/88 | 23 | 44H-245 | 0 | 50000 | 0 | NONCANYWASTE | | |
| Nov-88 | 11/30/88 | 26 | 242-16F | 0 | 4000 | 0 | OVERSPEC | | |
| Nov-88 | 11/30/88 | 43 | 242-16H | 0 | 71000 | 0 | OVERSPEC | | |
| Nov-88 | 11/30/88 | 23 | 242-1H | 0 | 4000 | 0 | OVERSPEC | Off Spec. Overtds. | |
| Nov-88 | 11/30/88 | CRC | 23 | 0 | 50000 | 0 | RBOF-RRF | | |
| Nov-88 | 11/30/88 | 23 | CRC | 0 | 1000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Nov-88 | 11/30/88 | 242-16 | 26 | 449000 | 449000 | 0 | EVAPFEED | | |
| Nov-88 | 11/30/88 | 242-1H | 13 | 23000 | 23000 | 0 | EVAPFEED | | |
| Nov-88 | 11/30/88 | 42-16 | 43 | 328000 | 408000 | 0 | EVAPFEED | | |
| Nov-88 | 11/30/88 | 44 | 242-16F | 428000 | 433000 | 0 | EVAPCONC | | |
| Nov-88 | 11/30/88 | 38 | 242-16H | 192000 | 224000 | 0 | EVAPCONC | | |
| Nov-88 | 11/30/88 | 37 | 242-1H | 18000 | 30000 | 0 | EVAPCONC | | |
| Dec-88 | 12/9/88 | 43 | 38 | 102800 | 88800 | 0 | LHWCONC | | |
| Dec-88 | 12/17/88 | 22 | 21 | 346200 | 344100 | 0 | SNATE | | |
| Dec-88 | 12/20/88 | 43 | 38 | 111900 | 100000 | 0 | LHWCONC | | |
| Dec-88 | 12/31/88 | 22 | | 0 | 14000 | 0 | MISCADD/TRAN | Jet dilution | |
| Dec-88 | 12/31/88 | 48 | | 0 | 4000 | 0 | MISCADD/TRAN | Flush water | |
| Dec-88 | 12/31/88 | 21 | 44H-245 | 0 | 29000 | 0 | NONCANYWASTE | | |
| Dec-88 | 12/31/88 | 23 | 44H-245 | 0 | 69000 | 0 | NONCANYWASTE | | |
| Dec-88 | 12/31/88 | 43 | 242-16H | 0 | 4000 | 0 | OVERSPEC | | |
| Dec-88 | 12/31/88 | CRC | 23 | 0 | 5000 | 0 | RBOF-RRF | | |
| Dec-88 | 12/31/88 | 23 | CRC | 0 | 10000 | 0 | NONCANYWASTE | Off Spec. CRC Effluent | |
| Dec-88 | 12/31/88 | 43 | 38 | 75500 | 69100 | 0 | LHWCONC | | |
| Dec-88 | 12/31/88 | 42-16 | 43 | 542000 | 562000 | 0 | EVAPFEED | | |
| Dec-88 | 12/31/88 | 38 | 242-16H | 308000 | 323000 | 0 | EVAPCONC | | |
| Jan-89 | 1/1/89 | 43 | 38 | 53000 | 51900 | 0 | LHWCONC | | |
| Jan-89 | 1/12/89 | 43 | 38 | 126000 | 128500 | 0 | LHWCONC | | |
| Jan-89 | 1/20/89 | 43 | 38 | 125300 | 121800 | 0 | LHWCONC | | |
| Jan-89 | 1/26/89 | 26 | 45 | 97580 | 101500 | 0 | CONCSN | | |
| Jan-89 | 1/29/89 | 43 | 38 | 107400 | 104200 | 0 | LHWCONC | | |
| Jan-89 | 1/31/89 | 50 | | 0 | 13000 | 0 | MISCADD/TRAN | ETF Addition | |
| Jan-89 | 1/31/89 | 2 | | 0 | 41000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-89 | 1/31/89 | 12 | | 0 | 4000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jan-89 | 1/31/89 | 21 | 44H-245 | 0 | 12000 | 0 | NONCANYWASTE | | |
| Jan-89 | 1/31/89 | 23 | 44H-245 | 0 | 143000 | 0 | NONCANYWASTE | | |
| Jan-89 | 1/31/89 | 43 | 242-16H | 0 | 5000 | 0 | OVERSPEC | | |
| Jan-89 | 1/31/89 | 242-16 | 26 | 212000 | 212000 | 0 | EVAPFEED | | |
| Jan-89 | 1/31/89 | 42-16 | 43 | 684000 | 717000 | 0 | EVAPFEED | | |
| Jan-89 | 1/31/89 | 44 | 242-16F | 126000 | 126000 | 0 | EVAPCONC | | |
| Jan-89 | 1/31/89 | 45 | 242-16F | 86000 | 95000 | 0 | EVAPCONC | | |
| Jan-89 | 1/31/89 | 38 | 242-16H | 550000 | 583000 | 0 | EVAPCONC | | |
| Feb-89 | 2/4/89 | 43 | 38 | 103200 | 100400 | 0 | LHWCONC | | |
| Feb-89 | 2/6/89 | 26 | 45 | 176000 | 183000 | 0 | CONCSN | | |
| Feb-89 | 2/9/89 | 43 | 38 | 72700 | 73300 | 0 | LHWCONC | | |
| Feb-89 | 2/14/89 | 43 | 38 | 72700 | 71300 | 0 | LHWCONC | | |
| Feb-89 | 2/15/89 | 26 | 45 | 165400 | 171900 | 0 | CONCSN | | |
| Feb-89 | 2/15/89 | 26 | 47 | 10900 | 11300 | 0 | CONCSN | | |
| Feb-89 | 2/17/89 | 26 | 45 | 72300 | 75200 | 0 | CONCSN | | |
| Feb-89 | 2/18/89 | 43 | 38 | 55500 | 56200 | 0 | LHWCONC | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Feb-89 | 2/22/89 | 43 | 38 | 65300 | 65300 | 0 | LHWCONC | | |
| Feb-89 | 2/23/89 | 43 | 22 | 130900 | 113000 | 0 | SNATE | | |
| Feb-89 | 2/27/89 | 26 | 45 | 184800 | 192200 | 0 | CONCSN | | |
| Feb-89 | 2/27/89 | 43 | 22 | 132800 | 128800 | 0 | SNATE | | |
| Feb-89 | 2/28/89 | 43 | 299H | 0 | 8000 | 0 | MISCADD/TRAN | Decon Waste | |
| Feb-89 | 2/28/89 | 23 | | 0 | 8000 | 0 | MISCADD/TRAN | water | |
| Feb-89 | 2/28/89 | 50 | ETF | 0 | 20000 | 0 | MISCADD/TRAN | ETF stream | |
| Feb-89 | 2/28/89 | 13 | | 0 | 7000 | 0 | MISCADD/TRAN | Pump tank 3 | |
| Feb-89 | 2/28/89 | 23 | | 0 | 7000 | 0 | MISCADD/TRAN | NaOH addition | |
| Feb-89 | 2/28/89 | 23 | | 0 | 6000 | 0 | MISCADD/TRAN | NaNo2 addition | |
| Feb-89 | 2/28/89 | 21 | 44H-245 | 0 | 2000 | 0 | NONCANYWASTE | | |
| Feb-89 | 2/28/89 | 23 | 44H-245 | 0 | 56000 | 0 | NONCANYWASTE | | |
| Feb-89 | 2/28/89 | 26 | 242-16F | 0 | 7100 | 0 | OVERSPEC | | |
| Feb-89 | 2/28/89 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | | |
| Feb-89 | 2/28/89 | 242-16 | 26 | 636280 | 667770 | 0 | EVAPFEED | | |
| Feb-89 | 2/28/89 | 42-16 | 43 | 376310 | 407310 | 0 | EVAPFEED | | |
| Feb-89 | 2/28/89 | 45 | 242-16F | 589600 | 605130 | 0 | EVAPCONC | | |
| Feb-89 | 2/28/89 | 38 | 242-16H | 295550 | 318550 | 0 | EVAPCONC | | |
| Mar-89 | 3/13/89 | 26 | 44 | 38200 | 39700 | 0 | CONCSN | | |
| Mar-89 | 3/18/89 | 26 | 45 | 146800 | 152700 | 0 | CONCSN | | |
| Mar-89 | 3/20/89 | 22 | 23 | 490600 | 555900 | 0 | RBOF-RRF | | |
| Mar-89 | 3/27/89 | 27 | 26 | 287500 | 287500 | 0 | CONCSN | | |
| Mar-89 | 3/31/89 | 43 | 299H | 0 | 9000 | 0 | MISCADD/TRAN | Decon Waste | |
| Mar-89 | 3/31/89 | 23 | | 0 | 5000 | 0 | MISCADD/TRAN | water | |
| Mar-89 | 3/31/89 | 12 | | 0 | 12000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Mar-89 | 3/31/89 | 50 | ETF | 0 | 38000 | 0 | MISCADD/TRAN | ETF stream | |
| Mar-89 | 3/31/89 | 13 | | 0 | 9000 | 0 | MISCADD/TRAN | Pump tank 3 | |
| Mar-89 | 3/31/89 | 21 | | 0 | 4000 | 0 | MISCADD/TRAN | NaOH addition | |
| Mar-89 | 3/31/89 | 22 | | 0 | 4000 | 0 | MISCADD/TRAN | NaOH addition | |
| Mar-89 | 3/31/89 | 21 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | | |
| Mar-89 | 3/31/89 | 23 | 44H-245 | 0 | 103000 | 0 | NONCANYWASTE | | |
| Mar-89 | 3/31/89 | 26 | 242-16F | 0 | 890 | 0 | OVERSPEC | | |
| Mar-89 | 3/31/89 | 242-16 | 26 | 95000 | 125200 | 0 | EVAPFEED | | |
| Mar-89 | 3/31/89 | 45 | 242-16F | 163570 | 172690 | 0 | EVAPCONC | | |
| Apr-89 | 4/6/89 | 26 | 22 | 54200 | 11700 | 0 | RBOF-RRF | | |
| Apr-89 | 4/9/89 | 26 | 45 | 194800 | 202600 | 0 | CONCSN | | |
| Apr-89 | 4/20/89 | 26 | 45 | 279500 | 290700 | 0 | CONCSN | | |
| Apr-89 | 4/30/89 | 26 | 45 | 313700 | 326200 | 0 | CONCSN | | |
| Apr-89 | 4/30/89 | 50 | ETF | 0 | 7000 | 0 | MISCADD/TRAN | ETF stream | |
| Apr-89 | 4/30/89 | 48 | | 0 | 4000 | 0 | MISCADD/TRAN | NaOH addition | |
| Apr-89 | 4/30/89 | 21 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | | |
| Apr-89 | 4/30/89 | 23 | 44H-245 | 0 | 67000 | 0 | NONCANYWASTE | | |
| Apr-89 | 4/30/89 | 242-16 | 26 | 747050 | 778570 | 0 | EVAPFEED | | |
| Apr-89 | 4/30/89 | 45 | 242-16F | 633780 | 644800 | 0 | EVAPCONC | | |
| May-89 | 5/29/89 | 26 | 44 | 195000 | 202800 | 0 | CONCSN | | |
| May-89 | 5/31/89 | 26 | 45 | 139000 | 145300 | 0 | CONCSN | | |
| May-89 | 5/31/89 | 50 | ETF | 0 | 18000 | 0 | MISCADD/TRAN | ETF stream | |
| May-89 | 5/31/89 | 23 | 44H-245 | 0 | 117000 | 0 | NONCANYWASTE | | |
| May-89 | 5/31/89 | 43 | 242-16H | 0 | 3000 | 0 | OVERSPEC | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| May-89 | 5/31/89 | 242-16 | 26 | 343000 | 356400 | 0 | EVAPFEED | | |
| May-89 | 5/31/89 | 42-16 | 43 | 109780 | 112780 | 0 | EVAPFEED | | |
| May-89 | 5/31/89 | 45 | 242-16F | 293200 | 307300 | 0 | EVAPCONC | | |
| May-89 | 5/31/89 | 38 | 242-16H | 43140 | 49140 | 0 | EVAPCONC | | |
| Jun-89 | 6/2/89 | 26 | 45 | 128700 | 133900 | 0 | CONCSN | | |
| Jun-89 | 6/12/89 | 26 | 45 | 309500 | 321900 | 0 | CONCSN | | |
| Jun-89 | 6/27/89 | 43 | 38 | 200400 | 189500 | 0 | LHWCONC | | |
| Jun-89 | 6/30/89 | 43 | 299H | 0 | 11000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jun-89 | 6/30/89 | 42 | | 0 | 8000 | 0 | MISCADD/TRAN | Flush water | |
| Jun-89 | 6/30/89 | 10 | | 0 | 10000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jun-89 | 6/30/89 | 50 | ETF | 0 | 14000 | 0 | MISCADD/TRAN | ETF stream | |
| Jun-89 | 6/30/89 | 43 | | 0 | 1000 | 0 | MISCADD/TRAN | Pump tank 5 | |
| Jun-89 | 6/30/89 | 21 | 44H-245 | 0 | 5000 | 0 | NONCANYWASTE | | |
| Jun-89 | 6/30/89 | 23 | 44H-245 | 0 | 120000 | 0 | NONCANYWASTE | | |
| Jun-89 | 6/30/89 | 26 | 242-16F | 0 | 14690 | 0 | OVERSPEC | | |
| Jun-89 | 6/30/89 | 43 | 242-16H | 0 | 33000 | 0 | OVERSPEC | | |
| Jun-89 | 6/30/89 | 242-16 | 26 | 454530 | 497580 | 0 | EVAPFEED | | |
| Jun-89 | 6/30/89 | 42-16 | 43 | 331420 | 373420 | 0 | EVAPFEED | | |
| Jun-89 | 6/30/89 | 45 | 242-16F | 517740 | 533360 | 0 | EVAPCONC | | |
| Jun-89 | 6/30/89 | 38 | 242-16H | 149950 | 154950 | 0 | EVAPCONC | | |
| Jul-89 | 7/9/89 | 26 | 45 | 55100 | 57300 | 0 | CONCSN | | |
| Jul-89 | 7/20/89 | 43 | 38 | 131300 | 122100 | 0 | LHWCONC | | |
| Jul-89 | 7/27/89 | 43 | 22 | 6400 | 5300 | 0 | RBOF-RRF | | |
| Jul-89 | 7/31/89 | 43 | 22 | 43500 | 42500 | 0 | RBOF-RRF | | |
| Jul-89 | 7/31/89 | 43 | 299H | 0 | 9000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jul-89 | 7/31/89 | 10 | | 0 | 13000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jul-89 | 7/31/89 | 50 | ETF | 0 | 40000 | 0 | MISCADD/TRAN | ETF stream | |
| Jul-89 | 7/31/89 | 43 | | 0 | 4000 | 0 | MISCADD/TRAN | Pump tank 5 | |
| Jul-89 | 7/31/89 | 23 | 44H-245 | 0 | 100000 | 0 | NONCANYWASTE | | |
| Jul-89 | 7/31/89 | 26 | 242-16F | 0 | 12460 | 0 | OVERSPEC | | |
| Jul-89 | 7/31/89 | 43 | 242-16H | 0 | 2000 | 0 | OVERSPEC | | |
| Jul-89 | 7/31/89 | 242-16 | 26 | 39730 | 55290 | 0 | EVAPFEED | | |
| Jul-89 | 7/31/89 | 42-16 | 43 | 485500 | 497500 | 0 | EVAPFEED | | |
| Jul-89 | 7/31/89 | 45 | 242-16F | 77690 | 85350 | 0 | EVAPCONC | | |
| Jul-89 | 7/31/89 | 38 | 242-16H | 254500 | 269500 | 0 | EVAPCONC | | |
| Aug-89 | 8/5/89 | 43 | 23 | 847100 | 784500 | 0 | RBOF-RRF | | |
| Aug-89 | 8/13/89 | 44 | 26 | 167000 | 161800 | 0 | LHW | | |
| Aug-89 | 8/17/89 | 43 | 23 | 675800 | 713700 | 0 | RBOF-RRF | | |
| Aug-89 | 8/31/89 | 43 | 299H | 0 | 9000 | 0 | MISCADD/TRAN | Decon Waste | |
| Aug-89 | 8/31/89 | 12 | | 0 | 14000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Aug-89 | 8/31/89 | 50 | ETF | 0 | 48000 | 0 | MISCADD/TRAN | ETF stream | |
| Aug-89 | 8/31/89 | 21 | 44H-245 | 0 | 43000 | 0 | NONCANYWASTE | | |
| Aug-89 | 8/31/89 | 23 | 44H-245 | 0 | 66000 | 0 | NONCANYWASTE | | |
| Aug-89 | 8/31/89 | 43 | 242-16H | 0 | 15000 | 0 | OVERSPEC | | |
| Aug-89 | 8/31/89 | 42-16 | 43 | 330220 | 380220 | 0 | EVAPFEED | | |
| Aug-89 | 8/31/89 | 38 | 242-16H | 124170 | 129170 | 0 | EVAPCONC | | |
| Sep-89 | 9/30/89 | 43 | 38 | 229600 | 204900 | 0 | LHWCONC | | |
| Sep-89 | 9/30/89 | 43 | 299H | 0 | 9000 | 0 | MISCADD/TRAN | Decon Waste | |
| Sep-89 | 9/30/89 | 42 | | 0 | 5000 | 0 | MISCADD/TRAN | Flush water | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Sep-89 | 9/30/89 | 12 | | 0 | 17000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-89 | 9/30/89 | 50 | ETF | 0 | 48000 | 0 | MISCADD/TRAN | ETF stream |
| Sep-89 | 9/30/89 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | |
| Sep-89 | 9/30/89 | 43 | 242-16H | 0 | 20000 | 0 | OVERSPEC | |
| Sep-89 | 9/30/89 | 42-16 | 43 | 351390 | 373390 | 0 | EVAPFEED | |
| Sep-89 | 9/30/89 | 38 | 242-16H | 75990 | 79990 | 0 | EVAPCONC | |
| Oct-89 | 10/1/89 | 43 | 38 | 81800 | 82500 | 0 | LHWCONC | |
| Oct-89 | 10/9/89 | 26 | 45 | 32300 | 33800 | 0 | CONCSN | |
| Oct-89 | 10/10/89 | 26 | 45 | 11200 | 11600 | 0 | CONCSN | |
| Oct-89 | 10/15/89 | 26 | 45 | 38300 | 39800 | 0 | CONCSN | |
| Oct-89 | 10/17/89 | 26 | 45 | 40400 | 42100 | 0 | CONCSN | |
| Oct-89 | 10/18/89 | 26 | 25 | 8100 | 8400 | 0 | CONCSN | |
| Oct-89 | 10/18/89 | 13 | 36 | 19700 | 21400 | 0 | CONC | |
| Oct-89 | 10/19/89 | 26 | 45 | 57100 | 59400 | 0 | CONCSN | |
| Oct-89 | 10/24/89 | 26 | 45 | 62700 | 65200 | 0 | CONCSN | |
| Oct-89 | 10/29/89 | 26 | 45 | 93400 | 97200 | 0 | CONCSN | |
| Oct-89 | 10/31/89 | 35 | 39 | 11200 | 5600 | 0 | HHW | |
| Oct-89 | 10/31/89 | 50 | | 0 | 27000 | 0 | MISCADD/TRAN | ETF stream |
| Oct-89 | 10/31/89 | 42 | | 0 | 12000 | 0 | MISCADD/TRAN | NaOH |
| Oct-89 | 10/31/89 | 22 | | 0 | 3500 | 0 | MISCADD/TRAN | NaNO2 |
| Oct-89 | 10/31/89 | 23 | | 0 | 3500 | 0 | MISCADD/TRAN | NaNO2 |
| Oct-89 | 10/31/89 | 23 | 44H-245 | 0 | 50000 | 0 | NONCANYWASTE | |
| Oct-89 | 10/31/89 | 26 | 242-16F | 0 | 11190 | 0 | OVERSPEC | |
| Oct-89 | 10/31/89 | 43 | 242-16H | 0 | 3000 | 0 | OVERSPEC | |
| Oct-89 | 10/31/89 | 242-16 | 26 | 404960 | 438410 | 0 | EVAPFEED | |
| Oct-89 | 10/31/89 | 42-16 | 43 | 358420 | 365420 | 0 | EVAPFEED | |
| Oct-89 | 10/31/89 | 45 | 242-16F | 340220 | 346990 | 0 | EVAPCONC | |
| Oct-89 | 10/31/89 | 38 | 242-16H | 126710 | 156710 | 0 | EVAPCONC | |
| Nov-89 | 11/2/89 | 26 | 45 | 144600 | 150400 | 0 | CONCSN | |
| Nov-89 | 11/2/89 | 43 | 22 | 27300 | 23200 | 0 | RBOF-RRF | |
| Nov-89 | 11/3/89 | 43 | 22 | 57700 | 47700 | 0 | RBOF-RRF | |
| Nov-89 | 11/8/89 | 26 | 45 | 186600 | 194000 | 0 | CONCSN | |
| Nov-89 | 11/8/89 | 26 | 47 | 21800 | 22600 | 0 | CONCSN | |
| Nov-89 | 11/11/89 | 43 | 38 | 107400 | 102500 | 0 | LHWCONC | |
| Nov-89 | 11/15/89 | 26 | 45 | 186600 | 194100 | 0 | CONCSN | |
| Nov-89 | 11/17/89 | 26 | 44 | 24200 | 25200 | 0 | CONCSN | |
| Nov-89 | 11/22/89 | 26 | 45 | 239500 | 249100 | 0 | CONCSN | |
| Nov-89 | 11/28/89 | 43 | 22 | 15900 | 11200 | 0 | RBOF-RRF | |
| Nov-89 | 11/29/89 | 26 | 45 | 189000 | 196500 | 0 | CONCSN | |
| Nov-89 | 11/30/89 | 50 | ETF | 0 | 21000 | 0 | MISCADD/TRAN | ETF stream |
| Nov-89 | 11/30/89 | 23 | 44H-245 | 0 | 44000 | 0 | NONCANYWASTE | |
| Nov-89 | 11/30/89 | 242-16 | 26 | 1111520 | 1152200 | 0 | EVAPFEED | |
| Nov-89 | 11/30/89 | 42-16 | 43 | 323000 | 335000 | 0 | EVAPFEED | |
| Nov-89 | 11/30/89 | 45 | 242-16F | 886390 | 910820 | 0 | EVAPCONC | |
| Nov-89 | 11/30/89 | 38 | 242-16H | 135700 | 162700 | 0 | EVAPCONC | |
| Dec-89 | 12/6/89 | 43 | 38 | 36500 | 33700 | 0 | LHWCONC | |
| Dec-89 | 12/7/89 | 26 | 45 | 345500 | 359300 | 0 | CONCSN | |
| Dec-89 | 12/7/89 | 43 | 22 | 50300 | 34000 | 0 | RBOF-RRF | |
| Dec-89 | 12/17/89 | 26 | 45 | 246400 | 256300 | 0 | CONCSN | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425

Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Dec-89 | 12/17/89 | 43 | 38 | 113400 | 107400 | 0 | LHWCONC | |
| Dec-89 | 12/20/89 | 26 | 47 | 52300 | 54400 | 0 | CONCSN | |
| Dec-89 | 12/31/89 | 43 | 38 | 252400 | 238300 | 0 | LHWCONC | |
| Dec-89 | 12/31/89 | 43 | 299H | 0 | 2000 | 0 | MISCADD/TRAN | Decon Waste |
| Dec-89 | 12/31/89 | 50 | ETF | 0 | 21000 | 0 | MISCADD/TRAN | ETF stream |
| Dec-89 | 12/31/89 | 23 | 44H-245 | 0 | 18000 | 0 | NONCANYWASTE | |
| Dec-89 | 12/31/89 | 242-16 | 26 | 696000 | 723000 | 0 | EVAPFEED | |
| Dec-89 | 12/31/89 | 42-16 | 43 | 357000 | 383000 | 0 | EVAPFEED | |
| Dec-89 | 12/31/89 | 45 | 242-16F | 558000 | 575000 | 0 | EVAPCONC | |
| Dec-89 | 12/31/89 | 38 | 242-16H | 181000 | 238000 | 0 | EVAPCONC | |
| Jan-90 | 1/9/90 | 26 | 45 | 208300 | 216800 | 0 | CONCSN | |
| Jan-90 | 1/16/90 | 26 | 44 | 36700 | 38100 | 0 | CONCSN | |
| Jan-90 | 1/19/90 | 26 | 45 | 124800 | 129800 | 0 | CONCSN | |
| Jan-90 | 1/19/90 | 43 | 38 | 133000 | 130200 | 0 | LHWCONC | |
| Jan-90 | 1/26/90 | 43 | 38 | 8400 | 8800 | 0 | LHWCONC | |
| Jan-90 | 1/30/90 | 43 | 38 | 204600 | 208800 | 0 | LHWCONC | |
| Jan-90 | 1/31/90 | 43 | 299H | 0 | 4000 | 0 | MISCADD/TRAN | Decon Waste |
| Jan-90 | 1/31/90 | 50 | ETF | 0 | 19000 | 0 | MISCADD/TRAN | ETF stream |
| Jan-90 | 1/31/90 | 23 | 44H-245 | 0 | 49000 | 0 | NONCANYWASTE | |
| Jan-90 | 1/31/90 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | |
| Jan-90 | 1/31/90 | 242-16 | 26 | 523140 | 551410 | 0 | EVAPFEED | |
| Jan-90 | 1/31/90 | 42-16 | 43 | 524100 | 545100 | 0 | EVAPFEED | |
| Jan-90 | 1/31/90 | 45 | 242-16F | 474730 | 498470 | 0 | EVAPCONC | |
| Jan-90 | 1/31/90 | 38 | 242-16H | 402762 | 440760 | 0 | EVAPCONC | |
| Jan-90 | 2/1/90 | 26 | 45 | 242200 | 251900 | 0 | CONCSN | |
| Feb-90 | 2/12/90 | 43 | 21 | 642200 | 623000 | 0 | RBOF-RRF | |
| Feb-90 | 2/18/90 | 26 | 45 | 182700 | 133000 | 0 | CONCSN | |
| Feb-90 | 2/26/90 | 26 | 45 | 153400 | 92300 | 0 | CONCSN | |
| Feb-90 | 2/28/90 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste |
| Feb-90 | 2/28/90 | 21 | 44H-245 | 0 | 13000 | 0 | NONCANYWASTE | |
| Feb-90 | 2/28/90 | 23 | 44H-245 | 0 | 14000 | 0 | NONCANYWASTE | |
| Feb-90 | 2/28/90 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | |
| Feb-90 | 2/28/90 | 242-16 | 26 | 474740 | 492590 | 0 | EVAPFEED | |
| Feb-90 | 2/28/90 | 42-16 | 43 | 178550 | 179550 | 0 | EVAPFEED | |
| Feb-90 | 2/28/90 | 45 | 242-16F | 420880 | 431640 | 0 | EVAPCONC | |
| Feb-90 | 2/28/90 | 38 | 242-16H | 66900 | 70900 | 0 | EVAPCONC | |
| Mar-90 | 3/1/90 | 43 | | 0 | 3861 | 0 | LHWCONC | Conc. from Pump tank 2 |
| Mar-90 | 3/4/90 | 26 | 45 | 94400 | 164100 | 0 | CONCSN | |
| Mar-90 | 3/12/90 | 26 | 45 | 109200 | 168100 | 0 | CONCSN | |
| Mar-90 | 3/14/90 | 26 | 47 | 69500 | 38900 | 0 | CONCSN | |
| Mar-90 | 3/19/90 | 26 | 45 | 268900 | 196200 | 0 | CONCSN | |
| Mar-90 | 3/25/90 | 26 | 44 | 89300 | 106300 | 0 | CONCSN | |
| Mar-90 | 3/29/90 | 26 | 44 | 106300 | 85300 | 0 | CONCSN | |
| Mar-90 | 3/31/90 | 32 | 35 | 25900 | 30200 | 0 | LHWCONC | |
| Mar-90 | 3/31/90 | 43 | 299H | 0 | 2000 | 0 | MISCADD/TRAN | Decon Waste |
| Mar-90 | 3/31/90 | 21 | 44H-245 | 0 | 21000 | 0 | NONCANYWASTE | |
| Mar-90 | 3/31/90 | 43 | 242-16H | 0 | 52000 | 0 | OVERSPEC | |
| Mar-90 | 3/31/90 | 242-16 | 26 | 732610 | 770760 | 0 | EVAPFEED | |
| Mar-90 | 3/31/90 | 42-16 | 43 | 405880 | 457880 | 0 | EVAPFEED | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Mar-90 | 3/31/90 | 45 | 242-16F | 873750 | 683440 | 0 | EVAPCONC | | |
| Mar-90 | 3/31/90 | 38 | 242-16H | 129750 | 140750 | 0 | EVAPCONC | | |
| Apr-90 | 4/3/90 | 26 | 44 | 153100 | 109500 | 0 | CONCSN | | |
| Apr-90 | 4/8/90 | 43 | | 0 | 1053 | 0 | MISCADD/TRAN | From Pump tank 2 | |
| Apr-90 | 4/8/90 | 43 | 39 | 109100 | 113400 | 0 | LHWCONC | | |
| Apr-90 | 4/10/90 | 26 | 44 | 156200 | 97900 | 0 | CONCSN | | |
| Apr-90 | 4/12/90 | 26 | 44 | 93500 | 81800 | 0 | CONCSN | | |
| Apr-90 | 4/21/90 | 26 | 44 | 246200 | 185300 | 0 | CONCSN | | |
| Apr-90 | 4/21/90 | 43 | 38 | 311300 | 312700 | 0 | LHWCONC | | |
| Apr-90 | 4/23/90 | 43 | | 0 | 2457 | 0 | MISCADD/TRAN | From Pump tank 2 | |
| Apr-90 | 4/30/90 | 26 | 44 | 86900 | 71900 | 0 | CONCSN | | |
| Apr-90 | 4/30/90 | 21 | 44H-245 | 0 | 28000 | 0 | NONCANYWASTE | | |
| Apr-90 | 4/30/90 | 43 | 242-16H | 0 | 1000 | 0 | OVERSPEC | | |
| Apr-90 | 4/30/90 | 50 | ETF | 0 | 13000 | 0 | MISCADD/TRAN | ETF stream | |
| Apr-90 | 4/30/90 | 242-16 | 26 | 818600 | 851040 | 0 | EVAPFEED | | |
| Apr-90 | 4/30/90 | 42-16 | 43 | 294270 | 309270 | 0 | EVAPFEED | | |
| Apr-90 | 4/30/90 | 45 | 242-16F | 705920 | 722990 | 0 | EVAPCONC | | |
| Apr-90 | 4/30/90 | 38 | 242-16H | 128570 | 146570 | 0 | EVAPCONC | | |
| May-90 | 5/3/90 | 26 | 44 | 21500 | 15100 | 0 | CONCSN | | |
| May-90 | 5/13/90 | 26 | 44 | 217500 | 193400 | 0 | CONCSN | | |
| May-90 | 5/31/90 | 50 | ETF | 0 | 22000 | 0 | MISCADD/TRAN | ETF stream | |
| May-90 | 5/31/90 | 24 | | 0 | 5000 | 0 | MISCADD/TRAN | NaOH | |
| May-90 | 5/31/90 | 21 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | | |
| May-90 | 5/31/90 | 242-16 | 26 | 277400 | 304530 | 0 | EVAPFEED | | |
| May-90 | 5/31/90 | 42-16 | 43 | 144750 | 145750 | 0 | EVAPFEED | | |
| May-90 | 5/31/90 | 44 | 242-16F | 278390 | 284890 | 0 | EVAPCONC | | |
| May-90 | 5/31/90 | 38 | 242-16H | 117540 | 136540 | 0 | EVAPCONC | | |
| Jun-90 | 6/8/90 | 43 | 22 | 106200 | 102100 | 0 | RBOF-RRF | | |
| Jun-90 | 6/15/90 | 43 | 22 | 32200 | 30900 | 0 | RBOF-RRF | | |
| Jun-90 | 6/15/90 | 43 | 22 | 112200 | 109200 | 0 | RBOF-RRF | | |
| Jun-90 | 6/16/90 | 43 | 22 | 75800 | 73700 | 0 | RBOF-RRF | | |
| Jun-90 | 6/17/90 | 43 | 22 | 97700 | 95800 | 0 | RBOF-RRF | | |
| Jun-90 | 6/19/90 | 43 | 22 | 226200 | 224600 | 0 | RBOF-RRF | | |
| Jun-90 | 6/30/90 | 50 | ETF | 0 | 27000 | 0 | MISCADD/TRAN | ETF stream | |
| Jun-90 | 6/30/90 | 23 | | 0 | 1000 | 0 | MISCADD/TRAN | Flush water | |
| Jun-90 | 6/30/90 | Z-Area | 50 | 24000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Jun-90 | 6/30/90 | 21 | 44H-245 | 0 | 23000 | 0 | NONCANYWASTE | | |
| Jun-90 | 6/30/90 | 242-16 | 26 | 166460 | 169740 | 0 | EVAPFEED | | |
| Jun-90 | 6/30/90 | 42-16 | 43 | 6670 | 332 | 0 | EVAPFEED | | |
| Jun-90 | 6/30/90 | 45 | 242-16F | 135850 | 143780 | 0 | EVAPCONC | | |
| Jun-90 | 6/30/90 | 38 | 242-16H | 1050 | 1050 | 0 | EVAPCONC | | |
| Jul-90 | 7/31/90 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jul-90 | 7/31/90 | 50 | ETF | 0 | 13000 | 0 | MISCADD/TRAN | ETF stream | |
| Jul-90 | 7/31/90 | 21 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | | |
| Jul-90 | 7/31/90 | 23 | | 0 | 5000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Jul-90 | 7/31/90 | Z-Area | 50 | 44000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Aug-90 | 8/31/90 | 26 | 45 | 28400 | 33700 | 0 | CONCSN | | |
| Aug-90 | 8/31/90 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | Catch tank | |
| Aug-90 | 8/31/90 | 43 | 299H | 0 | 2000 | 0 | MISCADD/TRAN | Decon Waste | |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report Date | Actual Date | Receipt Tank | Sending Tank | Volume from Sending (gal) | Volume to Receipt (gal) | Sludge % | Type Waste | Description/Comments |
|-------------|-------------|--------------|--------------|---------------------------|-------------------------|----------|--------------|--------------------------------|
| Aug-90 | 8/31/90 | 21 | 44H-245 | 0 | 31000 | 0 | NONCANYWASTE | |
| Aug-90 | 8/31/90 | 50 | ETF | 0 | 20000 | 0 | MISCADD/TRAN | ETF stream |
| Aug-90 | 8/31/90 | 23 | | 0 | 3000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Aug-90 | 8/31/90 | Z-Area | 50 | 108000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Sep-90 | 9/18/90 | 28 | 45 | 98800 | 102800 | 0 | CONCSN | |
| Sep-90 | 9/30/90 | 21 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | |
| Sep-90 | 9/30/90 | 50 | ETF | 0 | 17000 | 0 | MISCADD/TRAN | ETF stream |
| Sep-90 | 9/30/90 | 23 | | 0 | 3000 | 0 | MISCADD/TRAN | water |
| Sep-90 | 9/30/90 | 40 | | 0 | 6000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Sep-90 | 9/30/90 | Z-Area | 50 | 35000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Sep-90 | 9/30/90 | 38 | | 0 | 3000 | 0 | MISCADD/TRAN | Pump tank 2 |
| Oct-90 | 10/28/90 | 38 | 43 | 70200 | 71600 | 0 | LHW | |
| Oct-90 | 10/28/90 | 48 | 22 | 126000 | 125300 | 0 | RBOF-RRF | |
| Oct-90 | 10/31/90 | 7 | | 0 | 9000 | 0 | MISCADD/TRAN | Catch Tank |
| Oct-90 | 10/31/90 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste |
| Oct-90 | 10/31/90 | 21 | 44H-245 | 0 | 55000 | 0 | NONCANYWASTE | |
| Oct-90 | 10/31/90 | 23 | 44H-245 | 0 | 6000 | 0 | NONCANYWASTE | |
| Oct-90 | 10/31/90 | 50 | ETF | 0 | 24000 | 0 | MISCADD/TRAN | ETF stream |
| Oct-90 | 10/31/90 | Z-Area | 50 | 97000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Oct-90 | 10/31/90 | 38 | | 0 | 9000 | 0 | MISCADD/TRAN | Pump tank 2 and DB-7 |
| Oct-90 | 10/31/90 | 30 | | 0 | 2000 | 0 | MISCADD/TRAN | CTS Tank |
| Nov-90 | 11/30/90 | 7 | | 0 | 35000 | 0 | MISCADD/TRAN | Unex. Incr./decr. or Inv. Adj. |
| Nov-90 | 11/30/90 | 21 | 44H-245 | 0 | 33000 | 0 | NONCANYWASTE | |
| Nov-90 | 11/30/90 | 50 | ETF | 0 | 15000 | 0 | MISCADD/TRAN | ETF stream |
| Nov-90 | 11/30/90 | Z-Area | 50 | 86000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Nov-90 | 11/30/90 | 23 | | 0 | 4000 | 0 | MISCADD/TRAN | Water |
| Dec-90 | 12/31/90 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste |
| Dec-90 | 12/31/90 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | |
| Dec-90 | 12/31/90 | 23 | 44H-245 | 0 | 9000 | 0 | NONCANYWASTE | |
| Dec-90 | 12/31/90 | 50 | ETF | 0 | 10000 | 0 | MISCADD/TRAN | ETF stream |
| Dec-90 | 12/31/90 | Z-Area | 50 | 91000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Jan-91 | 1/22/91 | 26 | 25 | 11300 | 11600 | 0 | CONCSN | |
| Jan-91 | 1/31/91 | 17 | | 0 | 4000 | 0 | MISCADD/TRAN | NaOH additions |
| Jan-91 | 1/31/91 | 21 | 44H-245 | 0 | 29000 | 0 | NONCANYWASTE | |
| Jan-91 | 1/31/91 | 50 | ETF | 0 | 10000 | 0 | MISCADD/TRAN | ETF stream |
| Jan-91 | 1/31/91 | Z-Area | 50 | 44000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Jan-91 | 1/31/91 | 43 | | 0 | 4000 | 0 | MISCADD/TRAN | water |
| Jan-91 | 1/31/91 | | 40 | 7000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-91 | 2/12/91 | 43 | 38 | 30000 | 31000 | 0 | LHW | |
| Feb-91 | 2/14/91 | 43 | 38 | 120000 | 125000 | 0 | LHW | |
| Feb-91 | 2/28/91 | 21 | 44H-245 | 0 | 31000 | 0 | NONCANYWASTE | |
| Feb-91 | 2/28/91 | 50 | ETF | 0 | 20000 | 0 | MISCADD/TRAN | ETF stream |
| Feb-91 | 2/28/91 | Z-Area | 50 | 46000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Feb-91 | 2/28/91 | 43 | | 0 | 8000 | 0 | MISCADD/TRAN | water |
| Feb-91 | 2/28/91 | | 36 | 1000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change |
| Feb-91 | 2/28/91 | 42-16 | 43 | 313040 | 321040 | 0 | EVAPFEED | |
| Feb-91 | 2/28/91 | 38 | 242-16H | 146530 | 160530 | 0 | EVAPCONC | |
| Mar-91 | 3/7/91 | 43 | 38 | 240000 | 250000 | 0 | LHW | |
| Mar-91 | 3/11/91 | 47 | 26 | 76300 | 77900 | 0 | LHW | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Mar-91 | 3/22/91 | 26 | 45 | 152900 | -1050 | 0 | CONCSN | | |
| Mar-91 | 3/28/91 | 26 | 45 | 152900 | 131900 | 0 | CONCSN | | |
| Mar-91 | 3/31/91 | 21 | 44H-245 | 0 | 34000 | 0 | NONCANYWASTE | | |
| Mar-91 | 3/31/91 | 50 | ETF | 0 | 14000 | 0 | MISCADD/TRAN | ETF stream | |
| Mar-91 | 3/31/91 | Z-Area | 50 | 57000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Mar-91 | 3/31/91 | 43 | 235F | 0 | 1000 | 0 | MISCADD/TRAN | water | |
| Mar-91 | 3/31/91 | | 36 | 2000 | 0 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Mar-91 | 3/31/91 | 43 | | 0 | 7000 | 0 | MISCADD/TRAN | Chromate Dr., PT-3 and H2O | |
| Mar-91 | 3/31/91 | 242-16 | 26 | 173680 | 184450 | 0 | EVAPFEED | | |
| Mar-91 | 3/31/91 | 42-16 | 43 | 216060 | 231060 | 0 | EVAPFEED | | |
| Mar-91 | 3/31/91 | 45 | 242-16F | 162290 | 168940 | 0 | EVAPCONC | | |
| Mar-91 | 3/31/91 | 38 | 242-16H | 99080 | 109080 | 0 | EVAPCONC | | |
| Apr-91 | 4/4/91 | 28 | 45 | 173000 | 178000 | 0 | CONCSN | | |
| Apr-91 | 4/9/91 | 26 | 47 | 42000 | 44000 | 0 | CONCSN | | |
| Apr-91 | 4/13/91 | 26 | 45 | 149000 | 151000 | 0 | CONCSN | | |
| Apr-91 | 4/23/91 | 26 | 44 | 30000 | 31000 | 0 | CONCSN | | |
| Apr-91 | 4/27/91 | 26 | 45 | 84000 | 86000 | 0 | CONCSN | | |
| Apr-91 | 4/30/91 | 43 | 299H | 0 | 3000 | 0 | MISCADD/TRAN | Decon Waste | |
| Apr-91 | 4/30/91 | 21 | 44H-245 | 0 | 60000 | 0 | NONCANYWASTE | | |
| Apr-91 | 4/30/91 | 23 | 44H-245 | 0 | 3000 | 0 | NONCANYWASTE | | |
| Apr-91 | 4/30/91 | 50 | ETF | 0 | 12000 | 0 | MISCADD/TRAN | ETF stream | |
| Apr-91 | 4/30/91 | Z-Area | 50 | 25000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Apr-91 | 4/30/91 | 35 | | 0 | 2000 | 0 | MISCADD/TRAN | Water | |
| Apr-91 | 4/30/91 | 43 | | 0 | 1000 | 0 | MISCADD/TRAN | Water | |
| Apr-91 | 4/30/91 | 242-16 | 26 | 576990 | 613190 | 0 | EVAPFEED | | |
| Apr-91 | 4/30/91 | 45 | 242-16F | 482500 | 514000 | 0 | EVAPCONC | | |
| Apr-91 | 5/1/91 | 26 | 45 | 126000 | 134000 | 0 | CONCSN | | |
| May-91 | 5/1/91 | 26 | 45 | 7000 | 8000 | 0 | CONCSN | | |
| May-91 | 5/6/91 | 34 | 33 | 3000 | 2000 | 0 | HHWSN | vol. diff. due to PT holdup | |
| May-91 | 5/9/91 | 34 | 33 | 20000 | 20000 | 0 | HHWSN | | |
| May-91 | 5/12/91 | 26 | 45 | 227000 | 237000 | 0 | CONCSN | | |
| May-91 | 5/19/91 | 26 | 45 | 168000 | 176000 | 0 | CONCSN | | |
| May-91 | 5/30/91 | 26 | 45 | 216000 | 225000 | 0 | CONCSN | | |
| May-91 | 5/31/91 | 21 | 44H-245 | 0 | 37000 | 0 | NONCANYWASTE | | |
| May-91 | 5/31/91 | 50 | ETF | 0 | 23000 | 0 | MISCADD/TRAN | ETF stream | |
| May-91 | 5/31/91 | Z-Area | 50 | 36000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| May-91 | 5/31/91 | 36 | | 0 | 4000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| May-91 | 5/31/91 | 39 | | 0 | 3000 | 0 | MISCADD/TRAN | pump tank 6 | |
| May-91 | 5/31/91 | 43 | | 0 | 2000 | 0 | MISCADD/TRAN | pump tank 5 | |
| May-91 | 5/31/91 | 242-16 | 26 | 659260 | 691630 | 0 | EVAPFEED | | |
| May-91 | 5/31/91 | 42-16 | 43 | 465820 | 487820 | 0 | EVAPFEED | | |
| May-91 | 5/31/91 | 45 | 242-16F | 566790 | 590570 | 0 | EVAPCONC | | |
| May-91 | 5/31/91 | 38 | 242-16H | 197450 | 202450 | 0 | EVAPCONC | | |
| Jun-91 | 6/6/91 | 26 | 45 | 120300 | 123000 | 0 | CONCSN | | |
| Jun-91 | 6/15/91 | 26 | 45 | 133000 | 138000 | 0 | CONCSN | | |
| Jun-91 | 6/22/91 | 26 | 45 | 130600 | 130600 | 0 | CONCSN | | |
| Jun-91 | 6/28/91 | 43 | 38 | 195000 | 203000 | 0 | CONCSN | | |
| Jun-91 | 6/30/91 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Jun-91 | 6/30/91 | 21 | 44H-245 | 0 | 60000 | 0 | NONCANYWASTE | | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Jun-91 | 6/30/91 | 50 | ETF | 0 | 19000 | 0 | MISCADD/TRAN | ETF stream |
| Jun-91 | 6/30/91 | Z-Area | 50 | 45000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Jun-91 | 6/30/91 | 39 | | 0 | 2250 | 0 | MISCADD/TRAN | Acid Addition |
| Jun-91 | 6/30/91 | 39 | | 0 | 2250 | 0 | MISCADD/TRAN | NaOH Addition |
| Jun-91 | 6/30/91 | 39 | | 0 | 4500 | 0 | MISCADD/TRAN | Flush Water |
| Jun-91 | 6/30/91 | 242-16 | 26 | 466030 | 490310 | 0 | EVAPFEED | |
| Jun-91 | 6/30/91 | 42-16 | 43 | 316810 | 324810 | 0 | EVAPFEED | |
| Jun-91 | 6/30/91 | 45 | 242-16F | 418180 | 429170 | 0 | EVAPCONC | |
| Jun-91 | 6/30/91 | 38 | 242-16H | 161800 | 177800 | 0 | EVAPCONC | |
| Jul-91 | 7/6/91 | 26 | 45 | 98000 | 103000 | 0 | CONCSN | |
| Jul-91 | 7/13/91 | 43 | 38 | 117000 | 122000 | 0 | CONCSN | |
| Jul-91 | 7/17/91 | 26 | 45 | 157000 | 163000 | 0 | CONCSN | |
| Jul-91 | 7/31/91 | 26 | 45 | 164000 | 170000 | 0 | CONCSN | |
| Jul-91 | 7/31/91 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste |
| Jul-91 | 7/31/91 | 21 | 44H-245 | 0 | 39000 | 0 | NONCANYWASTE | |
| Jul-91 | 7/31/91 | 50 | ETF | 0 | 13000 | 0 | MISCADD/TRAN | ETF stream |
| Jul-91 | 7/31/91 | Z-Area | 50 | 45000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Jul-91 | 7/31/91 | 43 | | 0 | 5000 | 0 | MISCADD/TRAN | PT 5&6 and Chromate tk |
| Jul-91 | 7/31/91 | 242-16 | 26 | 365690 | 386520 | 0 | EVAPFEED | |
| Jul-91 | 7/31/91 | 42-16 | 43 | 375890 | 380890 | 0 | EVAPFEED | |
| Jul-91 | 7/31/91 | 45 | 242-16F | 355730 | 372730 | 0 | EVAPCONC | |
| Jul-91 | 7/31/91 | 38 | 242-16H | 229590 | 254590 | 0 | EVAPCONC | |
| Aug-91 | 8/7/91 | 26 | 45 | 123000 | 129000 | 0 | CONCSN | |
| Aug-91 | 8/12/91 | 43 | 21 | 574000 | 574000 | 0 | RBOF-RRF | |
| Aug-91 | 8/12/91 | 30 | 35 | 8000 | 10000 | 0 | HHWSN | |
| Aug-91 | 8/15/91 | 26 | 45 | 142000 | 148000 | 0 | CONCSN | |
| Aug-91 | 8/22/91 | 43 | 41 | 33000 | 33000 | 0 | LHWSN | |
| Aug-91 | 8/23/91 | 26 | 45 | 187000 | 196000 | 0 | CONCSN | |
| Aug-91 | 8/31/91 | 47 | | 0 | 3000 | 0 | NONCANYWASTE | 100 Area Trailer Waste |
| Aug-91 | 8/31/91 | 21 | 44H-245 | 0 | 59000 | 0 | NONCANYWASTE | |
| Aug-91 | 8/31/91 | 50 | ETF | 0 | 28000 | 0 | MISCADD/TRAN | ETF stream |
| Aug-91 | 8/31/91 | Z-Area | 50 | 36000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Aug-91 | 8/31/91 | 43 | | 0 | 13000 | 0 | MISCADD/TRAN | Pump tanks 2,3 and 4 |
| Aug-91 | 8/31/91 | 42 | | 0 | 3500 | 0 | MISCADD/TRAN | NaOH |
| Aug-91 | 8/31/91 | 23 | | 0 | 3500 | 0 | MISCADD/TRAN | NaOH |
| Aug-91 | 8/31/91 | 23 | | 0 | 4000 | 0 | MISCADD/TRAN | 1H Evap. Decon water |
| Aug-91 | 8/31/91 | 24 | | 0 | 2000 | 0 | MISCADD/TRAN | Sidewall sump |
| Aug-91 | 8/31/91 | 242-16 | 26 | 577170 | 603200 | 0 | EVAPFEED | |
| Aug-91 | 8/31/91 | 42-16 | 43 | 197710 | 198710 | 0 | EVAPFEED | |
| Aug-91 | 8/31/91 | 45 | 242-16F | 535270 | 550330 | 0 | EVAPCONC | |
| Aug-91 | 8/31/91 | 38 | 242-16H | 103180 | 116180 | 0 | EVAPCONC | |
| Sep-91 | 9/28/91 | 43 | 38 | 374000 | 389000 | 0 | CONCSN | |
| Sep-91 | 9/30/91 | 47 | | 0 | 1000 | 0 | NONCANYWASTE | 100 Area Trailer Waste |
| Sep-91 | 9/30/91 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste |
| Sep-91 | 9/30/91 | 21 | 44H-245 | 0 | 13000 | 0 | NONCANYWASTE | |
| Sep-91 | 9/30/91 | 50 | ETF | 0 | 14000 | 0 | MISCADD/TRAN | ETF stream |
| Sep-91 | 9/30/91 | Z-Area | 50 | 40000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Sep-91 | 9/30/91 | 43 | | 0 | 5000 | 0 | MISCADD/TRAN | PT 3 and Chromate drain tank |
| Sep-91 | 9/30/91 | 42-16 | 43 | 306670 | 306670 | 0 | EVAPFEED | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Sep-91 | 9/30/91 | 38 | 242-16H | 133150 | 145150 | 0 | EVAPCONC | | |
| Oct-91 | 10/8/91 | 21 | 23 | 495000 | 508000 | 0 | NONCANYWASTE | | |
| Oct-91 | 10/31/91 | 47 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area Trailer Waste | |
| Oct-91 | 10/31/91 | 50 | ETF | 0 | 10000 | 0 | MISCADD/TRAN | ETF stream | |
| Oct-91 | 10/31/91 | Z-Area | 50 | 26000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Oct-91 | 10/31/91 | 43 | | 0 | 6000 | 0 | MISCADD/TRAN | Pump tanks 2 & 3 | |
| Oct-91 | 10/31/91 | 30 | | 0 | 2000 | 0 | MISCADD/TRAN | Concentrate Transfer System | |
| Oct-91 | 10/31/91 | 242-16 | 26 | 5000 | 6000 | 0 | EVAPFEED | | |
| Oct-91 | 10/31/91 | 42-16 | 43 | 77070 | 77070 | 0 | EVAPFEED | | |
| Oct-91 | 10/31/91 | 45 | 242-16F | 4000 | 4000 | 0 | EVAPCONC | | |
| Oct-91 | 10/31/91 | 38 | 242-16H | 42460 | 55460 | 0 | EVAPCONC | | |
| Nov-91 | 11/8/91 | 26 | 45 | 70000 | 71000 | 0 | CONCSN | | |
| Nov-91 | 11/26/91 | 26 | 45 | 99000 | 102000 | 0 | CONCSN | | |
| Nov-91 | 11/30/91 | 43 | 38 | 307000 | 318000 | 0 | CONCSN | | |
| Nov-91 | 11/30/91 | 47 | | 0 | 2000 | 0 | NONCANYWASTE | 100 Area Trailer Waste | |
| Nov-91 | 11/30/91 | 23 | 44H-245 | 0 | 3000 | 0 | NONCANYWASTE | | |
| Nov-91 | 11/30/91 | 50 | ETF | 0 | 14000 | 0 | MISCADD/TRAN | ETF stream | |
| Nov-91 | 11/30/91 | Z-Area | 50 | 28000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Nov-91 | 11/30/91 | 242-16 | 26 | 174180 | 196700 | 0 | EVAPFEED | | |
| Nov-91 | 11/30/91 | 42-16 | 43 | 399290 | 399290 | 0 | EVAPFEED | | |
| Nov-91 | 11/30/91 | 45 | 242-16F | 157240 | 173260 | 0 | EVAPCONC | | |
| Nov-91 | 11/30/91 | 38 | 242-16H | 197020 | 208020 | 0 | EVAPCONC | | |
| Dec-91 | 1/1/91 | 26 | 45 | 18000 | 19000 | 0 | CONCSN | | |
| Dec-91 | 12/8/91 | 26 | 45 | 95000 | 97000 | 0 | CONCSN | | |
| Dec-91 | 12/14/91 | 31 | 30 | 65000 | 68000 | 0 | CONCSN | | |
| Dec-91 | 12/23/91 | 26 | 45 | 120000 | 125000 | 0 | CONCSN | | |
| Dec-91 | 12/31/91 | 21 | 44H-245 | 0 | 6000 | 0 | NONCANYWASTE | | |
| Dec-91 | 12/31/91 | 23 | 44H-245 | 0 | 17000 | 0 | NONCANYWASTE | | |
| Dec-91 | 12/31/91 | 50 | ETF | 0 | 13000 | 0 | MISCADD/TRAN | ETF stream | |
| Dec-91 | 12/31/91 | Z-Area | 50 | 26000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone | |
| Dec-91 | 12/31/91 | 242-16 | 26 | 272000 | 288000 | 0 | EVAPFEED | | |
| Dec-91 | 12/31/91 | 42-16 | 43 | 421000 | 421000 | 0 | EVAPFEED | | |
| Dec-91 | 12/31/91 | 45 | 242-16F | 233000 | 245000 | 0 | EVAPCONC | | |
| Dec-91 | 12/31/91 | 38 | 242-16H | 234000 | 260000 | 0 | EVAPCONC | | |
| Jan-92 | 1/1/92 | 26 | 45 | 91000 | 94000 | 0 | CONCSN | | |
| Jan-92 | 1/11/92 | 26 | 45 | 124000 | 128000 | 0 | CONCSN | | |
| Jan-92 | 1/12/92 | 43 | 21 | 366000 | 364000 | 0 | RBOF-RRF | | |
| Jan-92 | 1/19/92 | 26 | 45 | 126000 | 134000 | 0 | CONCSN | | |
| Jan-92 | 1/31/92 | 43 | 38 | 8000 | 8000 | 0 | CONCSN | | |
| Jan-92 | 1/31/92 | 17 | | 0 | 64000 | 0 | NONCANYWASTE | Trailer Waste- Tritiated Water | |
| Jan-92 | 1/31/92 | 26 | | 0 | 15000 | 0 | MISCADD/TRAN | Rain water, FPT-1, and FPT-2 | |
| Jan-92 | 1/31/92 | 21 | 44H-245 | 0 | 10000 | 0 | NONCANYWASTE | | |
| Jan-92 | 1/31/92 | 23 | 44H-245 | 0 | 6000 | 0 | NONCANYWASTE | | |
| Jan-92 | 1/31/92 | 50 | ETF | 0 | 10000 | 0 | MISCADD/TRAN | ETF stream | |
| Jan-92 | 1/31/92 | 43 | | 0 | 4000 | 0 | MISCADD/TRAN | H area Pump tank | |
| Jan-92 | 1/31/92 | 242-16 | 26 | 322000 | 337000 | 0 | EVAPFEED | | |
| Jan-92 | 1/31/92 | 42-16 | 43 | 142160 | 143160 | 0 | EVAPFEED | | |
| Jan-92 | 1/31/92 | 45 | 242-16F | 266000 | 279000 | 0 | EVAPCONC | | |
| Jan-92 | 1/31/92 | 38 | 242-16H | 86210 | 98210 | 0 | EVAPCONC | | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|----------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Feb-92 | 2/4/92 | 43 | 38 | 375000 | 389000 | 0 | CONCSN | | |
| Feb-92 | 2/7/92 | 26 | 45 | 19000 | 20000 | 0 | CONCSN | | |
| Feb-92 | 2/11/92 | 26 | 44 | 19000 | 20000 | 0 | CONCSN | | |
| Feb-92 | 2/26/92 | 17 | | 0 | 46000 | 0 | NONCANYWASTE | Trailer Waste- Trilisted Water | |
| Feb-92 | 2/28/92 | 17 | | 0 | 8000 | 0 | MISCADD/TRAN | NaOH and NaNO2 additions | |
| Feb-92 | 2/28/92 | 23 | 44H-245 | 0 | 19000 | 0 | NONCANYWASTE | | |
| Feb-92 | 2/28/92 | 50 | ETF | 0 | 13000 | 0 | MISCADD/TRAN | ETF stream | |
| Feb-92 | 2/28/92 | 43 | | 0 | 4000 | 0 | MISCADD/TRAN | HPT2 | |
| Feb-92 | 2/28/92 | 242-16 | 26 | 112000 | 116000 | 0 | EVAPFEED | | |
| Feb-92 | 2/28/92 | 42-16 | 43 | 446620 | 460620 | 0 | EVAPFEED | | |
| Feb-92 | 2/28/92 | 44 | 242-16F | 4000 | 4000 | 0 | EVAPCONC | | |
| Feb-92 | 2/28/92 | 45 | 242-16F | 90000 | 93000 | 0 | EVAPCONC | | |
| Feb-92 | 2/28/92 | 38 | 242-16H | 222230 | 227230 | 0 | EVAPCONC | | |
| Mar-92 | 2/4/92 | 43 | 38 | 247000 | 256000 | 0 | CONCSN | | |
| Mar-92 | 3/16/92 | 26 | 45 | 145000 | 153000 | 0 | CONCSN | | |
| Mar-92 | 3/25/92 | 26 | 44 | 107000 | 110000 | 0 | CONCSN | | |
| Mar-92 | 3/31/92 | 21 | 44H-245 | 0 | 7000 | 0 | NONCANYWASTE | | |
| Mar-92 | 3/31/92 | 23 | 44H-245 | 0 | 27000 | 0 | NONCANYWASTE | | |
| Mar-92 | 3/31/92 | 50 | ETF | 0 | 7000 | 0 | MISCADD/TRAN | ETF stream | |
| Mar-92 | 3/31/92 | 43 | | 0 | 2000 | 0 | MISCADD/TRAN | PT-5 Rain water | |
| Mar-92 | 3/31/92 | 242-16 | 26 | 279000 | 295000 | 0 | EVAPFEED | | |
| Mar-92 | 3/31/92 | 42-16 | 43 | 392490 | 401490 | 0 | EVAPFEED | | |
| Mar-92 | 3/31/92 | 44 | 242-16F | 107000 | 107000 | 0 | EVAPCONC | | |
| Mar-92 | 3/31/92 | 45 | 242-16F | 168000 | 175000 | 0 | EVAPCONC | | |
| Mar-92 | 3/31/92 | 38 | 242-16H | 245020 | 254020 | 0 | EVAPCONC | | |
| Apr-92 | 4/2/92 | 26 | 45 | 80000 | 83000 | 0 | CONCSN | | |
| Apr-92 | 4/4/92 | 26 | 45 | 66000 | 69000 | 0 | CONCSN | | |
| Apr-92 | 4/6/92 | 43 | 38 | 167000 | 173000 | 0 | CONCSN | | |
| Apr-92 | 4/9/92 | 43 | 21 | 197000 | 195000 | 0 | CONCSN | | |
| Apr-92 | 4/11/92 | 26 | 45 | 149000 | 155000 | 0 | CONCSN | | |
| Apr-92 | 4/21/92 | 26 | 45 | 165000 | 172000 | 0 | CONCSN | | |
| Apr-92 | 4/25/92 | 43 | 38 | 276000 | 287000 | 0 | CONCSN | | |
| Apr-92 | 4/30/92 | 26 | 45 | 10000 | 10000 | 0 | CONCSN | | |
| Apr-92 | 4/30/92 | 43 | | 0 | 0 | 0 | MISCADD/TRAN | PT-5 Rain water | |
| Apr-92 | 4/30/92 | 43 | 299H | 0 | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Apr-92 | 4/30/92 | 23 | 44H-245 | 0 | 39000 | 0 | NONCANYWASTE | | |
| Apr-92 | 4/30/92 | 50 | ETF | 0 | 7000 | 0 | MISCADD/TRAN | ETF stream | |
| Apr-92 | 4/30/92 | 23 | | 0 | 2000 | 0 | MISCADD/TRAN | NaNO2 | |
| Apr-92 | 4/30/92 | 41 | | 0 | 4000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. | |
| Apr-92 | 4/30/92 | 242-16 | 26 | 507000 | 526000 | 0 | EVAPFEED | | |
| Apr-92 | 4/30/92 | 42-16 | 43 | 379510 | 397510 | 0 | EVAPFEED | | |
| Apr-92 | 4/30/92 | 44 | 242-16F | 12000 | 12000 | 0 | EVAPCONC | | |
| Apr-92 | 4/30/92 | 45 | 242-16F | 426000 | 437000 | 0 | EVAPCONC | | |
| Apr-92 | 4/30/92 | 38 | 242-16H | 219120 | 240120 | 0 | EVAPCONC | | |
| May-92 | 5/2/92 | 26 | 45 | 165000 | 176000 | 0 | CONCSN | | |
| May-92 | 5/22/92 | 43 | 38 | 145000 | 151000 | 0 | CONCSN | | |
| May-92 | 5/31/92 | 23 | 44H-245 | 0 | 9000 | 0 | NONCANYWASTE | | |
| May-92 | 5/31/92 | 50 | ETF | 0 | 9000 | 0 | MISCADD/TRAN | ETF stream | |
| May-92 | 5/31/92 | 41 | | 0 | 2000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|----------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| May-92 | 5/31/92 | 35 | | 0 | 3000 | 0 | MISCADD/TRAN | Thermal Expansion |
| May-92 | 5/31/92 | 242-16 | 26 | 71000 | 78000 | 0 | EVAPFEED | |
| May-92 | 5/31/92 | 42-16 | 43 | 316000 | 322000 | 0 | EVAPFEED | |
| May-92 | 5/31/92 | 45 | 242-16F | 65000 | 70000 | 0 | EVAPCONC | |
| May-92 | 5/31/92 | 38 | 242-16H | 209000 | 233000 | 0 | EVAPCONC | |
| Jun-92 | 6/2/92 | 26 | 45 | 77000 | 80000 | 0 | CONCSN | |
| Jun-92 | 6/12/92 | 43 | 38 | 213000 | 220000 | 0 | CONCSN | |
| Jun-92 | 6/12/92 | 26 | 45 | 117000 | 122000 | 0 | CONCSN | |
| Jun-92 | 6/18/92 | 26 | 47 | 1000 | 1000 | 0 | SNATE | |
| Jun-92 | 6/19/92 | 26 | 47 | 41000 | 43000 | 0 | SNATE | |
| Jun-92 | 6/21/92 | 26 | 45 | 134000 | 139000 | 0 | CONCSN | |
| Jun-92 | 6/30/92 | 43 | 299H | 0 | 3000 | 0 | MISCADD/TRAN | Decon Waste |
| Jun-92 | 6/30/92 | 23 | 44H-245 | 0 | 29000 | 0 | NONCANYWASTE | |
| Jun-92 | 6/30/92 | 50 | ETF | 0 | 8000 | 0 | MISCADD/TRAN | ETF stream |
| Jun-92 | 6/30/92 | Z-Area | 50 | 22000 | 0 | 0 | MISCADD/TRAN | Tank 50 to Z-Area Saltstone |
| Jun-92 | 6/30/92 | 30 | | 0 | 2000 | 0 | MISCADD/TRAN | CTS pumpout |
| Jun-92 | 6/30/92 | 41 | | 0 | 2000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jun-92 | 6/30/92 | 13 | | 0 | 1000 | 0 | MISCADD/TRAN | Flush water |
| Jun-92 | 6/30/92 | 38 | | 0 | 3000 | 0 | MISCADD/TRAN | DB-7 sump |
| Jun-92 | 6/30/92 | 48 | | 0 | 4000 | 0 | MISCADD/TRAN | NaNO2 |
| Jun-92 | 6/30/92 | 43 | | 0 | 19000 | 0 | MISCADD/TRAN | |
| Jun-92 | 6/30/92 | 242-16 | 26 | 402000 | 417000 | 0 | EVAPFEED | |
| Jun-92 | 6/30/92 | 42-16 | 43 | 133000 | 142000 | 0 | EVAPFEED | |
| Jun-92 | 6/30/92 | 44 | 242-16F | 4000 | 4000 | 0 | EVAPCONC | |
| Jun-92 | 6/30/92 | 45 | 242-16F | 353000 | 369000 | 0 | EVAPCONC | |
| Jun-92 | 6/30/92 | 38 | 242-16H | 97000 | 102000 | 0 | EVAPCONC | |
| Jul-92 | 7/4/92 | 26 | 45 | 170000 | 146000 | 0 | CONCSN | |
| Jul-92 | 7/15/92 | 26 | 45 | 165000 | 171000 | 0 | CONCSN | |
| Jul-92 | 7/16/92 | 43 | 23 | 158000 | 158000 | 0 | CONCSN | |
| Jul-92 | 7/22/92 | 26 | 47 | 173000 | 180000 | 0 | CONCSN | |
| Jul-92 | 7/29/92 | 26 | 47 | 119000 | 124000 | 0 | CONCSN | |
| Jul-92 | 7/31/92 | 22 | | 0 | 1000 | 0 | MISCADD/TRAN | pump seal water |
| Jul-92 | 7/31/92 | 30 | | 0 | 1000 | 0 | MISCADD/TRAN | CTS pumpout |
| Jul-92 | 7/31/92 | 41 | | 0 | 1000 | 0 | MISCADD/TRAN | Unexpl. incr./decr. or Inv. Adj. |
| Jul-92 | 7/31/92 | 11 | | 0 | 1000 | 0 | MISCADD/TRAN | Rain water |
| Jul-92 | 7/31/92 | 38 | | 0 | 8000 | 0 | MISCADD/TRAN | DB-7 sump |
| Jul-92 | 7/31/92 | 21 | | 0 | 2000 | 0 | MISCADD/TRAN | NaNO2 |
| Jul-92 | 7/31/92 | 43 | | 0 | 3000 | 0 | MISCADD/TRAN | PT-3 and 2H Evap sump |
| Jul-92 | 7/31/92 | 35 | | 0 | 2000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Jul-92 | 7/31/92 | 21 | 44H-245 | 0 | 6000 | 0 | NONCANYWASTE | |
| Jul-92 | 7/31/92 | 23 | 44H-245 | 0 | 20000 | 0 | NONCANYWASTE | |
| Jul-92 | 7/31/92 | 50 | ETF | 0 | 13000 | 0 | MISCADD/TRAN | ETF stream |
| Jul-92 | 7/31/92 | 242-16 | 26 | 595000 | 620000 | 0 | EVAPFEED | |
| Jul-92 | 7/31/92 | 45 | 242-16F | 546000 | 561000 | 0 | EVAPCONC | |
| Aug-92 | 8/3/92 | 26 | 45 | 35000 | 39000 | 0 | CONCSN | |
| Aug-92 | 8/7/92 | 26 | 45 | 164000 | 174000 | 0 | CONCSN | |
| Aug-92 | 8/16/92 | 26 | 47 | 168000 | 178000 | 0 | CONCSN | |
| Aug-92 | 8/26/92 | 26 | 47 | 185000 | 197000 | 0 | CONCSN | |
| Aug-92 | 8/31/92 | 242-16 | 26 | 648000 | 670000 | 0 | EVAPFEED | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Aug-92 | 8/31/92 | 45 | 242-16F | 582000 | 596000 | 0 | EVAPCONC | | |
| Aug-92 | 8/31/92 | 42-16 | 43 | 203000 | 204000 | 0 | EVAPFEED | | |
| Aug-92 | 8/31/92 | 38 | 242-16H | 130000 | 130000 | 0 | EVAPCONC | | |
| Aug-92 | 8/31/92 | 43 | 299H | | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Aug-92 | 8/31/92 | 21 | | | 13000 | 0 | NONCANYWASTE | | |
| Aug-92 | 8/31/92 | 23 | | | 11000 | 0 | NONCANYWASTE | | |
| Aug-92 | 8/31/92 | 50 | ETF | | 13000 | 0 | MISCADD/TRAN | ETF stream | |
| Aug-92 | 8/31/92 | 30 | | | 1000 | 0 | MISCADD/TRAN | CTS pumpout | |
| Aug-92 | 8/31/92 | 13 | | | 1000 | 0 | MISCADD/TRAN | 1H Cell sump | |
| Aug-92 | 8/31/92 | 11 | | | 1000 | 0 | MISCADD/TRAN | Rain Water | |
| Aug-92 | 8/31/92 | 38 | | | 3000 | 0 | MISCADD/TRAN | DB-7 | |
| Aug-92 | 8/31/92 | 43 | | | 6000 | 0 | MISCADD/TRAN | Rain Water and 2H Cell sump | |
| Aug-92 | 8/31/92 | | 35 | 1000 | | 0 | MISCADD/TRAN | Thermal Exp./Contraction | |
| Sep-92 | 9/14/92 | 43 | 38 | 267000 | 278000 | 0 | CONCSN | | |
| Sep-92 | 9/30/92 | 43 | 38 | 128000 | 133000 | 0 | CONCSN | | |
| Sep-92 | 9/3/92 | 26 | 45 | 183000 | 190000 | 0 | CONCSN | | |
| Sep-92 | 9/4/92 | 26 | 45 | 35000 | 36000 | 0 | CONCSN | | |
| Sep-92 | 9/13/92 | 26 | 45 | 165000 | 172000 | 0 | CONCSN | | |
| Sep-92 | 9/21/92 | 26 | 45 | 173000 | 178000 | 0 | CONCSN | | |
| Sep-92 | 9/30/92 | 21 | | | 5000 | 0 | MISCADD/TRAN | | |
| Sep-92 | 9/30/92 | 7 | | | 1000 | 0 | MISCADD/TRAN | Thermal Exp./Contraction | |
| Sep-92 | 9/30/92 | 25 | | | 1000 | 0 | MISCADD/TRAN | Thermal Exp./Contraction | |
| Sep-92 | 9/30/92 | 28 | | | 1000 | 0 | MISCADD/TRAN | Thermal Exp./Contraction | |
| Sep-92 | 9/30/92 | | 34 | 1000 | | 0 | MISCADD/TRAN | Thermal Exp./Contraction | |
| Sep-92 | 9/30/92 | 47 | | | 1000 | 0 | MISCADD/TRAN | Thermal Exp./Contraction | |
| Sep-92 | 9/30/92 | | 4 | 1000 | | 0 | MISCADD/TRAN | Evaporation | |
| Sep-92 | 9/30/92 | | 33 | 1000 | | 0 | MISCADD/TRAN | Evaporation | |
| Sep-92 | 9/30/92 | | 4 | 1000 | | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Sep-92 | 9/30/92 | 43 | 299H | 2000 | 2000 | 0 | MISCADD/TRAN | Decon Waste | |
| Sep-92 | 9/30/92 | 21 | 44H-245 | 3000 | 3000 | 0 | NONCANYWASTE | | |
| Sep-92 | 9/30/92 | 50 | ETF | 12000 | 12000 | 0 | MISCADD/TRAN | ETF stream | |
| Sep-92 | 9/30/92 | 41 | | | 3000 | 0 | MISCADD/TRAN | Flush Water | |
| Sep-92 | 9/30/92 | 42 | | | 1000 | 0 | MISCADD/TRAN | Flush Water | |
| Sep-92 | 9/30/92 | 50 | | | 3000 | 0 | MISCADD/TRAN | Flush Water | |
| Sep-92 | 9/30/92 | 23 | | | 4000 | 0 | MISCADD/TRAN | NaOH | |
| Sep-92 | 9/30/92 | 43 | | 8000 | | 0 | MISCADD/TRAN | | |
| Sep-92 | 9/30/92 | 12 | | | 1000 | 0 | MISCADD/TRAN | Chromate water | |
| Sep-92 | 9/30/92 | | 10 | 36000 | | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Sep-92 | 9/30/92 | 38 | | | 1000 | 0 | MISCADD/TRAN | H-DB-7 | |
| Sep-92 | 9/30/92 | 242-16 | 26 | 574000 | 596000 | 0 | EVAPFEED | | |
| Sep-92 | 9/30/92 | 45 | 242-16F | 532000 | 545000 | 0 | EVAPCONC | | |
| Sep-92 | 9/30/92 | 42-16 | 43 | 453000 | 470000 | 0 | EVAPFEED | | |
| Sep-92 | 9/30/92 | 38 | 242-16H | 299000 | 315000 | 0 | EVAPCONC | | |
| Oct-92 | 10/31/92 | 242-16 | 26 | 280000 | 300000 | 0 | EVAPFEED | | |
| Oct-92 | 10/31/92 | 45 | 242-16F | 269000 | 276000 | 0 | EVAPCONC | | |
| Oct-92 | 10/31/92 | 42-16 | 43 | 158000 | 161000 | 0 | EVAPFEED | | |
| Oct-92 | 10/31/92 | 38 | 242-16H | 114000 | 122000 | 0 | EVAPCONC | | |
| Oct-92 | 10/1/92 | 43 | 38 | 66000 | 68000 | 0 | CONCSN | | |
| Oct-92 | 10/4/92 | 26 | 45 | 143000 | 155000 | 0 | CONCSN | | |

Appendix A Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Oct-92 | 10/28/92 | 26 | 45 | 156000 | 162000 | 0 | CONCSN | | |
| Oct-92 | 10/31/92 | 26 | 242-16F | 2000 | 2000 | 0 | OVERSPEC | | |
| Oct-92 | 10/31/92 | | 3 | 12000 | | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-92 | 10/31/92 | | 5 | 20000 | | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-92 | 10/31/92 | 6 | | | 4000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-92 | 10/31/92 | | 8 | 8000 | | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-92 | 10/31/92 | | 4 | 2000 | | 0 | MISCADD/TRAN | Evaporation loss | |
| Oct-92 | 10/31/92 | | 7 | 2000 | | 0 | MISCADD/TRAN | Evaporation loss | |
| Oct-92 | 10/31/92 | 43 | 299H | 2000 | 2000 | 0 | MISCADD/TRAN | Decon Waste | |
| Oct-92 | 10/31/92 | 21 | 44H-245 | 13000 | 13000 | 0 | NONCANYWASTE | | |
| Oct-92 | 10/31/92 | 23 | 44H-245 | 13000 | 13000 | 0 | NONCANYWASTE | | |
| Oct-92 | 10/31/92 | 50 | ETF | 15000 | 15000 | 0 | MISCADD/TRAN | ETF stream | |
| Oct-92 | 10/31/92 | 22 | | | 2000 | 0 | MISCADD/TRAN | RT Calib./Repl. or Inv. change | |
| Oct-92 | 10/31/92 | 30 | | | 1000 | 0 | MISCADD/TRAN | CTS Pump tank | |
| Oct-92 | 10/31/92 | 38 | | | 2000 | 0 | MISCADD/TRAN | HDB-7 Sump and Flush water | |
| Oct-92 | 10/31/92 | 43 | | | 6000 | 0 | MISCADD/TRAN | | |
| Oct-92 | 10/31/92 | 48 | | | 14000 | 0 | MISCADD/TRAN | Simulated Waste | |
| Oct-92 | 10/31/92 | 23 | | | 1000 | 0 | OVERSPEC | Stored for later CRC proc. | |
| Nov-92 | 11/6/92 | 26 | 45 | 157000 | 163000 | 0 | CONCSN | | |
| Nov-92 | 11/18/92 | 26 | 47 | 32000 | 36000 | 0 | SNATE | | |
| Nov-92 | 11/21/92 | 26 | 45 | 53000 | 54000 | 0 | CONCSN | | |
| Nov-92 | 11/24/92 | 43 | 38 | 264000 | 273000 | 0 | CONCSN | | |
| Nov-92 | 11/26/92 | 26 | 45 | 113000 | 114000 | 0 | CONCSN | | |
| Nov-92 | 11/30/92 | 242-16 | 26 | 299000 | 324000 | 0 | EVAPFEED | | |
| Nov-92 | 11/30/92 | 45 | 242-16F | 307000 | 323000 | 0 | EVAPCONC | | |
| Nov-92 | 11/30/92 | 42-16 | 43 | 311000 | 321000 | 0 | EVAPFEED | | |
| Nov-92 | 11/30/92 | 38 | 242-16H | 238000 | 257000 | 0 | EVAPCONC | | |
| Nov-92 | 11/30/92 | 26 | 242-16F | 4000 | 4000 | 0 | OVERSPEC | | |
| Nov-92 | 11/30/92 | 26 | | | 8000 | 0 | MISCADD/TRAN | Rainwater | |
| Nov-92 | 11/30/92 | | 4 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Nov-92 | 11/30/92 | | 7 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Nov-92 | 11/30/92 | | 19 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Nov-92 | 11/30/92 | | 20 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Nov-92 | 11/30/92 | | 33 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Nov-92 | 11/30/92 | | 34 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Nov-92 | 11/30/92 | 43 | 299H | 1000 | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Nov-92 | 11/30/92 | 21 | 44H-245 | 9000 | 9000 | 0 | NONCANYWASTE | | |
| Nov-92 | 11/30/92 | 23 | 44H-245 | 10000 | 10000 | 0 | NONCANYWASTE | | |
| Nov-92 | 11/30/92 | 50 | ETF | 12000 | 12000 | 0 | MISCADD/TRAN | ETF stream | |
| Nov-92 | 11/30/92 | 48 | | | 2000 | 0 | MISCADD/TRAN | Flush Water | |
| Nov-92 | 11/30/92 | 39 | | | 3000 | 0 | MISCADD/TRAN | HPT6 (rainwater) | |
| Nov-92 | 11/30/92 | 43 | | | 1000 | 0 | MISCADD/TRAN | HPT5 (rainwater) | |
| Nov-92 | 11/30/92 | 38 | | | 1000 | 0 | MISCADD/TRAN | HDB-7 Sump | |
| Nov-92 | 11/30/92 | 43 | | | 1000 | 0 | MISCADD/TRAN | Flush Water | |
| Nov-92 | 11/30/92 | 48 | | | 14000 | 0 | MISCADD/TRAN | Simulated Waste | |
| Dec-92 | 12/8/92 | 26 | 45 | 115000 | 119000 | 0 | CONCSN | | |
| Dec-92 | 12/14/92 | 26 | 45 | 93000 | 97000 | 0 | CONCSN | | |
| Dec-92 | 12/18/92 | 43 | 38 | 275000 | 286000 | 0 | CONCSN | | |
| Dec-92 | 12/19/92 | 26 | 45 | 102000 | 106000 | 0 | CONCSN | | |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | | |
|--------|----------|---------|---------|---------------|---------------|--------|--------------|------------------------------|--|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments | |
| Dec-92 | 12/24/92 | 26 | 45 | 110000 | 115000 | 0 | CONCSN | | |
| Dec-92 | 12/30/92 | 26 | 45 | 117000 | 122000 | 0 | CONCSN | | |
| Dec-92 | 12/31/92 | 242-16 | 26 | 522000 | 546000 | 0 | EVAPFEED | | |
| Dec-92 | 12/31/92 | 45 | 242-16F | 504000 | 514000 | 0 | EVAPCONC | | |
| Dec-92 | 12/31/92 | 42-16 | 43 | 248000 | 260000 | 0 | EVAPFEED | | |
| Dec-92 | 12/31/92 | 38 | 242-16H | 199000 | 514000 | 0 | EVAPCONC | | |
| Dec-92 | 12/31/92 | 26 | 242-16F | 1000 | 1000 | 0 | OVERSPEC | | |
| Dec-92 | 12/31/92 | 43 | 299H | 1000 | 1000 | 0 | MISCADD/TRAN | Decon Waste | |
| Dec-92 | 12/31/92 | 23 | 44H-245 | 38000 | 38000 | 0 | NONCANYWASTE | | |
| Dec-92 | 12/31/92 | 50 | ETF | 9000 | 9000 | 0 | MISCADD/TRAN | ETF stream | |
| Jan-93 | 1/5/93 | 26 | 45 | 106000 | 111000 | 0 | CONCSN | | |
| Jan-93 | 1/11/93 | 26 | 45 | 114000 | 118000 | 0 | CONCSN | | |
| Jan-93 | 1/31/93 | 242-16 | 26 | 226000 | 237000 | 0 | EVAPFEED | | |
| Jan-93 | 1/31/93 | 45 | 242-16F | 211000 | 217000 | 0 | EVAPCONC | | |
| Jan-93 | 1/31/93 | 42-16 | 43 | 57000 | 58000 | 0 | EVAPFEED | | |
| Jan-93 | 1/31/93 | 38 | 242-16H | 45000 | 57000 | 0 | EVAPCONC | | |
| Jan-93 | 1/31/93 | 26 | | | 7000 | 0 | MISCADD/TRAN | Rainwater | |
| Jan-93 | 1/31/93 | 46 | | | 4000 | 0 | MISCADD/TRAN | Inhibitors | |
| Jan-93 | 1/31/93 | | 4 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Jan-93 | 1/31/93 | | 7 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Jan-93 | 1/31/93 | | 19 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Jan-93 | 1/31/93 | | 33 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Jan-93 | 1/31/93 | | 1 | 5000 | | 0 | MISCADD/TRAN | Steel Tape Error | |
| Jan-93 | 1/31/93 | | 34 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Jan-93 | 1/31/93 | 21 | 44H-245 | 6000 | 6000 | 0 | NONCANYWASTE | | |
| Jan-93 | 1/31/93 | 23 | 44H-245 | 36000 | 36000 | 0 | NONCANYWASTE | | |
| Jan-93 | 1/31/93 | 50 | ETF | 36000 | 36000 | 0 | MISCADD/TRAN | ETF stream | |
| Jan-93 | 1/31/93 | 43 | | | 4000 | 0 | MISCADD/TRAN | HPT3 (rainwater) | |
| Jan-93 | 1/31/93 | 43 | | | 2000 | 0 | MISCADD/TRAN | HPT5 (rainwater) | |
| Jan-93 | 1/31/93 | 43 | | | 5000 | 0 | MISCADD/TRAN | HPT2 (rainwater) | |
| Jan-93 | 1/31/93 | | 39 | 1000 | | 0 | MISCADD/TRAN | Thermal Contraction | |
| Jan-93 | 1/31/93 | 43 | | | 1000 | 0 | MISCADD/TRAN | Chromate Drain Tank | |
| Jan-93 | 1/31/93 | 30 | | | 4000 | 0 | MISCADD/TRAN | CTS Tank | |
| Jan-93 | 1/31/93 | 48 | | | 16000 | 0 | MISCADD/TRAN | Simulated Waste | |
| Jan-93 | 1/31/93 | 38 | | | 2000 | 0 | MISCADD/TRAN | HDB-7 Sump | |
| Jan-93 | 1/31/93 | 13 | | | 1000 | 0 | MISCADD/TRAN | 1H Cell Sump and Flush Water | |
| Jan-93 | 1/31/93 | 24 | | | 5000 | 0 | MISCADD/TRAN | Sidewall Sump | |
| Feb-93 | 2/28/93 | 242-16 | 26 | 28000 | 31000 | 0 | EVAPFEED | | |
| Feb-93 | 2/28/93 | 45 | 242-16F | 33000 | 34000 | 0 | EVAPCONC | | |
| Feb-93 | 2/28/93 | 26 | | | 9000 | 0 | MISCADD/TRAN | | |
| Feb-93 | 2/28/93 | | 4 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Feb-93 | 2/28/93 | | 7 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Feb-93 | 2/28/93 | | 19 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Feb-93 | 2/28/93 | | 34 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Feb-93 | 2/28/93 | | 46 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction | |
| Feb-93 | 2/28/93 | 1 | | | 1000 | 0 | MISCADD/TRAN | Steel Tape Error | |
| Feb-93 | 2/28/93 | 23 | 44H-245 | 39000 | 39000 | 0 | NONCANYWASTE | | |
| Feb-93 | 2/28/93 | 50 | ETF | 15000 | 15000 | 0 | MISCADD/TRAN | ETF stream | |
| Feb-93 | 2/28/93 | Z-area | 50 | 12000 | 12000 | 0 | MISCADD/TRAN | To Saltstone | |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-93 | 2/28/93 | 50 | | | 2000 | 0 | MISCADD/TRAN | Flush Water |
| Feb-93 | 2/28/93 | 43 | | | 2000 | 0 | MISCADD/TRAN | HPT5 (rainwater) |
| Feb-93 | 2/28/93 | 31 | | | 2000 | 0 | MISCADD/TRAN | HDB-7 Sump |
| Feb-93 | 2/28/93 | 30 | | | 3000 | 0 | MISCADD/TRAN | CTS Tank |
| Feb-93 | 2/28/93 | 38 | | | 2000 | 0 | MISCADD/TRAN | Evap. & HDB-7 Sump |
| Feb-93 | 2/28/93 | 13 | | | 100 | 0 | MISCADD/TRAN | 242-H Evap. Cell Sump |
| Feb-93 | 2/28/93 | 23 | | | 1000 | 0 | MISCADD/TRAN | 242-H Cold Runs Ovhd. |
| Mar-93 | 3/2/93 | 43 | 23 | 2000 | 1000 | 0 | SNATE | |
| Mar-93 | 3/4/93 | 26 | 45 | 85000 | 87000 | 0 | CONCSN | |
| Mar-93 | 3/10/93 | 26 | 45 | 67000 | 73000 | 0 | CONCSN | |
| Mar-93 | 3/22/93 | 13 | 30 | 51000 | 53000 | 0 | CONCSN | |
| Mar-93 | 3/29/93 | 13 | 30 | 65000 | 67000 | 0 | CONCSN | |
| Mar-93 | 3/31/93 | 43 | 51 | 253000 | 263000 | 0 | SLUDGEWW | |
| Mar-93 | 3/31/93 | 242-16 | 26 | 176000 | 192000 | 0 | EVAPFEED | |
| Mar-93 | 3/31/93 | 45 | 242-16F | 181000 | 185000 | 0 | EVAPCONC | |
| Mar-93 | 3/31/93 | 42-16 | 43 | 188000 | 199000 | 0 | EVAPFEED | |
| Mar-93 | 3/31/93 | 38 | 242-16H | 138000 | 146000 | 0 | EVAPCONC | |
| Mar-93 | 3/31/93 | 242-H | 13 | 154000 | 154000 | 0 | EVAPFEED | |
| Mar-93 | 3/31/93 | 30 | 242-H | 123000 | 132000 | 0 | EVAPCONC | |
| Mar-93 | 3/31/93 | 26 | 242-16F | 8000 | 8000 | 0 | OVERSPEC | |
| Mar-93 | 3/31/93 | 26 | | | 2000 | 0 | MISCADD/TRAN | 1F Evap. & Catch Tank |
| Mar-93 | 3/31/93 | | 4 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Mar-93 | 3/31/93 | | 27 | 1000 | | 0 | MISCADD/TRAN | Salt Interference w/ Reel Tape |
| Mar-93 | 3/31/93 | 46 | | | 1000 | 0 | MISCADD/TRAN | Reel Tape Reparked |
| Mar-93 | 3/31/93 | | 47 | 3000 | | 0 | MISCADD/TRAN | Reel Tape Reparked |
| Mar-93 | 3/31/93 | | 1 | 3000 | | 0 | MISCADD/TRAN | Steel Tape Error |
| Mar-93 | 3/31/93 | 43 | 299H | 2000 | 2000 | 0 | MISCADD/TRAN | Decon Waste |
| Mar-93 | 3/31/93 | 23 | 44H-245 | 29000 | 29000 | 0 | NONCANYWASTE | |
| Mar-93 | 3/31/93 | 50 | ETF | 14000 | 14000 | 0 | MISCADD/TRAN | ETF stream |
| Mar-93 | 3/31/93 | 43 | | | 6000 | 0 | MISCADD/TRAN | Rain & Leaked Chromate H2O |
| Mar-93 | 3/31/93 | 48 | | | 32000 | 0 | MISCADD/TRAN | ITP Test Soln. |
| Mar-93 | 3/31/93 | 30 | | | 5000 | 0 | MISCADD/TRAN | CTS Tank |
| Mar-93 | 3/31/93 | 38 | | | 1000 | 0 | MISCADD/TRAN | HDB-7 Sump |
| Mar-93 | 3/31/93 | 13 | | | 1000 | 0 | MISCADD/TRAN | 242-H Evap. Cell Sump |
| Apr-93 | 4/5/93 | 13 | 30 | 105000 | 109000 | 0 | CONCSN | |
| Apr-93 | 4/6/93 | 43 | 38 | 332000 | 345000 | 0 | CONCSN | |
| Apr-93 | 4/24/93 | 43 | 41 | 17000 | 17000 | 0 | LHWSN | |
| Apr-93 | 4/30/93 | 242-H | 13 | 96000 | 96000 | 0 | EVAPFEED | |
| Apr-93 | 4/30/93 | 30 | 242-H | 76000 | 76000 | 0 | EVAPCONC | |
| Apr-93 | 4/30/93 | 42-16 | 43 | 325000 | 339000 | 0 | EVAPFEED | |
| Apr-93 | 4/30/93 | 38 | 242-16H | 219000 | 235000 | 0 | EVAPCONC | |
| Apr-93 | 4/30/93 | 26 | | | 9000 | 0 | MISCADD/TRAN | 1F Evap. & Catch Tank |
| Apr-93 | 4/30/93 | | 4 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Apr-93 | 4/30/93 | | 7 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Apr-93 | 4/30/93 | | 45 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Apr-93 | 4/30/93 | 33 | | | 1000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Apr-93 | 4/30/93 | 34 | | | 1000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Apr-93 | 4/30/93 | 44 | | | 1000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Apr-93 | 4/30/93 | 47 | | | 6000 | 0 | MISCADD/TRAN | Steel Tape Reparked |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|----------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-93 | 4/30/93 | 1 | | | 1000 | 0 | MISCADD/TRAN | Steel Tape Error |
| Apr-93 | 4/30/93 | 23 | 44H-245 | 37000 | 37000 | 0 | NONCANYWASTE | |
| Apr-93 | 4/30/93 | 50 | ETF | 7000 | 7000 | 0 | MISCADD/TRAN | ETF stream |
| Apr-93 | 4/30/93 | 43 | | | 4000 | 0 | MISCADD/TRAN | HPT3 (Rain & Chromate H2O) |
| Apr-93 | 4/30/93 | 51 | | | 38000 | 0 | MISCADD/TRAN | NaNO3 |

Appendix A **Tank Transfers and Additions**

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|----------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-93 | 4/30/93 | 1 | | | 1000 | 0 | MISCADD/TRAN | Steel Tape Error |
| Apr-93 | 4/30/93 | 23 | 44H-245 | 37000 | 37000 | 0 | NONCANYWASTE | |
| Apr-93 | 4/30/93 | 50 | ETF | 7000 | 7000 | 0 | MISCADD/TRAN | ETF stream |
| Apr-93 | 4/30/93 | 43 | | | 4000 | 0 | MISCADD/TRAN | HPT3 (Rain & Chromate H2O) |
| Apr-93 | 4/30/93 | 51 | | | 38000 | 0 | MISCADD/TRAN | NaNO3 |

Appendix A

Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|--------------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Feb-93 | 2/28/93 | 50 | | | 2000 | 0 | MISCADD/TRAN | Flush Water |
| Feb-93 | 2/28/93 | 43 | | | 2000 | 0 | MISCADD/TRAN | HPT5 (rainwater) |
| Feb-93 | 2/28/93 | 31 | | | 2000 | 0 | MISCADD/TRAN | HDB-7 Sump |
| Feb-93 | 2/28/93 | 30 | | | 3000 | 0 | MISCADD/TRAN | CTS Tank |
| Feb-93 | 2/28/93 | 38 | | | 2000 | 0 | MISCADD/TRAN | Evap. & HDB-7 Sump |
| Feb-93 | 2/28/93 | 13 | | | 100 | 0 | MISCADD/TRAN | 242-H Evap. Cell Sump |
| Feb-93 | 2/28/93 | 23 | | | 1000 | 0 | MISCADD/TRAN | 242-H Cold Runn Ovhds. |
| Mar-93 | 3/2/93 | 43 | 23 | 2000 | 1000 | 0 | SNATE | |
| Mar-93 | 3/4/93 | 26 | 45 | 85000 | 87000 | 0 | CONCSN | |
| Mar-93 | 3/10/93 | 26 | 45 | 87000 | 73000 | 0 | CONCSN | |
| Mar-93 | 3/22/93 | 13 | 30 | 51000 | 53000 | 0 | CONCSN | |
| Mar-93 | 3/29/93 | 13 | 30 | 65000 | 67000 | 0 | CONCSN | |
| Mar-93 | 3/31/93 | 43 | 51 | 253000 | 263000 | 0 | SLUDGEWW | |
| Mar-93 | 3/31/93 | 242-16 | 26 | 176000 | 192000 | 0 | EVAPFEED | |
| Mar-93 | 3/31/93 | 45 | 242-16F | 181000 | 185000 | 0 | EVAPCONC | |
| Mar-93 | 3/31/93 | 42-16 | 43 | 188000 | 199000 | 0 | EVAPFEED | |
| Mar-93 | 3/31/93 | 38 | 242-16H | 138000 | 146000 | 0 | EVAPCONC | |
| Mar-93 | 3/31/93 | 242-H | 13 | 154000 | 154000 | 0 | EVAPFEED | |
| Mar-93 | 3/31/93 | 30 | 242-H | 123000 | 132000 | 0 | EVAPCONC | |
| Mar-93 | 3/31/93 | 26 | 242-16F | 8000 | 8000 | 0 | OVERSPEC | |
| Mar-93 | 3/31/93 | 26 | | | 2000 | 0 | MISCADD/TRAN | 1F Evap. & Catch Tank |
| Mar-93 | 3/31/93 | | 4 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Mar-93 | 3/31/93 | | 27 | 1000 | | 0 | MISCADD/TRAN | Salt Interference w/ Reel Tape |
| Mar-93 | 3/31/93 | 46 | | | 1000 | 0 | MISCADD/TRAN | Reel Tape Reparked |
| Mar-93 | 3/31/93 | | 47 | 3000 | | 0 | MISCADD/TRAN | Reel Tape Reparked |
| Mar-93 | 3/31/93 | | 1 | 3000 | | 0 | MISCADD/TRAN | Steel Tape Error |
| Mar-93 | 3/31/93 | 43 | 299H | 2000 | 2000 | 0 | MISCADD/TRAN | Decon Waste |
| Mar-93 | 3/31/93 | 23 | 44H-245 | 29000 | 29000 | 0 | NONCANYWASTE | |
| Mar-93 | 3/31/93 | 50 | ETF | 14000 | 14000 | 0 | MISCADD/TRAN | ETF stream |
| Mar-93 | 3/31/93 | 43 | | | 6000 | 0 | MISCADD/TRAN | Rain & Leaked Chromate H2O |
| Mar-93 | 3/31/93 | 48 | | | 32000 | 0 | MISCADD/TRAN | ITP Test Soln. |
| Mar-93 | 3/31/93 | 30 | | | 5000 | 0 | MISCADD/TRAN | CTS Tank |
| Mar-93 | 3/31/93 | 38 | | | 1000 | 0 | MISCADD/TRAN | HDB-7 Sump |
| Mar-93 | 3/31/93 | 13 | | | 1000 | 0 | MISCADD/TRAN | 242-H Evap. Cell Sump |
| Apr-93 | 4/5/93 | 13 | 30 | 105000 | 109000 | 0 | CONCSN | |
| Apr-93 | 4/6/93 | 43 | 38 | 332000 | 345000 | 0 | CONCSN | |
| Apr-93 | 4/24/93 | 43 | 41 | 17000 | 17000 | 0 | LHWSN | |
| Apr-93 | 4/30/93 | 242-H | 13 | 96000 | 96000 | 0 | EVAPFEED | |
| Apr-93 | 4/30/93 | 30 | 242-H | 78000 | 76000 | 0 | EVAPCONC | |
| Apr-93 | 4/30/93 | 42-16 | 43 | 325000 | 339000 | 0 | EVAPFEED | |
| Apr-93 | 4/30/93 | 38 | 242-16H | 219000 | 235000 | 0 | EVAPCONC | |
| Apr-93 | 4/30/93 | 26 | | | 9000 | 0 | MISCADD/TRAN | 1F Evap. & Catch Tank |
| Apr-93 | 4/30/93 | | 4 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Apr-93 | 4/30/93 | | 7 | 2000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Apr-93 | 4/30/93 | | 45 | 1000 | | 0 | MISCADD/TRAN | Evap./Thermal Contraction |
| Apr-93 | 4/30/93 | 33 | | | 1000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Apr-93 | 4/30/93 | 34 | | | 1000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Apr-93 | 4/30/93 | 44 | | | 1000 | 0 | MISCADD/TRAN | Thermal Expansion |
| Apr-93 | 4/30/93 | 47 | | | 6000 | 0 | MISCADD/TRAN | Steel Tape Reparked |

Appendix A
Tank Transfers and Additions

WSRC-TR-93-425
Revision 1

| Report | Actual | Receipt | Sending | Volume from | Volume to | Sludge | | |
|--------|---------|---------|---------|---------------|---------------|--------|--------------|----------------------------|
| Date | Date | Tank | Tank | Sending (gal) | Receipt (gal) | % | Type Waste | Description/Comments |
| Apr-93 | 4/30/93 | 1 | | | 1000 | 0 | MISCADD/TRAN | Steel Tape Error |
| Apr-93 | 4/30/93 | 23 | 44H-245 | 37000 | 37000 | 0 | NONCANYWASTE | |
| Apr-93 | 4/30/93 | 50 | ETF | 7000 | 7000 | 0 | MISCADD/TRAN | ETF stream |
| Apr-93 | 4/30/93 | 43 | | | 4000 | 0 | MISCADD/TRAN | HPT3 (Rain & Chromate H2O) |
| Apr-93 | 4/30/93 | 51 | | | 38000 | 0 | MISCADD/TRAN | NaNO3 |