

Facility:		Cooper Nuclear Station									Date of Exam:			6/13/2005			Operating Test No.:		
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)				
		SPARE			2			3			4								
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION								
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P		R	I	U		
<u>RO</u>	RX														1				
	NOR					15								2	1				
	I/C					26						237		5	4				
	MAJ					7						6		2	2				
	TS													0	0				
<u>RO</u>	RX														1				
	NOR						5					1		2	1				
	I/C						34					45		4	4				
	MAJ						7					6		2	2				
	TS													0	0				
<u>SRO-U</u>	RX																0		
	NOR					15								2			1		
	I/C					23 46								4			2		
	MAJ					78								2			1		
	TS					23								2			2		
<u>SRO-I</u>	RX															1			
	NOR					15						1		3	1				
	I/C					23 46						23 4		7	4				
	MAJ					78						5		3	2				
	TS					23								2		2			

Instructions:

- Circle the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must do one scenario, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements **specified for the applicant's license level in the right-hand columns.**

Facility: Cooper Nuclear Station			Date of Exam: 6/13/2005			Operating Test No.:											
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M(*)		
		SPARE			2			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
															R	I	U
SRO-U	RX																0
	NOR										1			1			1
	I/C										234 57			5			2
	MAJ										68			2			1
	TS										234 5			4			2
RO	RX														1		
	NOR					15				1				2	1		
	I/C					26				23				4	4		
	MAJ					7				5				2	2		
	TS														0		

Instructions:

- Circle the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must do one scenario, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements **specified for the applicant's license level in the right-hand columns.**

Facility:	CNS		Date of Examination:	June 14 -17, 2005		Operating Test			
Competencies	APPLICANTS								
	RO		RO		SRO-U		SRO-U		
	SCENARIO		SCENARIO		SCENARIO		SCENARIO		
	2 RO	4 BOP	2 BOP	4 RO	2	4	2	4	
Interpret/Diagnose Events and Conditions	2678	2346 78	346	567	2-8			2-8	
Comply With and Use Procedures (1)	12567 8	2346 78	3456 8	157 8	1-8			1-8	
Operate Control Boards (2)	12567	1234 678	3568	156 7	NA			NA	
Communicate and Interact	12567 8	2346 78	3456 8	156 78	1-8			1-8	
Demonstrate Supervisory Ability (3)	NA	NA	NA	NA	1-8			1-8	
Comply With and Use Tech. Specs. (3)	NA	NA	NA	NA	23			2-5	
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.									

Instructions:

Circle the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Facility:	CNS		Date of Examination:	June 14 -17, 2005		Operating Test No.:		
Competencies	APPLICANTS							
	RO		RO				SRO-I	
	SCENARIO		SCENARIO				SCENARIO	
	2 RO	3 BOP	2 BOP	3 RO				
Interpret/Diagnose Events and Conditions	2678	234	346	345				
Comply With and Use Procedures (1)	1256 78	1-5	3456 8	125				
Operate Control Boards (2)	1256 7	1345	3568	125				
Communicate and Interact	1256 78	1345	3456 8	125				
Demonstrate Supervisory Ability (3)	NA	NA	NA	NA				
Comply With and Use Tech. Specs. (3)	NA	NA	NA	NA				
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.								

Instructions:

Circle the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.