

November 29, 2005

Mr. James A. Spina
Vice President
Nine Mile Point Nuclear Station, LLC
P.O. Box 63
Lycoming, NY 13093

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION FOR THE REVIEW OF NINE
MILE POINT NUCLEAR STATION, UNITS 1 AND 2, AMENDED LICENSE
RENEWAL APPLICATION (TAC NOS. MC3272 AND MC3273)

Dear Mr. Spina:

By letter dated July 14, 2005, Constellation Energy Group, Inc. (CEG or the applicant), resubmitted an application pursuant to Title 10 of the *Code of Federal Regulations* Part 54 (10 CFR Part 54), to renew the operating licenses for the Nine Mile Point Nuclear Station (NMP), Units 1 and 2, for review by the U.S. Nuclear Regulatory Commission (NRC or the staff). The NRC staff is reviewing the information contained in the amended license renewal application (ALRA) and has identified, in the enclosure, areas where additional information is needed to complete the review.

Based on discussions with Mr. David Dellario of your staff, a mutually agreeable date for your response is within 30 days from the date of this letter. If you have any questions regarding this letter or if circumstances result in your need to revise the response date, please contact me by telephone at 301-415-1458 or via e-mail at nbl@nrc.gov.

Sincerely,

/RA/

N. B. (Tommy) Le, Senior Project Manager
License Renewal Branch B
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket Nos.: 50-220 and 50-410

Enclosure: As stated

cc w/encl: See next page

November 29, 2005

Mr. James A. Spina
Vice President
Nine Mile Point Nuclear Station, LLC
P.O. Box 63
Lycoming, NY 13093

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION FOR THE REVIEW OF NINE MILE POINT NUCLEAR STATION, UNITS 1 AND 2, AMENDED LICENSE RENEWAL APPLICATION (TAC NOS. MC3272 AND MC3273)

Dear Mr. Spina:

By letter dated July 14, 2005, Constellation Energy Group, Inc. (CEG or the applicant), resubmitted an application pursuant to Title 10 of the *Code of Federal Regulations* Part 54 (10 CFR Part 54), to renew the operating licenses for the Nine Mile Point Nuclear Station (NMP), Units 1 and 2, for review by the U.S. Nuclear Regulatory Commission (NRC or the staff). The NRC staff is reviewing the information contained in the amended license renewal application (ALRA) and has identified, in the enclosure, areas where additional information is needed to complete the review.

Based on discussions with Mr. David Dellario of your staff, a mutually agreeable date for your response is within 30 days from the date of this letter. If you have any questions regarding this letter or if circumstances result in your need to revise the response date, please contact me by telephone at 301-415-1458 or via e-mail at nbl@nrc.gov.

Sincerely,

/RA/

N. B. (Tommy) Le, Senior Project Manager
License Renewal Branch B
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket Nos.: 50-220 and 50-410

Enclosure: As stated

cc w/encl: See next page

ADAMS Accession No.: ML053340117

DISTRIBUTION: See next page

Document Name: E:\Filenet\ML053340117.wpd

OFFICE	RLRB:PM	DLR:LA	RLRB:BC (A)
NAME	NLe		LLund
DATE	11/ 29 /05	11/ 29 /05	11/ 29 /05

OFFICIAL RECORD COPY

DISTRIBUTION: Ltr. To J. Spina, Re: Nine Mile Nuclear Station, Units 1 and 2,
Dated: November 29, 2005, Accession No.: ML053340117

HARD COPY

DLR RF

N. Le (PM)

E-MAIL:

RidsNrrDir

RidsNrrDe

RidsOgcMailCenter

RidsNrrDci

RidsNrrDss

G. Bagchi

K. Manoly

R. Jenkins

D. Thatcher

R. Pettis

G. Galletti

R. Weisman

M. Mayfield

A. Murphy

S. Smith (srs3)

S. Duraiswamy

Y. L. (Renee) Li

DLR Staff

C. Holden

R. Laufer

T. Colburn

B. Fuller, RI

E. Knutson, RI

J. Trapp, RI

T. Koshy

P.Y. Chen

H. Ashar

D. Jeng

J. Burns

M. Lemoncelli

S. Mazumda

OPA

**NINE MILE POINT NUCLEAR STATION, UNITS 1 AND 2 (NMP1 and NMP2)
AMENDED LICENSE RENEWAL APPLICATION (ALRA)
REQUEST FOR ADDITIONAL INFORMATION (RAI)
RELATED TO AGING MANAGEMENT OF ELECTRICAL AND
INSTRUMENTATION AND CONTROLS SYSTEMS**

a-RAI 3.6.2-1

The ALRA states "None" in the Aging Effect Requiring Management column, the Aging Management column and the Notes column in the following tables:

- a. Table 3.6.2.C-2, Electrical and I&C Systems, Non-Segregated/Switchyard Bus - Summary of Aging Management Evaluation, Component: Switchyard Bus Conductors.
- b. Table 3.6.2.C-4, Electrical and I&C Systems, Switchyard Components - Summary of Aging Management Evaluation, Components: (a) High Voltage Insulators - Cement, Porcelain, and Metal, and (b) Transmission Conductors.

Provide justifications why no Aging Effect Requiring Management and Aging Management Program are required for these components, including plant and industry experience where available and if any special treatment or provision is made to prevent oxidation or corrosion.

a-RAI 3.6.2-2

Table 3.6.2.C-4, Electrical and IRC systems, switchyard components - Transmission conductor corrections states in Aging Management Program column that Preventative Maintenance Program is used. Describe how loosening of bolted corrections will be prevented by this program.

Nine Mile Point Nuclear Station, Units 1 and 2

cc:

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 126
Lycoming, NY 13093

Supervisor
Town of Scriba
Route 8, Box 382
Oswego, NY 13126

Mr. James R. Evans
LIPA
P.O. Box 129
Lycoming, NY 10393

Charles Donaldson, Esquire
Assistant Attorney General
New York Department of Law
120 Broadway
New York, NY 10271

Mr. Paul D. Eddy
Electric Division
NYS Department of Public Service
Agency Building 3
Empire State Plaza
Albany, NY 12223

C. Adrienne Rhodes
Chairman and Executive Director
State Consumer Protection Board
5 Empire State Plaza, Suite 2101
Albany, NY 12223-1556

Kathryn M. Sutton, Esquire
Morgan, Lewis & Bockius LLP
1111 Pennsylvania Avenue, NW
Washington, DC 20004

Mark J. Wetterhahn, Esquire
Winston & Strawn
1700 K Street, NW
Washington, DC 20006

Mr. Michael J. Wallace
President
Nine Mile Point Nuclear Station, LLC
c/o Constellation Energy Group, Inc.
750 East Pratt Street
Baltimore, MD 21202

Carey W. Fleming, Esquire
Sr. Counsel - Nuclear Generation
Constellation Generation Group, LLC
750 E. Pratt Street, 17th Floor
Baltimore, MD 21202

Mr. Peter R. Smith, President
New York State Energy, Research, and
Development Authority
17 Columbia Circle
Albany, NY 12203-6399

Mr. James Ross
Nuclear Energy Institute
1776 I St., NW, Suite 400
Washington, DC 20006-3708

Mr. Mark Flaherty
Manager - Fleet Licensing
R.E. Ginna Nuclear Power Plant
1503 Lake Road
Ontario, NY 14519

Mr. M. Steven Leonard
General Supervisor - Nuclear Regulatory
Matters
Nine Mile Point Nuclear Station, LLC
P.O. Box 63
Lycoming, NY 13093

Nine Mile Point Nuclear Station, Units 1 and 2 - 2 -

cc:

Mr. Peter Mazzaferro
Site Project Manager - License Renewal
Nine Mile Point Nuclear Station, LLC
P.O. Box 63
Lycoming, NY 13093

Mr. Mike Heffley
Senior Vice President and Chief
Nuclear Officer
Constellation Generation Group
1997 Annapolis Exchange Parkway
Suite 500
Annapolis, MD 21401