



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

NOV 04 2005

A. Clark Kahn III, Ph.D.
Radiation Safety Officer
MPI Research, Inc.
54943 North Main Street
Mattawan, MI 49071

Dear Dr. Kahn:

Enclosed is Amendment No. 21 to your NRC Material License No. 21-11315-02 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

In accordance with our several phone conversations, the last being on November 1, 2005, strontium-90 was removed from your NRC license as you requested. It is our understanding that MPI Research never possessed this material and have no immediate future need for this material. Your request for increased financial assurance is still under review by the NRC staff. However, your request for increased possession limit for Carbon-14 has been approved. If in the future you do find a need for material that requires a modification in your financial assurance program, we urge you to take that into consideration before you file an amendment for such material.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

A. C. Kahn III, Ph.D.

2

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 21-11315-02
Docket No. 030-08546

Enclosure: Amendment No. 21