



**Entergy Nuclear Northeast**  
Entergy Nuclear Operations, Inc.  
440 Hamilton Avenue  
White Plains, NY 10601-1813  
Tel 914 272 3500

December 12, 2005  
NL-05-139

U.S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, DC 20555-0001

Subject: Indian Point Nuclear Generating Unit No. 2  
Docket 50-247  
Indian Point Nuclear Generating Unit No. 3  
Docket 50-286  
**Annual 10 CFR 50.46 Report for Year 2004-  
Emergency Core Cooling System Evaluation Changes**

Reference: 1. Westinghouse letter (IPP-05-30/INT-05-22) Indian Point Unit No. 2 and 3 –  
10 CFR 50.46 Annual Notification and Reporting for 2004, dated April 26, 2005.

Dear Sir:

Entergy Nuclear Operations, Inc. (ENO), has reviewed the 2004 small and large break loss of coolant accident (LOCA) peak clad temperature (PCT) changes described in Reference 1, for Indian Point 2 and Indian Point 3. The Indian Point 2 and Indian Point 3 PCTs remain below the maximum fuel cladding temperature of 2200°F.

A001

There are no new commitments made in this letter. If you have any questions, please contact Ms. Charlene Faison at 914-272-3378.

Very truly yours,

A handwritten signature in black ink, appearing to read "John F. McCann".

John F. McCann  
Director, Licensing  
Entergy Nuclear Operations, Inc.

cc: Next Page

cc: Mr. John Boska, Project Manager  
Project Directorate I,  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission  
Mail Stop O-8-C2  
Washington, DC 20555

Mr. Samuel J. Collins  
Regional Administrator, Region I  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, PA 19406

Resident Inspector's Office  
Indian Point Unit 2  
U.S. Nuclear Regulatory Commission  
P.O. Box 59  
Buchanan, NY 10511-0059

Resident Inspector's Office  
Indian Point Unit 3  
U.S. Nuclear Regulatory Commission  
P.O. Box 59  
Buchanan, NY 10511-0059

Mr. Peter R. Smith  
President  
NYSERDA  
17 Columbia Circle  
Albany, NY 12203

Mr. Paul Eddy  
New York State Dept. of Public Service  
3 Empire Plaza  
Albany, NY 12223