



LR-N05-0587

DEC 15 2005

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

**MONTHLY OPERATING REPORT
HOPE CREEK GENERATING STATION
DOCKET NO. 50-354**

In compliance with Section 6.9, Reporting Requirements for the Hope Creek Technical Specifications, the operating statistics for **November 2005** are being forwarded.

Sincerely,

A handwritten signature in cursive script that reads "Michael J. Massaro".

Michael J. Massaro
Hope Creek Plant Manager

Attachments

C Distribution

JE24

DOCKET NO.: 50-354
 UNIT: Hope Creek
 DATE: 12/12/05
 COMPLETED BY: K. Hight
 TELEPHONE: (856) 339-3887

Reporting Period November 2005

OPERATING DATA REPORT

Design Electrical Rating (MWe-Net)
Maximum Dependable Capacity (MWe-Net)

No. of hours reactor was critical
No. of hours generator was on line (service hours)

Unit reserve shutdown hours
Net Electrical Energy (MWH)

1083		
1049		
Month	Year-to-date	Cumulative
720	7014	141801
720	6635	138715
0	0	0
764670	6868139	140656277

UNIT SHUTDOWNS

NO.	DATE	TYPE F=FORCED S=SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN THE REACTOR (2)	CORRECTIVE ACTION/ COMMENT

(1) Reason

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other

(2) Method

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

DOCKET NO.: 50-354
UNIT: Hope Creek
DATE: 12/12/05
COMPLETED BY: F. Possessky
TELEPHONE: (856) 339-1160

Summary Of Monthly Operating Experience

- The unit entered the month at ~98% power.
- On November 04, power was lowered to ~88% to remove the 3A, 4A, and 5A feedwater heaters from service for troubleshooting. Power was restored to ~99% on November 06.
- At the end of the month, the unit remained at ~99% and completed 87 days of continuous on-line operation.