

December 28, 2005

Mr. Christopher M. Crane, President  
and Chief Executive Officer  
AmerGen Energy Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555

SUBJECT: CLINTON POWER STATION, UNIT 1 - DRAFT SAFETY EVALUATION FOR  
RELIEF REQUEST NO. 4211, RE: CORE SHROUD REPAIR (TAC NO. MC6448)

Dear Mr. Crane:

By letter dated March 15, 2005, as supplemented on November 4, and December 16, 2005, AmerGen Energy Company, LLC (the licensee) submitted Relief Request (RR) No. 4211 for the Clinton Power Station (CPS), Unit 1. The request is for relief from the American Society of Mechanical Engineers Boiler and Pressure Vessel Code, Section XI, "Rules for Inservice Inspection of Nuclear Power Plant Components." Pursuant to Title 10 of the *Code of Federal Regulations* (10 CFR) Section 50.55a(a)(3)(i), the licensee proposed to use the guidelines of the BWRVIP-02 report, "Core Shroud Repair Design Criteria," Revision 2, to structurally replace core shroud horizontal welds H1 through H7.

The Nuclear Regulatory Commission staff has prepared the enclosed draft safety evaluation (SE) that supports RR No. 4211 for CPS, Unit 1. This draft SE is being withheld from public disclosure at this time because it may contain proprietary information.

We are providing this draft SE for the purpose of identifying any proprietary information pursuant to 10 CFR 2.390. Please provide any comments that you may have on the enclosed draft SE with regard to the inclusion of proprietary information on a schedule commensurate with your need for this RR. If you have any questions or comments regarding this matter, please contact Clinton's Project Manager, Kahtan Jabbour, at 301-415-1496.

Sincerely,

*/RA/*

Mindy S. Landau, Acting Chief  
Plant Licensing Branch III-2  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket No. 50-461

Enclosure: Draft Safety Evaluation (Sensitive - Not for public disclosure)

cc w/encl: See next page

December 28, 2005

Mr. Christopher M. Crane, President  
and Chief Executive Officer  
AmerGen Energy Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555

SUBJECT: CLINTON POWER STATION, UNIT 1 - DRAFT SAFETY EVALUATION FOR  
RELIEF REQUEST NO. 4211, RE: CORE SHROUD REPAIR (TAC NO. MC6448)

Dear Mr. Crane:

By letter dated March 15, 2005, as supplemented on November 4, and December 16, 2005, AmerGen Energy Company, LLC (the licensee) submitted Relief Request No. 4211 for the Clinton Power Station (CPS), Unit 1. The request is for relief from the American Society of Mechanical Engineers Boiler and Pressure Vessel Code, Section XI, "Rules for Inservice Inspection of Nuclear Power Plant Components." Pursuant to Title 10 of the *Code of Federal Regulations* (10 CFR) Section 50.55a(a)(3)(i), the licensee proposed to use the guidelines of the BWRVIP-02 report, "Core Shroud Repair Design Criteria," Revision 2, to structurally replace core shroud horizontal welds H1 through H7.

The Nuclear Regulatory Commission staff has prepared the enclosed draft safety evaluation (SE) that supports RR No. 4211 for CPS, Unit 1. This draft SE is being withheld from public disclosure at this time because it may contain proprietary information.

We are providing this draft SE for the purpose of identifying any proprietary information pursuant to 10 CFR 2.390. Please provide any comments that you may have on the enclosed draft SE with regard to the inclusion of proprietary information on a schedule commensurate with your need for this RR. If you have any questions or comments regarding this matter, please contact Clinton's Project Manager, Kahtan Jabbour, at 301-415-1496.

Sincerely,  
*/RA/*  
Mindy S. Landau, Acting Chief  
Plant Licensing Branch III-2  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

Docket No. 50-461

Enclosure: Draft Safety Evaluation (Sensitive - Not for public disclosure)

cc w/encl: See next page

DISTRIBUTION:

NON-PUBLIC PDIII-2                      GHill (2)                      ACRS                      OGC                      PCoates  
KJabbour                      GSuh                      MMitchell                      LLois                      MRing, RIII                      KManoly  
Slmboden                      MLandau  
Package accession no.ML053620092  
Letter accession no.ML053620083  
Enclosure accession no.ML053620111

|        |            |           |          |
|--------|------------|-----------|----------|
| OFFICE | PM:LPLD3-2 | LA:LPL3-2 | BC:LPL-2 |
| NAME   | KJabbour   | PCoates   | MLandau  |
| DATE   | 12/27/05   | 12/27/05  | 12/28/05 |

**OFFICIAL RECORD COPY**

Clinton Power Station, Unit 1

cc:

Vice President - Licensing and  
Regulatory Affairs  
AmerGen Energy Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555

Director Licensing  
AmerGen Energy Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555

Regional Administrator, Region III  
U.S. Nuclear Regulatory Commission  
801 Warrenville Road  
Lisle, IL 60532-4351

Senior Counsel, Nuclear  
AmerGen Energy Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555