



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

December 28, 2005

Docket No. 03036917  
Control No. 137750

License No. 32-31038-01

Steven W. Walter, M.D.  
Radiation Safety Officer  
Corscan  
740A NW Broad Street  
Southern Pines, NC 28387

SUBJECT: CORSCAN, LICENSE AMENDMENT, CONTROL NO. 137750

Dear Dr. Walter:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Industrial, and Academic Uses of Nuclear Material**; then **Toolkit Index Page**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

***Original signed by Elizabeth Ullrich***

Thomas K. Thompson  
Senior Health Physicist  
Commercial and R&D Branch  
Division of Nuclear Materials Safety

Enclosure:  
Amendment No. 2

DOCUMENT NAME: E:\Filenet\ML060030405.wpd

**SISP Review Complete: DLawyer**

After declaring this document "An Official Agency Record" it **will not** be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N	DNMS/RI			
NAME	DLawyer /DRL1/		TThompson /By BU for TKT/					
DATE	12/28/2005		12/28/2005					

OFFICIAL RECORD COPY

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Corscan</p> <p>2. 740A NW Broad Street Southern Pines, NC 28387</p>	<p>In accordance with the letter dated September 12, 2005,</p> <p>3. License number 32-31038-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date June 30, 2011</p> <hr/> <p>5. Docket No. 03036917 Reference No. 47-25351-01</p>
---	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p>
--	---	---

9. Authorized use:
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
  - B. Any imaging and localization study permitted by 10 CFR 35.200.

**CONDITIONS**

- 10. A. Licensed material may be used or stored only at the licensee's facilities located at CorScan, Outpatient Clinical Building, Summersville Hospital, 400 Fairview Heights, Summersville, West Virginia, CorScan, Cardiovascular Associates, 681 Hioaks Road, Suite H, Richmond, Virginia, and CorScan Imaging, 5875 Bremo Road, Suite 601, Richmond, Virginia.
- B. Licensed material may be injected at Summersville Hospital (patient wards only), 400 Fairview Heights, Summersville, West Virginia.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
32-31038-01

Docket or Reference Number  
03036917  
47-25351-01

Amendment No. 2

11. Licensed material is only authorized for use by, or under the supervision of:

A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
Paul Aggarwal, M.D.	35.200
Brad Angeja, M.D.	35.200
Ansuya A. Amin, M.D.	35.200
Beth Bartholomew, M.D.	35.200
Sandra K. Birchem, D.O.	35.200
Adam Clark, M.D.	35.200
Mohamed A. Effat, M.D.	35.200
Massimo Giusti, M.D.	35.100; 35.200
Lawrence C. Hasara, M.D.	35.200
Steven B. Hefter, M.D.	35.200
Shaival J. Kapadia, M.D.	35.200
David C. Maki, M.D.	35.100; 35.200
Belinda Ng, M.D.	35.200
Duong Xuan Nguyen, M.D.	35.200
Colin A. Rose, M.D.	35.100; 35.200
Heather Rose, M.D.	35.100; 35.200
Vipal Sabharwal, M.D.	35.200
David Schreibman, M.D.	35.200
Krishnajuan C. Shah, M.D.	35.100; 35.200
Jonathan Sheinberg, M.D.	35.200
Sydney Short, M.D.	35.200

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
32-31038-01

Docket or Reference Number  
03036917  
47-25351-01

Amendment No. 2

<u>Authorized Users</u>	<u>Material and Use</u>
Vaishali M. Swami, M.D.	35.200
Brian Taschner, M.D.	35.200
Robert A. VerNooy, M.D.	35.200
Steven W. Walter, M.D.	35.200
Mark Xenakis, M.D.	35.100; 35.200

12. The Radiation Safety Officer for this license is Steven W. Walter, M.D.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
32-31038-01

Docket or Reference Number  
03036917  
47-25351-01

Amendment No. 2

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated January 2, 2001 (ML010090132)
- B. Letter dated January 31, 2002 (ML030360602)
- C. Letter dated March 23, 2005 (ML051170408)



For the U.S. Nuclear Regulatory Commission

Date December 28, 2005

By **Original signed by Elizabeth Ullrich**  
 Elizabeth Ullrich  
 Commercial and R&D Branch  
 Division of Nuclear Materials Safety  
 Region I  
 King of Prussia, Pennsylvania 19406