

RECEIVED

DEC 30 2:40

Sandra Gabriel
Health Physicist
U.S.N.R.C.
Division of Nuclear Materials Safety
Region I
475 Allendale Road
King of Prussia, PA 19406

K-8

RE: License Number 29-03297-02

December 30, 2005

03002470

Dear Ms. Gabriel,

As per your telephone conversation with Mr. Robert Sasso, our Radiation Safety Officer, we are notifying the Commission of an addition to our list of authorized user physicians. We are adding Dr. Howard B. Kessler, M.D. as an authorized user physician for the following categories of use:

35.100, 35.200, and 35.300.

Dr. Kessler is certified by the American Board of Radiology in Diagnostic Radiology. He is also currently listed as an authorized user for the aforementioned areas on USNRC License Number 37-05089-01 and on the Commonwealth of Pennsylvania Radioactive Materials License Number PA-0027 for Holy Redeemer Hospital and Medical Center in Meadowbrook, Pennsylvania.

Please see enclosures for supporting documentation.

I wish to thank you for your quick response in getting back to us so quickly. It has saved us from having to delay medical testing on many of our patients.

If you have need of any further information, please do not hesitate to contact Robert Sasso at 973-429-6099 or at robert.sasso@ahsys.org.

Yours Truly,



Renee Kessler
Chief Operating Officer

cc: Robert Sasso, RSO
Lydia Tarta, Oncology Services

138206

The American Board of Radiology

Organized through the cooperation of the
American College of Radiology, the American Roentgen Ray Society,
the American Radium Society, the Radiological Society of North America,
the Section on Radiology of the American Medical Association
and the American Society of Therapeutic Radiologists
Hereby certifies that

Howard Beryl Kessler, M.D.

Has pursued an accepted course of graduate study
and clinical work, has met certain standards and qualifications and
has passed the examinations conducted under the authority of
The American Board of Radiology

On this first day of June, 1984
Thereby demonstrating to the satisfaction of the Board
that he is qualified to practice the specialty of

Diagnostic Radiology

James F. Wright
President

Frank H. L. ...
Secretary



NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 3 PAGES
Amendment No. 48

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Holy Redeemer Hospital and Medical Center</p> <p>2. 1648 Huntingdon Pike Meadowbrook, Pennsylvania 19048</p>	<p>In accordance with the letter dated February 14, 2005,</p> <p>3. License number 37-05089-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date, October 31, 2014</p> <p>5. Docket No. 030-83044 Reference No.</p>
--	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any product material permitted by 10 CFR 35.300</p> <p>D. Iodine-125 permitted by 10 CFR 35.400</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Sealed Sources (Best Industries Model 2301)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 500 millicuries</p> <p>D. 2000 millicuries</p>
--	---	--

9. Authorized use:
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
 - B. Any imaging and localization study permitted by 10 CFR 35.200.
 - C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.
 - D. Any manual brachytherapy procedure permitted by 10 CFR 35.400.

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at 1648 Huntingdon Pike, Meadowbrook, Pennsylvania.
- 11. The Radiation Safety Officer for this license is Howard B. Kessler, M.D.

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 2 of 3 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
37-05089-01

Docket or Reference Number
030-03044

Amendment No. 48

12. Licensed material is only authorized for use by, or under the supervision of:

A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
Howard B. Kessler, M.D.	35.100; 35.200; 35.300
Andrew J. Musin, M.D.	35.200
Robert L. Lantieri, M.D.	35.100; 35.200; 35.300
Lester H. Wurtzle, M.D.	35.100; 35.200; 35.300
Jerome Jacobstein, M.D.	35.100; 35.200; 35.300
Dolores DePersia, M.D.	35.200; Oral administration of sodium iodide iodine-131
Christopher J. Gallagher, M.D.	35.400
Et-Tsu Chen, M.D.	35.400
Terry J. Styles, M.D.	35.400
Daniel Fram, M.D.	35.400

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

NRC FORM 374A

U. S. NUCLEAR REGULATORY COMMISSION

PAGE 3 of 3 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
37-05089-01Docket or Reference Number
030-03044

Amendment No. 48

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.


- A. Application dated July 26, 2004
- B. Letter dated October 7, 2004
- C. Letter dated February 17, 2005



For the U.S. Nuclear Regulatory Commission

Date May 4, 2005

By


Michelle Beardsley
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406

732069



COMMONWEALTH OF PENNSYLVANIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 BUREAU OF RADIATION PROTECTION

Page 1 of 2 Pages
 License No. PA-0027
 Amendment No. 25

RADIOACTIVE MATERIALS LICENSE

Pursuant to the Radiation Protection Act, the Act of July 10, 1984 (No. 147, P.L. 655) and Title 25, Rules and Regulations, Article V, Radiological Health of the Pennsylvania Department of Environmental Protection, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, transfer, and use radioactive material listed below for the purposes and at the places designated below. This license shall be deemed subject to all applicable rules, regulations, or orders of the Pennsylvania Department of Environmental Protection now or hereafter in effect and to any conditions specified below.

- | | | |
|----|---|--|
| 1. | Licensee


Holy Redeemer Hospital & Medical Center

2. 1648 Huntingdon Pike
Meadowbrook, PA 19046 | : In response to correspondence dated
: October 27, 2003
:
: 3. License No. PA-0027 is amended as
: follows:
:
: 4. Expiration Date: February 28, 2007 |
|----|---|--|

5. Radioactive material (Element & mass number)	6. Chemical and/or physical form	7. Maximum amount that licensee may possess at any one time under this license
A. Any accelerator-produced material applicable for use identified in 10 CFR 35.100	A. Any radiopharmaceutical applicable for use identified in 10 CFR 35.100.	A. As needed
B. Any accelerator-produced material applicable for use identified in 10 CFR 35.200	B. Any radiopharmaceutical applicable for use identified in 10 CFR 35.200.	B. As needed
C. Any accelerator-produced material applicable for use identified in 10 CFR 35.200	C. Any radiopharmaceutical applicable for use identified in 10 CFR 35.200.	C. As needed

- | | |
|----|--|
| 8. | Authorized uses:

A. Any approved uptake, distribution and excretion procedure applicable to 10 CFR 35.100.
B. Any approved imaging and local therapy procedures applicable to 10 CFR 35.200.
C. <u>In vitro</u> studies |
|----|--|



9. Licensed material may be used only at the licensee's facilities located at 1648 Huntingdon Pike, Meadowbrook, PA, 19046.
10. Radiation Safety Officer: Howard B. Kessler, M.D.



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF RADIATION PROTECTION

Page 2 of 2 Pages
License No. PA-0027
Amendment No. 25

RADIOACTIVE MATERIALS LICENSE

11. Licensed material listed in Item 5 above is authorized for use by, or under the supervision of:

A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use (10 CFR)</u>
Jerome Jacobstein, M.D.	35.100; 35.200; <u>In vitro</u> studies
Howard B. Kessler, M.D.	35.100; 35.200; <u>In vitro</u> studies
Robert L. Lantieri, M.D.	35.100; 35.200; <u>In vitro</u> studies
Lester H. Wurtele, M.D.	35.100; 35.200; <u>In vitro</u> studies
Andrew J. Mustin, M.D.	35.200 (New Part 35)

12. The licensee shall conduct a physical inventory every 6 months to account for all sealed sources and devices containing licensed material received and possessed pursuant to 10 CFR 35.59, 35.400 and 35.500 incorporated by reference.

13. The licensee may transport licensed material, or deliver licensed material to a carrier for transport, in accordance with 25 Pa. Code Chapter 230, "Packaging and Transportation of Radioactive Material" and the provisions of 10 CFR Part 71 incorporated by reference.

14. In addition to the possession limit in 10 CFR 35.40, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified and incorporated by reference in 10 CFR 35.40(d), 40.36(b) and 70.25(d) for each isotope having a half-life greater than 120 days.

15. Notwithstanding the provisions set forth in this license, the licensee shall comply with the regulations of the Department of Environmental Protection, Title 25 of the Pennsylvania Code, Article V "Radiation Protection" and the U.S. Nuclear Regulatory Commission, Title 10 Code of Federal Regulations, Part 21, incorporated by reference.

16. Except as specifically provided otherwise in this license, the licensee shall conduct the program in accordance with the statements, representations, and procedures contained in the application, including any enclosures listed below. This license condition applies to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in the regulations. The Department of Environmental Protection's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Renewal application dated January 28, 2002

For the Pennsylvania Department
of Environmental Protection

Ronald J. Hamm
Bureau of Radiation Protection
P. O. Box 8469
Harrisburg, PA 17105-8469

Date: July 25, 2003

This is to acknowledge the receipt of your letter/application dated

12/30/2005, and to inform you that the initial processing which includes an administrative review has been performed.

AMEND. 29-03297-02
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 138206.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.