



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

JAN 24 2006

Krishna Mohan Namburi, M.D.
Radiation Safety Officer
Associated Physicians and Surgeons Clinic
221 South 6th Street
Terre Haute, IN 47807-4214

Dear Dr. Namburi:

Enclosed is Amendment No. 07 to your NRC Material License No. 13-32039-01 in accordance with your request. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand *all* conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that your request for iodine-131 "as needed" was not granted at this time since you did not provide a basis for an increase in possession of iodine-131. Also, as suggested by NUREG 1556, Vol. 9, Rev. 1, you need to specify a total possession limit in your application. If you find that 1 curie is not adequate for your program, you may amend your license and request a specific increase with justification. Also please note that License Condition No. 14 was added to your NRC license which requires that you maintain your total possession limit below the level that would require you to submit to the NRC your financial assurance program for decommissioning purposes.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

K. M. Namburi, M.D.

2

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 13-32039-01
Docket No. 030-34580

Enclosure: Amendment No. 07