

February 27, 2006

MEMORANDUM TO: Dennis C. Morey, Senior Criticality Safety Inspector
Technical Support Group
Division of Fuel Cycle Safety
and Safeguards

THRU: Melanie A. Galloway, Chief **/RA/**
Technical Support Group
Division of Fuel Cycle Safety
and Safeguards

FROM: Robert C. Pierson, Director **/RA/**
Division of Fuel Cycle Safety
and Safeguards

SUBJECT: TEMPORARY WAIVER OF TRAINING REQUIREMENT

Manual Chapter 1246 A 03, "Training Requirements For Fuel Cycle Safety Inspector," requires that refresher training be conducted every 3 years following initial certification. One of the required courses is H-401, "Health Physics Topical Review." You have surpassed the 3-year period since you were initially qualified, and you have never taken the H-401 course. Over the past 3 years, H-401 has not been offered, and other refresher courses that were offered were not appropriate for fuel facility inspectors. These courses were: (1) a materials course for inspectors of medical licensees, (2) a reactor chemistry course, and (3) a reactor effluents course. During your 9 years of inspector qualification, you have taken a number of criticality safety-related workshops, most recently a 5-day Monte Carlo N-Particle methods course at the University of Tennessee in 2004.

Since refresher courses appropriate to your inspection area have not been available, and since the training that you have taken clearly meets the requirement for regular refresher training, I waive the 3-year requirement until the end of the calendar year pending revision of Inspection Manual Chapter 1246 to make the refresher training requirement discipline specific.

February 27, 2006

MEMORANDUM TO: Dennis Morey, Senior Criticality Safety Inspector
Technical Support Group
Division of Fuel Cycle Safety
and Safeguards

THRU: Melanie A. Galloway, Chief **/RA/**
Technical Support Group
Division of Fuel Cycle Safety
and Safeguards

FROM: Robert C. Pierson, Director **/RA/**
Division of Fuel Cycle Safety
and Safeguards

SUBJECT: TEMPORARY WAIVER OF TRAINING REQUIREMENT

Manual Chapter 1246 A 03, "Training Requirements For Fuel Cycle Safety Inspector" requires that refresher training be conducted every three years following initial certification. One of the required courses is H-401, "Health Physics Topical Review." You have surpassed the three year period since you were initially qualified and you have never taken an H-401 course. Over the past three years, H-401 has not been offered and other refresher courses that were offered were not appropriate for Fuel Facility inspectors. These courses were: (1) a materials course for inspectors of medical licensees, (2) a reactor chemistry course, and (3) a reactor effluents course. During your nine years of inspector qualification, you have taken a number of criticality safety-related workshops most recently a five-day Monte Carlo N-Particle methods course at the University of Tennessee in 2004.

Since refresher courses appropriate to your inspection area have not been available and since the training that you have taken clearly meets the requirement for regular refresher training, I waive the three year requirement until the end of the calendar year pending revision of Inspection Manual Chapter 1246.

DISTRIBUTION:
FCSS R/F

ML060520107

INDICATE IN BOX: "E"=COPY W/ATT/ENCL; "C"=COPY W/O ATT/ENCL; "N"=NO COPY						
OFFICE	TSG/FCSS	E	TSG/FCSS		FCSS	
NAME	RWray		MGalloway		RPierson	
DATE	2/ 24 /06		2/ 27 /06		2/ 27 /06	

OFFICIAL RECORD COPY