TLI INT

PAGE 01/02 092801-2 TLI Reference: NCS-3041

**Shipment Notification** 



Transport Logistics International, Inc. 4000 Blackhurn Lane, Suite 250 Burtonsville, MD 20866 Tel: (301) 421-4324 Fax: (301) 421-4326

Date: September 28, 2001

U.S. Nuclear Regulatory Commission Division of Safeguards and Transportation Washington, DC 20555

Attn.: Ms. Gloria Bennington, Mail Stop (O-6 F-18)

In accordance with the Convention on the Physical Protection of Nuclear Material and the NRC final rule of March 26, 1987, Transport Logistics International hereby makes the following notification of upcoming shipment:

<u>Consignor:</u> Eurodiff Site Du Tricastin Pierrelatte, France

<u>Carrier (Ocean):</u> Atlantic Comainer Lines Portsmouth, VA notification of upcoming sl <u>Consignee:</u> Global Nuclear Fuels 1901 Castle Hayne Road Wilmington, NC USA

<u>Carrier (US Inland):</u> Bridge Terminal Transport (BTT) 1305 Cavalier Blvd. Chesapeake, VA

Physical Description: 12 x 30B cylinders, secured to 3 x 20' l'lat racks, of enriched UF6, Max Gross Weight: 48,000 Kg; Max Net Weight: 27,322 Kg as UF6; Max U Weight: 18,480 Kg; Max U<sub>233</sub> Weight: 924 Kg; Max Enrich. 5%; contained in type AF packages. (All weights approx.)

Mode(s) of Transport: As Above.

Transfer Points: Unloading from ACL's vessel "Atl. Cartier" at the port of Portsmouth and transfer to BTT trucks for delivery to Global Nuclear Fuels.

Routes to be used: U.S. Inland Routing will be in accordance with 49 CFR 397.101

Shipment Details:

ETD Antwerp ETA Portsmouth ETA Wilmington -October 17, 2001 -November 02, 2001 -November 07, 2001

The shipper certifies that the necessary arrangements have been made for pick-up and delivery of the above material and that the consignee has agreed to receive it. Both consignee and consignor have also agreed to the shipment dates as specified.

Marion Leacock

September 28, 2001

TLI • 4000 Blackburn Lane • Suite 250 • Burtonsville, MD 20866 Tel: (301) 421-4324 • Fax: (301) 421-4326 • E-mail: info@TLIUSA.COM • Web: http://www.tliusa.com

SISP REVIEW Complete

MSS04Public