72-1026



BNFL Fuel Solutions Corporation 2105 S. Bascom Ave., Suite 160

Campbell, CA 95008 Tel: (408) 558-3500 Fax: (408) 558-3518

April 7, 2005 BFS/NRC 05-005 Docket No. 72-1026 File No. CMPC.0006.2

U.S. Nuclear Regulatory Commission ATTN: Document Control Desk Washington, DC 20555-0001

Subject: Transmittal of the FuelSolutions[™] Storage System Final Safety Analysis Report (FSAR) Biennial Update

- References:
- FuelSolutions[™] Storage System Final Safety Analysis Report, WSNF-220, Revision 2.
- FuelSolutions[™] W21 Canister Final Safety Analysis Report, WSNF-221, Revision 3.
- FuelSolutions[™] W74 Canister Final Safety Analysis Report, WSNF-223, Revision 4.

Dear Sir or Madam:

In accordance with the requirements of 10 CFR 72.248, BNFL Fuel Solutions (BFS) has updated the FuelSolutionsTM Storage System Final Safety Analysis Report (FSAR) (References 1, 2, and 3) to incorporate all changes to the FuelSolutionsTM Storage System implemented within the previous 24-month period. These changes are identified in Attachment 1.

The changes included in the FSAR update were implemented by BFS under the provisions of 10 CFR 72.48 and in accordance with the BFS Quality Assurance Program. In accordance with the requirements of 10 CFR 72.248(c)(4)(ii), the changes made under the provisions of 10 CFR 72.48, but not previously submitted to NRC, are identified in Attachment 2.

Enclosed are two (2) copies of a CD-ROM containing electronic files of the updated revisions of the FuelSolutionsTM Storage System FSARs. In accordance with the requirements of 10 CFR 72.248(c)(1), the updated revisions of the FuelSolutionsTM Storage System FSARs are being filed electronically on a full-replacement basis.

In addition, since one of the drawings included in the FSAR underwent multiple revisions between successive FSAR revisions, the current FSAR drawing revision markings do not highlight all the changes since the last FSAR revision. The intermediate FSAR drawing revision (with changes indicated using revision clouds) is included as Attachment 3 to facilitate identification of all FSAR drawing changes since the previous FSAR revision.

NMSSOI

U.S. Nuclear Regulatory Commission BFS/NRC 05-005 Page 2

Should you or any member of your staff have questions, please contact the undersigned at:

2105 S. Bascom Ave., Suite 160 Campbell, CA 95008 (408) 558-3509 E-Mail: ssisley@bnflinc.com

Sincerely,

Steven E. Sisley // Licensing/Regulatory Compliance Manager

Attachments:

- 1) List of Changes for FuelSolutions[™] Storage System FSAR Biennial Update
- 2) Changes Made Under Provisions of 10 CFR 72.48
- 3) Intermediate FuelSolutions[™] Storage System FSAR Drawing Revisions.

Enclosure:

CD-ROM, labled "FuelSolutions Storage System FSAR Biennial Update, April 7, 2005 – Publicly Available" (2 copies), containing the following three (3) files:

001_WSNF220_R2.pdf, 16,002 KB, publicly available 001_WSNF221_R3.pdf, 12,859 KB, publicly available 001_WSNF223_R4.pdf, 12,386 KB, publicly available

cc) Mary Jane Ross-Lee, SFPO w/ Attachments and Enclosure

U.S. Nuclear Regulatory Commission BFS/NRC 05-005 Page 3

CERTIFICATION

Steven E. Sisley states that he is the Licensing/Regulatory Compliance Manager at BNFL Fuel Solutions and that he is authorized on the part of said company to sign and file with the Nuclear Regulatory Commission the information attached hereto. Mr. Sisley certifies that the information accurately presents changes made since the previous revision of the FuelSolutionsTM System Final Safety Analysis Report.

Steven E. Sisley Licensing/Regulatory Compliance Manager BNFL Fuel Solutions Corporation

SAR	Section	Page	Description
WSNF-220	1.2.1.2	1.2-9	Delete semicolon
	1.5.1.1 1.5.1.2 1.5.1.3	1.5-1 1.5-3 1.5-5	Add drawing revisions and column headings
	1.5.1.2 Dwg. WE-410	1.5-3	Revise Quality Categories; correct weld details
	1.5.1.2 Dwg. WE-420	1.5-3	Revise Quality Categories; add Item number for neutron shield coating; add PT examination at ends of neutron shield jacket; correct dimensional callouts; clarify maximum allowable temperature of neutron shield jacket coating system
	1.5.1.2 Dwg. WE-430	1.5-3	Revise Quality Categories; reduce diameter of top cover recess
	1.5.1.2 Dwg. WE-440	1.5-3	Revise Quality Categories; reduce diameter of bottom cover recess; delete redundant hole callout
	1.5.2.2	1.5-9	Revise product data sheet for transfer cask neutron shield paint
	Table 2.0-1	2-6	Editorial correct missing column headings
	4.3.2	4.3-3	Add clarification of maximum allowable temperature of the neutron shield jacket coating system
	4.6.1.5.1	4.6-6	Corrected section cross-reference
	8.1.10.5	8.1-15	Spell out "inch"
	8.2.1.2	8.2-3	Add unit of measure
	8.2.4.1	8.2-17	Add unit of measure and correct mathematical symbol
	8.2.5.2	8.2-20	Spell out "inch"
	12.3.1	12.3-1	Editorially correct section number
WSNF-221	1.1	1.1-2	Grammatical correction
	1.2.1.4.4	1.2-9	Grammatical correction
	1.5.1	1.5-1	Add drawing revisions and column headings
	2.1.2	2.1-3	Grammatical correction

List of Changes for FuelSolutions™ Spent Fuel Management System FSAR Biennial Update

SAR	Section	Page	Description
WSNF-221 (continued)	Table 2.2-1	2.2-3 through 2.2-7	Editorially correct mathematical symbol and number of table pages in title
	Table 2.5-1	2.5-2, 2.5-5, 2.5-7, 2.5-10, 2.5-11	Editorially correct "requirement" to "requirements"; grammatical corrections
	3.1.1.1	3.1-1	Grammatical correction
	Table 3.1-4	3.1-16 through 3.1-18	Editorially correct number of table pages in title
	3.2	3.2-1	Grammatical corrections
	3.3.1	3.3-2	Grammatical correction
	3.4.3	3.4-3	Grammatical correction; delete extraneous sentence fragment
	3.4.4	3.4-4	Grammatical correction
	3.5.1	3.5-2	Grammatical correction
	3.5.3.4.2	3.5-23	Grammatical correction
	Table 3.5-1	3.5-31	Editorially correct "temperature" to "temperatures"
	Table 3.5-3 notes	3.5-34	Grammatical correction
	Table 3.5-5	3.5-37	Grammatical correction
	3.6.4	3.6-6	Editorially correct "weld" to "welds"
	Table 3.6-2	3.6-10	Grammatical correction
	3.7.1	3.7-2	Grammatical correction
	3.7.3.2.2	3.7-7	Editorially clarify sentence to specify the support rod loading from the bottom spacer plate
	3.7.4.1	3.7-13	Editorially correct "load" to "loads"
	3.7.5.1	3.7-21	Editorially correct "load" to "loads"
	3.7.5.2.1	3.7-23 & 3.7-24	Grammatical corrections

List of Changes for FuelSolutions™ Spent Fuel Management System FSAR Biennial Update

SAR	Section	Page	Description
WSNF-221	Table 3.7-4	3.7-39	Grammatical correction
(continued)	Table 3.7-11	3.7-45	Grammatical correction
	Table 3.7-12	3.7-46	Grammatical correction
	Table 3.7-13	3.7-47	Grammatical correction
	Table 3.7-14	3.7-48	Grammatical correction
	Table 3.7-15	3.7-49	Grammatical correction
	3.9.3.1	3.9-4	Grammatical corrections
	3.9.3.2	3.9-6	Grammatical correction
	3.9.3.3.4	3.9-12,	Grammatical corrections
		3.9-13	
	Table 4.6-3	4.6-13	Editorially correct table note number
	6.3.1.1	6.3-5	Editorially clarify cross-section views of W21 hypothetical accident conditions model
	6.4.2.1.2.1	6.4-7	Grammatical correction
	11.1.2.2	11.1-3	Grammatical correction
WSNF-223	1.5.1	1.5-1	Add drawing revisions and column headings
	Table 3.1-2	3.1-12, 3.1-13	Editorially correct number of table pages in title
	3.4.4	3.4-8	Typographical correction
	4.1.1.1	4.1-2	Add period
	4.3.2.1	4.3-3	Add hyphen
	4.4.1.8	4.4-12	Add hyphen
	6.6.1.1	6.6-2	Typographical correction
	6.4.2.1.1.1	6.4-3	Delete hyphen
	6.6.3.5	6.6-21	Editorially clarify description of the isotope distribution used to model plutonium metal
	Figures 6.6-4, 6.6-7, & 6.6-8	6.6-42, 6.6-45, 6.6-46	Editorially correct enrichment value and terminology for fuel pin compositions
	11.1.2.2	11.1-3	Add period

List of Changes for FuelSolutions™ Spent Fuel Management System FSAR Biennial Update

U.S. Nuclear Regulatory Commission BFS/NRC 05-005 Attachment 2, Page 1

.

Affected SAR	Affected Section(s)	Change Description
WSNF-220	1.5.1.2,	Changes Quality Categories.
	Dwg. WE-410	
	1.5.1.2,	Changes Quality Categories. Added Item number for
	Dwg. WE-420	neutron shield coating. Added PT examination at ends of
		neutron shield jacket.
	1.5.1.2,	Changes Quality Categories. Reduced diameter of top
	Dwg. WE-430	cover recess.
	1.5.1.2,	Changes Quality Categories. Reduced diameter of bottom
	Dwg. WE-440	cover recess.

Changes Made Under Provisions of 10 CFR 72.48

••

··· · —

· --

Intermediate FuelSolutionsTM Storage System FSAR Drawing Revisions

___...


Drawing No.	Title	Revision			
	WSNF-220, FuelSolutions [™] Storage System FSAR Drawings				
WE-420	FuelSolutions [™] W100 Transfer Cask Shell Assembly (3 sheets)	4			

FIGURE WITHHELD UNDER 2.390

9/11

ML0512500664


1



۰.



FIGURE WITHHELD UNDER 2.390



ML0512500669 11/1 8 _ ه بير 3 4 WE-420 .3

FIGURE WITHHELD UNDER 2.390

د

