

An Exelon Company

AmerGen Energy Company, LLC
4300 Winfield Road
Warrenville, IL 60555

www.exeloncorp.com

Nuclear

Exelon Generation
4300 Winfield Road
Warrenville, IL 60555

10 CFR 26.71(d)

RS-06-034

February 24, 2006

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555-0001

Braidwood Station, Units 1 and 2
Facility Operating License Nos. NPF-72 and NPF-77
NRC Docket Nos. STN 50-456 and STN 50-457

Byron Station, Units 1 and 2
Facility Operating License Nos. NPF-37 and NPF-66
NRC Docket Nos. STN 50-454 and STN 50-455

Clinton Power Station
Facility Operating License No. NPF-62
NRC Docket No. 50-461

Dresden Nuclear Power Station, Units 2 and 3
Renewed Facility Operating License Nos. DPR-19 and DPR-25
NRC Docket Nos. 50-237 and 50-249

LaSalle County Station, Units 1 and 2
Facility Operating License Nos. NPF-11 and NPF-18
NRC Docket Nos. 50-373 and 50-374

Limerick Generating Station, Units 1 and 2
Facility Operating License Nos. NPF-39 and NPF-85
NRC Docket Nos. 50-352 and 50-353

Oyster Creek Generating Station
Facility Operating License No. DPR-16
NRC Docket No. 50-219

Peach Bottom Atomic Power Station, Units 2 and 3
Renewed Facility Operating License Nos. DPR-44 and DPR-56
NRC Docket Nos. 50-277 and 50-278

February 24, 2006
U. S. Nuclear Regulatory Commission
Page 2

Quad Cities Nuclear Power Station, Units 1 and 2
Renewed Facility Operating License Nos. DPR-29 and DPR-30
NRC Docket Nos. 50-254 and 50-265

Three Mile Island Station, Unit 1
Facility Operating License No. DPR-50
NRC Docket No. 50-289


Subject: Fitness for Duty Performance Data Reports – Second Period – 2005

In accordance with 10 CFR 26.71(d), "Recordkeeping requirements," Exelon Generation Company, LLC (EGC) and AmerGen Energy Company, LLC (AmerGen) are providing the compiled fitness-for-duty program performance data for their respective nuclear power stations and the corporate support employees within the scope of the rule for the six-month period ending December 31, 2005.

As required by 10 CFR 26.71(d), management actions and reported events are also provided as attachments. This performance data is reported on the January 1992 revised Fitness-For-Duty (FFD) Performance Data Form developed by Nuclear Management and Resources Council (NUMARC).

Please direct any questions regarding this matter to Ms. Alison Mackellar at (630) 657-2817.

Respectfully,

A handwritten signature in black ink that reads "Patrick R. Simpson". The signature is written in a cursive, flowing style.

Patrick R. Simpson
Manager – Licensing

Attachments: Fitness for Duty Performance Data – Personnel Subject to 10 CFR 26

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

KENNETT SQUARE AND WARRENVILLE OFFICES

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		762		0		144	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		2	0	0	0	5	0
Pre-Access Random		0	0	0	0	0	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	0	0	0	0
Random		155	0	0	0	15	0
Follow-up		23	0	0	0	0	0
Other		0	0	0	0	0	0
Total		180	0	0	0	20	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

BRAIDWOOD STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) /_____/ Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		664		0		282	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		40	0	0	0	180	1
Pre-Access Random		1	0	0	0	1	0
For Cause	Post Accident	0	0	0	0	1	0
	Observed Behavior	1	0	0	0	0	0
Random		169	0	0	0	66	1
Follow-up		6	0	0	0	17	0
Other		0	0	0	0	1	0
Total		217	0	0	0	266	2

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

BYRON STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		671		0		415	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		34	0	0	0	1333	5
Pre-Access Random		0	0	0	0	5	0
For Cause	Post Accident	3	0	0	0	7	0
	Observed Behavior	1	0	0	0	3	0
Random		179	1	0	0	113	1
Follow-up		8	0	0	0	20	0
Other		1	0	0	0	16	0
Total		226	1	0	0	1497	6

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC

Company

December 31, 2005

Six Months Ending

CLINTON POWER STATION

Location

Susan Techau

Contact Name

(630) 657-2904

Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) /_____/ Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		529		0		234	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		19	0	0	0	137	2
Pre-Access Random		0	0	0	0	0	0
For Cause	Post Accident	1	0	0	0	1	0
	Observed Behavior	1	1	0	0	1	0
Random		123	0	0	0	62	0
Follow-up		15	0	0	0	9	0
Other		1	1	0	0	0	0
Total		160	2	0	0	210	2

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

DRESDEN NUCLEAR POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		694		0		655	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		44	0	0	0	1084	7
Pre-Access Random		0	0	0	0	32	0
For Cause	Post Accident	2	0	0	0	7	0
	Observed Behavior	0	0	0	0	8	0
Random		175	1	0	0	158	0
Follow-up		15	0	0	0	28	1
Other		0	0	0	0	6	1
Total		236	1	0	0	1323	9

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

LASALLE COUNTY STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		677		0		264	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		29	0	0	0	98	3
Pre-Access Random		0	0	0	0	0	0
For Cause	Post Accident	0	0	0	0	1	0
	Observed Behavior	0	0	0	0	0	0
Random		150	0	0	0	71	0
Follow-up		6	0	0	0	23	0
Other		0	0	0	0	1	1
Total		185	0	0	0	194	4

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

LIMERICK GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		667		0		282	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		25	0	0	0	157	2
Pre-Access Random		1	0	0	0	2	0
For Cause	Post Accident	5	0	0	0	8	0
	Observed Behavior	3	0	0	0	5	0
Random		140	1	0	0	62	1*
Follow-up		5	0	0	0	8	1
Other		0	0	0	0	0	0
Total		179	1	0	0	242	4

* Includes a refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC

Company

December 31, 2005

Six Months Ending

OYSTER CREEK GENERATING STATION

Location

Susan Techau

Contact Name

(630) 657-2904

Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		459		0		289	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		45	0	0	0	220	8
Pre-Access Random		0	0	0	0	2	0
For Cause	Post Accident	0	0	0	0	4	0
	Observed Behavior	2	0	0	0	2	1
Random		97	0	0	0	80	3
Follow-up		9	0	0	0	20	0
Other		0	0	0	0	4	3
Total		153	0	0	0	332	15

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

PEACH BOTTOM ATOMIC POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		663		0		566	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		49	1	0	0	1581	9
Pre-Access Random		0	0	0	0	8	0
For Cause	Post Accident	6	0	0	0	11	0
	Observed Behavior	0	0	0	0	6	2
Random		157	0	0	0	113	0
Follow-up		17	0	0	0	61	1
Other		2	0	0	0	10	1
Total		231	1	0	0	1790	13

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

QUAD CITIES NUCLEAR POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		674		0		331	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		27	0	0	0	138	2
Pre-Access Random		0	0	0	0	2	0
For Cause	Post Accident	0	0	0	0	4	0
	Observed Behavior	0	0	0	0	0	0
Random		147	0	0	0	75	1
Follow-up		18	1	0	0	17	0
Other		0	0	0	0	0	0
Total		192	1	0	0	236	3

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

December 31, 2005
Six Months Ending

THREE MILE ISLAND NUCLEAR GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		516		0		458	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		11	1	0	0	609	3
Pre-Access Random		1	0	0	0	20	0
For Cause	Post Accident	1	0	0	0	12	0
	Observed Behavior	3	0	0	0	5	1
Random		132	0	0	0	98	0
Follow-up		10	0	0	0	31	0
Other		2	0	0	0	16	1
Total		160	1	0	0	791	5

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

December 31, 2005
Six Months Ending

ZION NUCLEAR POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / _____ / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____


		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		48		0		23	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		2	0	0	0	6	0
Pre-Access Random		0	0	0	0	0	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	0	0	0	0
Random		14	1	0	0	9	0
Follow-up		0	0	0	0	0	0
Other		0	0	0	0	0	0
Total		16	1	0	0	15	0

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – KENNETT SQUARE AND WARRENVILLE OFFICES

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	0 0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – **BRAIDWOOD STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	2 1	0	0	0	0	0	0
TOTAL	2 1	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – **BYRON STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	4 0	2	0	0	0	0	0
TOTAL	4 0	2	0	0	0	1	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – **CLINTON POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	2	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 0	1	0	0	0	0	0
TOTAL	1 0	1	0	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – DRESDEN NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 1	0	0	0	0	0	0
Long –Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	5 0	5	0	0	0	0	0
TOTAL	6 1	5	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LASALLE COUNTY STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	4	0	0	0	0	0
TOTAL	0 0	4	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LIMERICK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	2 0	1	0	0	0	0	1
TOTAL	3 0	1	0	0	0	0	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – OYSTER CREEK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	6 0	4	0	0	0	5	0
TOTAL	6 0	4	0	0	0	5	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – PEACH BOTTOM ATOMIC
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	7 0	2	1	0	0	3	0
TOTAL	7 0	2	1	0	0	4	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – QUAD CITIES NUCLEAR
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	3 1	0	0	0	0	0	0
TOTAL	3 1	0	0	0	0	1	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – THREE MILE ISLAND NUCLEAR
GENERATING STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 0	2	0	0	0	2	0
TOTAL	1 0	3	0	0	0	2	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----




-----Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – ZION NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0 0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0 0	0	0	0	0	0	0
TOTAL	0 0	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold -----



-----Positive Tests at
100 ng/ml or greater

KENNETT SQUARE AND WARRENVILLE OFFICES

Management Actions and Sanctions

There were no positive tests during this reporting period.

Events Reported

There were no 24-hour reportable events at Exelon corporate locations during this reporting period.

Random Testing Rate

Exelon Nuclear maintains separate testing pools for employees and contractors. For the entire year of 2005 the companywide random testing rate for employees was 51.3% and for contractors the random testing rate was 51.5%.

Additional Information

During the current reporting period, i.e., July-December, 2005, twenty-one (21) specimens from all locations were reported as presumptive positive for cocaine as a result of on-site screening. All twenty-one (21) specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officer for a confirmation rate of 100%. This confirmation rate allows Exelon to temporarily suspend individuals from unescorted access or to take lesser administrative actions with individuals based on an unconfirmed presumptive positive test for cocaine as stated in 10 CFR 26.24(d).

BRAIDWOOD STATION

Management Actions and Sanctions

Two (2) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

BYRON STATION

Management Actions and Sanctions

Seven (7) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

CLINTON POWER STATION

Management Actions and Sanctions

Four (4) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

DRESDEN NUCLEAR POWER STATION

Management Actions and Sanctions

Ten (10) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

LASALLE COUNTY STATION

Management Actions and Sanctions

Four (4) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

LIMERICK GENERATING STATION

Management Actions and Sanctions

Four (4) positive tests and one (1) refusal to test resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

OYSTER CREEK GENERATING STATION

Management Actions and Sanctions

Fifteen (15) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

PEACH BOTTOM ATOMIC POWER STATION

Management Actions and Sanctions

Fourteen (14) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

QUAD CITIES NUCLEAR POWER STATION

Management Actions and Sanctions

Four (4) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

THREE MILE ISLAND NUCLEAR GENERATING STATION

Management Actions and Sanctions

Six (6) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

ZION NUCLEAR POWER STATION

Management Actions and Sanctions

One (1) positive test resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.