PENNSTATE

Milton S. Hershey Medical Center College of Medicine

## RECEIVED REGION 1

Division of Health Physics Penn State Milton St Hysher Diedical Center

Division of Health Physics, H141 500 University Drive, P.O. Box 850 Hershey, PA 17033-0850 Tel: (717) 531-8027 Fax: (717) 531-3641

February 6, 2006

U.S. Nuclear Regulatory Commission Region I 475 Allendale Road King of Prussia, Pennsylvania 19406-1415

Attn: Thomas K. Thompson

Re: :License Renewal, Control No. 137392

Dear Mr. Thompson;

Thank you for your letter of January 12, 2006, notifying us of renewal of License 37-13831-01 with a new expiration date of July 31, 2006. This letter is to request clarification of certain requirements that your letter states that we must meet in our next renewal application. Specifically, I have to question those conditions that you outline on page 2 and 3 of your letter. As a Type A, broad scope licensee, we have, in the past, not had to comply with all the notification and amendment requests that you outline. It is our interpretation of 10 CFR 35.15, that we are exempt from many of the reporting and amendment requirements that you describe.

Could you please clarify the NRC's position on this before we proceed further with the renewal process? For example, an institution with hundreds of Authorized Users would need to be in perpetual contact with you if notification is required every time an Authorized User terminates or a new Authorized User is approved.

Your clarification of the stated requirements would be appreciated.

Sincerely,

Gennett & Mille

Kenneth L. Miller, RSO

cc: L.K. Thompson, Administrator

03003203

NMSS/RGNI MATERIALS-002

An Equal Opportunity University