



2016 NAR -9 PM 1: 27

Sentara Williamsburg Community Hospital 301 Monticello Avenue Williamsburg Va, 23185

www.sentara.com

NMS L

February 24, 2006

U.S. Nuclear Regulatory Commission, Region I Office Division of NMSS, Attn: Materials Licensing 475 Allendale Road 03014703 King of Prussia, PA 19406

Re:

License No. 45-16209-02

Ladies/Gentlemen:

Please add Dr. Lori Gillespie to our license for 35.400 uses for which she is already authorized under NRC license 45-25582-01.

We would also like to add several spaces in our newly constructed Sentara Williamsburg Regional Medical Center at 6601 Mooretown Road, Williamsburg, VA, 23188: the diagnostic nuclear medicine rooms on the first floor, including three imaging rooms, hot lab, injection room, thyroid probe room and four stress labs with treadmills. See the attached plans for details.

The diagnostic nuclear medicine rooms are located on the ground floor with foundation below. Above Nuclear Medicine on the second floor is our Family Maternity Center. These second floor spaces will be considered unrestricted due to the concrete slab between the first and second floors which alternates between 3.5 and 6.5 inches thick in that area.

The first floor nuclear medicine hot lab walls are shielded with 1/16" lead or equivalent. Storage cabinets, a refrigerator and a safe with 0.5 inches of lead shielding will be installed. The tabletop shield or L-block is 0.5 inches of lead with a .25 mm lead equivalent viewing panel.

Two rooms are also designated on the fourth floor for inpatient iodine therapies if needed. Rooms 115 and 116 have no installed lead in the walls but mobile shields will be used to reduce exposures to allowable levels in the event of an inpatient therapy.

Sentara will vacate Sentara Williamsburg Community Hospital at 301 Monticello Avenue in Williamsburg, Virginia in August 2006. All radioactive material use areas will be surveyed within 60 days in order to transfer ownership of the building to the College of William and Mary.


These changes have all been reviewed and approved by our Radiation Safety Committee. For more information, please do not hesitate to contact our Radiation Safety Officer, Sandy Wolff, at (757) 388-3030 or page her at (§88) 341-5703.


Robert Graves, FACHE


Vice President and Administrator

138542

NMSS/RGNI MATERIALS:532








Inpatient Rooms Sentara Williamsburg Regional Medical Center 6601 Mooretown Road, Williamsburg, VA 23188

Hh Floor E Swame s inpatient designated : 8 30, -0... SIANT. 4x-232



Treadmill Rooms

Sentara Williamsburg Regional Medical Center 6601 Mooretown Road, Williamsburg, VA 23188

This is to acknowledge the	receipt of your letter/application dated
includes an administrative r	, and to inform you that the initial processing which review has been performed.
There were no administr technical reviewer. Plea omissions or require add	#5-16209-02 rative omissions. Your application was assigned to a use note that the technical review may identify additional ditional information.
Please provide to this office within 30 days of your receipt of this card	
A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.	
Your action has been assigned Mail Control Number	
NRC FORM 532 (RI) (6-96)	Sincerely, Licensing Assistance Team Leader
	▼