RECEIVED REGION 1

NMSB3

US Nuclear Regulatory Commission Region I 475 Allendale Rd King of Prussia, Pa. 19406-1415

2005 MAR 10 PM 12: 53

March 6, 2006

Subject:

Amendment of Radioactive Materials License

Licensee:

American Red Cross Blood Services

Address:

29 New Commerce Blvd. Ashley, Pa. 18706

License #:

37-30073-01....Amendment #5

Docket #:

030-33294

Dear Sir or Madam,

We wish to apply for an amendment to the above referenced license for the purpose of designating a new RSO. The new RSO is Joseph Kreitzer, who has been employed by the American Red Cross for 13 years, and has been an authorized user of the blood irradiator for 12 years. Joe is well trained for this position by virtue of completing the manufacturer's training course, having gone through numerous radiation safety training seminars provided by the Radiation Physics Consultant, and his years of operational experience in using the irradiator. Joe has completed a formal Radiation Safety Officer course in January, 2006, which consisted of 24 hrs of didactic instruction in radiation safety, held by Applied Health Physics, Inc. His certificate of attendance is attached. His educational background also supports this appointment; he has an Associate Degree.

The Interim CEO of the American Red Cross has issued a Delegation of Authority Memorandum for the new proposed RSO, effective upon receipt of the NRC approval of this amendment. Mr. Kreitzer will continue to be supported by the Radiation Physics Consultant, who has been involved with this program since 1993. Jeffrey Lindner, the current RSO, will be available to provide support to Mr. Kreitzer as necessary.

We wish to have this change effective as soon as possible. If there is any additional information that you need, please do not hesitate to contact us. We look forward to your reply.

Very Sincerely,

Jeffrey R. Lindner

Radiation Safety Officer

Jeffry R. Limbrer

Anthony Ferlenda

Interim Chief Executive Officer

138550

NMSS/RGNI MATERIALS-632

JOSEPH KREITZER

	1993-Present American Red Cross Blood Services	Ashley, PA
	Hospital Services, Supervisor (2003-Present)	,,
	 Direct and oversee employees in the Hospital Service 	ces Department.
	 Perform record review of internal documentation. 	
	 Monitor and assess daily inventory of blood produce 	ets.
	1986–1993 Hanover Bank	Wilkes-Barre, PA
	Operations Department	
	 Account Analysis for Commercial Customers 	
	 Gustomer Service. 	
	 NCR Proof Machine Operations. 	
	1982-1986 Peoples Bank of Nanticoke	Nanticoke, PA
	Bookkeeping Department	
	 General Bookkeeping 	
	 Customer Services 	
	 NCR Proof Machine Operations. 	
EDUCATION		
	Luzerne County Community College Associates Degree. Business Management. 	Nanticoke, PA
e men		
ADDITIONAL TI	RAINING	
	Frontline Leadership Training for Supervisors, January	7 1999.
	Radiation Safety Officer 24 Hour Training Course, Fel	2004





Northeastern Pennsylvania Region 29 New Commerce Boulevard Ashley, PA 18706 (570) 823-7164 www.nepagivelife.org

Memorandum

DATE: March 6, 2006

TO: All Administrative and Management Staff

FROM: Anthony Ferlenda, Interim Chief Executive Officer TF 0306 2006

RE: Radiation Safety Officer Delegation of Authority

Effective with the receipt of amendment to U.S. Nuclear Regulatory Commission Materials License, License number 37-30073-01, Joseph Kreitzer will assume the duties of Radiation Safety Officer for the American Red Cross Blood Services, Northeastern Pennsylvania Region. Raymond Murphy, Hospital Services Technician II will also assume the duties of on-site assistant radiation safety officer. Mr. Kreitzer is responsible for ensuring the safe use of the self-contained gamma blood irradiator as defined in the Northeastern Pennsylvania Region procedures and for facility compliance with the U. S. Nuclear Regulatory commission policies. The Radiation Safety Officer is responsible for managing the radiation safety program, identifying radiation safety problems, initiating corrective actions, and ensuring compliance with regulations.

As the Radiation Safety Officer, Mr. Kreitzer is herby delegated the authority necessary to meet those responsibilities.

Jrl

Pc: Irradiator Room Manual License File

CC: Joseph Kreitzer Raymond Murphy

3/6/2000 includes an administrati	, and to inform you that the initial processing which ve review has been performed.
technical reviewer. F	7-3-3-0/ nistrative omissions. Your application was assigned to a Please note that the technical review may identify additional additional information.
Please provide to thi	s office within 30 days of your receipt of this card
	as been forwarded to our License Fee & Accounts Receivable tyou separately if there is a fee issue involved.
Your action has been as When calling to inquire	