



State of New Jersey
DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

Division of Environmental Safety and Health
Bureau of Environmental Radiation
P.O. Box 415
Trenton, New Jersey 08625-0415
Tel (609) 984-5400
Fax (609) 984-5595

March 8, 2006

Stephen Hammann, Health Physicist
Division of Nuclear Material Safety, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406-1415

Dear Mr. Hammann:

Director Lipoti requested that the New Jersey Department of Environmental Protection's (NJDEP) Bureau of Environmental Radiation (BER) review the February 20, 2006 DRAFT document: (Docket No. 030-33468) *Environmental Assessment Related to Issuance of a License Amendment of the U.S. Nuclear Regulatory Commission Materials License No. 45-25288-01, Multiplex Systems, Inc. in Ramsey, New Jersey*

The results of the fixed and removable contamination surveys indicate levels at or near background which comply with the Department's remediation criteria of 15 mrem/y (N.J.A.C. 7:28-12.8(a)).

The BER agrees with the Nuclear Regulatory Commission's Environmental Assessment conclusion that a Finding of No Significant Impact is appropriate for the proposed action to amend Materials License No. 45-25288-01 and release the facility at 150 Hilltop Road, Ramsey, New Jersey for unrestricted use.

Thank you for giving us the opportunity to comment on this Environmental Assessment. Please contact Ed Truskowski at (609) 984-5542, if you have any questions.

Sincerely yours,

Patricia Gardner
Chief, Bureau of Environmental Radiation

c. Paul Bauldauf, Assistant Director, Radiation Protection and Release Prevention Programs
William Csaszar, BER, Radioactive Material Section
Jill Lipoti, Director, Division of Environmental Safety and Health
Ed Truskowski, BER, Radiological Assessment Section

Q-9

2006 MAR 13 PM 1:02

RECEIVED
REGION I

03033468

138045

NMCS/RONI MATERIALS-002