

Facility: <u>Dresden</u>		Date of Examination: <u>2/6/06</u>
Examination Level (circle one): RO / <u>SRO</u>		Operating Test Number: <u>ILT 05-1</u>
Administrative Topic (See Note)	Type Code*	Describe activity to be performed
Conduct of Operations	N	JPM: Reactivation of SRO License REF: OP-AA-105-102 KA: 2.1.5, 3.5
Conduct of Operations	N	JPM: Determine actions required for a security threat REF: SY-AA-101-132 KA: 2.1.6, 4.3 <i>This JPM was not included in ADAMS due to SISP review</i>
Equipment Control	N	JPM: Verify LPCI Valve Operability and Timing Paperwork REF: DOS 1500-01 KA: 2.2.12, 3.4
Radiation Control	D,P	JPM: CCSW Activity Calculation REF: DOS 1500-08 KA: 2.3.11, 3.2
Emergency Plan	D	JPM: Determine Emergency Classification REF: EP-AA-1004 KA: 2.4.38, 4.0
NOTE: All items (5 total) are required for SROs. RO applicants require only 4 items unless they are retaking only the administrative topics, when 5 are required.		
* Type Codes & Criteria: (C)ontrol room (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs & RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1; randomly selected) (S)imulator		

Facility: <u>Dresden</u>		Date of Examination: <u>2/6/2006</u>
Exam Level (circle one): RO <u>(SRO-I)</u> / SRO-U		Operating Test Number: <u>ILT 05-1</u>
Control Room Systems [®] (8 for RO; 7 for SRO-I; 2 or 3 for SRO-U)		
System / JPM Title	Type Code*	Safety Function
a. Control Rod and Drive Mechanism – Daily/Weekly Control Rod Drive Exercise DOS 0300-01; K/A: 201003 A4.02, 3.5/3.5	D,S	(1) Reactivity Control
b. Low Pressure Core Spray – CS Pump Test with Torus Available DOS 1400-05; K/A: 209001 A4.01, 3.8/3.6	D,S,A	(2) Reactor Water Inventory Control
c. Isolation Condenser – Manually Operate the Isolation Condenser DOP 1300-03; K/A: 207000 A4.07, 4.2/4.3	D,S	(3) Reactor Pressure Control
d. Primary Containment Isolation System – Verify spurious group 3 isolation – incomplete DAN 902-5 D-5; K/A: 223002 A4.01, 3.6/3.5	P,S,L,A,D	(5) Containment Integrity
e. A.C. Electrical Distribution – Transfer Aux Power from TR-22 to TR-21 DOP 6500-1; K/A: 262001 A4.04, 3.6/3.7	N,S,L	(6) Electrical
f. Traversing In-Core Probe – Driving TIP Detectors to Isolation Test Position DOP 0700-06; K/A: 215001 A4.03, 3.0/3.1	N,S,A	(7) Instrumentation
g. Standby Gas Treatment – Post Maintenance Testing with receipt of an Auto Initiation Signal DOP 7500-01; K/A: 261000 A2.10, 3.1/3.2	P,S,L,A,D	(9) Radioactivity Release
h. N/A		

In-Plant Systems [@] (3 for RO; 3 for SRO-I; 3 or 2 for SRO-U)		
i. Recirc System – Seal Purge Isolation DOP 0202-11; K/A: 202001 2.1.30, 3.9/3.4	D,R	(4) Heat Removal from Reactor Core
k. Emergency Generators – Perform Local Manual Start of the U3 D/G DSSP 0200-T2; K/A: 264000 A4.04, 3.7/3.7	P,A,D,R,E	(6) Electrical
j. Breathing Air Supply – Valve in Control Room Emergency Breathing Air Supply DOP 4650-01; K/A: 290003 A2.02, 3.1/3.4	D,E	(9) Radioactive Release
<p>@ All control room (and in-plant) systems must be different and serve different safety functions; in-plant systems and functions may overlap those tested in the control room.</p>		
*Type Codes	Criteria for RO / SRO-I / SRO-U	
(A)lternate path	4-6 / 4-6 / 2-3	
(C)ontrol room		
(D)irect from bank	≤ 9 / ≤ 8 / ≤ 4	
(E)mergency or abnormal in-plant	≥ 1 / ≥ 1 / ≥ 1	
(L)ow-Power	≥ 1 / ≥ 1 / ≥ 1	
(N)ew or (M)odified from bank including 1(A)	≥ 2 / ≥ 2 / ≥ 1	
(P)revious 2 exams	≤ 3 / ≤ 3 / ≤ 2 (randomly selected)	
(R)CA	≥ 1 / ≥ 1 / ≥ 1	
(S)imulator		

Facility: <u>Dresden</u> Exam Level (circle one): RO / SRO-I / <u>SRO-U</u>	Date of Examination: <u>2/6/2006</u> Operating Test Number: <u>ILT 05-1</u>
--	--

Control Room Systems[®] (8 for RO; 7 for SRO-I; 2 or 3 for SRO-U)

System / JPM Title	Type Code*	Safety Function
c. Isolation Condenser – Manually Operate the Isolation Condenser DOP 1300-03; K/A: 207000 A4.07, 4.2/4.3	D,S	(3) Reactor Pressure Control
f. Traversing In-Core Probe – Driving TIP Detectors to Isolation Test Position DOP 0700-06; K/A: 215001 A4.03, 3.0/3.1	N,S,A	(7) Instrumentation
g. Standby Gas Treatment – Post Maintenance Testing with receipt of an Auto Initiation Signal DOP 7500-01; K/A: 261000 A2.10, 3.1/3.2	P,S,L,A,D	(9) Radioactivity Release

In-Plant Systems [@] (3 for RO; 3 for SRO-I; 3 or 2 for SRO-U)																						
i. Recirc System – Seal Purge Isolation DOP 0202-11; K/A: 202001 2.1.30, 3.9/3.4	D,R	(4) Heat Removal from Reactor Core																				
k. Emergency Generators – Perform Local Manual Start of the U3 D/G DSSP 0200-T2; K/A: 264000 A4.04, 3.7/3.7	P,A,D,R,E	(6) Electrical																				
<p>@ All control room (and in-plant) systems must be different and serve different safety functions; in-plant systems and functions may overlap those tested in the control room.</p> <table border="1"> <thead> <tr> <th>*Type Codes</th> <th>Criteria for RO / SRO-I / SRO-U</th> </tr> </thead> <tbody> <tr> <td>(A)lternate path</td> <td>4-6 / 4-6 / 2-3</td> </tr> <tr> <td>(C)ontrol room</td> <td></td> </tr> <tr> <td>(D)irect from bank</td> <td>≤ 9 / ≤ 8 / ≤ 4</td> </tr> <tr> <td>(E)mergency or abnormal in-plant</td> <td>≥ 1 / ≥ 1 / ≥ 1</td> </tr> <tr> <td>(L)ow-Power</td> <td>≥ 1 / ≥ 1 / ≥ 1</td> </tr> <tr> <td>(N)ew or (M)odified from bank including 1(A)</td> <td>≥ 2 / ≥ 2 / ≥ 1</td> </tr> <tr> <td>(P)revious 2 exams</td> <td>≤ 3 / ≤ 3 / ≤ 2 (randomly selected)</td> </tr> <tr> <td>(R)CA</td> <td>≥ 1 / ≥ 1 / ≥ 1</td> </tr> <tr> <td>(S)imulator</td> <td></td> </tr> </tbody> </table>			*Type Codes	Criteria for RO / SRO-I / SRO-U	(A)lternate path	4-6 / 4-6 / 2-3	(C)ontrol room		(D)irect from bank	≤ 9 / ≤ 8 / ≤ 4	(E)mergency or abnormal in-plant	≥ 1 / ≥ 1 / ≥ 1	(L)ow-Power	≥ 1 / ≥ 1 / ≥ 1	(N)ew or (M)odified from bank including 1(A)	≥ 2 / ≥ 2 / ≥ 1	(P)revious 2 exams	≤ 3 / ≤ 3 / ≤ 2 (randomly selected)	(R)CA	≥ 1 / ≥ 1 / ≥ 1	(S)imulator	
*Type Codes	Criteria for RO / SRO-I / SRO-U																					
(A)lternate path	4-6 / 4-6 / 2-3																					
(C)ontrol room																						
(D)irect from bank	≤ 9 / ≤ 8 / ≤ 4																					
(E)mergency or abnormal in-plant	≥ 1 / ≥ 1 / ≥ 1																					
(L)ow-Power	≥ 1 / ≥ 1 / ≥ 1																					
(N)ew or (M)odified from bank including 1(A)	≥ 2 / ≥ 2 / ≥ 1																					
(P)revious 2 exams	≤ 3 / ≤ 3 / ≤ 2 (randomly selected)																					
(R)CA	≥ 1 / ≥ 1 / ≥ 1																					
(S)imulator																						