

**From:** <william.maher@exeloncorp.com>  
**To:** <MTM2@nrc.gov>, <BMP@nrc.gov>  
**Date:** 9/27/05 10:52AM  
**Subject:** OC Visitor Form

Attached you will find a form that we are going to need to have filled out for each person going inside the Protected Area (inside the fence). This would be the people that would be visiting the intake structure area and the person walking down the rad monitors.

Along those lines, for the person(s) going to the rad monitor(s), there would be additional paperwork necessary. We would also like to know which rad monitors you would like to see since that will determine the paperwork that would be needed to walk down this Cat 1 item. RAGEMS, and other process monitors are inside the RCA. Monitor outputs may be in the Control Room which is a vital area.

If you could get back to me on this, I would appreciate it.

Bill

\*\*\*\*\*  
This e-mail and any of its attachments may contain Exelon Corporation proprietary information, which is privileged, confidential, or subject to copyright belonging to the Exelon Corporation family of Companies. This e-mail is intended solely for the use of the individual or entity to which it is addressed. If you are not the intended recipient of this e-mail, you are hereby notified that any dissemination, distribution, copying, or action taken in relation to the contents of and attachments to this e-mail is strictly prohibited and may be unlawful. If you have received this e-mail in error, please notify the sender immediately and permanently delete the original and any copy of this e-mail and any printout. Thank You.  
\*\*\*\*\*

Attached you will find a form that we are going to need to have filled out for each person going inside the Protected Area (inside the fence). This would be the people that would be visiting the intake structure area and the person walking down the rad monitors. Along those lines, for the person(s) going to the rad monitor(s), there would be additional paperwork necessary. We would also like to know which rad monitors you would like to see since that will determine the paperwork that would be needed to walk down this Cat 1 item. RAGEMS, and other process monitors are inside the RCA. Monitor outputs may be in the Control Room which is a vital area. If you could get back to me on this, I would appreciate it. Bill

\*\*\*\*\*

This e-mail and any of its attachments may contain Exelon Corporation proprietary information, which is privileged, confidential, or subject to copyright belonging to the Exelon Corporation family of Companies. This e-mail is intended solely for the use of the individual or entity to which it is addressed. If you are not the intended recipient of this e-mail, you are hereby notified that any dissemination, distribution, copying, or action taken in relation to the contents of and attachments to this e-mail is strictly prohibited and may be unlawful. If you have received this e-mail in error, please notify the sender immediately and permanently delete the original and any copy of this e-mail and any printout. Thank You.

\*\*\*\*\*

A MIME attachment of type <application/octet-stream> was removed here  
by a drop-attachments-by-name filter rule on the host <mail1.nrc.gov>.

Return-path: <william.maher@exeloncorp.com>  
Received: from mail1.nrc.gov [148.184.176.41]  
by NRRWMS02.NRC.GOV; Tue, 27 Sep 2005 10:52:02 -0400  
Received: from mail1b.peco.com (HELO icewall5.peco.com) ([159.214.124.29])  
by mail1.nrc.gov with ESMTP; 27 Sep 2005 10:52:02 -0400  
X-Ironport-ID: mail1  
X-SBRS: None  
X-MID: 540827  
X-BrightmailFiltered: true  
X-Brightmail-Tracker: AAAAAA==  
X-IronPort-AV: i="3.97,150,1125892800";  
d="scan'208,217"; a="540828:sNHT49712556"  
Received: from mob2kieg12.peco.com (navge.peco.com [159.214.149.21])  
by icewall5.peco.com (8.13.0/8.13.0) with SMTP id j8REoIDE012780;  
Tue, 27 Sep 2005 10:50:48 -0400 (EDT)  
Received: from MOB2KMSWP01.energy.power.corp ([159.214.172.51])  
by mob2kieg12.peco.com (SAVSMTP 3.1.7.47) with SMTP id  
M2005092710515018192 ; Tue, 27 Sep 2005 10:51:50 -0400  
Received: from MOBMSCON02.energy.power.corp (unverified [159.214.172.33]) by  
MOB2KMSWP01.energy.power.corp (Content Technologies SMTPRS 4.3.17)  
with  
ESMTP id <T73a3953cb89fd6ac331f0@MOB2KMSWP01.energy.power.corp>;  
Tue, 27 Sep 2005 10:41:45 -0400  
Content-class: urn:content-classes:message  
Return-Receipt-To: <william.maher@exeloncorp.com>  
MIME-Version: 1.0  
Content-Type: multipart/mixed;  
boundary="-----=\_NextPart\_001\_01C5C371.941F7EE0"  
Disposition-Notification-To: <william.maher@exeloncorp.com>  
X-MimeOLE: Produced By Microsoft Exchange V6.5.7226.0  
Subject: OC Visitor Form  
Date: Tue, 27 Sep 2005 10:41:43 -0400  
Message-ID: <986C079C55651A47AD5EF3F88E1269D462813C@mobntxch11.peco.com>  
X-MS-Has-Attach: yes  
X-MS-TNEF-Correlator:  
Thread-Topic: OC Visitor Form  
Thread-Index: AcXCjyEN8B3TSxqdRHuLLOqhPV0WmQ==  
From: <william.maher@exeloncorp.com>  
To: <MTM2@nrc.gov>, <BMP@nrc.gov>

This is a multi-part message in MIME format.

-----=\_NextPart\_001\_01C5C371.941F7EE0  
Content-Type: multipart/alternative;  
boundary="-----=\_NextPart\_002\_01C5C371.941F7EE0"

-----=\_NextPart\_002\_01C5C371.941F7EE0  
Content-Type: text/plain; charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

Attached you will find a form that we are going to need to have filled out for each person going inside the Protected Area (inside the fence). This would be the people that would be visiting the intake structure area and the person walking down the rad monitors.

Along those lines, for the person(s) going to the rad monitor(s), there would be additional paperwork necessary. We would also like to know which rad monitors you would like to see since that will determine the paperwork that would be needed to walk down this Cat 1 item. RAGEMS, and other process monitors are inside the RCA. Monitor outputs may be in the Control Room which is a vital area.

If you could get back to me on this, I would appreciate it.

Bill

\*\*\*\*\*  
This e-mail and any of its attachments may contain Exelon Corporation proprietary information, which is privileged, confidential, or subject to copyright belonging to the Exelon Corporation family of Companies. This e-mail is intended solely for the use of the individual or entity to which it is addressed. If you are not the intended recipient of this e-mail, you are hereby notified that any dissemination, distribution, copying, or action taken in relation to the contents of and attachments to this e-mail is strictly prohibited and may be unlawful. If you have received this e-mail in error, please notify the sender immediately and permanently delete the original and any copy of this e-mail and any printout. Thank You.  
\*\*\*\*\*

-----=\_NextPart\_002\_01C5C371.941F7EE0  
Content-Type: text/html; charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
<HTML><HEAD>  
<META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=iso-8859-1">

<META content="MSHTML 6.00.2800.1480" name=GENERATOR></HEAD>  
<BODY>  
<DIV><SPAN class=316223511-26092005><FONT face=Arial size=2>Attached you will find a form that we are going to need to have filled out for each person going inside the Protected Area (inside the fence).&nbsp;This would be the people that would be visiting the intake structure area and the person walking down the rad monitors.</FONT></SPAN></DIV>  
<DIV><SPAN class=316223511-26092005><FONT face=Arial size=2>&nbsp;</FONT></SPAN>&nbsp;</DIV>  
<DIV><SPAN class=316223511-26092005><FONT face=Arial size=2>Along those lines, for the person(s) going to the rad monitor(s), there would be additional paperwork necessary.&nbsp;We would also like to know which rad monitors yo

u  
 would like to see since that will determine the paperwork that would be needed  
 to walk down this Cat 1 item.&nbsp;&nbsp; <FONT color=#0000ff size=2>RAG  
 EMS, and  
 other process monitors are inside the RCA. Monitor outputs may be in the Control  
 Room which is a vital area.</FONT></FONT></SPAN></DIV>  
 <DIV><SPAN class=316223511-26092005><FONT face=Arial color=#0000ff  
 size=2></FONT></SPAN>&nbsp;  </DIV>  
 <DIV><SPAN class=316223511-26092005><FONT face=Arial color=#0000ff size=2>If you  
 could get back to me on this, I would appreciate it.</FONT></SPAN></DIV>  
 <DIV><SPAN class=316223511-26092005><FONT face=Arial color=#0000ff  
 size=2></FONT></SPAN>&nbsp;  </DIV>  
 <DIV><SPAN class=316223511-26092005><FONT face=Arial color=#0000ff  
 size=2>Bill</FONT></SPAN></DIV>  
 <DIV><SPAN class=316223511-26092005><FONT face=Arial color=#0000ff  
 size=2></FONT></SPAN>&nbsp;  </DIV>  
 <DIV><SPAN class=316223511-26092005></SPAN>&nbsp;  </DIV><FONT SIZE=3><BR>  
 <BR>

\*\*\*\*\*<BR>  
 This e-mail and any of its attachments may contain Exelon Corporation<BR>  
 proprietary information, which is privileged, confidential, or subject <BR>  
 to copyright belonging to the Exelon Corporation family of Companies. <BR>  
 This e-mail is intended solely for the use of the individual or entity <BR>  
 to which it is addressed. If you are not the intended recipient of this <B  
 R>  
 e-mail, you are hereby notified that any dissemination, distribution, <BR>  
 copying, or action taken in relation to the contents of and attachments <BR>  
 to this e-mail is strictly prohibited and may be unlawful. If you have <BR>  
 received this e-mail in error, please notify the sender immediately and <BR>  
 permanently delete the original and any copy of this e-mail and any <BR>  
 printout. Thank You.<BR>

\*\*\*\*\*<BR>  
 </FONT>  
 </BODY></HTML>

-----=\_NextPart\_002\_01C5C371.941F7EE0--

-----=\_NextPart\_001\_01C5C371.941F7EE0  
 Content-Type: text/plain; charset=utf-8  
 Content-Transfer-Encoding: quoted-printable

A MIME attachment of type <application/octet-stream> was removed here  
 by a drop-attachments-by-name filter rule on the host <mail1.nrc.gov>.

-----=\_NextPart\_001\_01C5C371.941F7EE0--

**Mail Envelope Properties** (43395CA9.340 : 18 : 13120)

**Subject:** OC Visitor Form  
**Creation Date:** 9/27/05 10:41AM  
**From:** <william.maher@exeloncorp.com>

**Created By:** william.maher@exeloncorp.com

**Recipients**

nrc.gov

owf4\_po.OWFN\_DO  
MTM2 (Michael Masnik)  
BMP (Bo Pham)

**Post Office**

owf4\_po.OWFN\_DO

**Route**

nrc.gov

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	1623	09/27/05 10:41AM
TEXT.htm	2837	
Part.002	144	
Mime.822	7255	

**Options**

**Expiration Date:** None  
**Priority:** Standard  
**Reply Requested:** No  
**Return Notification:** None

**Concealed Subject:** No  
**Security:** Standard