From:	"PHILLIP BARR" <pharb2@msn.com></pharb2@msn.com>	
То:	<allegation@nrc.gov>, <tannis.fox@state.nm.us></tannis.fox@state.nm.us></allegation@nrc.gov>	
Date:	2/27/06 9:41AM	
Subject:	As I understand it the Waste control site where Les nuclear waste may go is in	
Andrews county, Texas		

As I understand it the Waste control site where Les nuclear waste may go is in Andrews county, Texas. Andrews county is on record that they face water shortages.

But the NRC says that Lea County has enough water for the Louisiana Energy services uranium enrichment plant.

These two sites are very close to each other. How can the Texas waste control site sit in an area facing water shortages and the Les site sit in an area that has a lot of water. When both sites are so close to each other?

I used to work for the City of Hobbs. They were always telling us the water supplies were running out. Water rates were raised to encourage conservation.

Its my allegation that the NRC and State of New Mexico study for the water supply in Lea County in respect to the LES plant licensing is flawed

phillip barr lea county

1

^:

CC: "Rhonda Ussery" <barussery@hotmail.com>, "Kathy Helms" <khelms@frontiernet.net>, "slynnh2" <slynnh2@valornet.com>, "Melissa Kemp" <mkemp@citizen.org> ì

Subject:	As I understand it the Waste control site where Les nuclear waste may go is in Andrews county, Texas
Creation Date:	2/27/06 9:40AM
From:	"PHILLIP BARR" <pharb2@msn.com></pharb2@msn.com>

Created By: pharb2@msn.com

Recipients nrc.gov OWGWPO02.HQGWDO01 ALLEGATION

citizen.org mkemp CC (Melissa Kemp)

valornet.com slynnh2 CC (slynnh2)

frontiernet.net khelms CC (Kathy Helms)

hotmail.com barussery CC (Rhonda Ussery)

state.nm.us tannis.fox

Post Office OWGWPC02.HQGWDC01

Route

nrc.gov citizen.org valornet.com frontiernet.net hotmail.com state.nm.us

Files	Size	Date & Time
MESSAGE	827	02/27/06 09:40AM
TEXT.htm	1775	
Mime.822	4626	
Options		
Expiration Date:	None	
Priority:	Standard	

á

Reply Requested: Return Notification:

No None

Concealed Subject: Security: No Standard