

UNITED STATES NUCLEAR REGULATORY COMMISSION REGION I 475 ALLENDALE ROAD KING OF PRUSSIA, PENNSYLVANIA 19406-1415

May 20, 2005

License No.

37-01893-01

Docket No. 03003013 Control No. 136782

Mary N. Mannix, FACHE Senior Vice President and Chief Operating Officer Robert Packer Hospital Guthrie Healthcare System and Guthrie Clinic One Guthrie Square Sayre, PA 18840

SUBJECT: GUTHRIE HEALTHCARE SYSTEM AND GUTHRIE CLINIC, LICENSE AMENDMENT, CONTROL NO. 136782

Dear Ms. Mannix:

This refers to your license amendment requests dated March 29, 2005, and May 17, 2005. Enclosed with this letter is the amended license.

Please note that administrative review by NRC determined that a sentence was inadvertently removed from Item 9.F. of your license beginning with Amendment No. 60. This sentence has been restored to specify that sources may be installed in your high dose rate remote afterloader unit at a maximum activity of 10 curies. We apologize for any inconvenience this error may have caused.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are available at the NRC web site at <u>http://www.nrc.gov/materials/miau/mat-toolkits.html</u> and <u>http://www.nrc.gov/who-we-are/governing-laws.html</u> or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Information in this record was deleted in accordance with the Freedom of Information Act, exemptions $\frac{2}{-13-5}$

M. Mannix 2 Guthrie Healthcare System and Guthrie Clinic

Thank you for your cooperation.

Sincerely,

Original signed by Sandra Gabriel

Sandra Gabriel Senior Health Physicist Medical Branch Division of Nuclear Materials Safety

. •

Enclosure: Amendment No. 68

CC:

.

•

Asaf Durakovic, M.D., Radiation Safety Officer

M. Mannix 3 Guthrie Healthcare System and Guthrie Clinic

DOCUMENT NAME: E:\Filenet\ML051450442.wpd

To provide a service of this descences. Indicate in the heavy #01 - Conversion stacklosed, #21 - Conversion stacklosed, #21 - No	
To receive a copy of this document, indicate in the box; C = Copy w/o allach/enci - c = Copy w/ allach/enci - N = No c	JV

OFFICE	DNMS/RI	Ν	DNMS/RI	DNMS/RI	
NAME	SGabriel /SLG2/		·		
DATE ·	5/20/05				

OFFICIAL RECORD COPY



NRC FORM 3	74A U.	.S. NUCLEAR RI	EGULATORY COMMISSION		PAGE 2	of 6 PAGES	
		ALS LICEN ENTARY SHE	37-01893-01 Docket or Referen 030-03013	ce Number			
<u></u>							
6. Byprodu nuclear i	ct, source, and/or spec naterial	cial 7.	Chemical and/or physical	form 8.	. Maximum amount th possess at any one license	nat licensee may time under this	
I. Stronti	um 90	1.	Sealed Source (Nuc Enterprises Model 2	lear I. 503)	10 millicuries		
J. Hydrog	en 3	J.	ADYAR REC	J	. 90 millicuries		
K. Carboi	n 14	. (K,	Any	K	. 40 millicuries		
L. Phosp	L. Phosphorus 32						
M. Phosp	M. Phosphorus 33 M. Any M. 200 millicuries						
N. Sulfur	35		Any	N	I. [*] 200 millicuries		
O. Calciu	n 45	Ō	Any	STAT C). 5 millicuries		
P. Chrom	ium 51 🚽	P	Any Autur	P	2. 200 millicuries		
Q. lodine	2. lodine 125						
R. Yttrium	R. Yttrium 90 R. 20 millicuries						
9. Authorized use:							
 A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100. B. Any imaging and localization study permitted by 10 CFR 35.200. C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300. D. Any manual brachytherapy procedure permitted by 10 CFR 35.400. E. In vitro studies. F. One source for medical use permitted by 10 CFR 35.600 in a Nucletron Corporation MicroSelectron Model 105.999 remote afterloader unit. The source may not exceed 10 curies at the time of installation. One 							
source	source in its shipping container as necessary for replacement of the source in the remote afterloader unit.						
H. Shieldi	H. Shielding in a linear accelerator.						
J. through	 Non-human use. For calibrations and checking of licensee's survey instruments. J. through R. Research and development as defined in 10 CFR 30.4. 						
CONDITIONS							
10. Licen Hospi Penns	 Licensed material may be used or stored only at the licensee's facilities located at Robert Packer Hospital, Guthrie Clinic, and Guthrie Foundation for Medical Research, 1 Guthrie Square, Sayre, Pennsylvania. 						

l

:

NRC FOF		U.S. NUCLEAR REGULATORY	COMMISSION	 1	PAGE	3	of	6	PAGES
				License Number 37-01893-01				-	
	MATI	ERIALS LICENSE LEMENTARY SHEET		Docket or Reference Numbe 030-03013					
				Amendment No. 68					
				<u> </u>	<u> </u>	<u> </u>			
11. The	11. The Radiation Safety Officer for this license is Asaf Durakovic, M.D.								
12. Licr	ensed material is	s only authorized for use by	y, or under t	he supervision of:					
A.	Individuals perr medical physic	mitted to work as an author ist in accordance with 10 C	rized user, a CFR 35.13 a	authorized nuclear ph nd 35.14.	armaci	st, a	nd/o	r aul	horized
В.	The following in	ndividuals are authorized u	isers for me	dical use as indicated	1:				
	Authorized Use	<u>IS 231</u>	Material ar	nd Use					
	John M. Antos,	M.D.	35.100; 35	.200; 35.300; <u>In vitro</u>	studies	5			
	Richard Foster,	M.D.J	35.100; 35	.200; <u>In vitro</u> studies					
	Ralph D. Zehr,	M.D.	35,100; 35	200,35.300; 35,400	; <u>In vitr</u>	<u>o</u> sti	udies	\$	
	Christopher Joy	, м.D. 07	35,100; 35 10dine 131 treatment	200 Oral administration of pyperthyroidism ar	tion of lization Id cardi	sodi stuo ac d	um i dies ysfu	odid and nctic	e vn
ĺ	Thomas Gergel	, MD	Iridium 192 afterioadin	? for/uşe in a high do g device; depleted u	se rate anium	rem	ote		
	Gary Proulx, M.	.D. KANTUR	35,400; Iric afterloadin	diùm 192 for use in a g device depleted u	high do anium	oseı	rate	remo	ote
	Asaf Durakovic	, M.D.	35.100; 35	.200; 35.300; <u>In vitro</u>	studies	5			
	Duk K. Choi, M.	.D.	35.100; 35	5.200					
	Richard A. Kost	tick, D.O.	35.100; 35	5.200; <u>In vitro</u> studies					
C.	The following in	ndividuals are authorized n	nedical phys	sicists as indicated:					
	Authorized Med	lical Physicists	Material ar	nd Use					
	Jian (Jason) H.	Chen, Ph.D.	Iridium-192 for calibrat	2 in a High Dose Rate ions, spot-checks, an	e Remo d traini	te A ng	fterlo	ade	r Unit

NRC FOR	RM 374A U.S. NUCLEAR REGULAT	TORY COMMISSION PAGE 4 of 6 PAGES						
		License Number 37-01893-01						
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-03013						
		Amendment No. 68						
	D The following individuals are authorized users for non-medical uses as indicated:							
5.								
	Authorized Users	Materials						
	Nan-Shang Chang, Ph.D.	Hydrogen 3, Carbon 14, Phosphorus 32, Phosphorus 33, Sulfur 35, Calcium 45, Chromium 51, Iodine 125						
	John D. Noti, Ph.D.	Hydrogen 3, Carbon 14, Phosphorus 32, Phosphorus 33, Sulfur 35, Calçium 45, Chromium 51, Iodine 125						
	Carol L. Williams, Ph.D.	Hydrogen 3, Carbon 14, Phosphorus 32, Phosphorus 33, Sulfur 35, Calcium 45, Chromium 51, Iodine 125						
	Sydney Welt, M.D.	Chromium 51, Iodine 125, Yttrium 90						
	Asaf Durakovic, M.D.	Americium 241 (storage), Strontium 90 (calibration)						
13. In ma es	13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) 40.36(b), and 70.25(d) for establishing financial assurance for decommissioning.							
14. Th sp	e licensee shall not use licensed materiection of this license.	al in or on human beings except as provided otherwise by						
15. Th pro	e licensee shall not use licensed materi ovided otherwise by specific condition of	al in field applications where activity is released except as f this license.						
16. Th de	16. The licensee is authorized to hold byproduct material with a physical half-life of less than 120 days for decay-in-storage before disposal without regard to its fadioactivity if it:							
A.	Monitors byproduct material at the sur cannot be distinguished from the back survey meter set on its most sensitive	rface before disposal and determines that its radioactivity kground radiation level with an appropriate radiation detection e scale and with no interposed shielding; and						
В.	Removes or obliterates all radiation la containers and that will be managed a licensee; and	abels, except for radiation labels on materials that are within as biomedical waste after they have been released from the						
C.	Maintains records of the disposal of li of disposal, the survey instrument use at the surface of each waste containe	censed materials for 3 years. The record must include the date ed, the background radiation level, the radiation level measured er, and the name of the individual who performed the disposal.						
17. Th 10	e licensee is authorized to transport lice CFR Part 71, "Packaging and Transport	ensed material in accordance with the provisions of rtation of Radioactive Material."						

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION			PAGE 5 of 6 PAGES			
			License Number 37-01893-01			
		MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-03013			
			Amendment No. 68			
18.	FOL	sealed sources not associated with 10 CFR Part 35 us	se, the following conditions apply:			
	Α.	Sealed sources shall be tested for leakage and/or co- intervals specified in the certificate of registration issu under 10 CFR 32.210 or under equivalent regulations	ntamination at intervals not to exceed the ued by the U.S. Nuclear Regulatory Commission s of an Agreement State.			
	в.	Notwithstanding Paragraph A of this Condition, seale particles shall be tested for leakage and/or contamina	d sources designed to primarily emit alpha ation at intervals not to exceed 3 months.			
	C. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects leakage, and contamination prior to any use or transfer as a sealed source.					
	D.	In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.				
	E.	Sealed sources need not be tested if they contain on gas; or the half-life of the isotope is 30 days or less; or beta- and/or gamma-emitting material or not more that	ly hydrogen-3; or they contain only a radioactive of they contain not more than 100 microcuries of an 10 microcuries of alpha-emitting material.			
	F.	Sealed sources need not be tested if they are in stora are removed from storage for use or transferred to a the required leak test interval, they shall be tested be stored for a period of more than 10 years without bei	age and are not being used; however, when they tother person and have not been tested within fore use or transfer. No sealed source shall be ng tested for leakage and/or contamination.			
	G.	The leak test shall be capable of detecting the present radioactive material on the test sample. If the test re- (185 becquerels) or more of removable contamination Regulatory Commission in accordance with 10 CFR 3 immediately from service and decontaminated, repair Commission regulations.	nce of 0.005 microcurie (185 becquerels) of veals the presence of 0.005 microcurie n, a report shall be filed with the U.S. Nuclear 30.50(c)(2), and the source shall be removed red, or disposed of in accordance with			
	H.	Tests for leakage and/or contamination, including leaperformed by the licensee or by other persons specif Commission or an Agreement State to perform such kept in units of microcuries and shall be maintained f	ik test sample collection and analysis, shall be ically licensed by the U.S. Nuclear Regulatory services. Records of leak test results shall be or 5 years.			
19.	The U.S und and the	e licensee shall conduct a physical inventory every six b. Nuclear Regulatory Commission, to account for all so ler the license. Records of inventories shall be mainta I shall include the radionuclides, quantities, manufactu inventory.	months, or at other intervals approved by the ources and/or devices received and possessed ined for 5 years from the date of each inventory rer's name and model numbers, and the date of			

	<u>``</u>			
NRC FORM 374A U.S. NUCLEAR REGULATORY COMMIS				PAGE 6 of 6 PAGES
				37-01893-01
		MATERIALS LICENSE SUPPLEMENTARY SHEET		Docket or Reference Number 030-03013
			Amendment No. 68	
20.	Except as sp accordance any enclosu be submitted licensee's al The U.S. Nu representation than the reg A. Letter d B. Letter d C. Letter d C. Letter d E. Letter d H. Letter d J. Letter d J. Letter d L. Letter d L. Letter d	Decifically provided otherwise in the with the statements, representation res, listed below. This license cond in accordance with the regulation bility to make changes to the radia rolear Regulatory Commission's re- ons, and procedures in the license ulations. lated December 18, 1990 lated August 17, 1995 lated November 30, 1995 lated Movember 30, 1995 lated March 16, 2001 except Qual lated August 28, 2001 except Qual lated August 30, 2001 lated September 14, 2001 lated September 12, 2001 lated February 14, 2002 lated December 15, 2003 lated October 18, 20047	his license, tons, and pro- ndition appli ns. Addition action protect gulations sl ee's applica lity Manager P Auun For the U.S	the licensee shall conduct its program in ocedures contained in the documents, including ies only to those procedures that are required to nally, this license condition does not limit the tion program as provided for in 10 CFR 35.26. thall govern unless the statements, ation and correspondence are more restrictive ment Program (QMP)
Date	e May	y 20, 2005	<i>Ori</i> By	iginal signed by Sandra Gabriel
m 6	-		Sai Me Div Reg Kin	ndra Gabriel edical Branch vision of Nuclear Materials Safety gion I ng of Prussia, Pennsylvania 19406
				: