

The Cooper Health System  
Robert Wood Johnson Medical School at Camden  
One Cooper Plaza  
Camden, NJ 08103

K-8

NRC License number 29-08285-01

03002512

March 28, 2006

Sandra Gabriel, Ph.D.  
Senior Health Physicist  
Region I, Medical Branch  
Division of Nuclear Materials Safety  
U.S. Nuclear Regulatory Commission, Region I  
475 Allendale Road  
King of Prussia, PA 19406-1415

Re: License amendments

Dr. Gabriel:

Please remove the following from our broadscope license :

6. H. Depleted Uranium, metal, 365 kilograms

This is a follow up to our April 28, 2005 request to remove the depleted uranium shielding from our broadscope license, and our December 8, 2005 response to the notice of violation in regards to the transfer of the depleted uranium shielding. Since we are no longer in possession of the depleted uranium, please remove it from our NRC license.

In addition, our April 28, 2005 license renewal application on page 37 regarding the Dorrance radioactive waste room states (second bulleted item) –

- The Dorrance radioactive waste storage facility has a key lock and an alarm system that will be triggered when the door is opened. The security alarm system is connected to the Hospital Security control desk, which will notify the RSO or his designee if the alarm is triggered.

The door to the Dorrance radioactive waste storage facility has a key lock and in addition all radioactive waste stored in the refrigerator will also have a keyed lock. The keys to the those locks will only be provided to trained personnel designated by the RSO. There will be no security alarm system connected to the Hospital Security control desk.

138644

1


The Dorrance radioactive waste storage facility contains only solid radioactive waste with half lives less than 120 days. This decay in storage area does not and will not have radioactivity in amounts that would require a security alarm system. The double keyed approach (door to room and door to refrigerator) will satisfy 10 CFR 20.1801 requirements for security of stored material.

If you have any further questions regarding this request, please e-mail ( [Goldschmidt-ed@cooperhealth.edu](mailto:Goldschmidt-ed@cooperhealth.edu) ) or call me at 856-342-2723.

Sincerely,



Edward J. Goldschmidt Jr., M.S., D.A.B.M.P.  
Radiation Safety Officer  
The Cooper Health System  
Robert Wood Johnson Medical School at Camden  
One Cooper Plaza  
Camden, NJ 08103



Jeffrey Varmer  
Senior Executive Vice President and Chief Operating Officer  
The Cooper Health System  
Robert Wood Johnson Medical School at Camden  
One Cooper Plaza  
Camden, NJ 08103

This is to acknowledge the receipt of your letter/application dated

3/26/2006, and to inform you that the initial processing which includes an administrative review has been performed.

Attens. 29-08285-d  
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

---

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 138644.  
When calling to inquire about this action, please refer to this control number.  
You may call us on (610) 337-5398, or 337-5260.