



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

APR 06 2006

Frederick B. Entwistle
Radiation Safety Officer
Health Physics Services
3M Center, Building 220-06-W-08
P. O. Box 33283
St. Paul, MN 55133-3283

Dear Mr. Entwistle:

Thank you for bringing to our attention an error found in Amendment No.38 of your NRC license. One of the places of use listed in license condition 10 was incorrectly stated as Springfield instead of Nevada, Missouri. A corrected license is enclosed.

In addition, the mailing address was also corrected. We apologize for any inconvenience this may have caused you.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

A handwritten signature in black ink, appearing to read "Toye L. Simmons".

Toye L. Simmons
Materials Licensing Branch

License No. 22-00057-03
Docket No. 030-04950

Enclosure: Amendment No. 38 corrected copy