



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD STE 210
LISLE, ILLINOIS 60532-4352

MAR 20 2006

Dale Schippers, M.S.
Radiation Safety Officer
Saint Mary's Health Care
200 Jefferson, S.E.
Grand Rapids, MI 49503

Dear Mr. Schippers:

Enclosed is Amendment No. 75 to your NRC Material License No. 21-01078-01 in accordance with your request. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully, especially Condition No. 10, and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

With respect to your response concerning your manual brachytherapy facilities, please provide a revised description of your emergency response equipment to include remote handling tools in a future amendment.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions.

D. Schippers

2

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

A handwritten signature in black ink that reads "Colleen Carol Casey". The signature is written in a cursive style with a large initial "C".

Colleen Carol Casey
Materials Licensing Branch

License No. 21-01078-01
Docket No. 030-08291

Enclosure: Amendment No. 75