



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

**MAR 30 2006**

John E. Scott, M.D.  
Radiation Safety Officer  
Midwest Division - LSH, LLC  
d/b/a Lee's Summit Hospital  
530 N.W. Murry Road  
Lee's Summit, MO 64081

Dear Dr. Scott:

Enclosed is Amendment No. 15 to your NRC Material License No. 24-24660-01 in accordance with your request dated February 16, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note the following concerning your request. All the new physicians listed on your NRC license with the exception of Dr. Sherard, are authorized for 35.300 limited to outpatient procedures since this is the way they were listed on the Kansas State licenses that you provided. Also License Conditions 13 and 14 were added to your NRC license in accordance with NUREG 1556, Vol. 9, Rev. 1. Also subitems 9.A., 9.B. and 9.C. were modified in accordance with Vol. 9.

*You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.*

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. The enclosed license document is exempt from public disclosure in accordance with 10 CFR 2.390, because its disclosure to unauthorized individuals could present a security vulnerability.

J. E. Scott, M.D.

2

Sincerely,

  
James R. Mullauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 24-24660-01  
Docket No. 030-29074

Enclosure: Amendment No. 14