

User:SHAHER Spec:PIRNE STANDARD File: \ACAD\PROJ\4812014\CONFORMED-DESIGN\M-17.DWG Scale: 1:1 Date: 11/14/2005 Time: 13:19 Layout: Layout1



LEGEND:

- ACTIVE EXCAVATION AREA
- ACTIVE EXCAVATION AREA (APPROXIMATE LIMITS OF URANIUM AREA)



- NOTES:**
1. FOR GENERAL NOTES AND LEGEND SEE SHEET M-1A.
 2. DURING STAGE 1, REMEDIATION ACTIVITIES WILL BE CONDUCTED IN AREA A5A.
 3. FABRIC FILTER FENCE AND STRAW BALE BARRIER SHALL BE INSTALLED AROUND ALL ACTIVE EXCAVATION AREAS, EQUIPMENT LAYDOWN, FRAC TANK STORAGE, TREATMENT SYSTEM STORAGE AREA, UTILITY TRENCH EXCAVATIONS AND SOIL STOCKPILES AS SHOWN AND AS REQUIRED FOR EROSION AND SEDIMENT CONTROL. LOCATIONS SHOWN ARE APPROXIMATE.
 4. SEE EROSION AND SEDIMENT CONTROL PLAN FOR INSPECTION AND MAINTENANCE REQUIREMENTS.
 5. CONTRACTOR IS RESPONSIBLE FOR CONVEYING (PUMPING OR TRUCKING) THE CONTACT STORMWATER FROM THE EXCAVATION AREAS THROUGH FILTER BAGS TO FRAC TANKS FOR FUTURE TREATMENT IN THE ON-SITE TREATMENT SYSTEM.
 6. CONTRACTOR SHALL GRADE BACKFILL MATERIAL TO PROMOTE FLOW AWAY FROM PLANNED OR ACTIVE EXCAVATION AREAS.

SUGGESTED EQUIPMENT LAYDOWN, FRAC TANK STORAGE AND TREATMENT SYSTEM STORAGE AREA.

EQUIPMENT & DEBRIS DECON PAD
SEE DETAIL

4
10 27

D-13



KEY PLAN



REVISIONS				NO.	BY	DATE	REVISIONS	REMARKS

DES - BEG
DWN - TCS
CKD - KRM

**MOLYCORP, INC
WASHINGTON, PA
SITE REMEDIATION CONSTRUCTION**

**STAGE 1
BEST MANAGEMENT PRACTICE PLAN**

COPYRIGHT © 2005
MALCOLM PIRNIE, INC.
DATE: JUNE 2005
M SHEET 17 OF 46
CAD REF. NO. M-17