



RECEIVED
REGION 1

2006 APR 12 PM 2:04

Norwalk Hospital

Norwalk,
Connecticut 06856

NMS01

April 6, 2006

United States Nuclear Regulatory Commission
Medical Branch,
Division of Nuclear Materials Safety
Region 1
475 Allendale Road
King of Prussia, PA 19406-1415

NRC# 06-06941-01
Docket # 030-01267

Dear Sir, Madam:

We no longer possess Depleted Uranium. The Linear Accelerator containing depleted uranium as shield, was removed from the facility by the manufacturer, Varian Medical Systems. The Linear Accelerator is replaced with a new one, which does not use depleted uranium for shielding.

We request you to amend our license by removing depleted uranium as a licensed material in our possession.

Thank you.

Sincerely,

Balachandran Kodery
Radiation Safety Officer.

138706

NMSS/RCN MATERIALS-002

This is to acknowledge the receipt of your letter/application dated

4/6/2006, and to inform you that the initial processing which includes an administrative review has been performed.

^{ATLANTA, 06-06841-01} There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 138706.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (R1)
(6-96)

Sincerely,
Licensing Assistance Team Leader