

From: "Hayakawa, Sidney" <Sidney.Hayakawa@dhs.gov>
To: "Roberto Torres" <RJT@nrc.gov>
Date: Mon, Sep 26, 2005 2:12 PM
Subject: RE: Questions on Irradiator at the HNL

My mailing address is:
Transportation Security Administration
Honolulu International Airport
300 Rodgers Boulevard, #45
Honolulu, Hawaii 96819

I appreciate your efforts and I will forward all correspondence to TSA's Office of Occupational Safety and Health Manager in San Bruno, CA.

Sidney A. Hayakawa
Federal Security Director
Honolulu International Airport
(Office) 808-831-4604
(Fax) 808-831-4619
sidney.hayakawa@dhs.gov

-----Original Message-----

From: Roberto Torres [mailto:RJT@nrc.gov]
Sent: Monday, September 26, 2005 3:56 AM
To: Hayakawa, Sidney
Subject: Re: Questions on Irradiator at the HNL

Mr. Hayakawa:

Please provide me with your mailing address so I can send you official correspondence in the future regarding the Pa'ina license application. Thank you.

Roberto J. Torres
Senior Health Physicist
U.S. Nuclear Regulatory Commission, Region IV
Division of Nuclear Materials Safety
Nuclear Materials Licensing Branch
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011
Telephone 817-860-8189
Facsimile 817-860-8188
rjt@nrc.gov

>>> "Hayakawa, Sidney" <Sidney.Hayakawa@dhs.gov> 09/14/05 12:58 PM >>>

Mr. Torres,

Allow me to introduce myself. I am the Federal Security Director of the Honolulu International Airport (HNL), Transportation Security Administration, Department of Homeland Security. My primary responsibility is the screening of passengers, their carry-on articles and their checked-in baggage. We also regulate the airport, the airport operator, the air-carriers and cargo. I am also a tenant of the HNL.

On behalf of TSA's Occupational Safety & Health Manager, Mr. Brooke Wade Bixler I have the following

questions regarding the proposed irradiator at the HNL.:

1. What type of radiation will be used?
(Gamma rays, electron beams or x-rays)
2. Who will be the primary authority that oversees the operation?
(State, FDA or NRC).
3. What fail safe measures will be in place to ensure the safe operation of the irradiator?
4. Will spent Cobalt 60 be stored at the airport or near TSA occupied spaces?

Sidney A. Hayakawa
Federal Security Director
Honolulu International Airport
(Office) 808-831-4604
(Fax) 808-831-4619
sidney.hayakawa@dhs.gov

CC: "Abordo, Reyna" <Reyna.Abordo@dhs.gov>, "Brooke Bixler (E-mail)" <Brooke.Bixler@associates.dhs.gov>, "Lopez, Mario" <Mario.Lopez1@tsa.dot.gov>